

3.21 Drug Monitoring Act

[act: identifier urn:oid:2.16.840.1.113883.10.20.22.4.123 (open)]

Table 265: Drug Monitoring Act Contexts

Contained By:	Contains:
Medication Activity (V2) (optional)	US Realm Person Name (PN.US.FIELDDED) (required)

This template represents the act of monitoring the patient's medication and includes a participation to record the person responsible for monitoring the medication. The prescriber of the medication is not necessarily the same person or persons monitoring the drug. The effectiveTime indicates the time when the activity is intended to take place.

For example, a cardiologist may prescribe a patient Warfarin. The patient's primary care provider may monitor the patient's INR and adjust the dosing of the Warfarin based on these laboratory results. Here the person designated to monitor the drug is the primary care provider.

Table 266: Drug Monitoring Act Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
act (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.123)					
@classCode	1..1	SHALL		1098-30823	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = ACT
@moodCode	1..1	SHALL		1098-28656	INT
templateId	1..1	SHALL		1098-28657	
@root	1..1	SHALL		1098-28658	2.16.840.1.113883.10.20.22.4.123
id	1..*	SHALL		1098-31920	
code	1..1	SHALL		1098-28660	
@code	1..1	SHALL		1098-30818	395170001
@codeSystem	1..1	SHALL		1098-30819	urn:oid:2.16.840.1.113883.6.96 (SNOMED CT) = 2.16.840.1.113883.6.96
statusCode	1..1	SHALL		1098-31921	
@code	1..1	SHALL		1098-32358	urn:oid:2.16.840.1.113883.1.11.15933 (ActStatus)
effectiveTime	1..1	SHALL		1098-31922	
participant	1..*	SHALL		1098-28661	
@typeCode	1..1	SHALL		1098-28663	RESP
participantRole	1..1	SHALL		1098-28662	
@classCode	1..1	SHALL		1098-28664	ASSIGNED
id	1..*	SHALL		1098-28665	
playingEntity	1..1	SHALL		1098-28667	
@classCode	1..1	SHALL		1098-28668	PSN
name	1..1	SHALL		1098-28669	US Realm Person Name (PN.US.FIELDDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.1.1)

1. **SHALL** contain exactly one [1..1] **@classCode="ACT"** act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:1098-30823).

2. **SHALL** contain exactly one [1..1] **@moodCode**="INT" (CONF:1098-28656).
3. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-28657) such that it
 - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.123" (CONF:1098-28658).
4. **SHALL** contain at least one [1..*] **id** (CONF:1098-31920).
5. **SHALL** contain exactly one [1..1] **code** (CONF:1098-28660).
 - a. This code **SHALL** contain exactly one [1..1] **@code**="395170001" medication monitoring (regime/therapy) (CONF:1098-30818).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:1098-30819).
6. **SHALL** contain exactly one [1..1] **statusCode** (CONF:1098-31921).
 - a. This statusCode **SHALL** contain exactly one [1..1] **@code**, which **SHALL** be selected from ValueSet [ActStatus](#) urn:oid:2.16.840.1.113883.1.11.15933 **DYNAMIC** (CONF:1098-32358).
7. **SHALL** contain exactly one [1..1] **effectiveTime** (CONF:1098-31922).
8. **SHALL** contain at least one [1..*] **participant** (CONF:1098-28661) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode**="RESP" (CONF:1098-28663).
 - b. **SHALL** contain exactly one [1..1] **participantRole** (CONF:1098-28662).
 - i. This participantRole **SHALL** contain exactly one [1..1] **@classCode**="ASSIGNED" (CONF:1098-28664).
 - ii. This participantRole **SHALL** contain at least one [1..*] **id** (CONF:1098-28665).
 - iii. This participantRole **SHALL** contain exactly one [1..1] **playingEntity** (CONF:1098-28667).
 1. This playingEntity **SHALL** contain exactly one [1..1] **@classCode**="PSN" (CONF:1098-28668).
 2. This playingEntity **SHALL** contain exactly one [1..1] [US Realm Person Name \(PN.US.FIELDDED\)](#) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.1.1) (CONF:1098-28669).

Table 267: ActStatus

Value Set: ActStatus urn:oid:2.16.840.1.113883.1.11.15933 Contains the names (codes) for each of the states in the state-machine of the RIM Act class. Value Set Source: https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.1.11.15933/expansion			
Code	Code System	Code System OID	Print Name
normal	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	normal
aborted	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	aborted
active	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	active
cancelled	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	cancelled
completed	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	completed
held	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	held
new	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	new
suspended	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	suspended
nullified	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	nullified
obsolete	HL7ActStatus	urn:oid:2.16.840.1.113883.5.14	obsolete

Figure 141: Drug Monitoring Act Example

```

<entryRelationship typeCode="COMP">
  <!-- **DRUG MONITORING ACT **-->
  <act classCode="ACT" moodCode="INT">
    <templateId root="2.16.840.1.113883.10.20.22.4.123" />
    <id root="2a620155-9d11-439e-92b3-5d9815ff4ee8" />
    <code code="395170001" displayName="medication monitoring (regime/therapy)"
codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED-CT" />
    <statusCode code="completed" />
    <effectiveTime xsi:type="IVL_TS">
      <low value="20130615" />
      <high value="20130715" />
    </effectiveTime>
    <participant typeCode="RESP">
      <participantRole classCode="ASSIGNED">
        <id root="2a620155-9d11-439e-92b3-5d9815ff4ee5" />
        <playingEntity classCode="PSN">
          <name>
            <given>Listener</given>
            <family>Larry</family>
            <prefix>DR</prefix>
          </name>
        </playingEntity>
      </participantRole>
    </participant>
  </act>
</entryRelationship>

```

3.22 Drug Vehicle

[participantRole: identifier urn:oid:2.16.840.1.113883.10.20.22.4.24 (open)]

Table 268: Drug Vehicle Contexts

Contained By:	Contains:
Medication Activity (V2) (optional) Immunization Activity (V3) (optional)	

This template represents the vehicle (e.g., saline, dextrose) for administering a medication.

Table 269: Drug Vehicle Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
participantRole (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.24)					
@classCode	1..1	SHALL		81-7490	urn:oid:2.16.840.1.113883.5.110 (HL7RoleClass) = MANU
templateId	1..1	SHALL		81-7495	
@root	1..1	SHALL		81-10493	2.16.840.1.113883.10.20.22.4.24
code	1..1	SHALL		81-19137	
@code	1..1	SHALL		81-19138	412307009
@codeSystem	1..1	SHALL		81-26502	urn:oid:2.16.840.1.113883.6.96 (SNOMED CT) = 2.16.840.1.113883.6.96
playingEntity	1..1	SHALL		81-7492	
code	1..1	SHALL		81-7493	
name	0..1	MAY		81-7494	

1. **SHALL** contain exactly one [1..1] **@classCode**="MANU" (CodeSystem: HL7RoleClass urn:oid:2.16.840.1.113883.5.110 **STATIC**) (CONF:81-7490).
2. **SHALL** contain exactly one [1..1] **templateId** (CONF:81-7495) such that it
 - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.24" (CONF:81-10493).
3. **SHALL** contain exactly one [1..1] **code** (CONF:81-19137).
 - a. This code **SHALL** contain exactly one [1..1] **@code**="412307009" Drug Vehicle (CONF:81-19138).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:81-26502).
4. **SHALL** contain exactly one [1..1] **playingEntity** (CONF:81-7492).

This playingEntity/code is used to supply a coded term for the drug vehicle.

- a. This playingEntity **SHALL** contain exactly one [1..1] **code** (CONF:81-7493).
- b. This playingEntity **MAY** contain zero or one [0..1] **name** (CONF:81-7494).