- c. This code MAY contain zero or one [0..1] @codeSystemName="NCI Thesaurus" (CONF:4437-3498).
- d. This code MAY contain zero or one [0..1] @displayName="Latex Safety Status" (CONF:4437-3499).

The value of the Latex Safety status.

- 3. **SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", where the code **SHALL** be selected from ValueSet Device Latex Safety
 - urn:oid:2.16.840.1.113762.1.4.1021.47 **STATIC** 2019-06-21 (CONF:4437-3493).
 - a. This value **SHALL** contain exactly one [1..1] @code (CONF:4437-3500).
 - b. This value **SHALL** contain exactly one [1..1] @codeSystem (CONF:4437-3501).

Figure 9: Latex Safety Status

```
<observation classCode="OBS" moodCode="EVN">
            <templateId root="2.16.840.1.113883.10.20.22.4.314"</pre>
                extension="2019-06-21"/>
            <code code="C160938" displayName="Latex Safety Status"</pre>
                codeSystem="2.16.840.1.113883.3.26.1.1"
                codeSystemName="NCI Thesaurus"/>
            <value xsi:type="CD" code="C106038"</pre>
                codeSystem="2.16.840.1.113883.3.26.1.1" displayName="Not Made with Natural
Rubber Latex"
                codeSystemName="NCI Thesaurus"
sdtc:valueSet="2.16.840.1.113762.1.4.1021.47">
                <originalText>
                    <reference value="#LatexSafety 1"/>
                </originalText>
            </value>
        </observation>
```

2.9 Lot or Batch Number Observation

[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.315:2019-06-21 (open)]

Table 19: Lot or Batch Number Observation Contexts

Contained By:	Contains:
<u>UDI Organizer</u> (optional)	

This template is intended to be used in addition to the **Product Instance** template urn:oid:2.16.840.1.113883.10.20.22.4.37 to exchange the **Lot or Batch Number** of the device. The Lot or Batch Number is parsed from the UDI value, if present.

Table 20: I	Lot or B	atch Numbei	r Observa	ition Constr	aints Overview	
						П

XPath	Card.	Verb	Data Type	CONF#	Value
observation (identifier: urn:hl7ii:2	.16.840.1.	113883.10.20	0.22.4.31	5:2019-06-21	1)
templateId	11	SHALL		<u>4437-</u> <u>3450</u>	
@root	11	SHALL		<u>4437-</u> <u>3452</u>	2.16.840.1.113883.10.20.22.4 .315
@extension	11	SHALL		4437- 3453	2019-06-21
code	11	SHALL		4437- 3451	
@code	11	SHALL		4437- 3454	urn:oid:2.16.840.1.113883.3.2 6.1.1 (NCI Thesaurus (NCIt)) = C101672
@codeSystem	11	SHALL		<u>4437-</u> <u>3455</u>	2.16.840.1.113883.3.26.1.1
@codeSystemName	01	MAY		<u>4437-</u> <u>3456</u>	NCI Thesaurus
@displayName	01	MAY		<u>4437-</u> <u>3457</u>	Lot or Batch Number
value	11	SHALL	ED	<u>4437-</u> <u>3458</u>	

- 1. **SHALL** contain exactly one [1..1] **templateId** (CONF:4437-3450).
 - a. This templateId **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.22.4.315" (CONF:4437-3452). Note: template oid

Revision from "2018-05-01".

- b. This templateId **SHALL** contain exactly one [1..1] @extension="2019-06-21" (CONF:4437-3453).
- 2. **SHALL** contain exactly one [1..1] **code** (CONF:4437-3451). Note: Code for "Lot or Batch Number"

Code used to specify the **Lot or Batch Number**.

- a. This code **SHALL** contain exactly one [1..1] @code="C101672" Lot or Batch Number (CodeSystem: NCI Thesaurus (NCIt) urn:oid:2.16.840.1.113883.3.26.1.1 **STATIC**) (CONF:4437-3454).
- b. This code **SHALL** contain exactly one [1..1] @codeSystem="2.16.840.1.113883.3.26.1.1" (CONF:4437-3455).
- c. This code MAY contain zero or one [0..1] @codeSystemName="NCI Thesaurus" (CONF:4437-3456).
- d. This code MAY contain zero or one [0..1] @displayName="Lot or Batch Number" (CONF:4437-3457).

The Lot or Batch Number can point to its corresponding narrative using the approach defined in CDA Release 2, section 4.3.5.1.

3. **SHALL** contain exactly one [1..1] **value** with @xsi:type="ED" (CONF:4437-3458).

Figure 10: Lot or Batch Number

2.10 Manufacturing Date Observation

[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.316:2019-06-21 (open)]

Table 21: Manufacturing Date Observation Contexts

Contained By:	Contains:
<u>UDI Organizer</u> (optional)	

This template is intended to be used in addition to the **Product Instance** template urn:oid:2.16.840.1.113883.10.20.22.4.37 to exchange the **Manufacturing Date** of the device. The manufacturing date is parsed from the UDI value, if present.