

```

        <!-- Indication (V2) -->
        ...

    </entryRelationship>
    <entryRelationship typeCode="SUBJ">
        <!-- Instruction (V2) -->
        ...

    </entryRelationship>
    <entryRelationship typeCode="COMP">
        <!-- Planned Coverage -->
        ...

    </entryRelationship>
</supply>

```

3.71 Policy Activity (V3)

[act: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.61:2015-08-01 (open)]

Table 400: Policy Activity (V3) Contexts

Contained By:	Contains:
Coverage Activity (V3) (required)	US Realm Address (AD.US.FIELDDED) (optional)

A policy activity represents the policy or program providing the coverage. The person for whom payment is being provided (i.e., the patient) is the covered party. The subscriber of the policy or program is represented as a participant that is the holder of the coverage. The payer is represented as the performer of the policy activity.

Table 401: Policy Activity (V3) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
act (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.61:2015-08-01)					
@classCode	1..1	SHALL		1198-8898	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = ACT
@moodCode	1..1	SHALL		1198-8899	urn:oid:2.16.840.1.113883.5.1001 (HL7ActMood) = EVN
templateId	1..1	SHALL		1198-8900	
@root	1..1	SHALL		1198-10516	2.16.840.1.113883.10.20.22.4.61
@extension	1..1	SHALL		1198-32595	2015-08-01
id	1..*	SHALL		1198-8901	
code	1..1	SHALL		1198-8903	urn:oid:2.16.840.1.113883.3.88.12.3221.5.2 (Health

XPath	Card.	Verb	Data Type	CONF#	Value
					Insurance Type)
translation	1..*	SHALL		1198-32852	urn:oid:2.16.840.1.114222.4.1.1.3591 (Payer)
statusCode	1..1	SHALL		1198-8902	
@code	1..1	SHALL		1198-19109	urn:oid:2.16.840.1.113883.5.1.4 (HL7ActStatus) = completed
performer	1..1	SHALL		1198-8906	
@typeCode	1..1	SHALL		1198-8907	urn:oid:2.16.840.1.113883.5.9.0 (HL7ParticipationType) = PRF
templateId	1..1	SHALL		1198-16808	
@root	1..1	SHALL		1198-16809	2.16.840.1.113883.10.20.22.4.87
assignedEntity	1..1	SHALL		1198-8908	
id	1..*	SHALL		1198-8909	
code	0..1	SHOULD		1198-8914	
@code	1..1	SHALL		1198-15992	urn:oid:2.16.840.1.113883.1.1.1.10416 (Financially Responsible Party Type Value Set)
addr	0..1	MAY		1198-8910	US Realm Address (AD.US.FIELDDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2)
telecom	0..*	MAY		1198-8911	
representedOrganization	0..1	SHOULD		1198-8912	
name	0..1	SHOULD		1198-8913	
performer	0..*	SHOULD		1198-8961	
@typeCode	1..1	SHALL		1198-32971	urn:oid:2.16.840.1.113883.5.9.0 (HL7ParticipationType) = PRF
templateId	1..1	SHALL		1198-16810	
@root	1..1	SHALL		1198-16811	2.16.840.1.113883.10.20.22.4.88
time	0..1	SHOULD		1198-	

XPath	Card.	Verb	Data Type	CONF#	Value
				8963	
assignedEntity	1..1	SHALL		1198-8962	
code	1..1	SHALL		1198-8968	
@code	1..1	SHALL		1198-16096	GUAR
@codeSystem	1..1	SHALL		1198-32165	2.16.840.1.113883.5.110
addr	0..1	SHOULD		1198-8964	US Realm Address (AD.US.FIELDDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2)
telecom	0..*	SHOULD		1198-8965	
participant	1..1	SHALL		1198-8916	
@typeCode	1..1	SHALL		1198-8917	urn:oid:2.16.840.1.113883.5.90 (HL7ParticipationType) = COV
templateId	1..1	SHALL		1198-16812	
@root	1..1	SHALL		1198-16814	2.16.840.1.113883.10.20.22.4.89
time	0..1	SHOULD		1198-8918	
low	0..1	SHOULD		1198-8919	
high	0..1	SHOULD		1198-8920	
participantRole	1..1	SHALL		1198-8921	
id	1..*	SHALL		1198-8922	
code	1..1	SHALL		1198-8923	
@code	0..1	SHOULD		1198-16078	urn:oid:2.16.840.1.113883.1.11.18877 (Coverage Role Type Value Set)
addr	0..1	SHOULD		1198-8956	US Realm Address (AD.US.FIELDDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2)
playingEntity	0..1	SHOULD		1198-8932	
name	1..*	SHALL		1198-	

XPath	Card.	Verb	Data Type	CONF#	Value
				8930	
sdtc:birthTime	1..1	SHALL		1198-31344	
participant	0..1	SHOULD		1198-8934	
@typeCode	1..1	SHALL		1198-8935	urn:oid:2.16.840.1.113883.5.90 (HL7ParticipationType) = HLD
templateId	1..1	SHALL		1198-16813	
@root	1..1	SHALL		1198-16815	2.16.840.1.113883.10.20.22.4.90
time	0..1	MAY		1198-8938	
participantRole	1..1	SHALL		1198-8936	
id	1..*	SHALL		1198-8937	
addr	0..1	SHOULD		1198-8925	US Realm Address (AD.US.FIELDDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2)
entryRelationship	1..*	SHALL		1198-8939	
@typeCode	1..1	SHALL		1198-8940	urn:oid:2.16.840.1.113883.5.1002 (HL7ActRelationshipType) = REFR

1. **SHALL** contain exactly one [1..1] **@classCode="ACT"** Act (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1198-8898).
2. **SHALL** contain exactly one [1..1] **@moodCode="EVN"** Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:1198-8899).
3. **SHALL** contain exactly one [1..1] **templateId** (CONF:1198-8900) such that it
 - a. **SHALL** contain exactly one [1..1] **@root="2.16.840.1.113883.10.20.22.4.61"** (CONF:1198-10516).
 - b. **SHALL** contain exactly one [1..1] **@extension="2015-08-01"** (CONF:1198-32595).

This id is a unique identifier for the policy or program providing the coverage

4. **SHALL** contain at least one [1..*] **id** (CONF:1198-8901).
5. **SHALL** contain exactly one [1..1] **code**, which **SHOULD** be selected from ValueSet [Health Insurance Type](#) urn:oid:2.16.840.1.113883.3.88.12.3221.5.2 **DYNAMIC** (CONF:1198-8903).
 - a. This code **SHALL** contain at least one [1..*] **translation**, which **SHOULD** be selected from ValueSet [Payer](#) urn:oid:2.16.840.1.114222.4.11.3591 (CONF:1198-32852).

6. **SHALL** contain exactly one [1..1] **statusCode** (CONF:1198-8902).
- This **statusCode** **SHALL** contain exactly one [1..1] **@code**="completed" Completed (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14 **STATIC**) (CONF:1198-19109).

This performer represents the Payer.

7. **SHALL** contain exactly one [1..1] **performer** (CONF:1198-8906) such that it
- SHALL** contain exactly one [1..1] **@typeCode**="PRF" Performer (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90 **STATIC**) (CONF:1198-8907).
 - SHALL** contain exactly one [1..1] **templateId** (CONF:1198-16808).
 - This **templateId** **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.87" Payer Performer (CONF:1198-16809).
 - SHALL** contain exactly one [1..1] **assignedEntity** (CONF:1198-8908).
 - This **assignedEntity** **SHALL** contain at least one [1..*] **id** (CONF:1198-8909).
 - This **assignedEntity** **SHOULD** contain zero or one [0..1] **code** (CONF:1198-8914).
 - The code, if present, **SHALL** contain exactly one [1..1] **@code**, which **SHOULD** be selected from ValueSet Financially Responsible Party Type Value Set urn:oid:2.16.840.1.113883.1.11.10416 **DYNAMIC** (CONF:1198-15992).
 - This **assignedEntity** **MAY** contain zero or one [0..1] US Realm Address (AD.US.FIELDDED) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2) (CONF:1198-8910).
 - This **assignedEntity** **MAY** contain zero or more [0..*] **telecom** (CONF:1198-8911).
 - This **assignedEntity** **SHOULD** contain zero or one [0..1] **representedOrganization** (CONF:1198-8912).
 - The **representedOrganization**, if present, **SHOULD** contain zero or one [0..1] **name** (CONF:1198-8913).

This performer represents the Guarantor.

8. **SHOULD** contain zero or more [0..*] **performer** (CONF:1198-8961) such that it
- SHALL** contain exactly one [1..1] **@typeCode**="PRF" Performer (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90) (CONF:1198-32971).
 - SHALL** contain exactly one [1..1] **templateId** (CONF:1198-16810).
 - This **templateId** **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.88" Guarantor Performer (CONF:1198-16811).
 - SHOULD** contain zero or one [0..1] **time** (CONF:1198-8963).
 - SHALL** contain exactly one [1..1] **assignedEntity** (CONF:1198-8962).
 - This **assignedEntity** **SHALL** contain exactly one [1..1] **code** (CONF:1198-8968).

1. This code **SHALL** contain exactly one [1..1] **@code**="GUAR" Guarantor (CONF:1198-16096).
 2. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.5.110" (CONF:1198-32165).
 - ii. This assignedEntity **SHOULD** contain zero or one [0..1] [US Realm Address \(AD.US.FIELDDED\)](#) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2) (CONF:1198-8964).
 - iii. This assignedEntity **SHOULD** contain zero or more [0..*] **telecom** (CONF:1198-8965).
 - iv. **SHOULD** include assignedEntity/assignedPerson/name AND/OR assignedEntity/representedOrganization/name (CONF:1198-8967).
9. **SHALL** contain exactly one [1..1] **participant** (CONF:1198-8916) such that it
- a. **SHALL** contain exactly one [1..1] **@typeCode**="COV" Coverage target (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90 **STATIC**) (CONF:1198-8917).
 - b. **SHALL** contain exactly one [1..1] **templateId** (CONF:1198-16812).
 - i. This templateId **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.89" Covered Party Participant (CONF:1198-16814).
 - c. **SHOULD** contain zero or one [0..1] **time** (CONF:1198-8918).
 - i. The time, if present, **SHOULD** contain zero or one [0..1] **low** (CONF:1198-8919).
 - ii. The time, if present, **SHOULD** contain zero or one [0..1] **high** (CONF:1198-8920).
 - d. **SHALL** contain exactly one [1..1] **participantRole** (CONF:1198-8921).
 - i. This participantRole **SHALL** contain at least one [1..*] **id** (CONF:1198-8922).
 1. This id is a unique identifier for the covered party member. Implementers **SHOULD** use the same GUID for each instance of a member identifier from the same health plan (CONF:1198-8984).
 - ii. This participantRole **SHALL** contain exactly one [1..1] **code** (CONF:1198-8923).
 1. This code **SHOULD** contain zero or one [0..1] **@code**, which **SHOULD** be selected from ValueSet [Coverage Role Type Value Set](#) urn:oid:2.16.840.1.113883.1.11.18877 **DYNAMIC** (CONF:1198-16078).
 - iii. This participantRole **SHOULD** contain zero or one [0..1] [US Realm Address \(AD.US.FIELDDED\)](#) (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2) (CONF:1198-8956).
 - iv. This participantRole **SHOULD** contain zero or one [0..1] **playingEntity** (CONF:1198-8932).

If the covered party's name is recorded differently in the health plan and in the registration/pharmacy benefit summary (due to marriage or for other reasons), use the name as it is recorded in the health plan.

1. The playingEntity, if present, **SHALL** contain at least one [1..*] **name** (CONF:1198-8930).

If the covered party's date of birth is recorded differently in the health plan and in the registration/pharmacy benefit summary, use the date of birth as it is recorded in the health plan.

2. The playingEntity, if present, **SHALL** contain exactly one [1..1] **sdtc:birthTime** (CONF:1198-31344).
 - a. The prefix sdtc: **SHALL** be bound to the namespace "urn:hl7-org:sdtc". The use of the namespace provides a necessary extension to CDA R2 for the use of the birthTime element (CONF:1198-31345).

When the Subscriber is the patient, the participant element describing the subscriber **SHALL NOT** be present. This information will be recorded instead in the data elements used to record member information.

10. **SHOULD** contain zero or one [0..1] **participant** (CONF:1198-8934) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="HLD"** Holder (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90 **STATIC**) (CONF:1198-8935).
 - b. **SHALL** contain exactly one [1..1] **templateId** (CONF:1198-16813).
 - i. This templateId **SHALL** contain exactly one [1..1] **@root="2.16.840.1.113883.10.20.22.4.90"** Policy Holder Participant (CONF:1198-16815).
 - c. **MAY** contain zero or one [0..1] **time** (CONF:1198-8938).
 - d. **SHALL** contain exactly one [1..1] **participantRole** (CONF:1198-8936).
 - i. This participantRole **SHALL** contain at least one [1..*] **id** (CONF:1198-8937).
 1. This id is a unique identifier for the subscriber of the coverage (CONF:1198-10120).
 - ii. This participantRole **SHOULD** contain zero or one [0..1] **US Realm Address (AD.US.FIELDDED)** (identifier: urn:oid:2.16.840.1.113883.10.20.22.5.2) (CONF:1198-8925).
 - e. When the Subscriber is the patient, the participant element describing the subscriber **SHALL NOT** be present. This information will be recorded instead in the data elements used to record member information (CONF:1198-17139).
11. **SHALL** contain at least one [1..*] **entryRelationship** (CONF:1198-8939) such that it
 - a. **SHALL** contain exactly one [1..1] **@typeCode="REFR"** Refers to (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 **STATIC**) (CONF:1198-8940).
 - b. The target of a policy activity with act/entryRelationship/@typeCode="REFR" **SHALL** be an authorization activity (templateId 2.16.840.1.113883.10.20.1.19) **OR** an act, with act[@classCode="ACT"] and act[@moodCode="DEF"], representing a description of the coverage plan (CONF:1198-8942).
 - c. A description of the coverage plan **SHALL** contain one or more act/id, to represent the plan identifier, and an act/text with the name of the plan (CONF:1198-8943).

Table 402: Health Insurance Type

Value Set: Health Insurance Type urn:oid:2.16.840.1.113883.3.88.12.3221.5.2			
Code	Code System	Code System OID	Print Name
12	Insurance Type Code	urn:oid:2.16.840.1.113883.3.88.12.3221.5.2	Medicare Secondary Working Aged Beneficiary or Spouse with Employer Group Health Plan
13	Insurance Type Code	urn:oid:2.16.840.1.113883.3.88.12.3221.5.2	Medicare Secondary End-Stage Renal Disease Beneficiary in the 12 month coordination period with an employer's group health plan
14	Insurance Type Code	urn:oid:2.16.840.1.113883.3.88.12.3221.5.2	Medicare Secondary, No-fault Insurance including Auto is Primary
15	Insurance Type Code	urn:oid:2.16.840.1.113883.3.88.12.3221.5.2	Medicare Secondary Worker's Compensation
16	Insurance Type Code	urn:oid:2.16.840.1.113883.3.88.12.3221.5.2	Medicare Secondary Public Health Service (PHS) or Other Federal Agency
41	Insurance Type Code	urn:oid:2.16.840.1.113883.3.88.12.3221.5.2	Medicare Secondary Black Lung
42	Insurance Type Code	urn:oid:2.16.840.1.113883.3.88.12.3221.5.2	Medicare Secondary Veteran's Administration
43	Insurance Type Code	urn:oid:2.16.840.1.113883.3.88.12.3221.5.2	Medicare Secondary Disabled Beneficiary Under Age 65 with Large Group Health Plan (LGHP)
47	Insurance Type Code	urn:oid:2.16.840.1.113883.3.88.12.3221.5.2	Medicare Secondary, Other Liability Insurance is Primary
AP	Insurance Type Code	urn:oid:2.16.840.1.113883.3.88.12.3221.5.2	Auto Insurance Policy
...			

Table 403: Financially Responsible Party Type Value Set

Value Set: Financially Responsible Party Type Value Set urn:oid:2.16.840.1.113883.1.11.10416 (Clinical Focus: A relationship between two entities that is formally recognized, frequently by a contract or similar agreement),(Data Element Scope: Financially responsible person code),(Inclusion Criteria: All selectable descendants of RoleClassRelationshipFormal from the RoleClass HL7 code system),(Exclusion Criteria: none) This value set was imported on 6/24/2019 with a version of 20190517. Value Set Source: https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.1.11.10416/expansion			
Code	Code System	Code System OID	Print Name
AFFL	HL7RoleClass	urn:oid:2.16.840.1.113883.5.110	affiliate
AGNT	HL7RoleClass	urn:oid:2.16.840.1.113883.5.110	agent
ASSIGNED	HL7RoleClass	urn:oid:2.16.840.1.113883.5.110	assigned entity
CASEBJ	HL7RoleClass	urn:oid:2.16.840.1.113883.5.110	Case Subject
CIT	HL7RoleClass	urn:oid:2.16.840.1.113883.5.110	citizen
CLAIM	HL7RoleClass	urn:oid:2.16.840.1.113883.5.110	claimant
COMPAR	HL7RoleClass	urn:oid:2.16.840.1.113883.5.110	commissioning party
CON	HL7RoleClass	urn:oid:2.16.840.1.113883.5.110	contact
COVPTY	HL7RoleClass	urn:oid:2.16.840.1.113883.5.110	covered party
CRINV	HL7RoleClass	urn:oid:2.16.840.1.113883.5.110	clinical research investigator
...			

Table 404: Coverage Role Type Value Set

Value Set: Coverage Role Type Value Set urn:oid:2.16.840.1.113883.1.11.18877 (Clinical Focus: The role of the covered patient with respect to the coverage holder),(Data Element Scope:),(Inclusion Criteria: descendants of _CoverageRoleType [abstract term] in RoleCode 2.16.840.1.113883.5.111),(Exclusion Criteria:) This value set was imported on 6/24/2019 with a version of 20190425. Value Set Source: https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.1.11.18877/expansion			
Code	Code System	Code System OID	Print Name
FAMDEP	HL7RoleCode	urn:oid:2.16.840.1.113883.5.111	family dependent
FSTUD	HL7RoleCode	urn:oid:2.16.840.1.113883.5.111	full-time student
HANDIC	HL7RoleCode	urn:oid:2.16.840.1.113883.5.111	handicapped dependent
INJ	HL7RoleCode	urn:oid:2.16.840.1.113883.5.111	injured plaintiff
PSTUD	HL7RoleCode	urn:oid:2.16.840.1.113883.5.111	part-time student
SELF	HL7RoleCode	urn:oid:2.16.840.1.113883.5.111	self
SPON	HL7RoleCode	urn:oid:2.16.840.1.113883.5.111	sponsored dependent
STUD	HL7RoleCode	urn:oid:2.16.840.1.113883.5.111	student

Figure 191: Policy Activity (V3) Example

```
<act classCode="ACT" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.22.4.61" extension="2015-08-01" />
  <id root="3e676a50-7aac-11db-9fe1-0800200c9a66" />
  <code code="12" displayName="Medicare Secondary Working Aged Beneficiary or Spouse with
Employer Group Health Plan"
    codeSystemName="Insurance Type Code (x12N-1336)"
    codeSystem="2.16.840.1.113883.6.255.1336">
  <translation code="2" displayName="Medicare"
    codeSystem="2.16.840.1.113883.3.221.5"
codeSystemName="Source of Payment Typology (PHDSC)"></translation>
</code>
  <statusCode code="completed" />
  <!-- Insurance company information -->
  <performer typeCode="PRF">
    <templateId root="2.16.840.1.113883.10.20.22.4.87" />
    <time>
      <low nullFlavor="UNK" />
      <high nullFlavor="UNK" />
    </time>
    <assignedEntity>
      <id root="2.16.840.1.113883.19" />
      <code code="PAYOR" codeSystem="2.16.840.1.113883.5.110" codeSystemName="HL7
RoleCode" />
      <addr use="WP">
        <streetAddressLine>123 Insurance Road</streetAddressLine>
        <city>Blue Bell</city>
        <state>MA</state>
        <postalCode>02368</postalCode>
        <country>US</country>
        <!-- US is "United States" from ISO 3166-1 Country Codes: 1.0.3166.1 -->
      </addr>
      <telecom value="tel:+(555)555-1515" use="WP" />
      <representedOrganization>
        <name>Good Health Insurance</name>
        <telecom value="tel:+(555)555-1515" use="WP" />
        <addr use="WP">
          <streetAddressLine>123 Insurance Road</streetAddressLine>
          <city>Blue Bell</city>
          <state>MA</state>
          <postalCode>02368</postalCode>
          <country>US</country>
        </addr>
      </representedOrganization>
    </assignedEntity>
  </performer>
  <!-- Guarantor information (the person responsible for the final bill) -->
  <performer typeCode="PRF">
    <templateId root="2.16.840.1.113883.10.20.22.4.88" />
    <time>
      <low nullFlavor="UNK" />
      <high nullFlavor="UNK" />
    </time>
    <assignedEntity>
      <id root="329fcd0-7ab3-11db-9fe1-0800200c9a66" />
```

```

        <code code="GUAR" codeSystem="2.16.840.1.113883.5.111" codeSystemName="HL7
RoleCode" />
        <addr use="HP">
            <streetAddressLine>17 Daws Rd.</streetAddressLine>
            <city>Blue Bell</city>
            <state>MA</state>
            <postalCode>02368</postalCode>
            <country>US</country>
        </addr>
        <telecom value="tel:+(781)555-1212" use="HP" />
        <assignedPerson>
            <name>
                <prefix>Mr.</prefix>
                <given>Adam</given>
                <given>Frankie</given>
                <family>Everyman</family>
            </name>
        </assignedPerson>
    </assignedEntity>
</performer>
<!-- Covered party -->
<participant typeCode="COV">
    <templateId root="2.16.840.1.113883.10.20.22.4.89.2" />
    <time>
        <low nullFlavor="UNK" />
        <high nullFlavor="UNK" />
    </time>
    <participantRole classCode="PAT">
        <!-- Health plan ID for patient. -->
        <id root="1.1.1.1.1.1.1.14" extension="1138345" />
        <code code="SELF" codeSystem="2.16.840.1.113883.5.111" />
        <addr use="HP">
            <streetAddressLine>17 Daws Rd.</streetAddressLine>
            <city>Blue Bell</city>
            <state>MA</state>
            <postalCode>02368</postalCode>
            <country>US</country>
        </addr>
        <playingEntity>
            <name>
                <!-- Name is needed if different than name on health plan. -->
                <prefix>Mr.</prefix>
                <given>Frank</given>
                <given>A.</given>
                <family>Everyman</family>
            </name>
        </playingEntity>
    </participantRole>
</participant>
<!-- Policy holder -->
<participant typeCode="HLD">
    <templateId root="2.16.840.1.113883.10.20.22.4.90.2" />
    <participantRole>
        <id extension="1138345" root="2.16.840.1.113883.19" />
        <addr use="HP">
            <streetAddressLine>17 Daws Rd.</streetAddressLine>
            <city>Blue Bell</city>

```

```

        <state>MA</state>
        <postalCode>02368</postalCode>
        <country>US</country>
    </addr>
</participantRole>
</participant>
<entryRelationship typeCode="REFR">
    <act classCode="ACT" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.1.19" />
        . . .
    </act>
</entryRelationship>
</act>

```

3.72 Postprocedure Diagnosis (V3)

[act: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.51:2015-08-01 (open)]

Table 405: Postprocedure Diagnosis (V3) Contexts

Contained By:	Contains:
Health Concern Act (V2) (optional) Risk Concern Act (V2) (optional) Postprocedure Diagnosis Section (V3) (optional)	Problem Observation (V3) (required)

This template represents the diagnosis or diagnoses discovered or confirmed during the procedure. They may be the same as preprocedure diagnoses or indications.