

Figure 101: Planned Procedure Section (V2) Example

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.30" extension="2014-06-09" />
  <code code="59772-4" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="Planned Procedure" />
  <title>Planned Procedure</title>
  <text>
    ...
  </text>
  <entry>
    <procedure moodCode="RQO" classCode="PROC">
      <templateId root="2.16.840.1.113883.10.20.22.4.41" extension="2014-06-09" />
      <!-- ** Planned Procedure ** -->
      ...
    </procedure>
  </entry>
</section>
```

2.50 Postoperative Diagnosis Section

[section: identifier urn:oid:2.16.840.1.113883.10.20.22.2.35 (open)]

Table 170: Postoperative Diagnosis Section Contexts

Contained By:	Contains:
Operative Note (V3) (required)	

The Postoperative Diagnosis Section records the diagnosis or diagnoses discovered or confirmed during the surgery. Often it is the same as the preoperative diagnosis.

Table 171: Postoperative Diagnosis Section Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:oid:2.16.840.1.113883.10.20.22.2.35)					
templateId	1..1	SHALL		81-8101	
@root	1..1	SHALL		81-10437	2.16.840.1.113883.10.20.22.2.35
code	1..1	SHALL		81-15401	
@code	1..1	SHALL		81-15402	10218-6
@codeSystem	1..1	SHALL		81-26488	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	1..1	SHALL		81-8103	
text	1..1	SHALL		81-8104	

1. **SHALL** contain exactly one [1..1] **templateId** (CONF:81-8101) such that it

- a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.2.35" (CONF:81-10437).
2. **SHALL** contain exactly one [1..1] **code** (CONF:81-15401).
 - a. This code **SHALL** contain exactly one [1..1] **@code**="10218-6" Postoperative Diagnosis (CONF:81-15402).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:81-26488).
3. **SHALL** contain exactly one [1..1] **title** (CONF:81-8103).
4. **SHALL** contain exactly one [1..1] **text** (CONF:81-8104).

Figure 102: Postoperative Diagnosis Section Example

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.35"/>
  <code code="10218-6"
    codeSystem="2.16.840.1.113883.6.1"
    codeSystemName="LOINC"
    displayName="POSTOPERATIVE DIAGNOSIS"/>
  <title>Postoperative Diagnosis</title>
  <text>Appendicitis with periappendiceal abscess</text>
</section>
```

2.51 Postprocedure Diagnosis Section (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.36:2015-08-01 (open)]

Table 172: Postprocedure Diagnosis Section (V3) Contexts

Contained By:	Contains:
Procedure Note (V3) (required)	Postprocedure Diagnosis (V3) (optional)

The Postprocedure Diagnosis Section records the diagnosis or diagnoses discovered or confirmed during the procedure. Often it is the same as the preprocedure diagnosis or indication.