- b. **SHALL** contain exactly one [1..1] **@extension="**2015-08-01" (CONF:1198-32547).
- 2. **SHALL** contain exactly one [1..1] **code** (CONF:1198-15461).
 - a. This code **SHALL** contain exactly one [1..1] **@code="**46240-8" Encounters (CONF:1198-15462).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem="**2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1198-31136).
- 3. **SHALL** contain exactly one [1..1] **title** (CONF:1198-7942).
- 4. **SHALL** contain exactly one [1..1] **text** (CONF:1198-7943).
- 5. **SHOULD** contain zero or more [0..*] **entry** (CONF:1198-7951) such that it
 - a. **SHALL** contain exactly one [1..1] **Encounter Activity (V3)** (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.49:2015-08-01) (CONF:1198-15465).

2.16.1 Encounters Section (entries required) (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.22.1:2015-08-01 (open)]

Table 97: Encounters Section (entries required) (V3) Contexts

| Contained By: | Contains: |
|----------------------------------|------------------------------------|
| Transfer Summary (V2) (optional) | Encounter Activity (V3) (required) |

This section lists and describes any healthcare encounters pertinent to the patient's current health status or historical health history. An encounter is an interaction, regardless of the setting, between a patient and a practitioner who is vested with primary responsibility for diagnosing, evaluating, or treating the patient's condition. It may include visits, appointments, as well as non-face-to-face interactions. It is also a contact between a patient and a practitioner who has primary responsibility (exercising independent judgment) for assessing and treating the patient at a given contact. This section may contain all encounters for the time period being summarized, but should include notable encounters.

Table 98: Encounters Section (entries required) (V3) Constraints Overview

| XPath | Card. | Verb | Data Type | CONF# | Value |
|--------------------------------|------------------|-------------|--------------|------------------------------|--|
| section (identifier: urn:hl7ii | :2.16.840.1.1138 | 83.10.20.22 | .2.22.1:20 | 015-08-01) | |
| @nullFlavor | 01 | MAY | | <u>1198-</u> <u>32815</u> | urn:oid:2.16.840.1.113883.5.1 008 (HL7NullFlavor) = NI |
| templateId | 11 | SHALL | | 1198- 8705 | |
| @root | 11 | SHALL | | <u>1198-</u> <u>10387</u> | 2.16.840.1.113883.10.20.22.2 .22.1 |
| @extension | 11 | SHALL | | 1198- 32548 | 2015-08-01 |
| code | 11 | SHALL | | 1198- 15466 | |
| @code | 11 | SHALL | | 1198- 15467 | 46240-8 |
| @codeSystem | 11 | SHALL | | 1198- 31137 | urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1 |
| title | 11 | SHALL | | 1198- 8707 | |
| text | 11 | SHALL | | 1198- 8708 | |
| entry | 1* | SHALL | | 1198- 8709 | |
| encounter | 11 | SHALL | | 1198- 15468 | Encounter Activity (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.49:2015-08-01 |

- 1. Conforms to Encounters Section (entries optional) (V3) template (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.22:2015-08-01).
- 2. **MAY** contain zero or one [0..1] **@nullFlavor="**NI" No information (CodeSystem: HL7NullFlavor urn:oid:2.16.840.1.113883.5.1008) (CONF:1198-32815).
- 3. **SHALL** contain exactly one [1..1] **templateId** (CONF:1198-8705) such that it
 - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.2.22.1" (CONF:1198-10387).
 - b. **SHALL** contain exactly one [1..1] **@extension=**"2015-08-01" (CONF:1198-32548).
- 4. **SHALL** contain exactly one [1..1] **code** (CONF:1198-15466).
 - a. This code **SHALL** contain exactly one [1..1] **@code="**46240-8" Encounters (CONF:1198-15467).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem="** 2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1 **STATIC**) (CONF:1198-31137).
- 5. **SHALL** contain exactly one [1..1] **title** (CONF:1198-8707).
- 6. **SHALL** contain exactly one [1..1] **text** (CONF:1198-8708).

If section/@nullFlavor is not present:

- 7. SHALL contain at least one [1..*] entry (CONF:1198-8709) such that it
 - a. **SHALL** contain exactly one [1..1] **Encounter Activity (V3)** (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.49:2015-08-01) (CONF:1198-15468).

Figure 70: Encounters Section (entries required) (V3) Example

```
<section>
    <templateId root="2.16.840.1.113883.10.20.22.2.2.1" extension="2015-08-01" />
    <!-- Encounters Section - Entries required -->
    <code code="46240-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"</pre>
displayName="History of encounters" />
    <title>Encounters</title>
    <text>
    . . .
  </text>
    <entry typeCode="DRIV">
        <encounter classCode="ENC" moodCode="EVN">
            <!-- Encounter Activities -->
            . . .
        </encounter>
    </entry>
</section>
```

2.17 Family History Section (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.15:2015-08-01 (open)]

Table 99: Family History Section (V3) Contexts

| Contained By: | Contains: |
|---|--|
| Consultation Note (V3) (optional) | Family History Organizer (V3) (optional) |
| Continuity of Care Document (CCD) (V3) (optional) | |
| Discharge Summary (V3) (optional) | |
| History and Physical (V3) (required) | |
| Transfer Summary (V2) (optional) | |
| Referral Note (V2) (optional) | |
| Procedure Note (V3) (optional) | |

This section contains data defining the patient's genetic relatives in terms of possible or relevant health risk factors that have a potential impact on the patient's healthcare risk profile.