

### 3.18 Cultural and Religious Observation

[observation: identifier urn:oid:2.16.840.1.113883.10.20.22.4.111 (open)]

**Table 259: Cultural and Religious Observation Contexts**

Contained By:	Contains:
<a href="#">Health Concern Act (V2)</a> (optional) <a href="#">Risk Concern Act (V2)</a> (optional) <a href="#">Social History Section (V3)</a> (optional)	

This template represents a patient's spiritual, religious, and cultural belief practices, such as a kosher diet or fasting ritual. religiousAffiliationCode in the document header captures only the patient's religious affiliation.

**Table 260: Cultural and Religious Observation Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.111)					
@classCode	1..1	SHALL		<a href="#">1098-27924</a>	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS
@moodCode	1..1	SHALL		<a href="#">1098-27925</a>	urn:oid:2.16.840.1.113883.5.1001 (HL7ActMood) = EVN
templateId	1..1	SHALL		<a href="#">1098-27926</a>	
@root	1..1	SHALL		<a href="#">1098-27927</a>	2.16.840.1.113883.10.20.22.4.111
id	1..*	SHALL		<a href="#">1098-27928</a>	
code	1..1	SHALL		<a href="#">1098-27929</a>	
@code	1..1	SHALL		<a href="#">1098-27930</a>	75281-6
@codeSystem	1..1	SHALL		<a href="#">1098-27931</a>	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
statusCode	1..1	SHALL		<a href="#">1098-27936</a>	
@code	1..1	SHALL		<a href="#">1098-27937</a>	urn:oid:2.16.840.1.113883.5.14 (HL7ActStatus) = completed
value	1..1	SHALL		<a href="#">1098-28442</a>	

1. **SHALL** contain exactly one [1..1] **@classCode**="OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1098-27924).
2. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:1098-27925).
3. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-27926) such that it

- a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.111" (CONF:1098-27927).
4. **SHALL** contain at least one [1..\*] **id** (CONF:1098-27928).
5. **SHALL** contain exactly one [1..1] **code** (CONF:1098-27929).
  - a. This code **SHALL** contain exactly one [1..1] **@code**="75281-6" Personal belief (CONF:1098-27930).
  - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1098-27931).
6. **SHALL** contain exactly one [1..1] **statusCode** (CONF:1098-27936).
  - a. This statusCode **SHALL** contain exactly one [1..1] **@code**="completed" Completed (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14 **STATIC**) (CONF:1098-27937).
7. **SHALL** contain exactly one [1..1] **value** (CONF:1098-28442).
  - a. If xsi:type is CD, **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.96" (CodeSystem: SNOMED-CT urn:oid:2.16.840.1.113883.6.96 **STATIC**) (CONF:1098-32487).

**Figure 138: Cultural and Religious Observation Example**

```

<entry>
  <observation classCode="OBS" moodCode="EVN">
    <!-- **Cultural and Religious Observation **-->
    <templateId root="2.16.840.1.113883.10.20.22.4.111" />
    <id root="37f76c51-6411-4e1d-8a37-957fd49d2cef" />
    <code code="75281-6" codeSystem="2.16.840.1.113883.6.1"
      displayName="Personal belief" />
    <statusCode code="completed" />
    <effectiveTime>
      <low value="20130312" />
    </effectiveTime>
    <value xsi:type="ST">Does not accept blood transfusions, or donates, or
      stores blood for transfusion.</value>
    </observation>
  </entry>

```

### 3.19 Deceased Observation (V3)

[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.79:2015-08-01 (open)]

**Table 261: Deceased Observation (V3) Contexts**

Contained By:	Contains:
	<a href="#">Problem Observation (V3)</a> (optional)

This template represents the observation that a patient has died. It also represents the cause of death, indicated by an entryRelationship type of 'CAUS'. This template allows for more specific representation of data than is available with the use of dischargeDispositionCode.