

```

        <state>MA</state>
        <postalCode>02368</postalCode>
        <country>US</country>
    </addr>
</participantRole>
</participant>
<entryRelationship typeCode="REFR">
    <act classCode="ACT" moodCode="EVN">
        <templateId root="2.16.840.1.113883.10.20.1.19" />
        . . .
    </act>
</entryRelationship>
</act>

```

3.72 Postprocedure Diagnosis (V3)

[act: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.51:2015-08-01 (open)]

Table 405: Postprocedure Diagnosis (V3) Contexts

Contained By:	Contains:
Health Concern Act (V2) (optional) Risk Concern Act (V2) (optional) Postprocedure Diagnosis Section (V3) (optional)	Problem Observation (V3) (required)

This template represents the diagnosis or diagnoses discovered or confirmed during the procedure. They may be the same as preprocedure diagnoses or indications.

Table 406: Postprocedure Diagnosis (V3) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
act (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.51:2015-08-01)					
@classCode	1..1	SHALL		1198-8756	ACT
@moodCode	1..1	SHALL		1198-8757	EVN
templateId	1..1	SHALL		1198-16766	
@root	1..1	SHALL		1198-16767	2.16.840.1.113883.10.20.22.4.51
@extension	1..1	SHALL		1198-32539	2015-08-01
code	1..1	SHALL		1198-19151	
@code	1..1	SHALL		1198-19152	59769-0
@codeSystem	1..1	SHALL		1198-32166	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
entryRelationship	1..*	SHALL		1198-8759	
@typeCode	1..1	SHALL		1198-8760	urn:oid:2.16.840.1.113883.5.1002 (HL7ActRelationshipType) = SUBJ
observation	1..1	SHALL		1198-15583	Problem Observation (V3) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.4:2015-08-01)

1. **SHALL** contain exactly one [1..1] **@classCode**="ACT" (CONF:1198-8756).
2. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" (CONF:1198-8757).
3. **SHALL** contain exactly one [1..1] **templateId** (CONF:1198-16766) such that it
 - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.51" (CONF:1198-16767).
 - b. **SHALL** contain exactly one [1..1] **@extension**="2015-08-01" (CONF:1198-32539).
4. **SHALL** contain exactly one [1..1] **code** (CONF:1198-19151).
 - a. This code **SHALL** contain exactly one [1..1] **@code**="59769-0" Postprocedure diagnosis (CONF:1198-19152).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1198-32166).
5. **SHALL** contain at least one [1..*] **entryRelationship** (CONF:1198-8759) such that it

- a. **SHALL** contain exactly one [1..1] @typeCode="SUBJ" Has subject (CodeSystem: HL7ActRelationshipType urn:oid:2.16.840.1.113883.5.1002 **STATIC**) (CONF:1198-8760).
- b. **SHALL** contain exactly one [1..1] [Problem Observation \(V3\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.4:2015-08-01) (CONF:1198-15583).

Figure 192: Postprocedure Diagnosis (V3) Example

```
<section>
  <templateId root="2.16.840.1.113883.10.20.22.2.36" extension="2015-08-01" />
  <code code="59769-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"
displayName="POSTPROCEDURE DIAGNOSIS" />
  <title>Postprocedure Diagnosis</title>
  <text>
    ...
  </text>
  <entry>
    <act moodCode="EVN" classCode="ACT">
      <templateId root="2.16.840.1.113883.10.20.22.4.51" extension="2015-08-01" />
      <!-- ** Postprocedure Diagnosis ** -->
      ...
    </act>
  </entry>
</section>
```

3.73 Precondition for Substance Administration (V2)

[criterion: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.25:2014-06-09 (open)]

Table 407: Precondition for Substance Administration (V2) Contexts

Contained By:	Contains:
Medication Activity (V2) (optional) Planned Medication Activity (V2) (optional) Planned Immunization Activity (optional) Immunization Activity (V3) (optional)	

A criterion for administration can be used to record that the medication is to be administered only when the associated criteria are met.