

```

        <!-- Highest Pressure Ulcers Stage -->
        <templateId root="2.16.840.1.113883.10.20.22.4.77" />
        ...

    </observation>
</entryRelationship>
</observation>
</entry>

```

### 3.80 Problem Status

[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.6:2019-06-20  
(open) ]

**Table 428: Problem Status Contexts**

Contained By:	Contains:
<a href="#">Problem Observation (V3)</a> (optional)	

The Problem Status records the clinical status attributed to the problem.

**Table 429: Problem Status Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
observation (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.6:2019-06-20)					
@classCode	1..1	SHALL		<a href="#">1198-7357</a>	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS
@moodCode	1..1	SHALL		<a href="#">1198-7358</a>	urn:oid:2.16.840.1.113883.5.1001 (HL7ActMood) = EVN
templateId	1..1	SHALL		<a href="#">1198-7359</a>	
@root	1..1	SHALL		<a href="#">1198-10518</a>	2.16.840.1.113883.10.20.22.4.6
@extension	1..1	SHALL		<a href="#">1198-32961</a>	2019-06-20
code	1..1	SHALL		<a href="#">1198-19162</a>	
@code	1..1	SHALL		<a href="#">1198-19163</a>	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 33999-4
statusCode	1..1	SHALL		<a href="#">1198-7364</a>	
@code	1..1	SHALL		<a href="#">1198-19113</a>	urn:oid:2.16.840.1.113883.5.14 (HL7ActStatus) = completed
value	1..1	SHALL	CD	<a href="#">1198-7365</a>	urn:oid:2.16.840.1.113883.3.88.12.80.68 (Problem Status)

1. **SHALL** contain exactly one [1..1] @classCode="OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1198-7357).
2. **SHALL** contain exactly one [1..1] @moodCode="EVN" Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:1198-7358).
3. **SHALL** contain exactly one [1..1] templateId (CONF:1198-7359) such that it
  - a. **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.22.4.6" (CONF:1198-10518).
  - b. **SHALL** contain exactly one [1..1] @extension="2019-06-20" (CONF:1198-32961).
4. **SHALL** contain exactly one [1..1] code (CONF:1198-19162).
  - a. This code **SHALL** contain exactly one [1..1] @code="33999-4" Status (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1 **STATIC**) (CONF:1198-19163).
5. **SHALL** contain exactly one [1..1] statusCode (CONF:1198-7364).
  - a. This statusCode **SHALL** contain exactly one [1..1] @code="completed" Completed (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14 **STATIC**) (CONF:1198-19113).
6. **SHALL** contain exactly one [1..1] value with @xsi:type="CD", where the code **SHALL** be selected from ValueSet [Problem Status](#) urn:oid:2.16.840.1.113883.3.88.12.80.68 **DYNAMIC** (CONF:1198-7365).

**Table 430: Problem Status**

Value Set: Problem Status urn:oid:2.16.840.1.113883.3.88.12.80.68 (Clinical Focus: The clinical status of a problem),(Data Element Scope: Status value),(Inclusion Criteria: Selected qualifier values that represent the clinical status of a problem),(Exclusion Criteria: none specific)  This value set was imported on 6/26/2019 with a version of 20190418. Value Set Source: <a href="https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.3.88.12.80.68/expansion">https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.3.88.12.80.68/expansion</a>			
Code	Code System	Code System OID	Print Name
246455001	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Recurrence (qualifier value)
263855007	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Relapse phase (qualifier value)
277022003	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Remission phase (qualifier value)
413322009	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Problem resolved (finding)
55561003	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Active (qualifier value)
73425007	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Inactive (qualifier value)

### 3.81 Procedure Activity Act (V2)

[act: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.12:2014-06-09 (open)]

**Table 431: Procedure Activity Act (V2) Contexts**

Contained By:	Contains:
<a href="#">Procedures Section (entries optional) (V2)</a> (optional) <a href="#">Procedures Section (entries required) (V2)</a> (optional) <a href="#">Intervention Act (V2)</a> (optional)	<a href="#">Service Delivery Location</a> (optional) <a href="#">Medication Activity (V2)</a> (optional) <a href="#">Indication (V2)</a> (optional) <a href="#">Instruction (V2)</a> (optional) <a href="#">Author Participation</a> (optional)

This template represents any act that cannot be classified as an observation or procedure according to the HL7 RIM. Examples of these acts are a dressing change, teaching or feeding a patient, or providing comfort measures.

The common notion of "procedure" is broader than that specified by the HL7 Version 3 Reference Information Model (RIM). Procedure templates can be represented with various RIM classes: act (e.g., dressing change), observation (e.g., EEG), procedure (e.g., splenectomy).

**Table 432: Procedure Activity Act (V2) Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
act (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.12:2014-06-09)					
@classCode	1..1	SHALL		<a href="#">1098-8289</a>	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = ACT
@moodCode	1..1	SHALL		<a href="#">1098-8290</a>	urn:oid:2.16.840.1.113883.5.1001 (HL7ActMood) = EVN
templateId	1..1	SHALL		<a href="#">1098-8291</a>	
@root	1..1	SHALL		<a href="#">1098-10519</a>	2.16.840.1.113883.10.20.22.4.12
@extension	1..1	SHALL		<a href="#">1098-32505</a>	2014-06-09
id	1..*	SHALL		<a href="#">1098-8292</a>	
code	1..1	SHALL		<a href="#">1098-8293</a>	
originalText	0..1	SHOULD		<a href="#">1098-19186</a>	
reference	0..1	MAY		<a href="#">1098-19187</a>	
@value	0..1	MAY		<a href="#">1098-19188</a>	
statusCode	1..1	SHALL		<a href="#">1098-8298</a>	
@code	1..1	SHALL		<a href="#">1098-32364</a>	urn:oid:2.16.840.1.113883.11.20.9.22 (ProcedureAct