Table 416: TargetSite Qualifiers

Value Set: TargetSite Qualifiers urn:oid:2.16.840.1.113883.11.20.9.37

(Clinical Focus: Spatial refinements to anatomical site concepts),(Data Element Scope:),(Inclusion Criteria:),(Exclusion Criteria:)

This value set was imported on 6/29/2019 with a version of 20190319.

Value Set Source:

https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.11.20.9.37/expansion

Code	Code System	Code System OID	Print Name
24028007	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Right (qualifier value)
255549009	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Anterior (qualifier value)
255551008	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Posterior (qualifier value)
255561001	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Medial (qualifier value)
7771000	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Left (qualifier value)

3.77 Priority Pre fe re nc e

[observation: identifier urn:oid:2.16.840.1.113883.10.20.22.4.143 (open)]

Table 417: Priority Preference Contexts

Contained By:	Contains:		
Goal Observation (optional)	Author Participation (optional)		
Planned Act (V2) (optional)			
Planned Encounter (V2) (optional)			
Planned Procedure (V2) (optional)			
Planned Observation (V2) (optional)			
Planned Supply (V2) (optional)			
Planned Medication Activity (V2) (optional)			
Planned Immunization Activity (optional)			
Problem Observation (V3) (optional)			
Health Concern Act (V2) (optional)			
Risk Concern Act (V2) (optional)			
Problem Concern Act (V3) (optional)			

This template represents priority preferences chosen by a patient or a care provider. Priority preferences are choices made by care providers or patients or both relative to options for care or treatment (including scheduling, care experience, and meeting of personal health goals), the sharing and disclosure of health information, and the prioritization of concerns and problems.

Table 418: Priority Preference Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
observation (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.143)					
@classCode	11	SHALL		<u>1098-</u> <u>30949</u>	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS
@moodCode	11	SHALL		<u>1098-</u> <u>30950</u>	urn:oid:2.16.840.1.113883.5.1 001 (HL7ActMood) = EVN
templateId	11	SHALL		<u>1098-</u> <u>30951</u>	
@root	11	SHALL		<u>1098-</u> <u>30952</u>	2.16.840.1.113883.10.20.22.4 .143
id	1*	SHALL		1098- 30953	
code	11	SHALL		1098- 30954	
@code	11	SHALL		1098- 30955	225773000
@codeSystem	11	SHALL		<u>1098-</u> <u>30956</u>	urn:oid:2.16.840.1.113883.6.9 6 (SNOMED CT) = 2.16.840.1.113883.6.96
effectiveTime	01	SHOULD		<u>1098-</u> <u>32327</u>	
value	11	SHALL	CD	<u>1098-</u> <u>30957</u>	urn:oid:2.16.840.1.113883.11. 20.9.60 (Priority Level)
author	0*	SHOULD		1098- 30958	Author Participation (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.119

- 1. **SHALL** contain exactly one [1..1] **@classCode="**OBS" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6) (CONF:1098-30949).
- 2. **SHALL** contain exactly one [1..1] **@moodCode="**EVN" (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001) (CONF:1098-30950).
- 3. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-30951) such that it
 - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.4.143" (CONF:1098-30952).
- 4. **SHALL** contain at least one [1..*] **id** (CONF:1098-30953).
- 5. **SHALL** contain exactly one [1..1] **code** (CONF:1098-30954).
 - a. This code **SHALL** contain exactly one [1..1] **@code="**225773000" Preference (CONF:1098-30955).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem="**2.16.840.1.113883.6.96" (CodeSystem: SNOMED CT urn:oid:2.16.840.1.113883.6.96) (CONF:1098-30956).
- 6. **SHOULD** contain zero or one [0..1] **effectiveTime** (CONF:1098-32327).

- 7. **SHALL** contain exactly one [1..1] **value** with @xsi:type="CD", where the code **SHALL** be selected from ValueSet <u>Priority Level</u> urn:oid:2.16.840.1.113883.11.20.9.60 **DYNAMIC** (CONF:1098-30957).
- 8. **SHOULD** contain zero or more [0..*] <u>Author Participation</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.119) (CONF:1098-30958).

Table 419: Priority Level

Value Set: Priority Level urn:oid:2.16.840.1.113883.11.20.9.60

(Clinical Focus: Qualifier representing the priority of an action),(Data Element Scope: qualifier for an action),(Inclusion Criteria: selected concepts for priority),(Exclusion Criteria: only concepts identified; excludes scheduled - priority)

This value set was imported on 6/26/2019 with a version of 20190319.

Value Set Source:

https://vsac.nlm.nih.gov/valueset/2.16.840.1.113883.11.20.9.60/expansion

Code	Code System	Code System OID	Print Name
394848005	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Normal priority (qualifier value)
394849002	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	High priority (qualifier value)
441808003	SNOMED CT	urn:oid:2.16.840.1.113883.6.96	Delayed priority (qualifier value)

Figure 196: Priority Preference Example

```
<observation classCode="OBS" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.22.4.143" />
  <id root="7d66f448-ba82-4291-a9da-9e5db5e58803" />
  <code code="225773000"
        codeSystem="2.16.840.1.113883.6.96"
        codeSystemName="SNOMED CT"
        displayName="preference" />
  <value xsi:type="CD"</pre>
         code="394849002"
         codeSystem="2.16.840.1.113883.6.96"
         codeSystemName="SNOMED"
         displayName="High priority" />
  <!--
      Author Participation Template
      In this case, the author is the same as a participant already described in the
header.
      However, the author could be a the record target (patient), a different provider -
      someone else in the header, or a new provider not elsewhere specified.
  <author>
    <templateId root="2.16.840.1.113883.10.20.22.4.119" />
    <time value="20130801" />
    <assignedAuthor>
      <!-- This id points back to a participant in the header -->
      <id root="20cf14fb-b65c-4c8c-a54d-b0cca834c18c" />
    </assignedAuthor>
  </author>
</observation>
```

3.78 Problem Concem Act (V3)

[act: identifier urn:h17ii:2.16.840.1.113883.10.20.22.4.3:2015-08-01 (open)]

Table 420: Problem Concern Act (V3) Contexts

Contained By:	Contains:		
Health Concern Act (V2) (optional)	Priority Preference (optional)		
Risk Concern Act (V2) (optional)	Author Participation (optional)		
Problem Section (entries optional) (V3) (optional)	Problem Observation (V3) (required)		
Problem Section (entries required) (V3) (required)			

This template reflects an ongoing concern on behalf of the provider that placed the concern on a patient's problem list. So long as the underlying condition is of concern to the provider (i.e., as long as the condition, whether active or resolved, is of ongoing concern and interest to the provider), the statusCode is "active". Only when the underlying condition is no longer of concern is the statusCode set to "completed". The effectiveTime reflects the time that the underlying condition was felt to be a concern; it may or may not correspond to the effectiveTime of the condition (e.g., even five years later, the clinician may remain concerned about a prior heart attack).

The statusCode of the Problem Concern Act is the definitive indication of the status of the concern, whereas the effectiveTime of the nested Problem Observation is the definitive indication of whether or not the underlying condition is resolved.