Figure 73: Findings Section (DIR) Example

```
<section>
    <templateId root="2.16.840.1.113883.10.20.6.1.2"/>
    <code code="121070"</pre>
          codeSystem="1.2.840.10008.2.16.4"
          codeSystemName="DCM"
          displayName="Findings"/>
    <title>Findings</title>
    <text>
        <paragraph>
            <caption>Finding</caption>
            <content ID="Fndng2">The cardiomediastinum is
                                                              . </content>
        </paragraph>
        <paragraph>
            <caption>Diameter</caption>
            <content ID="Diam2">45mm</content>
        </paragraph>
       . . .
   </text>
    <entry>
       <templateId root="2.16.840.1.113883.10.20.6.2.12"/>
    </entry>
</section>
```

2.20 Functional Status Section (V2)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.14:2014-06-09 (open)]

Table 106: Functional Status Section (V2) Contexts

Contained By:	Contains:
Consultation Note (V3) (optional)	Caregiver Characteristics (optional)
Continuity of Care Document (CCD) (V3) (optional)	Assessment Scale Observation (optional)
Discharge Summary (V3) (optional)	Sensory Status (optional)
Transfer Summary (V2) (optional)	Self-Care Activities (ADL and IADL) (optional)
Referral Note (V2) (optional)	Non-Medicinal Supply Activity (V2) (optional)
	Functional Status Observation (V2) (optional)
	Functional Status Organizer (V2) (optional)
	Pressure Ulcer Observation (DEPRECATED) (optional)
	Cognitive Status Problem Observation (DEPRECATED)
	(optional)
	Functional Status Problem Observation
	(DEPRECATED) (optional)

The Functional Status Section contains observations and assessments of a patient's physical abilities. A patient's functional status may include information regarding the patient's ability to perform

Activities of Daily Living (ADLs) in areas such as Mobility (e.g., ambulation), Self-Care (e.g., bathing, dressing, feeding, grooming) or Instrumental Activities of Daily Living (IADLs) (e.g., shopping, using a telephone, balancing a check book). Problems that impact function (e.g., dyspnea, dysphagia) can be contained in the section.

Table 107: Functional Status Section (V2) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16	5.840.1.1138	83.10.20.22	2.2.14:201	4-06-09)	
templateId	11	SHALL		1098- 7920	
@root	11	SHALL		1098- 10389	2.16.840.1.113883.10.20.22.2 .14
@extension	11	SHALL		1098- 32567	2014-06-09
code	11	SHALL		1098- 14578	
@code	11	SHALL		1098- 14579	47420-5
@codeSystem	11	SHALL		<u>1098-</u> <u>30866</u>	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	11	SHALL		1098- 7922	
text	11	SHALL		1098- 7923	
entry	0*	MAY		1098- 14414	
organizer	11	SHALL		1098- 14415	Functional Status Organizer (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.66:2014-06-09
entry	0*	MAY		1098- 14418	
observation	11	SHALL		1098- 14419	Functional Status Observation (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.67:2014-06-09
entry	0*	MAY		1098- 14426	
observation	11	SHALL		1098- 14427	<u>Caregiver Characteristics</u> (<u>identifier:</u> urn:oid:2.16.840.1.113883.10. 20.22.4.72
entry	0*	MAY		1098- 14580	
observation	11	SHALL		1098- 14581	Assessment Scale Observation (identifier:

XPath	Card.	Verb	Data Type	CONF#	Value
					<u>urn:oid:2.16.840.1.113883.10.</u> <u>20.22.4.69</u>
entry	0*	MAY		1098- 14582	
supply	11	SHALL		<u>1098-</u> <u>30783</u>	Non-Medicinal Supply Activity (V2) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.50:2014-06-09
entry	0*	MAY		<u>1098-</u> <u>32792</u>	
observation	11	SHALL		1098- 31009	Self-Care Activities (ADL and IADL) (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.128
entry	0*	MAY		1098- 16779	
observation	11	SHALL		<u>1098-</u> <u>31011</u>	Sensory Status (identifier: urn:oid:2.16.840.1.113883.10. 20.22.4.127
entry	0*	MAY		1098- 14424	
observation	11	SHALL		1098- 14425	Cognitive Status Problem Observation (DEPRECATED) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.73:2014-06-09
entry	0*	MAY		1098- 14422	
observation	11	SHALL		1098- 14423	Functional Status Problem Observation (DEPRECATED) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.68:2014-06-09
entry	0*	MAY		1098- 16777	
observation	11	SHALL		1098- 16778	Pressure Ulcer Observation (DEPRECATED) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.70:2014-06-09

- 1. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-7920) such that it
 - a. **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.22.2.14" (CONF:1098-10389).
 - b. **SHALL** contain exactly one [1..1] @extension="2014-06-09" (CONF:1098-32567).
- 2. **SHALL** contain exactly one [1..1] **code** (CONF:1098-14578).
 - a. This code **SHALL** contain exactly one [1..1] @code="47420-5" Functional Status (CONF:1098-14579).

- b. This code **SHALL** contain exactly one [1..1] **@codeSystem=**"2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1098-30866).
- 3. SHALL contain exactly one [1..1] title (CONF:1098-7922).
- 4. **SHALL** contain exactly one [1..1] **text** (CONF:1098-7923).
- 5. MAY contain zero or more [0..*] entry (CONF:1098-14414) such that it
 - a. SHALL contain exactly one [1..1] <u>Functional Status Organizer (V2)</u> (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.66:2014-06-09) (CONF:1098-14415).
- 6. MAY contain zero or more [0..*] entry (CONF:1098-14418) such that it
 - a. SHALL contain exactly one [1..1] Functional Status Observation (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.67:2014-06-09) (CONF:1098-14419).
- 7. MAY contain zero or more [0..*] entry (CONF:1098-14426) such that it
 - a. **SHALL** contain exactly one [1..1] <u>Caregiver Characteristics</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.72) (CONF:1098-14427).
- 8. MAY contain zero or more [0..*] entry (CONF:1098-14580) such that it
 - a. SHALL contain exactly one [1..1] <u>Assessment Scale Observation</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.69) (CONF:1098-14581).
- 9. MAY contain zero or more [0..*] entry (CONF:1098-14582) such that it
 - a. **SHALL** contain exactly one [1..1] <u>Non-Medicinal Supply Activity (V2)</u> (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.50:2014-06-09) (CONF:1098-30783).
- 10. MAY contain zero or more [0..*] entry (CONF:1098-32792) such that it
 - a. **SHALL** contain exactly one [1..1] <u>Self-Care Activities (ADL and IADL)</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.128) (CONF:1098-31009).
- 11. MAY contain zero or more [0..*] entry (CONF:1098-16779) such that it
 - a. **SHALL** contain exactly one [1..1] <u>Sensory Status</u> (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.127) (CONF:1098-31011).
- 12. MAY contain zero or more [0..*] entry (CONF:1098-14424) such that it
 - a. SHALL contain exactly one [1..1] Cognitive Status Problem Observation (DEPRECATED) (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.73:2014-06-09) (CONF:1098-14425).
- 13. MAY contain zero or more [0..*] entry (CONF:1098-14422) such that it
 - a. SHALL contain exactly one [1..1] Functional Status Problem Observation (DEPRECATED) (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.68:2014-06-09) (CONF:1098-14423).
- 14. MAY contain zero or more [0..*] entry (CONF:1098-16777) such that it
 - a. SHALL contain exactly one [1..1] Pressure Ulcer Observation (DEPRECATED) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.70:2014-06-09) (CONF:1098-16778).

Figure 74: Functional Status Section (V2) Example

```
<section>
    <templateId root="2.16.840.1.113883.10.20.22.2.14" extension="2014-06-09" />
    <!-- Functional Status Section template V2-->
    <code code="47420-5" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC"</pre>
displayName="Functional Status" />
    <title>FUNCTIONAL STATUS</title>
    <text>
    </text>
    <entry>
        <observation classCode="OBS" moodCode="EVN">
            <!-- Self Care Activities (NEW) -->
            <templateId root="2.16.840.1.113883.10.20.22.4.128" />
        </observation>
    </entry>
    <entry>
        <observation classCode="OBS" moodCode="EVN">
            <!-- Sensory and Speech Status(NEW)-->
            <templateId root="2.16.840.1.113883.10.20.22.4.127" />
        </observation>
    </entry>
    <entry>
        <organizer classCode="CLUSTER" moodCode="EVN">
            <!-- Functional Status Organizer V2-->
            <templateId root="2.16.840.1.113883.10.20.22.4.66" extension="2014-06-09" />
        </organizer>
    </entry>
    <entry>
        <observation classCode="OBS" moodCode="EVN">
            <!-- Functional Status Observation V2-->
            <templateId root="2.16.840.1.113883.10.20.22.4.67" extension="2014-06-09" />
        </observation>
    </entry>
    <entry>
        <observation classCode="OBS" moodCode="EVN">
            <!-- ** Caregiver characteristics ** -->
            <templateId root="2.16.840.1.113883.10.20.22.4.72" />
        </observation>
    </entry>
</section>
```

2.21 General Status Section

[section: identifier urn:oid:2.16.840.1.113883.10.20.2.5 (open)]

Table 108: General Status Section Contexts

Contained By:	Contains:
Consultation Note (V3) (optional)	
History and Physical (V3) (required)	
Transfer Summary (V2) (optional)	
Referral Note (V2) (optional)	

The General Status section describes general observations and readily observable attributes of the patient, including affect and demeanor, apparent age compared to actual age, gender, ethnicity, nutritional status based on appearance, body build and habitus (e.g., muscular, cachectic, obese), developmental or other deformities, gait and mobility, personal hygiene, evidence of distress, and voice quality and speech.

Table 109: General Status Section Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value	
section (identifier: urn:oid:2.16.840.1.113883.10.20.2.5)						
templateId	11	SHALL		81-7985		
@root	11	SHALL	UID	81-10457	2.16.840.1.113883.10.20.2.5	
code	11	SHALL		81-15472		
@code	11	SHALL		81-15473	10210-3	
@codeSystem	11	SHALL		81-26477	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1	
title	11	SHALL		81-7987		
text	11	SHALL		81-7988		

- 1. **SHALL** contain exactly one [1..1] **templateId** (CONF:81-7985) such that it
 - a. **SHALL** contain exactly one [1..1] @root="2.16.840.1.113883.10.20.2.5" (CONF:81-10457).
- 2. **SHALL** contain exactly one [1..1] **code** (CONF:81-15472).
 - a. This code **SHALL** contain exactly one [1..1] @code="10210-3" General Status (CONF:81-15473).
 - b. This code **SHALL** contain exactly one [1..1] **@codeSystem=**"2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:81-26477).
- 3. **SHALL** contain exactly one [1..1] **title** (CONF:81-7987).
- 4. **SHALL** contain exactly one [1..1] **text** (CONF:81-7988).