- 2. **SHALL** contain exactly one [1..1] **code** (CONF:81-15401).
  - a. This code **SHALL** contain exactly one [1..1] **@code="**10218-6" Postoperative Diagnosis (CONF:81-15402).
  - b. This code **SHALL** contain exactly one [1..1] @codeSystem="2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:81-26488).
- 3. **SHALL** contain exactly one [1..1] **title** (CONF:81-8103).
- 4. SHALL contain exactly one [1..1] text (CONF:81-8104).

## Figure 102: Postoperative Diagnosis Section Example

## 2.51 Postprocedure Diagnosis Section (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.36:2015-08-01 (open)]

Table 171: Postprocedure Diagnosis Section (V3) Contexts

Contained By:	Contains:
Procedure Note (V3) (required)	Postprocedure Diagnosis (V3) (optional)

The Postprocedure Diagnosis Section records the diagnosis or diagnoses discovered or confirmed during the procedure. Often it is the same as the preprocedure diagnosis or indication.

Table 172: Postprocedure Diagnosis Section (V3) Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
section (identifier: urn:hl7ii:2.16.8	10.1.1138	883.10.20.22.	2.36:201	5-08-01)	
templateId	11	SHALL		1198- 8167	
@root	11	SHALL		1198- 10438	2.16.840.1.113883.10.20.22.2 .36
@extension	11	SHALL		1198- 32550	2015-08-01
code	11	SHALL		1198- 15403	
@code	11	SHALL		1198- 15404	59769-0
@codeSystem	11	SHALL		1198- 30862	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
title	11	SHALL		1198- 8170	
text	11	SHALL		1198- 8171	
entry	01	SHOULD		1198- 8762	
act	11	SHALL		1198- 15503	Postprocedure Diagnosis (V3) (identifier: urn:hl7ii:2.16.840.1.113883.1 0.20.22.4.51:2015-08-01

- 1. SHALL contain exactly one [1..1] templateId (CONF:1198-8167) such that it
  - a. **SHALL** contain exactly one [1..1] **@root="**2.16.840.1.113883.10.20.22.2.36" (CONF:1198-10438).
  - b. **SHALL** contain exactly one [1..1] **@extension="**2015-08-01" (CONF:1198-32550).
- 2. **SHALL** contain exactly one [1..1] **code** (CONF:1198-15403).
  - a. This code **SHALL** contain exactly one [1..1] **@code="**59769-0" Postprocedure Diagnosis (CONF:1198-15404).
  - b. This code **SHALL** contain exactly one [1..1] **@codeSystem="**2.16.840.1.113883.6.1" (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:1198-30862).
- 3. **SHALL** contain exactly one [1..1] **title** (CONF:1198-8170).
- 4. **SHALL** contain exactly one [1..1] **text** (CONF:1198-8171).
- 5. **SHOULD** contain zero or one [0..1] **entry** (CONF:1198-8762) such that it
  - a. SHALL contain exactly one [1..1] Postprocedure Diagnosis (V3) (identifier: urn:h17ii:2.16.840.1.113883.10.20.22.4.51:2015-08-01) (CONF:1198-15503).

## Figure 103: Postprocedure Diagnosis Section (V3) Example

## 2.52 Pre operative Diagnosis Section (V3)

[section: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.2.34:2015-08-01 (open)]

Table 173: Preoperative Diagnosis Section (V3) Contexts

Contained By:	Contains:
Operative Note (V3) (required)	Preoperative Diagnosis (V3) (optional)

The Preoperative Diagnosis Section records the surgical diagnoses assigned to the patient before the surgical procedure which are the reason for the surgery. The preoperative diagnosis is, in the surgeon's opinion, the diagnosis that will be confirmed during surgery.