

### 3.55 Non-Medicinal Supply Activity (V2)

[supply: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.50:2014-06-09  
(open) ]

**Table 356: Non-Medicinal Supply Activity (V2) Contexts**

Contained By:	Contains:
<a href="#">Medical Equipment Section (V2)</a> (optional) <a href="#">Medical Equipment Organizer</a> (optional) <a href="#">Functional Status Section (V2)</a> (optional) <a href="#">Functional Status Observation (V2)</a> (optional) <a href="#">Planned Intervention Act (V2)</a> (optional) <a href="#">Intervention Act (V2)</a> (optional)	<a href="#">Product Instance</a> (optional) <a href="#">Instruction (V2)</a> (optional)

This template represents equipment supplied to the patient (e.g., pumps, inhalers, wheelchairs). Devices applied to, or placed in, the patient are represented with the Product Instance entry contained within a Procedure Activity Procedure (V2) (identifier: urn:hl7ii: 2.16.840.1.113883.10.20.22.4.14)

**Table 357: Non-Medicinal Supply Activity (V2) Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
supply (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.50:2014-06-09)					
@classCode	1..1	SHALL		<a href="#">1098-8745</a>	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = SPLY
@moodCode	1..1	SHALL		<a href="#">1098-8746</a>	urn:oid:2.16.840.1.113883.11.20.9.18 (MoodCodeEvnInt)
templateId	1..1	SHALL		<a href="#">1098-8747</a>	
@root	1..1	SHALL		<a href="#">1098-10509</a>	2.16.840.1.113883.10.20.22.4.50
@extension	1..1	SHALL		<a href="#">1098-32514</a>	2014-06-09
id	1..*	SHALL		<a href="#">1098-8748</a>	
statusCode	1..1	SHALL		<a href="#">1098-8749</a>	
@code	1..1	SHALL		<a href="#">1098-32363</a>	urn:oid:2.16.840.1.113883.1.1.1.15933 (ActStatus)
effectiveTime	0..1	SHOULD	IVL_TS	<a href="#">1098-15498</a>	
quantity	0..1	SHOULD		<a href="#">1098-8751</a>	
participant	0..1	MAY		<a href="#">1098-8752</a>	
@typeCode	1..1	SHALL		<a href="#">1098-8754</a>	urn:oid:2.16.840.1.113883.5.9.0 (HL7ParticipationType) = PRD
participantRole	1..1	SHALL		<a href="#">1098-15900</a>	<a href="#">Product Instance (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.37)</a>
entryRelationship	0..1	MAY		<a href="#">1098-30277</a>	
@typeCode	1..1	SHALL		<a href="#">1098-30278</a>	SUBJ
@inversionInd	1..1	SHALL		<a href="#">1098-30279</a>	TRUE
act	1..1	SHALL		<a href="#">1098-31393</a>	<a href="#">Instruction (V2) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.20:2014-06-09)</a>

1. **SHALL** contain exactly one [1..1] @classCode="SPLY" (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:1098-8745).
2. **SHALL** contain exactly one [1..1] @moodCode, which **SHALL** be selected from ValueSet [MoodCodeEvnInt](#) urn:oid:2.16.840.1.113883.11.20.9.18 **STATIC** 2011-04-03 (CONF:1098-8746).

3. **SHALL** contain exactly one [1..1] **templateId** (CONF:1098-8747) such that it
  - a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.50" (CONF:1098-10509).
  - b. **SHALL** contain exactly one [1..1] **@extension**="2014-06-09" (CONF:1098-32514).
4. **SHALL** contain at least one [1..\*] **id** (CONF:1098-8748).
5. **SHALL** contain exactly one [1..1] **statusCode** (CONF:1098-8749).
  - a. This **statusCode** **SHALL** contain exactly one [1..1] **@code**, which **SHALL** be selected from ValueSet [ActStatus](#) urn:oid:2.16.840.1.113883.1.11.15933 **DYNAMIC** (CONF:1098-32363).
6. **SHOULD** contain zero or one [0..1] **effectiveTime** (CONF:1098-15498).
  - a. The **effectiveTime**, if present, **SHOULD** contain zero or one [0..1] *high* (CONF:1098-16867).
7. **SHOULD** contain zero or one [0..1] **quantity** (CONF:1098-8751).
8. **MAY** contain zero or one [0..1] **participant** (CONF:1098-8752) such that it
  - a. **SHALL** contain exactly one [1..1] **@typeCode**="PRD" Product (CodeSystem: HL7ParticipationType urn:oid:2.16.840.1.113883.5.90 **STATIC**) (CONF:1098-8754).
  - b. **SHALL** contain exactly one [1..1] [Product Instance](#) (identifier: urn:oid:2.16.840.1.113883.10.20.22.4.37) (CONF:1098-15900).
9. **MAY** contain zero or one [0..1] **entryRelationship** (CONF:1098-30277) such that it
  - a. **SHALL** contain exactly one [1..1] **@typeCode**="SUBJ" (CONF:1098-30278).
  - b. **SHALL** contain exactly one [1..1] **@inversionInd**="TRUE" (CONF:1098-30279).
  - c. **SHALL** contain exactly one [1..1] [Instruction \(V2\)](#) (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.20:2014-06-09) (CONF:1098-31393).

**Figure 176: Non-Medicinal Supply Activity (V2) Example**

```
<supply classCode="SPLY" moodCode="EVN">
  <templateId root="2.16.840.1.113883.10.20.22.4.50" extension="2014-06-09" />
  <!-- Non-medicinal supply activity V2 template ***** -->
  <id root="39b5f1b4-a8e1-4ad7-8849-0deab10c97b1" />
  <statusCode code="completed" />
  <effectiveTime xsi:type="IVL_TS">
    <high value="20130703" />
  </effectiveTime>
  <quantity value="1" />
  <participant typeCode="PRD">
    <participantRole classCode="MANU">
      <templateId root="2.16.840.1.113883.10.20.22.4.37" />
      <!-- Product instance template -->
      <id root="24993f33-6222-41ce-add6-37a9d3da6acb" />
      <playingDevice>
        <code code="14106009" displayName="cardiac pacemaker, device (physical object)" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT">
          <originalText>Cardiac Pacemaker</originalText>
        </code>
      </playingDevice>
      <scopingEntity>
        <id root="eb936010-7b17-11db-9fe1-0800200c9b65" />
        <desc>Good Health Durable Medical Equipment</desc>
      </scopingEntity>
    </participantRole>
  </participant>
</supply>
```

### 3.56 Number of Pressure Ulcers Observation (V3)

[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.76:2015-08-01 (open)]

**Table 358: Number of Pressure Ulcers Observation (V3) Contexts**

Contained By:	Contains:
<a href="#">Longitudinal Care Wound Observation (V2)</a> (optional)	

This template represents the number of pressure ulcers observed at a particular stage.

**Table 359: Number of Pressure Ulcers Observation (V3) Constraints Overview**

XPath	Card.	Verb	Data Type	CONF#	Value
observation (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.76:2015-08-01)					
@classCode	1..1	SHALL		<a href="#">1198-14705</a>	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS
@moodCode	1..1	SHALL		<a href="#">1198-14706</a>	urn:oid:2.16.840.1.113883.5.1001 (HL7ActMood) = EVN
templateId	1..1	SHALL		<a href="#">1198-</a>	