```
                    <assignedPerson>

<name><given>John</given><given>D</given><family>Smith</family>,<suffix>MD</suffix> </name>
                    </assignedPerson>
                </assignedEntity>
            </performer>
          </act>
        </component>
      </organizer>
    </entry>
```

2.5   Care Team Type Observation

```
[observation: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.500.2:2019-
07-01 (open)]
```

Table 12: Care Team Type Observation Contexts

Contained By:	Contains:
Care Team Organizer (optional)	

This template is used to express the care team type. A care team can have multiple care team types. Examples include but are not limited to:

- Condition focused, longitudinal care team
- Event focused, Home & Community Based Services care team
- Condition focused, clinical research care team
- Public health focused, Longitudinal care-coordination care team

Table 13: Care Team Type Observation Constraints Overview

XPath	Card.	Verb	Data Type	CONF#	Value
observation (identifier: urn:hl7ii:2.16.840.1.113883.10.20.22.4.500.2:2019-07-01)					
@classCode	1..1	SHALL		4435-101	urn:oid:2.16.840.1.113883.5.6 (HL7ActClass) = OBS
@moodCode	1..1	SHALL		4435-102	urn:oid:2.16.840.1.113883.5.1001 (HL7ActMood) = EVN
templateId	1..1	SHALL		4435-99	
@root	1..1	SHALL		4435-106	2.16.840.1.113883.10.20.22.4.500.2
@extension	1..1	SHALL		4435-108	2019-07-01
code	1..1	SHALL		4435-97	
@code	1..1	SHALL		4435-103	86744-0
@codeSystem	1..1	SHALL		4435-104	urn:oid:2.16.840.1.113883.6.1 (LOINC) = 2.16.840.1.113883.6.1
statusCode	1..1	SHALL		4435-100	
@code	1..1	SHALL		4435-107	urn:oid:2.16.840.1.113883.5.14 (HL7ActStatus) = completed
value	1..1	SHALL	CD	4435-98	
@code	1..1	SHALL		4435-109	urn:oid:2.16.840.1.113883.4.642.3.155 (Care Team Category)

1. **SHALL** contain exactly one [1..1] **@classCode**="OBS" Observation (CodeSystem: HL7ActClass urn:oid:2.16.840.1.113883.5.6 **STATIC**) (CONF:4435-101).
2. **SHALL** contain exactly one [1..1] **@moodCode**="EVN" Event (CodeSystem: HL7ActMood urn:oid:2.16.840.1.113883.5.1001 **STATIC**) (CONF:4435-102).
3. **SHALL** contain exactly one [1..1] **templateId** (CONF:4435-99) such that it
   a. **SHALL** contain exactly one [1..1] **@root**="2.16.840.1.113883.10.20.22.4.500.2" (CONF:4435-106).
   b. **SHALL** contain exactly one [1..1] **@extension**="2019-07-01" (CONF:4435-108).
4. **SHALL** contain exactly one [1..1] **code** (CONF:4435-97).
   a. This code **SHALL** contain exactly one [1..1] **@code**="86744-0" Care Team (CONF:4435-103).
   b. This code **SHALL** contain exactly one [1..1] **@codeSystem**="2.16.840.1.113883.6.1" LOINC (CodeSystem: LOINC urn:oid:2.16.840.1.113883.6.1) (CONF:4435-104).
5. **SHALL** contain exactly one [1..1] **statusCode** (CONF:4435-100).
   a. This statusCode **SHALL** contain exactly one [1..1] **@code**="completed" Completed (CodeSystem: HL7ActStatus urn:oid:2.16.840.1.113883.5.14 **STATIC**) (CONF:4435-107).
6. **SHALL** contain exactly one [1..1] **value** with @xsi:type="CD" (CONF:4435-98) such that it

   a. **SHALL** contain exactly one [1..1] **@code**, which **SHALL** be selected from ValueSet **Care Team Category** urn:oid:2.16.840.1.113883.4.642.3.155 **DYNAMIC** (CONF:4435-109).

Figure 6: Care Team Type Example

```
<observation classCode="OBS" moodCode="EVN">
    <templateId root="2.16.840.1.113883.10.20.22.4.500.2" extention="2019-07-01"/>
    <!--Care Team Type-->
    <code code="86744-0"
        codeSystem="2.16.840.1.113883.6.1"
        displayName="Care team" />
    <statusCode code="completed" />
    <value xsi:type="CD" code="LA28865-6"
        codeSystem="2.16.840.1.113883.6.1"
        displayName="Longitudinal care-coordination focused care team"/>
</observation>
```

2.6 Note Activity

[act: identifier urn:hl7ii:2.16.840.1.113883.10.20.22.4.202:2016-11-01 (open)]

Table 14: Note Activity Contexts

Contained By:	Contains:
Notes Section (required) Care Team Member Act (optional) Care Team Organizer (optional)	

The Note Activity represents a clinical note. Notes require authorship, authentication, timing information, and references to other discrete data such as encounters. Similar to the Comment Activity, the Note Activity permits a more specific code to characterize the type of information available in the note. The Note Activity template SHOULD NOT be used in place of a more specific C-CDA entry. Note information included needs to be relevant and pertinent to the information being communicated in the document.

When the note information augments data represented in a more specific entry template, the Note Activity can be used in an entryRelationship to the associated standard C-CDA entry. For example, a Procedure Note added as an entryRelationship to a Procedure Activity Procedure entry).
The Note Activity template can be used as a standalone entry within a standard C-CDA section (e.g., a note about various procedures which have occurred during a visit as an entry in the Procedures Section) when it does not augment another standard entry. It may also be used to provide additional data about the source of a currently narrative-only section, such as Hospital Course.
Finally, if the type of data in the note is not known or no single C-CDA section is appropriate enough, the Note Activity should be placed in a Notes Section. (e.g., a free-text consultation note or a note which includes subjective, objective, assessment, and plan information combined).
An alternative is to place the Note Activity as an entryRelationship to an Encounter Activity entry in