

Total Flight Management Incorporated

GENERAL OPERATIONS MANUAL

Part 135 On-Demand Charter — Turbojet Operations

Air Carrier Certificate No.: JDJZ2030

OPSPEC A001 — Issued: May 24, 2026

Revision Number:	Rev 0 — Initial Issue
Effective Date:	May 24, 2026
Prepared By:	Joe Zerilli
Approved By:	Joe Zerilli / Jay Auslander (POI)
Location:	Teterboro, NJ

THIS MANUAL IS THE PROPERTY OF Total Flight Management Incorporated. REPRODUCTION OR DISTRIBUTION WITHOUT WRITTEN AUTHORIZATION IS PROHIBITED.

TABLE OF CONTENTS

Total Flight Management Incorporated — GOM Rev 0 — May 24, 2026

Section / Topic	Page
SECTION 1 — GENERAL INFORMATION AND ADMINISTRATION	3
1.1 Purpose and Scope	3
1.2 Regulatory Basis	3
1.3 Manual Distribution and Control	3
1.4 Revisions	3
1.5 Definitions and Abbreviations	3
SECTION 2 — MANAGEMENT STRUCTURE AND RESPONSIBILITIES	5
2.1 Organizational Structure	5
2.2 Director of Operations	5
2.3 Chief Pilot	5
2.4 Director of Maintenance	5
2.5 Pilot-in-Command Authority	6
SECTION 3 — OPERATIONAL CONTROL	7
3.1 System of Operational Control	7
3.2 Flight Release Requirements	7
3.3 Flight Following	7
3.4 Diversion and Emergency Notification	7
SECTION 4 — CREWMEMBER QUALIFICATIONS AND REQUIREMENTS	8
4.1 PIC Qualifications — Turbojet Aircraft	8
4.2 SIC Qualifications	8
4.3 Recent Flight Experience	8
4.4 Duty Time and Rest Requirements	8
4.5 Alcohol and Drug Policy	9
SECTION 5 — FLIGHT PLANNING AND FUEL REQUIREMENTS	10
5.1 Pre-Flight Planning Responsibilities	10
5.2 Fuel Requirements — IFR	10
5.3 Alternate Airport Requirements	10
5.4 NOTAM and TFR Review	10
5.5 Weight and Balance	10
SECTION 6 — METEOROLOGICAL CONDITIONS AND WEATHER MINIMUMS	11
6.1 VFR Operations	11
6.2 IFR Takeoff Minimums	11
6.3 IFR Approach and Landing Minimums	11
6.4 Weather Decision Authority	11
6.5 Icing Conditions	11
SECTION 7 — AIRCRAFT OPERATIONS	12
7.1 Authorized Aircraft	12

7.2 Aircraft Airworthiness	12
7.3 Minimum Equipment List (MEL)	12
7.4 Sterile Cockpit Procedures	12
7.5 Crew Resource Management (CRM)	12
SECTION 8 — PASSENGER HANDLING AND SAFETY	13
8.1 Passenger Briefings	13
8.2 Passenger Carry-On and Baggage	13
8.3 Carriage of Hazardous Materials	13
8.4 Passenger Behavior and Authority	13
8.5 Unaccompanied Minors	13
SECTION 9 — INTERNATIONAL OPERATIONS	14
9.1 Authorization	14
9.2 Required International Documents	14
9.3 Customs and Immigration	14
9.4 ICAO Procedures	14
9.5 North Atlantic (NAT) and Oceanic Operations	14
SECTION 10 — EMERGENCY PROCEDURES AND SAFETY	15
10.1 Emergency Authority	15
10.2 Emergency Equipment	15
10.3 Accident / Incident Reporting	15
10.4 Security	15
SECTION 11 — MAINTENANCE AND AIRWORTHINESS CONTROL	16
11.1 Maintenance Program	16
11.2 Airworthiness Release	16
11.3 Unscheduled Maintenance — Away from Base	16
11.4 Technical Logs and Records	16
SECTION 12 — TRAINING PROGRAM	17
12.1 Training Requirements Overview	17
12.2 Initial Operating Experience (IOE)	17
12.3 Recurrent Training and Checking	17
12.4 Line Check	17
12.5 Special Training Requirements	17
SECTION 13 — DISPATCH AND FLIGHT RELEASE PROCEDURES	18
13.1 Flight Release Authority	18
13.2 Flight Release Contents	18
13.3 Preflight Briefing	18
SECTION 14 — COMMUNICATION PROCEDURES	19
14.1 ATC Communication	19
14.2 Company Communications	19
14.3 Emergency Communications	19
SECTION 15 — SAFETY MANAGEMENT SYSTEM (SMS)	20
15.1 Safety Policy	20

15.2 Safety Reporting	20
15.3 Hazard Identification and Risk Management	20
15.4 Safety Investigations	20
15.5 Safety Performance Monitoring	20
SECTION 16 — SECURITY PROGRAM	21
16.1 Security Program Overview	21
16.2 Crewmember Responsibilities	21
16.3 Threat Response	21
SECTION 17 — RECORD KEEPING REQUIREMENTS	22
17.1 Required Records	22
17.2 Record Security	22
SECTION 18 — HUMAN FACTORS AND FATIGUE MANAGEMENT	23
18.1 Fatigue Awareness	23
18.2 Fatigue Reporting — No-Penalty Policy	23
18.3 Prescription and Over-the-Counter Medications	23
SECTION 19 — ENVIRONMENTAL AND NOISE ABATEMENT	24
19.1 Noise Abatement Procedures	24
19.2 Environmental Compliance	24
SECTION 20 — DEVIATIONS, WAIVERS, AND SPECIAL AUTHORIZATIONS	25
20.1 OpSpecs-Based Authorizations	25
20.2 Deviations from Company Policy	25
20.3 Requests for Waivers	25
SECTION 21 — COMPLIANCE MONITORING AND ENFORCEMENT	26
21.1 Internal Audits	26
21.2 FAA Surveillance	26
21.3 Violations	26
SECTION 22 — MANUAL AMENDMENTS AND FAA APPROVAL	27
22.1 Amendment Process	27
22.2 Interim Changes	27
22.3 Employee Acknowledgment	27
APPENDICES	28
Appendix A — Emergency Contact List	28
Appendix B — Revision Log	28
Appendix C — Distribution List	28
Appendix D — Signature Page	28

TOTAL FLIGHT MANAGEMENT INCORPORATED

ORGANIZATIONAL CHART — 14 CFR 119.65(a)



■ Accountable Executive ■ Required Management (119.65) ■ Operational Staff ■ FAA / Regulatory

SECTION 1 — GENERAL INFORMATION AND ADMINISTRATION

1.1 Purpose and Scope

This General Operations Manual (GOM) establishes the policies, procedures, and standards for Total Flight Management Incorporated (hereinafter "the Company") operating under 14 CFR Part 135 as an on-demand air carrier. This manual applies to all employees, contractors, and agents involved in flight operations, dispatch, maintenance coordination, and ground handling.

The Company holds Air Carrier Certificate No. JDJZ2030 issued by the Federal Aviation Administration (FAA) Flight Standards District Office (FSDO) in Teterboro, NJ. Operations are conducted in accordance with Operations Specifications (OpSpecs) as issued by the FAA.

1.2 Regulatory Basis

All operations conducted under this manual are governed by:

- 14 CFR Part 135 — Operating Requirements: Commuter and On-Demand Operations
- 14 CFR Part 91 — General Operating and Flight Rules (applicable subparts)
- 14 CFR Part 61 — Certification: Pilots, Flight Instructors, and Ground Instructors
- 14 CFR Part 65 — Certification: Airmen Other Than Flight Crewmembers
- 14 CFR Part 119 — Certification: Air Carriers and Commercial Operators
- FAA Operations Specifications (OpSpecs) issued to Total Flight Management Incorporated
- FAA Advisory Circulars as applicable

1.3 Manual Distribution and Control

This manual is a controlled document. The Director of Operations (DO) is responsible for the distribution, revision, and currency of this manual. All holders of this manual are listed in the Distribution Record maintained by the DO's office.

- Each manual holder is responsible for inserting revisions promptly upon receipt.
- Superseded pages shall be destroyed or clearly marked OBSOLETE.
- Electronic versions distributed via [Company intranet/system] are authoritative upon issuance.

NOTE: Uncontrolled copies must be clearly marked 'UNCONTROLLED — CHECK FOR CURRENCY BEFORE USE.'

1.4 Revisions

Revisions to this manual shall be initiated by the Director of Operations, reviewed by the Director of Maintenance (DM) and Chief Pilot (CP), and submitted to the POI for FAA acceptance where required by OpSpecs. The Revision Log on the following page shall be updated with each change.

Rev No.	Initial Issue — Rev 0
Effective Date	May 24, 2026
Pages Affected	All
Summary	Original issue of GOM

Approved By

Joe Zerilli

1.5 Definitions and Abbreviations

AGL	Above Ground Level
AME	Aviation Medical Examiner
ATP	Airline Transport Pilot
CFR	Code of Federal Regulations
CP	Chief Pilot
CPDLC	Controller-Pilot Data Link Communications
DM	Director of Maintenance
DO	Director of Operations
EWINS	Enhanced Weather Information System
FAA	Federal Aviation Administration
FSDO	Flight Standards District Office
GOM	General Operations Manual
IFR	Instrument Flight Rules
MEL	Minimum Equipment List
MSL	Mean Sea Level
NOTAM	Notice to Air Missions
OpSpecs	Operations Specifications
PIC	Pilot-in-Command
POI	Principal Operations Inspector
SIC	Second-in-Command
VFR	Visual Flight Rules
VREF	Reference Landing Speed
WX	Weather

SECTION 2 — MANAGEMENT STRUCTURE AND RESPONSIBILITIES

2.1 Organizational Structure

The Company's management structure is designed to ensure clear lines of authority and accountability for all aspects of air carrier operations. The following positions are required under 14 CFR Part 119 and are held by individuals meeting the qualification requirements of 14 CFR 119.65–119.71.

Accountable Executive (AE)	Joe Zerilli — Director of Operations
Director of Operations (DO)	Joe Zerilli
Chief Pilot (CP)	Jake Decker
Director of Maintenance (DM)	[TBD]

2.2 Director of Operations

The DO is responsible for the operational control of all flights conducted under this certificate. Specific responsibilities include:

- Ensuring compliance with the Air Carrier Certificate, OpSpecs, and this GOM
- Approving additions or modifications to the fleet
- Establishing and maintaining training programs in coordination with the Chief Pilot
- Oversight of all dispatch and flight release functions
- Maintaining current OpSpecs and coordinating with the POI on any proposed changes
- Ensuring all crewmembers meet regulatory and Company currency requirements prior to assignment

2.3 Chief Pilot

The Chief Pilot reports to the Director of Operations and is responsible for:

- Supervision of flight crewmember training, testing, and qualification
- Administering the Company's flight standards and procedures
- Serving as the primary contact for FAA surveillance activities related to flight operations
- Maintaining crewmember records, medical certificates, and training records
- Recommending operational policy changes to the DO

2.4 Director of Maintenance

The Director of Maintenance is responsible for:

- Oversight of all maintenance, preventive maintenance, and inspection activities
- Maintaining aircraft airworthiness in accordance with 14 CFR Part 135.411–135.443
- Administration of the Approved Aircraft Inspection Program (AAIP) or continuous airworthiness maintenance program as applicable
- Coordination with the DO to ensure aircraft MEL compliance prior to each flight

2.5 Pilot-in-Command Authority

The PIC has final authority over the safe operation of the aircraft and may deviate from any rule, regulation, or Company policy to the extent necessary to meet an emergency. The PIC shall submit a written report to the DO within 24 hours of any such deviation. Nothing in this manual supersedes the authority granted to the PIC by 14 CFR 91.3.

SECTION 3 — OPERATIONAL CONTROL

3.1 System of Operational Control

The Company operates under a Pilot-in-Command operational control system as defined by 14 CFR 135.77 and authorized in OpSpecs A007. The PIC, acting jointly with the DO (or authorized dispatcher/flight follower), shares responsibility for the initiation, continuation, diversion, and termination of each flight.

3.2 Flight Release Requirements

No flight shall commence without an authorized flight release. The flight release constitutes a mutual agreement between the PIC and the Company that the flight can be conducted safely under existing and forecast conditions.

Each flight release shall include:

- Flight identification information (aircraft, crew, routing, passengers/cargo)
- Fuel requirements and planned fuel onboard
- Weather information for departure, en route, and destination
- NOTAM review confirmation
- Aircraft airworthiness release and MEL items noted
- Alternate airport designation when required
- Estimated time of departure (ETD) and estimated time of arrival (ETA)

3.3 Flight Following

All flights shall be tracked under the Company's flight following program. The flight following function shall be performed by the DO, a designated dispatcher, or an approved flight following service as authorized in OpSpecs.

- Flights shall check in at departure, at designated reporting points, and upon arrival.
- If no position report is received within 30 minutes of an expected report, the flight following function shall initiate contact attempts and notify the DO.
- SELCAL or satellite communication equipment shall be verified operational on all international operations where required.

3.4 Diversion and Emergency Notification

When a flight diverts from the planned routing, the PIC shall notify the Company as soon as practicable. In the event of an accident, incident, or emergency:

- The DO shall be notified immediately upon landing.
- All required NTSB and FAA notifications shall be made without delay per 49 CFR Part 830.
- No part of the aircraft shall be disturbed following an accident until authorized by the NTSB, except as required to prevent further damage or remove injured persons.

SECTION 4 — CREWMEMBER QUALIFICATIONS AND REQUIREMENTS

4.1 PIC Qualifications — Turbojet Aircraft

In accordance with 14 CFR 135.243, no person may serve as PIC of a turbojet aircraft under this certificate unless that person holds:

- An Airline Transport Pilot (ATP) certificate with appropriate aircraft type rating
- A first-class medical certificate (valid in accordance with 14 CFR 67)
- An instrument rating (included in ATP)
- All Company-required training and checking currency as specified in the Training Manual

4.2 SIC Qualifications

In accordance with 14 CFR 135.245, a Second-in-Command shall hold at minimum:

- Commercial Pilot certificate with instrument rating
- Type rating for the aircraft operated, or successful completion of an approved SIC qualification program per 14 CFR 61.55
- Valid second-class medical certificate
- All Company SIC training requirements complete

4.3 Recent Flight Experience

No PIC shall begin a flight unless within the preceding 90 days that pilot has made at least three takeoffs and three landings to a full stop in an aircraft of the same category, class, and type (or in an approved flight simulator representing that aircraft).

No PIC shall conduct operations requiring an instrument approach unless that pilot has met recency of experience requirements per 14 CFR 135.247.

4.4 Duty Time and Rest Requirements

All crewmembers shall comply with the flight, duty, and rest limitations of 14 CFR 135.261–135.273 as applicable to on-demand operations.

- No crewmember shall accept an assignment, and no Company official shall assign a crewmember, when doing so would violate rest or duty limits.
- Crewmembers are responsible for accurately reporting their flight time and duty time on each trip.
- The Company shall maintain duty time and flight time records for a minimum of 12 calendar months.

NOTE: The DO may establish more restrictive duty/rest standards than those found in the FARs. If company policy and the FARs conflict, the more restrictive standard applies.

4.5 Alcohol and Drug Policy

No crewmember or safety-sensitive employee shall perform safety-sensitive functions within eight hours of consuming alcohol, while having a blood alcohol concentration of 0.04 or greater, or while under the influence of any drug that affects their faculties contrary to safety.

The Company maintains a DOT-compliant drug and alcohol testing program as required by 14 CFR Part 120. All safety-sensitive employees are subject to pre-employment, random, post-accident, reasonable suspicion, and return-to-duty testing.

SECTION 5 — FLIGHT PLANNING AND FUEL REQUIREMENTS

5.1 Pre-Flight Planning Responsibilities

The PIC is responsible for obtaining all available information necessary for the safe conduct of each flight, including weather, NOTAMS, TFRs, airport data, and fuel requirements. The Company's dispatch function shall assist the PIC in gathering and evaluating this information prior to release.

5.2 Fuel Requirements — IFR

For IFR operations, fuel on board at departure shall be sufficient to fly to:

- The destination airport
- The required alternate airport (when required)
- Thereafter, 45 minutes at normal cruise consumption (135.223)

Company policy requires an additional fuel reserve as follows:

- Operations within the contiguous U.S.: minimum 30 minutes additional reserve above FAR minimum
- International operations: as specified in the applicable international supplement and not less than FAR minimums

5.3 Alternate Airport Requirements

An alternate airport shall be designated when, for the period from 1 hour before to 1 hour after the estimated time of arrival (ETA), the destination airport weather is forecast to be less than:

- Ceiling 2,000 feet and visibility 3 miles (standard 135.223 criteria)

Alternate weather minimums shall meet the requirements of 14 CFR 135.221. No flight shall be released to an alternate that does not have an approved instrument approach procedure.

5.4 NOTAM and TFR Review

Prior to each flight, the PIC or dispatcher shall review applicable NOTAMS for departure, en route, and destination airports. TFR checks shall be conducted via approved sources. All active TFRs that could affect the planned route shall be noted in the flight release.

5.5 Weight and Balance

A weight and balance computation shall be performed for each flight and included in the flight release documentation. The PIC shall verify that the aircraft is loaded within approved CG limits and does not exceed any structural weight limitation for all phases of flight.

- Weight and balance forms shall be retained for a minimum of 30 days.
- Any non-standard passenger weights, cargo density, or ballast requirements shall be noted in the aircraft log.

SECTION 6 — METEOROLOGICAL CONDITIONS AND WEATHER MINIMUMS

6.1 VFR Operations

The Company is authorized for IFR operations. VFR-only flight is not authorized for Part 135 on-demand operations unless specifically authorized under OpSpecs and conducted in accordance with 14 CFR 135.205.

6.2 IFR Takeoff Minimums

No flight may depart under IFR unless the reported ceiling and visibility at the departure airport meet the following minimums:

Standard (no special auth.)	800-2 (ceiling 800 ft, vis 2 SM) — 14 CFR 135.215
With approved alternate	Lower of published takeoff minimums or Company minimums
Company policy minimum	300-1 RVR/vis with approved procedure and trained crew

NOTE: Lower than standard takeoff minimums require specific OpSpecs authorization and are not authorized without explicit POI approval.

6.3 IFR Approach and Landing Minimums

No pilot shall continue an approach below minimums unless the aircraft is in a position from which a normal approach and landing can be made, and the required visual references are clearly visible:

- Precision approaches (ILS/LPV/GLS): DA/H as published or Company minimums, whichever is higher
- Non-precision approaches: MDA as published; descent to landing only with required visual reference
- Circle-to-land: applicable circling minimums per approach plate

Company policy requires continuation of an ILS approach below 500 ft AGL only when required visual references are acquired. Missed approach shall be executed immediately if visual references are lost below DA/MDA.

6.4 Weather Decision Authority

The PIC retains final authority to determine whether weather conditions permit safe completion of any flight segment. No company employee or passenger shall pressure a crewmember to accept weather below minimums. The PIC's weather decision is final.

6.5 Icing Conditions

Flight into known icing conditions is authorized only when the aircraft is equipped and approved for flight in icing, and the equipment is operational per MEL. Operations in severe icing are prohibited. Crews shall follow the applicable aircraft AFM procedures for activation and monitoring of ice protection systems.

SECTION 7 — AIRCRAFT OPERATIONS

7.1 Authorized Aircraft

The Company is authorized to operate the aircraft listed in OpSpecs B050 and the Fleet List maintained by the Director of Maintenance. No aircraft shall be added to the fleet without prior FAA approval and amendment of applicable OpSpecs.

Aircraft Make/Model	[e.g., Cessna Citation CJ4 / Gulfstream G450]
Registration(s)	[N-numbers]
OpSpecs Reference	B050
Maintenance Program	[CAMP / AAIP / Manufacturer Program]

7.2 Aircraft Airworthiness

Each aircraft shall have an airworthiness release completed by an authorized person prior to each flight. The PIC shall review the aircraft maintenance records, MEL, and any deferred items prior to accepting the aircraft.

- Aircraft shall be operated in accordance with the FAA-approved Airplane Flight Manual (AFM).
- Deferred maintenance items shall be addressed per the approved MEL/CDL. Items not covered by the MEL shall be repaired prior to flight.
- The PIC has authority to ground an aircraft when airworthiness is in question.

7.3 Minimum Equipment List (MEL)

The Company's Master Minimum Equipment List (MMEL) has been approved as part of OpSpecs. The PIC and maintenance personnel shall consult the MEL before dispatching with any inoperative equipment. All MEL dispatch conditions and (O) and (M) procedures shall be complied with fully.

7.4 Sterile Cockpit Procedures

During critical phases of flight (taxi, takeoff, climb below 10,000 ft MSL, descent below 10,000 ft MSL, approach, and landing), non-essential communications and activities in the cockpit are prohibited. Flight crew shall focus solely on flight duties during these phases.

7.5 Crew Resource Management (CRM)

The Company requires all flight crewmembers to demonstrate proficiency in CRM principles. CRM training is integrated into initial and recurrent training as required by the Company Training Manual and AC 120-51 series. Key CRM behaviors include:

- Assertive and clear communication between crewmembers
- Cross-checking critical data (altitudes, speeds, clearances)
- Standard callouts per aircraft-specific procedures
- Threat and error management (TEM) framework adherence

SECTION 8 — PASSENGER HANDLING AND SAFETY

8.1 Passenger Briefings

The PIC, or a designated crew member, shall provide a pre-departure safety briefing to all passengers prior to each flight. As a single-pilot or two-pilot operation without cabin crew, the briefing shall cover at minimum:

- Seat belt and harness usage
- Location and operation of emergency exits
- Location of emergency equipment (life vests, ELT, fire extinguisher)
- Passenger oxygen procedures (if applicable)
- Prohibition on smoking throughout the flight
- Electronic device restrictions during critical phases of flight
- Expected turbulence or weather conditions

8.2 Passenger Carry-On and Baggage

All passenger baggage shall be secured prior to departure. Carry-on items must fit within approved spaces and must not obstruct emergency exits, aisles, or access to emergency equipment. Prohibited items include those listed in 49 CFR Part 175 (hazardous materials).

8.3 Carriage of Hazardous Materials

The Company is NOT authorized to carry hazardous materials as cargo unless specifically authorized in OpSpecs and in compliance with 49 CFR Parts 171–175. The PIC shall ensure that no undeclared hazardous materials are accepted. Passengers shall be asked to declare any hazardous materials prior to boarding.

8.4 Passenger Behavior and Authority

The PIC has absolute authority over the aircraft and all persons on board. Disruptive, intoxicated, or threatening passengers shall be denied boarding or removed from the aircraft. The PIC may have a passenger removed at any point during a flight when necessary for safety.

8.5 Unaccompanied Minors

Unaccompanied minors (UM) shall be handled per the Company's UM policy as published in the Operations Manual Supplement. The PIC shall confirm that an authorized adult will receive the minor at the destination prior to acceptance.

SECTION 9 — INTERNATIONAL OPERATIONS

9.1 Authorization

International operations are conducted under the authority of OpSpecs C059 (as applicable) and are subject to the regulations of each country of departure, overflight, and arrival. The Company's international authorization covers those areas listed in OpSpecs. Operations to new international destinations require verification with the DO and, where required, advance approval from the applicable FSDO.

9.2 Required International Documents

Prior to conducting international operations, the PIC shall verify that the following are current and onboard:

- Aircraft Certificate of Airworthiness
- Aircraft Registration Certificate
- Air Carrier Certificate (certified copy acceptable)
- Radio Station License
- Aircraft Noise Certification (if required by destination country)
- Insurance documentation (as required)
- Passenger passports and visas (crew responsibility to verify as required by destination country)

9.3 Customs and Immigration

The PIC is responsible for compliance with all customs and immigration requirements at international airports. The Company's international ground handler or trip support service shall be contacted in advance to coordinate overflight permits, customs clearance, and handling.

9.4 ICAO Procedures

All international flights shall be conducted in accordance with ICAO standards and recommended practices (SARPs). Flights shall use ICAO flight plan format. Crews shall be familiar with ICAO phonetic alphabet, reporting procedures, and differences from domestic ATC procedures.

9.5 North Atlantic (NAT) and Oceanic Operations

Operations in NAT HLA or other oceanic FIRs require specific training, equipment, and authorizations as listed in OpSpecs C056/C059 and the Company's Oceanic Operations Supplement. Key requirements include:

- RVSM authorization (where applicable)
- MNPS or RNP-10/4 authorization per applicable FIR
- HF radio or SATCOM capability
- Plotting chart and contingency procedures
- Familiarity with current NAT Track System or applicable OTS

SECTION 10 — EMERGENCY PROCEDURES AND SAFETY

10.1 Emergency Authority

In an emergency requiring immediate action, the PIC shall take any action necessary to ensure the safety of the flight. Deviation from any rule, regulation, or Company procedure is authorized to the extent required by the emergency. Written notification to the DO within 24 hours is required per 14 CFR 91.3(c).

10.2 Emergency Equipment

Each aircraft shall be equipped with emergency equipment as required by 14 CFR 135.167–135.179 and OpSpecs D085/D086. Minimum required equipment for over-water operations includes:

- Life vests or flotation devices for each occupant
- Pyrotechnic signaling devices
- Life raft(s) with survival equipment for extended over-water flights
- Emergency Locator Transmitter (ELT) — 406 MHz or as required by OpSpecs

10.3 Accident / Incident Reporting

Any accident or incident involving Company aircraft shall be reported immediately to the DO. Applicable reports include:

- NTSB notification (49 CFR 830.5) — immediate notification for fatal accidents, serious injuries, substantial damage
- FAA safety hotline report as appropriate
- Company safety report (all incidents and accidents)
- Company insurance carrier notification within 24 hours

The DO shall preserve all related records, voice recordings, and flight data. No repairs shall be made until NTSB has authorized release of the aircraft.

10.4 Security

The Company's security program is maintained in accordance with 49 CFR Part 1544 (where applicable) and the Company Security Program as approved by TSA. The PIC shall be familiar with security procedures and threat response protocols. Any security threats, suspicious activity, or security incidents shall be reported to the TSA, FAA, and local law enforcement as appropriate.

SECTION 11 — MAINTENANCE AND AIRWORTHINESS CONTROL

11.1 Maintenance Program

Aircraft operated under this certificate shall be maintained under an approved maintenance program per 14 CFR 135.411. The Company utilizes a Continuous Airworthiness Maintenance Program (CAMP) / Approved Aircraft Inspection Program (AAIP) [select applicable] as described in OpSpecs D095 and the Company's Maintenance Manual.

11.2 Airworthiness Release

No aircraft shall be returned to service following maintenance, repair, or inspection without an airworthiness release completed by an authorized person (A&P, IA, or approved repair station) in accordance with 14 CFR 135.443. The release shall be entered in the aircraft's maintenance record.

11.3 Unscheduled Maintenance — Away from Base

When maintenance is required away from the main base, the PIC shall:

- Notify the DM or designee immediately upon identifying a discrepancy
- Obtain DM approval before authorizing repairs at an away-base facility
- Ensure the repair facility is an FAA-certificated repair station or qualified A&P mechanic
- Obtain a proper airworthiness release prior to flight

11.4 Technical Logs and Records

A current aircraft journey log or equivalent technical log shall be maintained in the aircraft at all times. The PIC shall review the log prior to each flight and shall record any discrepancies noted during or following a flight. All mechanical irregularity reports shall be submitted to the DM within 24 hours.

SECTION 12 — TRAINING PROGRAM

12.1 Training Requirements Overview

All crewmembers shall complete initial and recurrent training in accordance with the Company's FAA-approved training program as described in the Crewmember Training Manual (CTM). Training records shall be maintained by the CP for a minimum of the periods specified in 14 CFR 135.63.

12.2 Initial Operating Experience (IOE)

No PIC shall operate as PIC without completing IOE under the supervision of a Company Check Airman. IOE shall be conducted in the specific aircraft type to be operated and shall include at least the number of hours and operations specified in the Company Training Program.

12.3 Recurrent Training and Checking

Recurrent training and proficiency checks shall be completed at intervals not to exceed 12 calendar months. Training shall include:

- Aircraft systems review
- Emergency procedures (engine failure, rapid decompression, rejected takeoff, etc.)
- Instrument proficiency check (IPC) or Part 135 proficiency check as required
- CRM and TEM recurrent
- Dangerous goods awareness
- Security recurrent

12.4 Line Check

Each PIC shall receive a line check at least once each 12 calendar months, conducted by a Company check airman or FAA inspector, in actual operations or an approved flight simulation device.

12.5 Special Training Requirements

Additional training is required prior to conducting the following operations:

- ETOPS (if authorized) — per OpSpecs C059 and Company ETOPS program
- North Atlantic / Oceanic operations — per Company Oceanic Supplement
- RVSM operations — per OpSpecs B046 and RVSM training program
- RNP AR approaches — per OpSpecs C059 and manufacturer training requirements

SECTION 13 — DISPATCH AND FLIGHT RELEASE PROCEDURES

13.1 Flight Release Authority

No flight shall depart without a completed flight release signed (physically or electronically) by both the PIC and the DO, authorized dispatcher, or designee. The flight release constitutes a joint determination that the flight can be conducted safely under applicable regulations and Company standards.

13.2 Flight Release Contents

Each flight release shall contain at minimum:

- Flight number or identifier, date, aircraft registration
- Departure and destination airports, alternate(s)
- Planned route, cruise altitude
- Estimated departure and arrival times
- Fuel planning worksheet (planned fuel, minimum required, fuel onboard)
- Passenger count and total weight
- Weather briefing summary (departure, en route, destination, alternate)
- NOTAM and TFR confirmation
- MEL items deferred (if any)
- PIC and dispatcher/DO signature

13.3 Preflight Briefing

Prior to departure, the PIC shall conduct or receive a full crew briefing covering:

- Routing, altitude, expected ATC clearance
- Fuel status and contingency plan
- Weather — current and forecast at all relevant stations
- Aircraft status and any deferred MEL items
- Passenger special requirements or medical information
- Security considerations

SECTION 14 — COMMUNICATION PROCEDURES

14.1 ATC Communication

All required ATC communications shall be conducted in accordance with the Aeronautical Information Manual (AIM), ICAO Doc 4444 for international operations, and applicable Letter of Agreements (LOAs). Readbacks of clearances are mandatory. Full readbacks are required for:

- Runway, heading, and altitude assignments
- All instructions containing altimeter settings, transponder codes, and frequency changes
- Hold short instructions and taxi clearances

14.2 Company Communications

All flight crew shall maintain the ability to communicate with Company operations throughout the flight via ACARS, HF, SATCOM, VHF, or other approved means. Position reports shall be made per the flight following requirements in Section 3.

14.3 Emergency Communications

In an emergency, the PIC shall broadcast on 121.5 MHz (guard) as soon as practicable. The transponder shall be set to 7700 (emergency) unless NORDO (7600) or hijack (7500) codes are more appropriate. The PIC shall declare an emergency with ATC as required.

SECTION 15 — SAFETY MANAGEMENT SYSTEM (SMS)

15.1 Safety Policy

The safety of all persons involved in Company operations is the highest priority. The Company is committed to the proactive identification, assessment, and mitigation of hazards before they result in incidents or accidents. This commitment extends to all levels of the organization, from the Accountable Executive to line crewmembers.

15.2 Safety Reporting

The Company operates a confidential safety reporting program. All employees are encouraged and expected to report safety concerns, hazards, near-misses, and incidents without fear of reprisal. Reports shall be submitted to the DO or safety officer.

- Voluntary safety reports shall not be used for punitive action except in cases of gross negligence or willful misconduct.
- Anonymous reports are accepted and encouraged when an employee is uncomfortable self-identifying.

15.3 Hazard Identification and Risk Management

The Company uses a structured risk assessment process. Identified hazards are logged in the safety register, assigned a risk severity and likelihood, and tracked to closure. Corrective actions shall be assigned to responsible parties with target completion dates.

15.4 Safety Investigations

All incidents, accidents, and safety reports shall be investigated to determine root cause. Findings and corrective actions shall be documented and tracked. The DO shall review investigation findings and distribute safety lessons learned to relevant personnel.

15.5 Safety Performance Monitoring

Safety performance metrics shall be reviewed by Company management on a quarterly basis. Key performance indicators (KPIs) include: ASAP/FOQA event rates (if applicable), incident and accident rate, training completion rates, and audit findings.

SECTION 16 — SECURITY PROGRAM

16.1 Security Program Overview

The Company's security program is maintained per applicable TSA regulations and the Company's approved security program documentation. The DO is the Company's primary security coordinator.

16.2 Crewmember Responsibilities

All crewmembers are responsible for:

- Ensuring unauthorized persons do not access the flight deck
- Verifying passenger identity against flight manifest prior to boarding when required
- Reporting any suspicious activity or items to the appropriate authorities immediately
- Following security protocols at all airports, domestic and international

16.3 Threat Response

In the event of a security threat (bomb threat, hijacking, suspicious package), the PIC shall follow established threat response procedures, use the appropriate transponder code, and contact ATC and/or security authorities as soon as safely practicable. Company security coordinator shall be notified upon landing.

SECTION 17 — RECORD KEEPING REQUIREMENTS

17.1 Required Records

The Company shall maintain records as required by 14 CFR Part 135 Subpart C. Required records include:

Airman Certificates & Medicals	Duration of employment + 1 year
Training Records	Duration of employment + 1 year
Flight Time Records	5 years
Aircraft Maintenance Records	Per FAR 91.417 and 135.439
Flight Releases	6 months minimum
Weight & Balance Records	6 months minimum
Drug & Alcohol Testing Records	Per 49 CFR Part 40

17.2 Record Security

All required records shall be maintained in a secure location, protected from fire and unauthorized access. The DO is responsible for ensuring records are properly retained and accessible for FAA inspection upon request.

SECTION 18 — HUMAN FACTORS AND FATIGUE MANAGEMENT

18.1 Fatigue Awareness

Crew fatigue is a significant causal factor in aviation accidents. All crewmembers are responsible for reporting fit for duty. A crewmember who is excessively fatigued shall report that condition to the CP or DO and shall not accept a flight assignment.

18.2 Fatigue Reporting — No-Penalty Policy

The Company maintains a no-penalty policy for fatigue-related groundings. A crewmember who declines a flight for fatigue reasons shall not be subject to any adverse employment action. The Company shall have a reserve standby plan to cover such situations.

18.3 Prescription and Over-the-Counter Medications

Crewmembers shall consult an Aviation Medical Examiner (AME) before beginning any prescription medication or regularly taking any over-the-counter medication that may impair performance. Crewmembers shall not perform flight duties while taking any medication with sedating or performance-impairing side effects without specific AME guidance.

SECTION 19 — ENVIRONMENTAL AND NOISE ABATEMENT

19.1 Noise Abatement Procedures

Where published or prescribed by local authorities, noise abatement procedures shall be followed. Specific departure and arrival procedures for noise-sensitive airports are published in the applicable airport facility directory or ATIS. Crewmembers shall be briefed on applicable noise abatement procedures prior to operating at those airports.

19.2 Environmental Compliance

The Company shall comply with all applicable environmental regulations including fuel spill prevention, aircraft fluid handling, and disposal of aircraft waste in accordance with local, state, and federal requirements.

SECTION 20 — DEVIATIONS, WAIVERS, AND SPECIAL AUTHORIZATIONS

20.1 OpSpecs-Based Authorizations

Certain operations require specific OpSpecs authorizations in addition to the FARs. No operation shall be conducted under an OpSpecs authorization that is not current and in effect. The DO shall maintain a current copy of all OpSpecs and ensure that all operations conducted are within their scope.

20.2 Deviations from Company Policy

No crewmember may deviate from Company policy except in a declared emergency. Any such deviation shall be reported to the DO within 24 hours with a written explanation.

20.3 Requests for Waivers

Requests for waivers or authorizations not currently covered by OpSpecs shall be submitted in writing to the DO, who will coordinate with the FSDO and POI as appropriate.

SECTION 21 — COMPLIANCE MONITORING AND ENFORCEMENT

21.1 Internal Audits

The DO shall conduct or arrange for internal compliance audits at intervals not to exceed 12 calendar months. Audit findings shall be documented and corrective actions tracked to closure.

21.2 FAA Surveillance

The Company welcomes FAA surveillance activities. All employees shall cooperate fully with FAA inspectors and shall not obstruct or delay any inspection or investigation. The DO shall be notified immediately upon receipt of any FAA enforcement inquiry or Letter of Investigation (LOI).

21.3 Violations

Any employee who violates applicable FARs, OpSpecs, or Company policy is subject to disciplinary action up to and including termination of employment. Self-disclosure programs (ASAP where available, voluntary disclosure) shall be used where appropriate to mitigate enforcement exposure.

SECTION 22 — MANUAL AMENDMENTS AND FAA APPROVAL

22.1 Amendment Process

Amendments to this manual may be initiated by any Company employee by submitting a written recommendation to the DO. Substantive operational changes shall be reviewed by the CP and DM. Changes requiring FAA acceptance (per OpSpecs) shall not be implemented until FAA approval is obtained.

22.2 Interim Changes

When necessary, interim changes may be issued as temporary revisions (TRs) pending formal revision of the manual. TRs shall be issued in writing, numbered, dated, and inserted into the manual in a designated TR section. TRs shall be incorporated into the next formal revision.

22.3 Employee Acknowledgment

All Company employees shall sign a receipt and acknowledgment when issued this manual or any revision. A copy of all signed acknowledgments shall be retained by the DO.

APPENDICES

Appendix A — Emergency Contact List

Director of Operations	Joe Zerilli — [PHONE] — [EMAIL]
Chief Pilot	Jake Decker — [PHONE] — [EMAIL]
Director of Maintenance	[TBD] — [PHONE] — [EMAIL]
24-Hr Ops Center	[PHONE]
NTSB Go-Team	800-424-9153
FAA Command Center	540-422-0520
TSA Operations Center	866-289-9673
Company Legal Counsel	[NAME] — [PHONE]
Insurance Broker	[NAME] — [PHONE]

Appendix B — Revision Log

Rev No.	Effective Date	Approved By	Summary of Changes
0	May 24, 2026	Joe Zerilli	Initial Issue

Appendix C — Distribution List

Copy 1	Director of Operations
Copy 2	Chief Pilot
Copy 3	Director of Maintenance
Copy 4	Aircraft 1 — [N-NUMBER]
Copy 5	Aircraft 2 — [N-NUMBER]
Copy 6	FAA FSDO — Teterboro, NJ

Appendix D — Signature Page

By signing below, the undersigned certify that they have read, understand, and will comply with the contents of this General Operations Manual.

Accountable Executive	Signature: _____	Date: _____
Director of Operations	Signature: _____	Date: _____
Chief Pilot	Signature: _____	Date: _____
Director of Maintenance	Signature: _____	Date: _____
POI — Jay Auslander	Signature: _____	Date: _____

— END OF GENERAL OPERATIONS MANUAL —