



OCHORUS · OPERATORS' HANDBOOK

The Admin System Manual

*A complete guide to running the Ochorus library —
reviewing translations, publishing editions, writing to
readers, managing your team, and keeping every
language healthy.*

Ochorus

For super admins · Covers the full /admin console

Version 2.0 · October 2026

CONTENTS

What's inside

GETTING ORIENTED

01 **Welcome to the admin**
What this room is for — and what changed in this edition

02 **How content reaches readers**
The one idea that explains every workflow

03 **Access levels at a glance**
Capabilities, verbs, roles and language scope

04 **Signing in & finding your way**
The navigation rail and the account menu

THE DAILY SURFACES

05 **The dashboard**
The snapshot you open every day

06 **Needs attention & worklists**
Turning signals into action

07 **Coverage matrix**
Work × language, and queueing the gaps

08 **Language health**
One score per language, ranked

BUILDING THE LIBRARY

09 **Importing a document**
From a file to a published work

10 **The book page**
Publishing, reader drop-off, and fixing titles & text

11 **The sermon page**

12 **The content-edit queue**
Titles, body text, audit fixes & biographies

13 **Authors & biographies**

REVIEWING & QUALITY

14 **The review queue**
Lanes, verse checks and maker-checker

15 **Content audit**
Integrity, quality, the nightly scan and the fix queue

16 **Reader feedback**
Triage what readers and language admins send in

17 **Search analytics & demand**
Reading — and answering — what readers can't find

18 **Engagement analytics**

19 **The activity log**
Every change, and the translation-job tracker

LANGUAGES

20 **Administering a language**
Readiness, the bar, settings & going live

21 **Adding a new language**

READERS & EMAIL

22 **Users & reader profiles**
The directory, one reader's page, writing to a reader

23 **Email health**
How lifecycle email and broadcasts are landing

24 **Composing a broadcast**
Audience, blocks, checks, translation and sending

25 **Automated emails**
What goes out on its own, and when

PEOPLE & ACCESS

26 **Team & access**
Granting, changing and removing admin access

27 **Help & roles page**

REFERENCE

A **Capability & verb reference**

B **What the activity log records**

C **Glossary**

D **Troubleshooting & FAQ**

Welcome to the admin

The admin is the room where the Ochorus library is built, reviewed, and taken live. Everything a reader eventually sees — a new translation, a fixed chapter title, a biography, a language going live, an email in their inbox — begins here.

Ochorus is a free reader for public-domain Christian classics, offered in many languages across the web and mobile. The public site is deliberately simple: a reader opens a book and reads. All of the judgement behind that simplicity — which works to carry, which translations are trustworthy, which languages are ready to advertise, what to say to readers — lives in the admin console at `/admin`.

This manual walks through every screen and every workflow, in the order you are likely to need them. Each chapter stands on its own, opens with a screenshot of the screen it describes, and ends with the access it needs.

THE CORE IDEA

The public site is built ahead of time from the project's source files, not edited live. So most changes to what a reader *reads* are not instant database edits — you file a job, and it ships as a reviewed change on the next build. A few things are immediate: publishing or unpublishing an edition, recording a review decision, search synonyms and pins, and sending email. Those are the levers gated most tightly.

What changed since version 1.0

The admin has grown a great deal since September. The headline changes:

- **Email.** Three new rail sections — *Emails* (delivery health), *Compose email* (broadcasts with a block editor, pre-send checks and AI translation), and a one-to-one *Email this reader* panel on a reader's page. Chapters 22-25.
- **Reader feedback.** A triage queue for suggestions sent from the reader, including highlighted-text corrections, with a one-click route into the content-edit queue (Chapter 16).
- **Super-admin-only levers.** Importing documents, queuing translations, email and team management are now reserved for super admins (a founder decision, 21 September). Language admins do reader-facing content QA in their languages.
- **A richer review queue** — lanes, per-verse checks, mechanical checks, bulk approval of the clean lane, and an approve button that waits until you have scrolled to the end (Chapter 14).

- **The content audit** now runs nightly, emails the super admins when a new integrity defect appears, sends quality findings straight to the fix queue, and shows where readers stop (Chapter 15).
- **Search triage** — answer an unanswered search with a synonym, a pinned result, a queued translation, or mark it wanted / out of scope (Chapter 17).
- **Coverage, language health, team and activity** were all reworked; their chapters are rewritten throughout.

A NOTE ON THE SCREENSHOTS

Every screen is captured from a local copy of the admin running against the real library fixture, plus a handful of invented readers, team members, feedback items and emails (all at example.com). Counts are illustrative; layout, controls and wording are the real thing.

How content reaches readers

One idea shapes almost every workflow in the admin. Spend two minutes here and the rest of the manual will feel obvious.

The site is pre-built, not live

The reader at ochorus.com is a set of pages generated in advance from the project's committed source files (its "fixtures"). That makes the site fast, cheap to serve and reliable. The trade-off is that a change to a book's words does not appear the moment someone edits a database row — nothing would notice, and the pre-built page would never be regenerated.

So prose changes ship as jobs

When you want to change something a reader reads — a chapter title, a paragraph of text, a translation, an author biography — the admin does not edit it in place. It **files a job**: a tracked GitHub issue that a person, usually working with an assisted workflow, turns into a proper source change, reviewed and shipped on the next build. You will see this pattern in several places:

- **Translate / Queue** on the coverage matrix, a language page or the search screen files a *translation job*.
- **Fix title** and **Flag text** on a book page, **send to fix queue** on the content audit, **File as content-edit job** on a feedback item and **Request bio** on the authors worklist file a *content-edit job*.
- **Draft with AI** in the email composer files a translation job for an email's words.

Filing a job changes nothing on its own. It queues work — which is exactly why a contributor can be trusted to file one without being able to alter the live site.

What is immediate

LEVER	EFFECT
Publish / unpublish an edition	Shows or hides it in the reader's API at once; the pre-built pages catch up on the next (throttled) rebuild.
Confirm a review decision	Promotes an AI translation to reviewed in every admin report. (Readers never see review state.)
Search synonyms and pinned results	Change what a search returns straight away.
Send an email	A direct email goes immediately; a broadcast starts on the next email run (every 15 minutes).
Take a language live	Records the launch and triggers a rebuild — the language appears once the build has shipped.
Grant or remove admin access	Takes effect on the person's next request.

WHY IT'S BUILT THIS WAY

Every prose change becoming a reviewable job is a feature, not friction: nothing reaches a reader without a record of who changed what and why. The production site holds no content-authoring credentials, so there is no way to quietly rewrite a live page.

A word on AI translations

Ochorus uses AI to draft translations but never treats one as finished on its own. A fresh AI translation ships *unreviewed* and waits in the review queue (Chapter 14) until a person approves it. This review state is **admin-only**: there is no public "awaiting review" or AI-translation badge, by design. Quality is handled here, not by warning the reader.

Access levels at a glance

Ochorus grants admin access in graduated levels, so you can invite help without handing over the keys. Every grant pairs an *area* with *how far* you can go in it, and is scoped to one or more languages.

The two dimensions

A grant pairs a **capability** (an area of the admin, such as review or publishing) with a **verb**. The verbs form a ladder — each includes the ones below it:

VERB	WHAT IT LETS YOU DO
View	See the reports and queues in an area.
Suggest	File a job; apply nothing to the live site yourself.
Act	Apply changes: record a review decision, publish an edition, triage feedback.
Approve	Confirm other people's work, and pull the high-privilege levers.

The roles

Most people are given a **role** — a bundle of grants — rather than hand-picked ones. You choose the languages when you grant it.

ROLE	CAN
Contributor	Views the library and its queues; files fixes to titles and text (content-edit jobs). Applies nothing live.
Reviewer	Everything a contributor can, plus records review decisions in their languages — provisionally, until an approver confirms (Chapter 14).
Language admin	Runs their languages: publishes and unpublishes editions, confirms reviews, triages feedback, accepts audit findings, files fixes. Sees a language's readiness but cannot change its bar, its settings, or take it live. No user data, no email.
Super admin	Everything, in every language — including importing, queuing translations, email, user analytics, granting access and taking a language live.

LANGUAGE SCOPE

Every grant below super admin names its languages (or “all languages, including ones added later”). A reviewer for Swahili sees only Swahili in their queues and has no reach into Spanish unless separately granted. Reader feedback with no language goes to super admins only.

WHERE SUPER ADMINS COME FROM

Super admins are defined by the `ADMIN_EMAILS` allowlist in the deploy environment, outside the grant system — so nobody can accidentally revoke the last one. A grant (and the allowlist) only counts for a signed-in account whose email is verified.

The exact bundles are in Appendix A.

Signing in & finding your way

You reach the admin at `/admin` once you are signed in with an account that holds any access. Everything hangs off a single left-hand rail.

The navigation rail

The rail is capability-aware: it lists only what your access opens. Its heading reads *Admin* for a super admin and *Language Admin* for everyone else. In order:

SECTION	NEEDS
Dashboard · Coverage matrix · Language health · Activity · Engagement · Search	Reporting
Import document	Super admin
Review queue	Content review
Feedback	Reader feedback
Content audit	Content audit
Emails · Compose email	Super admin
Users	User analytics
Team & access	Super admin
Help & roles	Any admin access

Book, sermon and language pages are not in the rail — you reach them from the dashboard, the coverage matrix and the worklists. ← **View site** sits at the foot of the rail (on phones the rail becomes a scrolling row of pills).

The account menu

The avatar in the top-right opens the account menu. Anyone with access sees a link to the admin. Super admins also see **Admin Manual PDF** — this document. Other admins see **Language Admin Manual PDF**, the shorter handbook written for them. Both open in the browser's PDF viewer.

TIP

Not sure why someone can't see a section? Send them to **Help & roles** (Chapter 27): it lists their exact access and says, for every missing section, what it needs.

The dashboard

The dashboard is the snapshot you open every day: what the library contains, how it breaks down by language, and what needs you now.




Figure 5.1 — The content dashboard: the attention hub and chips, headline totals, and the per-language breakdown.

What you're looking at

- **Needs attention** — a ranked hub of what to act on (Chapter 6).

- **Chips** — amber shortcuts to the worklists behind the biggest signals: unpublished books and sermons, unreviewed AI translations, authors without a bio, empty chapters.
- **Headline totals** — works, books (and how many are published), chapters, words (with reading hours), sermons, plans, authors (and how many have a bio), languages with content.
- **By language** — books, chapters, sermons, plans, bios, articles and words per language, and a *Source* column. Click a row to open that language's page (Chapter 20). Super admins get + **Add a language** beneath it (Chapter 21).
- **Books by source** and **Recently added books**.

READING THE SOURCE COLUMN

PD is public domain (the originals). AI· marks AI translations not yet reviewed; AI✓ those a person has confirmed; a gold +N is work queued to translate. A language sitting on a pile of AI· is your cue to open the review queue for it.

Exporting

Export CSV downloads an inventory of every book, sermon and plan edition (slug, language, title, author, source, published, chapters or days, words, source URL); **Export JSON** adds the authors. **Refresh** re-pulls the figures.

Access: [Reporting · View](#), which every role includes.

Needs attention & worklists

The attention hub turns raw counts into a ranked to-do list, and each signal links to a worklist you can act on.

How it ranks

The hub gathers signals that otherwise live one per page and orders them by reader impact:

- 1 **Empty chapters and books with no chapters** — integrity defects readers hit (→ content audit).
When both are zero, a single line says *Data integrity is clean*.
- 2 **AI translations awaiting review** (→ review queue).
- 3 **Searches that found nothing** in the last 30 days, with their share of all searches (→ search).
- 4 **A live language with no books** (→ that language's page).

An *Also:* line lists the quieter items — unpublished books and sermons, authors without a bio. When nothing applies, it says so.

The worklists




Figure 6.1 — Books and sermons that aren't live, each with “Publish →”.




Figure 6.2 — Authors with no biography, most works first, each with “Request bio”.

The unpublished list links each work to its admin page, where the publish toggle lives (Chapters 10–11). The authors list excludes imprints and ranks people by how many works they carry; its **Request bio** button files a biography job (Chapter 13).

Access: [Reporting](#) · [View](#).

Coverage matrix

The coverage matrix shows which works exist in which languages, where the gaps are, and which translations have fallen behind their English — and lets a super admin queue the gaps.




Figure 7.1 — Works down the side, languages across; summary cards and lens chips on top.

Reading the grid

Tabs switch between **All**, Books, Sermons, Plans, Biographies and Articles. Each cell shows the state of that work in that language:

MARK	MEANS
PD · ●	Original / present.
AI✓ · AI (gold)	AI translation, reviewed · still unreviewed. Clicking a gold cell opens that item in the review queue.
🕒 · ⬅	Queued · being translated.
Dashed, empty	Missing. A number inside is readers asking for it.
Red ↻	The English has changed since this translation was made.
🔒 · © under copyright	Blocked — the work cannot be translated or published.

Lens chips (Original text, Reviewed, Unreviewed AI, Missing, Queued, English changed, Under copyright...) highlight one state. The summary cards — *Open gaps*, *Works awaiting review*, *Works out of date*, *In flight* — each filter the grid. You can order by priority or completeness, group by type, author or series, choose which languages show, compact the rows, copy a link to the current view, and **Download CSV** of it.

Translate next, and queuing

The **Translate next** panel ranks open gaps by readers × failed searches, each with a **Queue** button. Super admins can also click an empty cell to queue it, use **+N** on a row or column to queue all its gaps, or ⌕-click / ⌘-click to select a range and **Queue N**. A bulk queue confirms first and shows progress you can stop.

OUT-OF-DATE TRANSLATIONS (↻)

When an English text moves on, its translations are marked ↻. If you have checked that the translation still matches — the change was a typo fix, say — **mark still current** re-baselines it and clears the mark (needs Review · Act in that language).

Access: viewing, [Reporting · View](#); queuing, super admin only.

Language health

The language-health scoreboard distils each language into one 0–100 score and ranks them, so you can see where an hour of work does the most good.




Figure 8.1 — Each language scored and ranked, with its components, its trend and its next best action.

What the score is made of

COMPONENT	MEASURES	WEIGHT
Readiness	How much of the go-live bar is met (partial credit toward each count).	35%
Coverage	The share of the English shelf present — books 50%, sermons 25%, bios 15%, plans 10%.	30%
Review	The share of its translations a person has confirmed.	20%
Engagement	Readers in the last 90 days, against a target of 25.	15%

Scores band as **Strong** (75+), **Fair** (45–74) and **Weak** (under 45). English is shown as the source reference row, not ranked. Summary tiles count live languages, the median score, items awaiting review and languages blocked from going live. Each row shows its status (*Live*, *Live · failing...*, *Ready to launch →*, *Not live*), an eight-week sparkline with the week's change, and a **Biggest gain** next action. *How the score works* expands the detail.

HOW TO USE IT

A language high on coverage but low on review is a backlog of drafts waiting for a native speaker — a reviewer grant will unlock it. A language with one blocking check is often one push from going live. (The Bible check is skipped here for speed; the language page runs the real one.)

Access: [Reporting](#) · [View](#).

Importing a document

The import screen turns a Word document or text PDF into a structured book or sermon — parsed, previewed, edited, then published.




Figure 9.1 — The import screen: type, author, language and document.

- 1 Choose book or sermon, then the **author** — or **+ New author** to add a name-only author record.
- 2 Choose the **language** the edition is in.
- 3 Choose the **document** (.docx or a text PDF, up to 25 MB) and press **Read document**. Parsing only builds a preview; nothing is saved. Scanned image PDFs aren't supported.
- 4 Edit the **preview** — the title, each chapter title, subtitle, first-published year, cover accent colour and attribution note for a book; the scripture reference for a sermon; the source URL for both.
- 5 Publish book / Publish sermon — or Start over.

PUBLISHING HERE IS IMMEDIATE

Unlike most prose changes, an import creates a live, public-domain edition at once and triggers a rebuild. Confirm the work is genuinely public domain and the source is clean first — the parser structures what you give it but cannot rescue a poor scan. Titles on the copyright blocklist are imported unpublished.

Access: super admin only (adding an author is logged as *Author created*).

The book page

Every book has an admin page gathering all its language editions, with the publish control, a chart of where readers stop, and the fix controls for each chapter.

The screenshot displays the Ochorus Admin interface. On the left is a sidebar with navigation links: Admin, Dashboard, Import document, Coverage matrix, Language health, Review queue, Feedback, Content audit, Activity, Engagement, Emails, Compose email, Search, Users, Team & access, Help & roles, and View site. The main content area shows the book 'Absolute Surrender' by Andrew Murray, with 10 languages. Two language editions are expanded: English (en) and Amharic (am). Each edition card includes a title, source (Public domain or AI), word count, chapter count, and a 'live on site' status. Below this is a table of chapters with columns for chapter number, title, and fix/flag text counts. The English edition has 9 chapters, and the Amharic edition has 5 chapters.

Chapter	Title	Fix title	Flag text
1.	Absolute Surrender	3,896	
2.	The Fruit of the Spirit is Love	5,227	
3.	Separated unto the Holy Spirit	3,535	
4.	Peter's Repentance	2,446	
5.	Impossible with Man, Possible with God	3,239	
6.	O Wretched Man that I am!	3,027	
7.	Having Begun in the Spirit	3,694	
8.	Kept by the Power of God	5,043	
9.	Ye are the Branches	4,961	

Chapter	Title	Fix title	Flag text
1.	ፍጹም ራስን መስጠት	2,555	
2.	የመንፈስ ፍሬ ፍቅር ነው	3,478	
3.	ለመንፈስ ቅዱስ የተለየ	2,208	
4.	የኢጥሮስ ንስሐ	1,678	
5.	በሰው የማይቻል፣ በእግዚአብሔር የሚቻል	2,130	

Figure 10.1 — A book's admin page: each edition with its source, size, state and publish control, then its chapters.

Each edition

Each language card shows the edition's title, its source (*Public domain*, *AI · reviewed*, *AI · unreviewed*), chapters and words, whether it is *live on site*, and links to its source and original PDF.

Publishing an edition

Publish acts in one click. **Unpublish** asks *Hide from the site?* first. Either takes effect in the reader's API immediately, and a deploy will not revert it. Works on the copyright blocklist refuse to publish.

Where readers stop

Above the chapter list, a reach curve shows how far readers get through the edition, with the steepest drop marked — the place to look first for a confusing chapter or a broken split.

Fixing a chapter

- **Fix title** — opens *New chapter title*, pre-filled. Edit it and **Queue fix**; the control confirms with a link to the job (or tells you one is already queued).
- **Flag text** — asks *What's wrong with this chapter's text?* and files a job for someone to correct the prose.

Neither edits the book directly — both file a content-edit job (Chapter 12). Chapter rows also show any quality flags and are the targets of the audit's *Open chapter* links.

WHY A TITLE ISN'T JUST EDITABLE

A chapter title is part of the pre-built source and feeds the search index. Filing a job means the source, the live rows and search all move together in one reviewed change.

Access: publishing, [Publishing](#) · [Act](#) in the edition's language; fixes, [Content-edit](#) · [Suggest](#).

The sermon page

Sermons work like books minus the chapters: one document per language.

The screenshot displays the Ochorus Admin interface. On the left is a sidebar with navigation links: Admin, Dashboard, Import document, Coverage matrix, Language health, Review queue, Feedback, Content audit, Activity, Engagement, Emails, Compose email, Search, Users, Team & access, Help & roles, and View site. The main content area shows the sermon 'Christ All in All' by Dwight L. Moody, with a slug of 'christ-all-in-all' and 10 languages. Below this, there are five language editions, each with an 'Unpublish' button and a 'source' link. The editions are:

- English · English (en)**: Christ All in All, Public domain, 6,540 words, Colossians 3:11, live on site.
- am · am (am)**: ክርስቶስ ሁሉ በሁሉ, AI · unreviewed, 4,213 words, ቆላስሲ 3:11, live on site.
- العربية · Arabic (ar)**: المسيح الكل في الكل, AI · unreviewed, 5,392 words, كولوسي 3:11, live on site.
- Español · Spanish (es)**: Cristo, todo en todos, AI · unreviewed, 6,210 words, Colosenses 3:11, live on site.
- Français · French (fr)**: Christ, tout et en tous, AI · unreviewed, 7,000 words, Colossiens 3:11, live on site.
- हिन्दी · Hindi (hi)**: मसीह सब कुछ और सब में, AI · unreviewed, 7,250 words, कुलुसियों 3:11, live on site.

Figure 11.1 — A sermon's admin page: its language editions, each with its scripture reference and publish control.

Each edition shows its source, word count, scripture reference and state, with the same **Publish** / **Unpublish** control as a book — immediate, and confirmed before hiding. There are no per-chapter fix buttons; a correction to a sermon's text comes in through reader feedback or is filed directly as a content-edit job.

Access: [Publishing · Act](#) in the edition's language.

The content-edit queue

The content-edit queue is the single channel for fixing the words a reader reads. Every fix filed anywhere in the admin lands here as a GitHub issue labelled `content-edit`.

KIND	FILED FROM	YOU PROVIDE
Title	"Fix title" on a chapter row	The corrected title.
Body	"Flag text" on a chapter row; "File as content-edit job" on feedback	A note on what is wrong (and the reader's suggested text, from feedback).
Audit fix	"send to fix queue" on the content audit	Nothing — the job carries every affected chapter for one check in one edition.
Bio	"Request bio" on the authors worklist	An optional note on what to emphasise.

What happens to a job

A worker session picks the job up, makes the fix in the project's source files, and ships it as a pull request; it reaches readers after review and the next build. You need do nothing after filing. The activity log (Chapter 19) records each filing.

ONE JOB PER PROBLEM

If a job of the same kind is already open for the same target, filing again returns the existing one. A title fix and a text fix for the same chapter can both be open — they are different work.

Access: [Content-edit](#) · [Suggest](#) for the language. The queue needs the server's GitHub token; without it, filing reports that the queue isn't configured.

Authors & biographies

Authors carry the biographies that appear on their pages. The admin finds who is missing one and files the work to write it.

- 1 **Open the worklist** from the dashboard chip (Figure 6.2). It lists every author with no biography, excluding imprints, most works first.
- 2 **Click Request bio.** Add an optional note (*Anything to emphasise?*) and **Request**.

This files a biography job in the content-edit queue. Biography *translations* are queued like any other work — from the Biographies tab of the coverage matrix — and reviewed in the review queue alongside books and sermons. New author records are created from the import screen.

Access: [Reporting · View](#) to see the list; [Content-edit · Suggest](#) to request.

The review queue

The review queue is where AI translations become trustworthy. It sorts the work into lanes, checks the scripture a translator rendered, and runs on a maker-checker principle: one person proposes, another confirms.

ADMIN

Review queue

1,577 awaiting review · oldest waiting 92 days

AI translations awaiting a native-speaker check. Approving marks the text reviewed in the coverage and readiness reports; readers never see this state, so read the text first. The checks on each row say only that the machine found nothing, never that the prose is good.

- Ready to read**
70
Examined, nothing flagged. Can be bulk-approved.
- Verses to check**
940
Settle each verse the translator rendered.
- Not examined**
567
No scripture notes. Read it in full.
- Needs work**
0
Sent back for re-translation.

[All languages](#)
[Swahili 372](#)
[Spanish 207](#)
[Portuguese 187](#)
[French 180](#)
[am 176](#)
[Arabic 145](#)
[Hindi 131](#)
[Luganda 113](#)

[Ukrainian 59](#)
[en-modern 6](#)
[English 1](#)

Type: All types Sort: Waiting longest Showing 1,577 of 1,577

☐	A Chave de Ouro da Oração Sermon Portuguese Charles H. Spurgeon · 6,917 words · Jeremias 33:3	Not examined	Length 95%	Tags 128/128	92 d	Review
☐	O Clamor dos Corvos Sermon Portuguese Charles H. Spurgeon · 6,707 words · Salmos 147:9	Not examined	Length 96%	Tags 149/149	92 d	Review
☐	A Primeira Oração de Paulo Sermon Portuguese Charles H. Spurgeon · 6,356 words · Atos 9:11	Not examined	Length 95%	Tags 138/138	92 d	Review
☐	Os Oito "Eu Quero" de Cristo Sermon Portuguese Dwight L. Moody · 4,836 words · Mateus 11:28	Not examined	Length 95%	Tags 174/174	92 d	Review
☐	El Poder de la Quietud Sermon Spanish A. B. Simpson · 982 words · 1 Reyes 19:12	Not examined	Length 100%	Tags 42/42	88 d	Review
☐	Amaanyi g'Obusirifu Sermon Luganda A. B. Simpson · 735 words · 1 Bassekabaka 19:12	Not examined	Length 75%	Tags 42/42	88 d	Review
☐	Nguvu ya Utulivu Sermon Swahili A. B. Simpson · 832 words · 1 Wafalme 19:12	Not examined	Length 85%	Tags 42/42	88 d	Review
☐	Uwezekano wa Imani Sermon Swahili A. B. Simpson · 4,846 words · Marko 9:23 · Job #423 · PR #897	0 of 24 verses settled	Length 87%	Tags 106/106	88 d	Review
☐	Jesús Mismo Book Spanish Andrew Murray · 2 ch	Not examined	Length 94%	Tags 194/194	88 d	Review

Figure 14.1 — The review queue: lanes across the top, language tabs, type and sort, then the items.

Lanes and filters

LANE	MEANS
Ready to read	Examined, nothing flagged. Can be bulk-approved.
Verses to check	Settle each verse the translator rendered.
Not examined	No scripture notes — read it in full.
Needs work	Sent back for re-translation.

Language tabs, a type filter (book, sermon, author bio) and a sort (waiting longest, fewest verses left, most unverified, largest first) narrow the queue. Each row shows its verse progress, mechanical checks (runs short or long, tag sequence, mixed quotes) and how long it has waited.

Reviewing an item

Review opens the text side by side, chapter by chapter, with a *Verses to check* list: mark each **Rendering** is **right** or **Needs work**. The approve button stays disabled until you have **scrolled to the end of the text**.

Needs work asks what needs work and sends the item back.

Maker-checker

If you hold review at *act* (a reviewer), your button reads **Submit for approval**: the decision is recorded as provisional and nothing changes until someone with *approve* (a language admin or super admin) presses **Confirm**. An approver's own **Approve** applies at once. Only an approver can change a confirmed decision; a reviewer can still undo their own unconfirmed proposal.

Bulk approval

Select N ready on this page ticks the clean items; **Approve N selected** applies them. Only the *Ready to read* lane qualifies — the server re-checks and holds back anything with unverified verses, with a reason.

READERS NEVER SEE THIS

Confirming promotes a translation from AI-unreviewed to reviewed in the coverage, health and readiness reports. It does not change what readers see — there is no public review badge.

Access: **Review · View** to see; **Act** to propose; **Approve** to confirm — each in the item's language.

Content audit

The content audit is the library's standing quality report — the structural and textual defects worth a human's attention — now scanned nightly and wired to the fix queue.




Figure 15.1 — The content audit: the scan status, worst books first, data integrity and content quality.

Two kinds of finding

Data integrity — broken plan days, books with no chapters, empty chapters, chapter-order gaps — are defects readers hit. They are marked *fix these* and cannot be accepted away.

Content quality are advisory heuristics that expect false positives, grouped by how much readers notice: *Readers see it* (mid-sentence splits, missing drop caps, fragmented paragraphs, text outside paragraphs), *Navigation* (generic or missing titles, duplicate titles, tiny chapters under 150 words) and *Probably fine* (giant chapters over 8,000 words).

Acting on a finding

- **Open chapter** jumps to the row on the book page.
- **send to fix queue** files one audit-fix job for that check in that edition (Chapter 12); the button then shows the job's status.
- **accept** marks a false alarm as known and removes it; **Undo** restores it.

Keyboard triage: **j**/**k** move, **Enter** expands, **a** accepts, **o** opens the chapter. **Worst books first** ranks editions by open flags, and **Readers stop here** lists the steepest single-chapter drop-offs — a hard chapter, or a broken one.

The nightly scan

The audit runs every night; when it finds a *new* integrity defect it emails the super admins. The header shows when the last scan ran, whether the alert went out, and when the next is due. **Re-run** forces a fresh scan.

Access: **Audit · View** to see; **Audit · Act** to accept; filing a fix needs **Content-edit · Suggest**.

Reader feedback NEW

Readers and language admins can send suggestions from anywhere in the reader. The feedback queue is where they are triaged.

Reader feedback
Suggestions from readers and language admins. Triage each one; changes are audited.

Filters: All (3) | new (1) | triaging (1) | planned (1) | All types | Any source

Item 1: Content
From: pedro.alves@example.com · book: the-inner-chamber (pt) · ch. 7
Date: 10/6/2026
Suggestion: Chapter 7 seems to end mid-sentence and the next chapter starts with the rest of it.
Status: planned | Assign to me | File as content-edit job
Note: Looks like a mid-sentence split — filed to the fix queue. | Save note

Item 2: Feature
From: daniel.okello@example.com
Date: 10/6/2026
Suggestion: Would love a way to share a highlighted quote as an image to WhatsApp.
Status: triaging | Assign to me
Note: Add a note... | Save note

Item 3: Language
From: ruth.nakato@example.com · book: the-inner-chamber (sw) · ch. 3
Date: 10/6/2026
Suggestion: This verse reads oddly in Swahili — 'roho' should be capitalised here, it refers to the Holy Spirit.
Text: kwa nguvu za roho
Suggested: kwa nguvu za Roho
Open the passage →
Status: new | Assign to me | File as content-edit job
Note: Add a note... | Save note

Figure 16.1 — Reader feedback: status chips and filters, then each item with its passage, suggestion and triage controls.

What arrives

A signed-in reader picks a category — Language / translation, Content, Feature idea, Bug, Other — and writes a note, from the account menu, the floating feedback button, or by highlighting text. Each item carries the page, the work, language and chapter, and — for highlights — the selected text and the

reader's suggested replacement. The submitter's role is recorded too, so a language admin's suggestion stands out.

Triage

- **Status** — new, triaging, planned, in progress, done, declined, duplicate. Saves as you change it.
- **Assign to me**, and **Add a note...** / **Save note**.
- **Open the passage** → deep-links to the exact paragraph.
- **File as content-edit job** (book chapters) turns the quote, note and suggestion into a body-text job, moves the item to *Planned* and links the job in the note.

“N similar” flags other items about the same passage.

SCOPED AND MASKED

Language admins see only feedback in their languages; feedback with no language goes to super admins.
Non-super admins see submitter emails masked.

Access: [Feedback · View](#) to read; [Feedback · Act](#) to triage, in the item's language.

Search analytics & demand

The search screen shows what readers look for — and lets you answer the searches that came back empty.




Figure 17.1 — Search: volume and rates, where searches end, top queries, found-but-not-opened, and unanswered searches by language.

The signals

Cards show searches, the zero-result rate, how many opened a result, and distinct queries, against the previous period. **Where searches end** separates a content gap (nothing found) from a ranking problem

(found, but not opened). **Found, but not opened** lists queries whose results nobody clicked, each with **Pin a result**....

Answering an unanswered search

ACTION	EFFECT
Elsewhere?	Checks other languages for a match and offers Queue <Language> to file the translation (super admin).
Synonym...	Maps the query to a word that does match — preview, then save. Immediate.
Pin a result...	Puts the right work at the top for that query. Immediate.
Wanted · Out of scope	Records the decision so the query leaves the open list.

Decided queries move to the *Handled* or *Wanted* tab, and **Undo** reverses any of them.

ANONYMOUS BY DESIGN

Search analytics are aggregate: what was searched, never who searched it.

Access: statistics, **Reporting · View**; triage, **Translate · Act** in the query's language; queuing a translation, super admin.

Engagement analytics

The engagement screen shows how the library is actually read.




Figure 18.1 — Engagement: the week in one sentence, the pulse, reading time and when people read.

Choose a range (7d, 30d, 90d, All) and optionally compare with the period before. The sections:

- **This week** — a one-sentence summary you can copy.
- **Pulse and Weekly readers** — active readers and the trend.
- **Reading time** — sitting lengths, in sittings or minutes.

- **When people read** — a weekday × hour heatmap, the busiest hour and a suggested send time.
- **Do readers stay?** — weekly cohorts.
- **Rising, Top content** (books, sermons, authors, articles — with a mini chart of where readers stop), **Where readers mark, Most loved.**
- **Plans** — the started → came back → completed funnel per plan.
- **By language** — which feeds the engagement part of the health score.

AGGREGATE ONLY

Engagement reports counts and rollups, never a named reader's activity. Individual readers live under the separate, more sensitive Users capability (Chapter 22).

Access: [Reporting · View](#).

The activity log

The activity log is the admin's memory: an append-only record of every change made here — who did what, to what, and when — plus a tracker for the translation jobs in flight.

OCHORUS Admin

Home Books Topics Plans Sermons Biographies

Search Ctrl K

ADMIN Activity

Every change made from this dashboard — who, what and when. Append-only.

Export CSV · 15 Refresh

2 Actions today
2 reader-facing

James Deg... Most active
11 of 15

— Last go-live
never

Absolute S... Last publish
2 hours ago

Translation jobs The GitHub queue isn't configured here, so unshipped jobs read "status unknown".

0 Open jobs
0 queued · 0 claimed

0 Stalled
claim idle 6h+

0 Closed, not shipped
merge or deploy pending

0 Need your approval
shipped as AI translations

Job status **Any** Needs me 0 Stalled 0 Closed, not shipped 0 Shipped · awaiting approval 0 In progress 0 Queued 0

Approved 0

Search target, admin or detail... **All 15** Language 1 Content 8 Review 2 Translation 1 Author 0 Access 3

All admins

Showing 15 of 15 actions.

Today 2

Absolute Surrender · en-modern **Document published** 2 hours ago
Oct 6, 01:55 AM
James Degreef

Absolute Surrender · en-modern **Document unpublished** 3 hours ago
Oct 6, 12:55 AM
James Degreef

Yesterday 9

search:maombi:sw Unanswered search triaged 4 hours ago
Oct 5, 11:55 PM
James Degreef · synonym

broadcast:1 Broadcast test sent 5 hours ago
Oct 5, 10:55 PM
James Degreef

Figure 19.1 — Activity: today's summary, the translation-job tracker, filters, and each action as a row.

Reading the log

Cards show actions today (and how many were reader-facing), the week's most active admin, the last go-live and the last publish. Filter by category (language, content, review, translation, author, access), by admin, or by searching target and detail. A person's or a work's history opens with `?target=` — the Team page links straight to it. **Export CSV** downloads what you are looking at. Appendix B lists every action recorded.

Translation jobs

The jobs panel tracks every translation filed: *Open*, *Stalled* (claimed but idle 6 hours or more), *Closed not shipped* (waiting on a merge or deploy) and *Need your approval* (shipped, awaiting review). The *Job status* filter narrows the log to any of them.

WHY IT EXISTS

The log is append-only on purpose — nothing edits or deletes a row — which is what makes it worth trusting. It records the actor as plain text so the record survives the account. Non-super admins see other admins' emails masked.

Access: [Reporting](#) · [View](#).

Administering a language

Each language has its own page — what it has, what readers are asking for, its readiness, its bar, its settings, and the go-live switch.




Figure 20.1 — A language's page: progress against English, readiness, what readers are asking for, settings and the work to do next.

Readiness

The checklist a language must pass to go live: **Bible** (a working translation, verified live), **Bible attribution** (a licensed Bible needs a credit line), **Glossary** (every theological term defined), **Interface strings**, and enough

Books, Sermons, Biographies, Reading plans and **Topic shelves**. Review state is deliberately not a check.

The bar for this language

The counts each language must reach — books, sermons, biographies, plans — plus whether every topic shelf and the whole interface must be translated. Set 0 to drop a requirement; saving re-checks at once.

Going live

Go live is enabled when every check is clear. It confirms, re-runs the checks on the server, records the launch and triggers a rebuild — the language appears once the build ships. With failing checks you may **launch anyway**, except for hard blockers such as a missing interface catalogue. Once live, **Has it shipped?** checks the live sitemap.

The rest of the page

- **Readers are asking for** — the top works people read in another language or searched for here and didn't find.
- **Next to work on**, per type, with **Translate** and **Queue all N** buttons (super admin); a queued item becomes a link to its job.
- **Translation settings** — Bible code, credit line, names, direction and glossary. Languages defined in the project's code are read-only here.

THE BIBLE CHECK MAKES A LIVE CALL

Readiness verifies scripture against an external service, so it can take a moment. If that service is unreachable the check reports unknown rather than failing.

Access: readiness, [Language admin · View](#); the bar and settings, [Act](#); going live, [Approve](#). Language admins hold only View, so these stay with the super admin.

Adding a new language

A new language begins with a single registry entry; until it exists, nothing can be translated into it.

Under the dashboard's *By language* table, + **Add a language** opens the form. It suggests likely next languages, and asks for:

- the **code** (2-3 letters, optional subtag), English name and native name;
- the **Bible** — its code (verified live) and label;
- a complete **theological glossary**. *Copy prompt for Claude* gives you a prompt to draft one; paste the result back in.

A new language is always created as a draft, and appears at once in the by-language table and the coverage matrix with honest zeros. Then:

- 1 **Queue translations** from its page, the coverage matrix or search demand.
- 2 **Review the drafts** as they arrive (Chapter 14).
- 3 **Add the credit line** and the interface catalogue.
- 4 **Tune the bar** and watch the checks clear (Chapter 20).
- 5 **Go live**.

Access: [Language admin](#) · [Act](#) — in practice, a super admin.

Users & reader profiles

The Users section covers the people who read Ochorus — growth, the directory and each reader's page — under a permission separate from, and more sensitive than, the aggregate analytics.




Figure 22.1 — Users: registrations, the funnel from sign-up to habit, and sign-ups per week.

The directory

Cards and charts show registered, activated and dormant accounts; the funnel *Registered* → *Activated* → *Came back another day* → *Finished something*; sign-ups per week; and breakdowns by sign-in method, where readers started, preferred language, theme, country and timezone. The **All users** table searches by name or email, sorts by newest, last seen, most active or name, and exports CSV.




Figure 22.2 — One reader's page: their totals, reading calendar and what they are reading now.

A reader's page

Works started and finished, time reading, favourites, highlights, bookmarks, days read and streak; a reading calendar; what they are reading and have finished; plans, sittings, highlights and notes, bookmarks and a recent-activity timeline. It is read-only, except for email.

Writing to one reader

Email this reader opens a short form — subject, language, optional heading, message, optional button — and sends it immediately in the standard layout with the unsubscribe footer. It is blocked for readers who bounced, complained or unsubscribed from everything. The panel lists the last 50 emails they were sent and how each landed.

PERSONAL DATA — HANDLE WITH CARE

This section shows identifiable people, which is why it has its own capability. Emails are masked on screen until you choose *Reveal emails*; anyone other than a super admin receives them masked by the server, cannot search by email, and gets a masked export. Grant it only to those who need it.

Access: [User analytics](#) · [View](#); email, super admin only.

Email health NEW

The Emails page shows how Ochorus's email is landing — aggregate counts only, never individual recipients.




Figure 23.1 — Emails: the overview, subscribers, and results by lifecycle step and by broadcast.

- **Overview** — sent (and delivered), open rate, click rate, bounce rate, complaints and failed sends. Open rates are directional — privacy proxies inflate them; *click rate is the reliable engagement signal*.
- **Subscribers** — readers who want announcements, those unsubscribed from everything, and those suppressed after a bounce or complaint.

- **By lifecycle step** and **By broadcast** — the same rates per email.

Test sends are excluded. Open and click rates are over delivered mail; bounce and complaint rates over sent.

Access: super admin only.

Composing a broadcast NEW

A broadcast is an email to a segment of readers, written in blocks, checked before it goes, and sent in paced batches.

ADMIN

Compose email

Write and send a broadcast to a segment of readers. Opted-out and suppressed readers are always excluded automatically.

← All broadcasts draft

Name (internal)

October — new in your language

Audience 31 readers

Language	Activity	Reading plan	Sign-up prompt
Any		Any	any

Content English Kiswahili + Add language + Draft with AI

Subject line

New this month on Ochorus

Inbox preview text (optional)

Five new classics, free to read

Preview · en · as you'd receive it Desktop Mobile

HEADING ↑ ↓ ×

New this month, {name}

TEXT ↑ ↓ ×

Five classics joined the library this month — free to read, in your language.

BOOK ↑ ↓ ×

humility

Change

Link label under the card (optional), e.g. Start reading

Ochorus

New this month, friend

Five classics joined the library this month — free to read, in your language.

[Browse the library](#)

Ochorus — a free reader for public-domain Christian classics. You are receiving this because you have an Ochorus account. [Manage preferences](#) · [Unsubscribe](#).

Figure 24.1 — The broadcast editor: the audience with its live count, and per-language blocks beside a live preview.

Starting

New broadcast creates a draft; **Start from a template** copies a saved layout. The list shows each broadcast's status — draft, scheduled, sending, paused, sent, canceled.

Audience

Filter by language, activity (active in the last 7 or 30 days, lapsed 30+ days, never seen), reading plan, and sign-up prompt; the live count shows who matches. Readers who opted out or are suppressed are always excluded at send time.

Content

One tab per language, each with a subject, optional inbox preview text, and a list of blocks — Heading, Text, Button, Quote, Divider, and library blocks for a Book, Sermon or Reading plan, which render that work's edition in the email's language. `{name}` becomes the reader's first name. The preview toggles desktop and mobile. + **Add language** copies the current layout; **Draft with AI** files a translation job for the words — when the draft comes back you read it, fix anything, and **Approve** it; it cannot be sent until you do.

Before you send

The checklist marks each issue **Must fix**, **Warning** or **OK**. Must-fix items — an empty subject, a broken button link, a library block naming an unpublished work, an unapproved AI draft — block sending and scheduling. Warnings cover readers whose language isn't written, no test sent, a changed source, sending switched off, and poor sender health.

Sending

- **Send test to me** — to your own address only; repeat as often as you like.
- **Schedule** for a date and time, or **Send now**. Either queues the broadcast: it goes out in batches of 50 from the next email run (every 15 minutes), each reader at most once.
- While sending: progress, **Pause** / **Resume** and **Cancel sending**. Once sending starts, the content and audience are locked.

THE GUARDRAIL

After 100 sends, a broadcast pauses itself if complaints pass 0.3% or bounces pass 5%. Resuming asks you to confirm and turns the guardrail off for that broadcast — read the numbers first.

Access: super admin only. Every create, edit, test, schedule, send, pause and cancel is in the activity log.

Automated emails NEW

Some email goes out on its own. There are no buttons for it here, but you should know what readers receive.

STREAM	WHAT AND WHEN
Onboarding	Welcome; pick a plan (day 2+, no plan started); finish your first book (day 3+); a classic (day 4+); come back (quiet 7+ days); win back (quiet 30+ days). Each once, at most one per run and never two within 20 hours.
Continue the series	After a reader finishes a book in a series, the next volume in their language — once per volume.
Reading milestones	At 3, 5, 10, 25, 50 and 100 finished books.
Reading-plan reminders	Only if the reader asked, at their chosen time, on reading days they haven't read yet; after three idle days, one “paused” note and then nothing.
Announcements	Your broadcasts (Chapter 24).

Readers manage every stream from their email preferences; all start on. The scheduler runs every 15 minutes and also triggers the nightly content-audit scan. Results appear on the Emails page (Chapter 23).

Team & access

The Team & access page is where a super admin grants, changes and removes admin access. It is the only place grants are managed.

Ochorus Admin

Dashboard
Import document
Coverage matrix
Language health
Review queue
Feedback
Content audit
Activity
Engagement
Emails
Compose email
Search
Users
Team & access
Help & roles
View site

Home Books Topics Plans Sermons Biographies

Back to dashboard

ADMIN · ACCESS

Team & access

Grant scoped admin access to others. You (the super admin) keep everything; a grant only opens what you choose, in the languages you choose. Only super admins can see or change this.

Grant access

Email
person@example.com

Role Compare roles

- ☒ **Contributor**
Views the library and its queues; files translation and title-fix jobs. Applies nothing live.
- ☐ **Reviewer**
Everything a contributor can, plus records review decisions in their languages.
- ☐ **Language admin**
Runs their languages: publishes, confirms reviews, triages feedback.

Languages · choose at least one

Arabic English Spanish French Hindi Luganda Portuguese Swahili Ukrainian

☐ All languages, including ones added later

Grant Contributor

Granted access · 3

G	grace.achieng@example.com	Invited 2 minutes ago · not signed in yet	Manage
	Language admin [sw]		
	Permissions (?) · [sw]		
M	maria.santos@example.com	Invited 2 minutes ago · not signed in yet	Manage
	Reviewer [pt] [es]		
	Permissions (5) · [pt], [es]		
P	peter.ssali@example.com	Invited 2 minutes ago · not signed in yet	Manage
	Contributor [lg]		
	Permissions (5) · [lg]		

Figure 26.1 — Team & access: the grant form, the granted members with their status, and the super admins.

Granting access

- 1 Enter the person's email. Access is tied to it; it works once they sign in with that email verified.

- 2 **Choose a role** — Contributor, Reviewer or Language admin. *Compare roles* opens the table on the Help page.
- 3 **Choose the languages** — at least one, or *All languages, including ones added later*.
- 4 **Grant**. A sentence previews exactly what they will get first. Granting to someone who already has access replaces their role.

The members list

Each member shows their role and languages, and whether they have signed in (*Invited · not signed in yet, Active · seen..., Last seen...*). Ochorus does not email the invitation — tell the person yourself. **Manage** opens the same role and language picker, the member's history, a link to all their activity, and **Remove all access....** A removal can be **Undone** from the bar that follows. When a role has gained abilities since someone was granted it, their card says *Out of date* with **Update to current role**.

START SMALL, WIDEN DELIBERATELY

Grant Contributor first so a helper can learn the library and file suggestions; upgrade to Reviewer for their language once you have seen their judgement. Reviewer approvals are provisional, so you keep the final say while they do the volume.

WHY THIS IS SUPER-ADMIN ONLY

The power to grant access is the power to grant any access, so it is never delegated. Super admins themselves are listed read-only — they come from `ADMIN_EMAILS` in the deploy environment, by design.

Access: super admin only. Every grant and removal is logged.

Help & roles page

The in-admin Help & roles page is a living summary of how the admin works and — most usefully — of the viewer's own access. Anyone with admin access can open it.




Figure 27.1 — Help & roles: your access and what it opens, the verb staircase and the roles.

- **Your access** — your role and languages, then a ✓/✗ list of abilities, each with *Open* → or the grant it needs.
- **What “access” means** — the verb staircase.

- **The roles** — the role cards and *Exactly what each role can do*, with your own role marked.
- **Where things live** — every section, marked *You have this* or with what it needs.
- **Reviewing, How changes reach readers, Good to know** and a short glossary.

THE FASTEST ANSWER TO "WHY CAN'T I...?"

Point a teammate here first. Because it reads their access live, it is always right for the person looking — and nine times in ten it answers the question without this manual.

Capability & verb reference

Capabilities

CAPABILITY	GOVERNS
Reporting & analytics	Dashboard, coverage, language health, engagement, search statistics, activity.
User analytics (PII)	The Users directory and reader pages.
Content audit & quality	The audit report; accepting findings.
Content review	The review queue; marking a translation still current.
Publishing & imports	The publish toggles.
Translation queue	Search triage (queuing itself is super-admin only).
Content-edit queue	Title, text, audit and biography fixes.
Author records	Creating authors.
Language administration	Readiness (view), the bar and settings (act), go-live (approve).
Email campaigns	Reserved — email is super-admin only.
Reader feedback queue	Reading (view) and triaging (act) feedback.

Roles as bundles

AREA	CONTRIBUTOR	REVIEWER	LANGUAGE ADMIN
Reporting	View	View	View
Content audit	View	View	Act
Content review	View	Act	Approve
Translation queue	Suggest	Suggest	Act
Content-edit queue	Suggest	Suggest	Act
Publishing	—	—	Act
Author records	—	—	Act
Reader feedback	—	—	Act
Language administration	—	—	View
User analytics · Email	—	—	—

A super admin holds every capability at Approve, in every language, plus the super-admin-only levers: importing, queuing translations, email, and Team & access.



What the activity log records

AREA	ACTIONS
Languages	Language created · settings changed · readiness thresholds changed · taken live
Content	Document published · unpublished · content-edit job filed · author created
Review	Review decision recorded · undone · translation confirmed current with its English
Translation	Translation job filed
Audit	Finding accepted as known · acceptance undone
Search	Unanswered search triaged · triage undone
Feedback	Reader feedback triaged
Email	Broadcast created · edited · deleted · test sent · scheduled · sent · paused · resumed · canceled · template saved · template deleted · translation requested · draft checked for · translation approved · email sent to a reader
Access	Admin access granted · revoked

Read-only actions (previews, counts, searches of the library) are not logged.

Glossary

Edition

One language version of a work. Books, sermons and plans exist as per-language editions sharing a slug.

Fixture / source

The committed project files the public site is built from. Prose changes are made here, via jobs.

Job

A tracked GitHub issue asking for a source change — a translation, a title, a text fix, an audit fix, a biography. Filing one changes nothing live.

Publish state

Whether an edition is visible to readers. An immediate switch.

Source type

Public domain, AI-reviewed or AI-unreviewed.

Unreviewed

An AI translation not yet confirmed by a person. Admin-only; never shown to readers.

Provisional

A reviewer's approval recorded but not yet confirmed by an approver.

Out of date (🔄)

A translation whose English has changed since it was made.

Copyright-blocked

A work on the blocklist: it cannot be published or translated.

Readiness / the bar

The checklist a language must pass to go live, and the per-language counts it must reach.

Go live

Advertising a language to readers; it records the launch and triggers a rebuild.

Broadcast

An email to a segment of readers, sent in paced batches.

Lifecycle email

An automatic email triggered by what a reader has (or hasn't) done.

Suppressed

A reader address that bounced or complained; nothing is sent to it.

Capability · Verb · Scope

The area a grant opens · how far it goes · the languages it covers.

Super admin

Full access, from the `ADMIN_EMAILS` allowlist outside the grant system.

Troubleshooting & FAQ

A section is missing from my rail.

You don't hold its capability, or it is super-admin only. Help & roles shows exactly what each section needs.

I filed a fix but the site hasn't changed.

Expected. A job queues a reviewed change that ships on the next build (Chapter 2). The control links to the job; the activity log tracks it.

My approval says "Submitted for approval".

You hold review at Act, so your approvals are provisional until a language admin or super admin confirms them (Chapter 14).

The Approve button is greyed out.

Scroll to the end of the text — approval unlocks once you have read it all.

A language admin can't change the bar or go live.

By design: the role holds Language administration at View only. Those levers stay with the super admin (Chapter 20).

The readiness check is slow or shows "unknown".

The Bible check calls an external service. An unknown does not block a launch; try again later.

"Send now" didn't send anything yet.

Broadcasts start on the next email run, within 15 minutes, and go out in batches. Check the progress panel; if a warning said sending is switched off on the server, every email is recorded as skipped.

A broadcast paused itself.

The guardrail tripped on complaints or bounces. Look at the rates on the Emails page before resuming.

I can't email a particular reader.

They bounced, complained, or unsubscribed from everything; the panel says which.

I granted someone access but they see nothing.

They must sign in with that exact email, verified. Their card shows *Invited · not signed in yet* until they do.

Where do I find this manual again?

Account menu (avatar, top-right) → **Admin Manual PDF**. Super admins only.



Ochorus Admin Manual · Version 2.0 · October 2026