

L Ochorus

The Admin System Manual

A complete guide to running the Ochorus library — reviewing translations, publishing editions, managing your team, and keeping every language healthy.

Audience: Super admins, language admins, reviewers & contributors · **Covers:** the full `/admin` console
Version: 1.0 · **Updated:** September 2026 · Screens shown with sample data

Contents

GETTING ORIENTED

- 1** Welcome to the admin
What this room is for, and how it is built
- 2** How content reaches readers
The one idea that explains every workflow
- 3** Access levels at a glance
Super admin, language admin, reviewer, contributor
- 4** Signing in & finding your way
The navigation rail and what you can see

THE DAILY SURFACES

- 5** The dashboard
The snapshot you open every day
- 6** Needs attention & worklists
Turning signals into action
- 7** Coverage matrix
Work x language, at a glance
- 8** Language health
One score per language, ranked

BUILDING THE LIBRARY

- 9** Importing a document
From a file to a published book
- 10** The book page
Publishing, and fixing titles & text
- 11** The sermon page
- 12** The content-edit queue
Titles, body text & author bios
- 13** Authors & biographies

REVIEWING & QUALITY

- 14** The review queue
Maker-checker for translations

- 15** Content audit
- 16** Search analytics & demand
Reading what your readers can't find
- 17** Engagement analytics
- 18** The activity log

LANGUAGES, PEOPLE & ACCESS

- 19** Administering a language
Readiness, thresholds & going live
- 20** Adding a new language
- 21** Users & reader analytics
- 22** Team & access (RBAC)
Granting graduated admin access
- 23** Help & roles page

REFERENCE

- A** Capability & verb reference
- B** Glossary
- C** Troubleshooting & FAQ

Welcome to the admin

The admin is the room where the Ochorus library is built, reviewed, and taken live. Everything a reader eventually sees — a new translation, a fixed chapter title, a biography, a language going live — begins here.

Ochorus is a free reader for public-domain Christian classics, offered in many languages across the web and mobile. The public site is deliberately simple: a reader opens a book and reads. All of the judgement behind that simplicity — which works to carry, which translations are trustworthy, which languages are ready to advertise — lives in the admin console at `/admin`.

This manual walks through every screen and every workflow, in the order you are likely to need them. You do not have to read it cover to cover. Each chapter stands on its own, opens with a screenshot of the screen it describes, and ends with the practical “how do I...” steps.

What makes this admin unusual

Most content systems let an editor change a live database row and see it on the site a moment later. Ochorus works differently, and understanding why will make every screen in this manual make sense. Chapter 2 explains it in full; the short version is this:

THE CORE IDEA

The public site is **built ahead of time** from the project’s source files, not edited live. So most changes to what a reader reads are not instant database edits — you **file a job**, and it ships as a reviewed change on the next build. A few things *are* immediate: taking an edition on- or off-line, and recording review decisions. Those are the levers gated most tightly.

Who this manual is for

Ochorus has four levels of admin access, described in Chapter 3. Wherever a task needs a particular level, this manual says so. If a screen or button described here is missing when you look, that is almost always your access level at work, not a fault — ask a super admin.

A NOTE ON THE SCREENSHOTS

Every screen in this manual is captured from a live copy of the admin running against sample data. Names, counts, and reader figures are illustrative; your own numbers will differ. The layout, controls, and wording are the real thing.

How content reaches readers

One idea shapes almost every workflow in the admin. Spend two minutes here and the rest of the manual will feel obvious.

The site is pre-built, not live

The reader you see at ochorus.com is a set of pages generated in advance from the project's committed source files (its "fixtures"). This is what makes the site fast, cheap to serve, and reliable. The trade-off is that a change to a book's words does not appear the moment someone edits a database row — nothing would notice, and the pre-built page would never be regenerated.

So prose changes ship as jobs

Because of that, when you want to change something a reader reads — a chapter title, a paragraph of text, a translation, an author biography — the admin does not edit it in place. Instead it **files a job**: a small, tracked request that a person (or an assisted workflow) turns into a proper source change, reviewed and shipped on the next build. You will see this pattern in three places:

- **Translate** buttons on a language page file a translation job.
- **Fix title** and **Flag text** on a book page file a content-edit job.
- **Request bio** on the authors worklist files a biography job.

Filing a job changes nothing on its own. It queues work — which is exactly why a contributor can be trusted to file one without being able to alter the live site.

What is immediate

A few things are true database switches and take effect on the site right away, so they are gated behind higher access:

- **Publish / unpublish** an edition — this hides or shows a book in that language immediately.
- **Recording a review decision** — approving or flagging an AI translation.
- **Taking a language live** — the switch that advertises a language to readers.

WHY IT'S BUILT THIS WAY

Every prose change becoming a reviewable job is a feature, not friction: it means nothing reaches a reader without passing through a record of who changed what and why. The production site holds no content-authoring credentials at all, so there is simply no way to quietly rewrite a live page — a safeguard against both mistakes and mischief.

A word on AI translations

Ochorus uses AI to draft translations, but never presents one as finished. A fresh AI translation is marked *unreviewed* and carries an “awaiting native review” state until a person approves it in the review queue (Chapter 14). Crucially, this review state is **admin-only** — readers never see an “unreviewed” badge. Quality is handled here, in this room, not by warning the reader.

Access levels at a glance

Ochorus grants admin access in graduated levels, so you can invite help without handing over the keys. Access has two parts — *which area* you can work in, and *how far* you can go in it — and every grant is scoped to one or more languages.

The two dimensions

A grant pairs a **capability** (an area of the admin, such as reviewing or publishing) with a **verb** (how far you can act in it). The verbs form a ladder — each includes the ones below it:

VERB	WHAT IT LETS YOU DO
View	See the reports and queues in an area.
Suggest	Propose work — file a job — but apply nothing to the live site yourself.
Act	Make the change: record a review decision, publish an edition, and so on.
Approve	Confirm other people’s work, and pull the high-stakes levers.

The four roles

Most people are given a *role* — a convenient bundle of capabilities and verbs — rather than hand-picked grants. The four roles are:

ROLE	CAN
Contributor	View the library and queues, and suggest work (file translation and content-fix jobs). Applies nothing live.
Reviewer	Everything a contributor can, plus record review decisions on their language(s). Their approvals are provisional until a higher level confirms them (Chapter 14).
Language admin	Act and approve within their language(s): publish editions, confirm reviews.
Super admin	Everything, in every language — including granting access to others and taking a language live.

LANGUAGE SCOPE

Every grant except a super admin's is limited to specific languages. A reviewer for Swahili can act on Swahili and sees only Swahili in their queues; the same person has no reach into Spanish unless separately granted. This is what lets you bring on a native speaker for one language without exposing the rest.

WHERE SUPER ADMINS COME FROM

Super admins are defined by an allowlist that sits outside the grant system entirely, so there is no way to accidentally revoke the last one and lock everybody out. Everyone else is granted access on the **Team & access** page (Chapter 22). The Admin Manual you are reading is itself a super-admin document, reached from the account menu.

Signing in & finding your way

You reach the admin at `/admin` once you are signed in with an account that has been granted access. Everything hangs off a single left-hand navigation rail.

The navigation rail

The rail on the left lists every section you can reach. It is *capability-aware*: it shows only what your access opens, so two people can be looking at the same admin and see different menus. A super admin sees the full list shown throughout this manual; a Swahili reviewer might see only the dashboard, the review queue, and the help page.




Figure 4.1 — The Help & roles page summarises your own access at the top; it is visible to anyone with any admin access.

TIP

Not sure what you can do? Open **Help & roles** from the rail. It shows your exact grants — the capabilities, verbs, and languages you hold — and explains the review workflow in plain terms. It is the fastest way to answer “why can’t I see X?”.

Reading a section

Each section opens with a page whose top explains what it is for. Read-only sections (reports, the coverage matrix, analytics) can be opened by anyone with the matching *view* grant; anything that changes the live site or files a job requires a higher verb, and the button simply won’t appear if you lack it.

Two links always sit at the foot of the rail: ← **View site**, which opens the public reader so you can see what readers see, and — for super admins — **Team & access**, the only place grants are managed. The **Admin Manual PDF** itself lives in the account menu (the initials avatar, top-right), visible to super admins only.

The dashboard

The dashboard is the snapshot you open every day: what the library contains, how it breaks down by language, and what needs you now.



Admin

Dashboard

Import document

Coverage matrix

Language health

Review queue

Content audit

Activity

Engagement

Search

Users

Team & access

Help & roles

← View site

HomeBooksTopicsPlansSermonsBiographies

Q 26K

ADMIN

Content dashboard

A snapshot of the library — quantities, languages and health.

Updated 11:28 AMExport CSVExport JSONRefresh

Needs attention2 to act on

Ranked by reader impact

✓ Data integrity is clean — no empty chapters or bookless books.

197

AI translations awaiting review

Readers see an “awaiting review” badge until a native speaker checks these.

43

Searches that found nothing · 30d

Readers asked; the library had no answer — 32% of searches.

Also: 6 unpublished books · 1 author without a bio.

6 unpublished books →

197 unreviewed AI translations →

1 authors without a bio →

108

Works

distinct titles

305

Books

299 published

5,458

Chapters

across all books

14,125,415

Words

≈ 1,177 hrs of reading

306

Sermons

306 published

39

Plans

39 published

91

Authors

89 with a bio

9

Languages

with content

By language

Coverage matrix →

Select a language to see what's translated and what to work on next.

LANGUAGE	BOOKS	CHAPTERS	SERMONS	PLANS	BIOS	ARTICLES	WORDS	SOURCE
English · en	108 (102 pub)	2,084	93	9	89	76	6,858,883	PD 108
Swahili · sw	40	667	25	5	0	10	1,410,353	AI· 40
Spanish · es	36	546	41	3	0	10	1,282,468	AI· 36
Portuguese · pt	36	639	45	7	0	0	1,572,047	AI· 36
Luganda · lg	25	400	22	5	0	0	774,348	AI· 25
Arabic · ar	21	373	18	5	0	0	637,684	AI· 21
hi · hi	16	316	19	2	0	0	683,645	AI· 16
fr · fr	15	274	30	2	0	20	636,492	AI· 15
uk · uk	8	159	13	1	0	0	269,495	AI· 8

PD public domain AI· AI reviewed AI· AI unreviewed +N queued to translate

+ Add a language

Books by source

Public domain	108
AI · reviewed	0
AI · unreviewed	197
Author bio translations	0 (0 reviewed)

Recently added books

A Cana Esmagada	Sep 11, 2026
Richard Sibbes · pt	
La guérison divine	Sep 10, 2026
Andrew Murray · fr	
La piété	Sep 10, 2026
Catherine Booth · fr	




Figure 5.1 — *The content dashboard: the attention hub and quick chips on top, headline totals in the middle, and the per-language breakdown below.*

What you’re looking at

- **Needs attention** — a ranked hub of what to act on, described in Chapter 6. When the library is healthy, the first line simply confirms it (“Data integrity is clean”).
- **Quick chips** — one-click jumps to the worklists behind the biggest signals: unpublished books, unreviewed translations, authors without a bio.
- **Headline totals** — distinct works, books (and how many are published), chapters, words (with an estimate of reading hours), sermons, plans, authors (and how many have a bio), and languages with content.
- **By language** — a compact table of how much exists in each language, and the source of that content (public domain, AI-reviewed, AI-unreviewed).

Exporting

The **Export CSV** and **Export JSON** buttons in the header download the current snapshot for use in a spreadsheet or a report. **Refresh** re-pulls the figures without reloading the page.

READING THE SOURCE COLUMN

In the *By language* table, the **Source** column tells you how a language's books were produced. PD is public domain (the English originals). AI· marks AI translations not yet reviewed; AI✓ marks those a person has approved. A language sitting on a pile of AI· is your cue to open the review queue for it.

Access: the dashboard needs Reporting · View, which every admin role includes.

Needs attention & worklists

The attention hub turns raw counts into a ranked to-do list, and each signal links to a worklist you can actually act on.

How it ranks

The hub gathers the cheap health and demand signals that otherwise live one-per-page — unreviewed translations, unpublished content, authors without a bio, empty chapters, structural gaps, and search demand — and orders them by likely reader impact. The single most important thing is called out large; the rest follow.

The worklists behind the chips

Three of the counts are backed by a full worklist, reached by clicking the chip:




Figure 6.1 — Unpublished books and sermons, grouped by author so a person's drafts sit together.




Figure 6.2 — Authors with no biography, the ones carrying the most content first, each with a Request bio button.


The unpublished list links each book to its admin page, where the publish toggle lives (Chapter 10). The authors list ranks people by how much content they carry, so the highest-value gaps come first, and lets you file a biography job straight from the row (Chapter 13).

WORKING THE HUB

Treat the hub top-down. Clear the large call-out first, then the chips. Because the signals are recomputed each time you open the dashboard, the list re-orders itself as you go — you are always looking at the current highest-impact task.

Coverage matrix

The coverage matrix answers a single question at a glance: which works exist in which languages, and where the gaps are.



Reading the grid

Each row is a work; each column is a language. A filled cell means the work exists in that language; its styling tells you whether it is an original, a reviewed translation, or an AI draft still awaiting review. An empty cell is a gap — a translation not yet started.

The matrix is the natural companion to the *By language* table on the dashboard: the dashboard tells you *how much* a language has, the matrix tells you *exactly which* works it is missing, so you can decide what to queue next.

FROM GAP TO JOB

When you spot a gap worth filling, the per-language page (Chapter 19) is where you queue the translation. The matrix is for seeing the shape of the library; the language page is for acting on it.

Access: [Reporting · View](#) .

Language health

The language-health scoreboard distils everything about a language into a single 0–100 score and ranks every language, so you can see where an hour of work will do the most good.



OCHORUS
Admin

- Dashboard
- Import document
- Coverage matrix
- Language health
- Review queue
- Content audit
- Activity
- Engagement
- Search
- Users
- Team & access
- Help & roles
- ← View site

← Back to dashboard

ADMIN · HEALTH

Language health

One score per language, ranked, composing four signals: how much of the go-live bar is met, how much of the 102-book English shelf exists here, how much of it a human has reviewed, and how many readers it has. It's a pointer to where the next hour of work goes — open a language to act on its weakest signal.

Readiness

How much of the go-live bar is met

Coverage

Share of the English shelf that exists here

Review

Share of translations a human has confirmed

Engagement

Readers, against the busiest language

#1 **English** English [source](#) live **100** / 100

102 books · 93 sermons · 89 bios · 9 plans · 36 readers

Readiness		100%	Coverage		100%
Review		100%	Engagement		100%

[Ready to go live](#)

#2 **Portuguese** Português live **46** / 100

36 books · 45 sermons · 0 bios · 7 plans · 19 readers · 36 awaiting review

Readiness		79%	Coverage		35%
Review		0%	Engagement		53%

Blocking: [Biographies](#) [Topic shelves](#)

#3 **Spanish** Español live **46** / 100

36 books · 41 sermons · 0 bios · 3 plans · 19 readers · 36 awaiting review

Readiness		79%	Coverage		35%
Review		0%	Engagement		53%

Blocking: [Biographies](#) [Topic shelves](#)

#4 **Swahili** Kiswahili live **40** / 100

40 books · 25 sermons · 0 bios · 5 plans · 11 readers · 40 awaiting review

Readiness		67%	Coverage		39%
Review		0%	Engagement		31%

Blocking: [Biographies](#) [Topic shelves](#)

#5 **Luganda** Luganda live **38** / 100

25 books · 22 sermons · 0 bios · 5 plans · 18 readers · 25 awaiting review

Readiness		67%	Coverage		25%
Review		0%	Engagement		50%

Blocking: [Biographies](#) [Topic shelves](#)

#6 **Arabic** العربية live **36** / 100

21 books · 18 sermons · 0 bios · 5 plans · 10 readers · 21 awaiting review

Readiness		72%	Coverage		21%
Review		0%	Engagement		28%

Blocking: [Biographies](#) [Topic shelves](#)



Equipping people with classic Christian books — free to read, in your language.

EXPLORE

- Books
- Topics
- Plans
- Sermons
- Biographies

DISCOVER

- Articles
- Scripture
- Quotes
- RSS

OUR MISSION

Free classic Christian books online — and printed books given out at conferences, churches, schools, and prisons across East Africa.

A ministry since 2021 · Victoria BC, Canada · Kampala, Uganda

Figure 8.1 — Each language scored and ranked, with the four components broken out and the readiness verdict shown as a badge or blocking chips.

What the score is made of

The composite blends four signals, weighted by how much each matters to a reader:

COMPONENT	MEASURES	WEIGHT
Readiness	How much of the go-live bar is met (with partial credit toward each count target).	35%
Coverage	The share of the English shelf that exists in this language.	30%
Review	The share of the language's translations a person has confirmed.	20%
Engagement	How many readers it has, measured against the busiest language.	15%

English, the source language, naturally scores highest — it is the benchmark every translation is working toward. Each row shows the four components as small bars so you can see *why* a language sits where it does, and a readiness line: a green “Ready to go live” badge, or the specific checks still blocking it.

HOW TO USE IT

Scan for a language that is high on coverage but low on review — that is a backlog of drafts waiting for a native speaker, and a reviewer grant will unlock it. A language low on readiness with a single blocking chip is often one focused push from going live.

Access: [Reporting · View](#) .

Importing a document

The import screen turns a source document into a structured book — parsed into chapters, previewed for quality, and staged for publishing.




Figure 9.1 — The import screen: choose the language, provide the document, and let the parser structure it before you publish.

The flow

- 1 Choose the target language.

Import writes into one language edition. The list is drawn from the language registry.

2

Provide the document

and let the parser split it into chapters. The preview shows the structure it detected so you can catch a mis-split before anything is written.

3

Review the quality flags.

The same quality heuristics used by the content audit (Chapter 15) run over the parsed text, surfacing generic titles, suspiciously short chapters, and extraction artefacts.

4

Publish

when the preview looks right. The edition is created; you can still fine-tune titles and text afterward through the content-edit queue (Chapter 12).

BEFORE YOU IMPORT

Importing creates real content. Confirm the work is genuinely public domain and that you have a clean source text — the parser structures what you give it, but it cannot rescue a poor scan. Quality problems caught at import are far cheaper than ones found after a translation has been built on top.

Access: importing requires the [Publishing · Act](#) capability.

The book page

Every book has an admin page that gathers all of its language editions in one place, with the controls to publish an edition and to fix its titles and text.

Figure 10.1 — *A book’s admin page: each language edition with its publish toggle, and each chapter with its quality flags and fix controls.*

Publishing an edition

Each language edition has a **publish toggle**. This is one of the few immediate, live switches in the admin: turning an edition off removes it from the reader that same moment; turning it on makes it visible. Use it to hold a draft back until it is ready, or to pull an edition that has a problem.

Fixing a chapter

Each chapter row carries any quality flags it has tripped, and two controls:

- **Fix title** — opens a small editor pre-filled with the current title. Type the corrected title and file the job.
- **Flag text** — opens a note field where you describe what is wrong with the chapter’s *text* (a merged paragraph, a typo, a missing line). It files a job for someone to correct the prose.

Neither edits the book directly — remember Chapter 2. Both file a content-edit job (Chapter 12) that becomes a reviewed source change. When you file one, the control confirms it and links to the tracked job.

WHY A TITLE ISN’T JUST EDITABLE

A chapter title is part of the pre-built source, and it also feeds the site’s search index. Editing it in place would leave the built page and the search index stale. Filing a job means the fix is applied properly in one reviewed change — the source, the live rows, and search all move together.

Access: the publish toggle needs [Publishing · Act](#) for the edition’s language; filing a fix needs [Content-edit · Suggest](#) .

The sermon page

Sermons work like books, minus the chapters: a sermon is a single document, so its admin page is simpler.




Figure 11.1 — A sermon’s admin page, with its language editions and publish control.

Each sermon gathers its language editions with the same **publish toggle** as a book edition, behaving the same way: an immediate, live switch that shows or hides the edition on the reader. Because a sermon has no chapters, there is no per-chapter fix control; a correction to a sermon’s text is filed the same way a chapter body is — through the content-edit queue.

FINDING A SERMON

Sermons surface throughout the admin — in the dashboard totals, the unpublished worklist, and the coverage and review surfaces. From any of those, follow the sermon to its page to publish or unpublish an edition.

Access: [Publishing · Act](#) for the edition’s language.

The content-edit queue

The content-edit queue is the single channel for fixing the words a reader reads — chapter titles, chapter text, and author biographies. Every fix you file from the book page or the authors worklist lands here.

Three kinds of job

All three share one queue but carry different instructions for whoever completes them:

KIND	FILED FROM	YOU PROVIDE
Title	"Fix title" on a chapter row	The corrected title.
Body	"Flag text" on a chapter row	A note describing what is wrong.
Bio	"Request bio" on the authors worklist	An optional note on what to emphasise.

What happens to a job

A filed job is tracked from the moment you create it. A person (often working with an assisted workflow) turns it into a proper source change: the fix is made to the project’s files, reviewed, and shipped on the next build, at which point it reaches readers. You do not have to do anything after filing — the job carries all the context needed to complete it.

ONE JOB PER PROBLEM

If a title job is already open for a chapter, filing another is prevented — the control tells you one is already queued. A title fix and a text fix for the same chapter, though, can both be open at once: they are different kinds of work.

WHY BIOS AND BODY TEXT ARE NOTES, NOT EDITS

A biography and a chapter’s prose are long-form, formatted text with their own rules (a bio carries pull-quotes and citations a chapter never would). Rather than ask you to paste corrected HTML into a form, the queue captures *what is wrong* and lets the person completing the job do it properly, with the right tools and review.

Access: filing any job needs [Content-edit · Suggest](#) for the relevant language.

Authors & biographies

Authors carry the biographies that appear above their books. The admin helps you find who is missing one and file the work to write it.

Finding the gaps

The **Authors without a bio** worklist (Figure 6.2) lists every author whose biography is empty, ranked by how much content they carry — so the writer whose books get the most readers rises to the top. Imprints and bylines that are not real people are excluded, so the list never contains a task that can't be finished.

Requesting a biography

- 1 Open the worklist**
from the dashboard chip or the navigation.
- 2 Find the author**
— the highest-value gaps are already at the top.
- 3 Click “Request bio.”**
Add an optional note if there is something specific to emphasise (their missionary years, a particular work), then file it.

This files a biography job in the content-edit queue (Chapter 12). As with every prose change, it becomes a reviewed source change rather than a live edit.

TRANSLATED BIOGRAPHIES

An author's biography can exist in several languages. The worklist tracks the English source bio; a request can target a translation too. Either way, the biography ships through the same reviewed channel.

Access: [Reporting · View](#) to see the list; [Content-edit · Suggest](#) to file a request.

The review queue

The review queue is where AI translations become trustworthy. It is built around a maker–checker principle: one person proposes a decision, another confirms it.



Admin

Dashboard

Import document

Coverage matrix

Language health

Review queue

Content audit

Activity

Engagement

Search

Users

Team & access

Help & roles

← View site

HomeBooksTopicsPlansSermonsBiographies

Q 26K

ADMIN

Review queue

AI translations awaiting a native-speaker check. Approving clears the “awaiting review” badge in the reader — so read the text first. The checks on each row say only that the machine found nothing, never that the prose is good.

LanguageTypeSort

All languagesAll typesOldest first

☐ Needs attention only (0) ☐ Needs work (0)

Showing 410 of 410 awaiting review

Portuguese (4)

Select eligible

☐

A Chave de Ouro da Oração

Sermon · no scripture notes recorded

Charles H. Spurgeon · 6,917 words · Jeremias 33:3

Tags OK

tags 128/128 · ratio 95.3%

Review

☐

O Clamor dos Corvos

Sermon · no scripture notes recorded

Charles H. Spurgeon · 6,707 words · Salmos 147:9

Tags OK

tags 149/149 · ratio 95.5%

Review

☐

A Primeira Oração de Paulo

Sermon · no scripture notes recorded

Charles H. Spurgeon · 6,356 words · Atos 9:11

Tags OK

tags 138/138 · ratio 95.1%

Review

☐

Os Oito “Eu Quero” de Cristo

Sermon · no scripture notes recorded

Dwight L. Moody · 4,836 words · Mateus 11:28

Tags OK

tags 174/174 · ratio 95.1%

Review

Spanish (6)

Select eligible

☐

El Poder de la Quietud

Sermon · no scripture notes recorded

A. B. Simpson · 982 words · 1 Reyes 19:12

Tags OK

tags 42/42 · ratio 100%

Review

☐

Jesús Mismo

Book · no scripture notes recorded

Andrew Murray · 2 ch

Tags OK

tags 194/194 · ratio 93.6%

Review

☐

El aposento interior

Book · no scripture notes recorded

Andrew Murray · 36 ch

Tags OK

tags 898/898 · ratio 102.4%

Review

☐

El bautismo con el Espíritu Santo

Book · no scripture notes recorded

R. A. Torrey · 5 ch

Tags OK

tags 334/334 · ratio 97.3%

Review

☐

La abnegación de Dios

Book · no scripture notes recorded

Hannah Whitall Smith · 32 ch

Tags differ

tags 1834/1722 — sequence differs · ratio 100.2%

Review

☐

Él sostiene mis mañanas

Book · no scripture notes recorded

Gareth Evans · 18 ch

Tags OK

tags 1424/1424 · ratio 100.4%

Review

Luganda (8) Select eligible

- ☐ **Amaanyi g'Obusirifu** Sermon no scripture notes recorded Review
A. B. Simpson · 737 words · 1 Bassekabaka 19:12
Tags OK
tags 42/42 · ratio 75.1%
- ☐ **Yesu Yennyini** Book no scripture notes recorded Review
Andrew Murray · 2 ch
Tags OK
tags 194/194 · ratio 71.1%
- ☐ **Ekisenge Eky'omunda** Book no scripture notes recorded Review
Andrew Murray · 36 ch
Tags OK
tags 898/898 · ratio 74.5%
- ☐ **Okusaba - Entunnunsi y'Obulamu** Book no scripture notes recorded Review
Hannah Buyinza · 12 ch
Tags OK
tags 322/322 · ratio 75.4%
- ☐ **Akwata Ennaku Zange Ez'Omu Maaso** Book no scripture notes recorded Review
Gareth Evans · 18 ch
Tags OK
tags 1424/1424 · ratio 76.5%
- ☐ **Obutali bwa Mululu bwa Katonda** Book no scripture notes recorded Review
Hannah Whittall Smith · 32 ch
Tags OK
tags 1722/1722 · ratio 79%
- ☐ **Okubatizibwa n'Omwoyo Omutukuvu** Book no scripture notes recorded Review
R. A. Torrey · 5 ch
Tags OK
tags 334/334 · ratio 72%
- ☐ **Ensulo Ezitagwaawo** Sermon no scripture notes recorded Review
Hudson Taylor · 1,999 words · Yokaana 4:14
Tags OK
tags 82/82 · ratio 77.9%

Swahili (7) Select eligible

- ☐ **Nguvu ya Utulivu** Sermon no scripture notes recorded Review
A. B. Simpson · 832 words · 1 Wafalme 19:12
Length OK Tags OK
tags 42/42 · ratio 84.7% (band 73.6-93.5)
- ☐ **Uwezekano wa Imani** Sermon no scripture notes recorded Review
A. B. Simpson · 4,846 words · Marko 9:23
Length OK Tags OK
tags 106/106 · ratio 87.3% (band 73.6-93.5)
- ☐ **Yesu Mwenyewe** Book no scripture notes recorded Review
Andrew Murray · 2 ch
Length OK Tags OK
tags 194/194 · ratio 77.3% (band 77-91)
- ☐ **Anazishika Kesho Zangu** Book no scripture notes recorded Review
Gareth Evans · 18 ch
Length OK Tags OK
tags 1424/1424 · ratio 84.2% (band 77-91)
- ☐ **Chumba cha Ndani** Book no scripture notes recorded Review




Figure 14.1 — The review queue lists translations awaiting a decision, scoped to the languages you can review.

What’s in the queue

Every AI translation ships marked *unreviewed* and waits here until a person decides on it. You see only the languages you are granted to review; a Swahili reviewer never sees the Spanish queue.

Making a decision

For each item you can **approve** it (the translation reads well and is faithful) or send it back as **needs work**, optionally with a reason. Approving promotes the translation from “AI unreviewed” to reviewed.

Maker-checker: provisional approvals

This is the heart of graduated review. If you hold review at the *act* level (a reviewer), your approval is **provisional**: it is recorded and flagged “awaiting confirmation,” but nothing is promoted until someone with the *approve* level (a language admin or super admin) confirms it. Your button reflects this — it reads **Submit for approval** rather than **Approve**. An approver then sees your submission and clicks **Confirm**.

WHY TWO STEPS

It lets you trust a native speaker to read and judge translations — real, valued work — without any single person being able to promote content to readers unchecked. A reviewer proposes; an approver confirms. Once an item is confirmed, a reviewer cannot quietly unwind it; changing a confirmed decision requires the approve level too.

WORKING A LANGUAGE TO “REVIEWED”

The review component of a language’s health score (Chapter 8) rises as its queue is cleared. Pairing a reviewer (to propose) with an approver (to confirm) is the fastest way to move a language from a pile of drafts to a shelf of reviewed translations.

Access: viewing needs [Review · View](#) ; proposing needs [Review · Act](#) ; confirming needs [Review · Approve](#) — each scoped to the language.

Content audit

The content audit is the library’s standing quality report — the structural and textual defects worth a human’s attention, gathered in one place.




Figure 15.1 — The content audit splits data-integrity issues (which readers hit) from advisory content-quality heuristics; each finding can be opened, acted on, or accepted as known.

What it checks

The audit runs the same quality heuristics used when a document is imported, across the whole library: generic or duplicated chapter titles, suspiciously short or empty chapters, gaps in chapter order, broken references, and extraction artefacts in the text. Findings are grouped into *data integrity* (structural defects readers hit directly) and *content quality* (advisory heuristics that expect some false positives), so the ones that most affect readers stand apart.

Acting on a finding

Each finding links to the place you fix it — usually a book page, where you file a title or text fix (Chapter 10). When a finding is a false alarm or a deliberate choice, you can **accept it as known**, which dismisses it from the active list so the report stays trustworthy. Accepting is reversible.

KEEP THE REPORT HONEST

A quality report only gets read if it is trustworthy. Dismiss the findings that are genuinely fine so the list reflects real, outstanding work — not a wall of noise everyone learns to ignore.

Access: viewing and dismissing findings needs the [Audit](#) capability.

Search analytics & demand

The search screen shows what readers are looking for — and, more usefully, what they searched for and did *not* find.



Admin

Dashboard

Import document

Coverage matrix

Language health

Review queue

Content audit

Activity

Engagement

Search

Users

Team & access

Help & roles

← View site

Home

Books

Topics

Plans

Sermons

Biographies

26K

ADMIN

Search

What readers look for — and what they don't find. Anonymous queries only.

Refresh

29

Searches · 7d

18 distinct

133

Searches · 30d

30 distinct

8

Zero results · 7d

28% of searches

43

Zero results · 30d

32% of searches

0

Results opened · 30d

searches that led somewhere

Daily searches

Last 14 days. Hover a bar for the day's totals.

found

zero-result

6

Sep 2

3

Sep 3

3

Sep 4

3

Sep 5

2

Sep 6

7

Sep 7

3

Sep 8

5

Sep 9

3

Sep 10

4

Sep 11

3

Sep 12

9

Sep 13

2

Sep 14

2

Sep 15

Top queries · 30d

abide in christ

9

george müller

9

holy spirit

9

prayer

9

spurgeon

9

guidance

8

humildad

8

maombi

8

fasting

5

faith

4

andrew murray

3

humility

3

bonhoeffer sermons

2

espiritu santo

2

oración

2

Found, but not opened · 30d

These returned results and nobody clicked one. A query answered by forty near-misses looks like a success everywhere else on this page — this is the only place it shows up, and it's usually a better content signal than a zero-result query, because nobody complains about a search that returned something.

abide in christ

9

george müller

9

holy spirit

9

prayer

9

spurgeon

9

guidance

8

humildad

8

maombi

8

fasting

5

faith

4

Zero results · 30d

Each of these is a reader asking for something the library doesn't have (or can't find) yet.

e m bounds power

6

imitation of christ

5

mafundisho ya yesu

5

charles finney

4

watchman nee

4

audio bible

3

devocional diario

3

oswald chambers	3
hymns	2
john bunyan audio	2
tozer pursuit of god	2
brother lawrence	1
children's stories	1
kindle download	1
study guide pdf	1

What each language couldn't answer · 30d

The same zero-result queries, split by the language the reader was in — which is the form you can act on. Check a query to see whether the library already has that content in another language: if it does, it's a translation job; if it doesn't, it's a work to acquire.

English en · 35 unanswered searches

e m bounds power	6×	Elsewhere?
imitation of christ	5×	Elsewhere?
charles finney	4×	Elsewhere?
watchman nee	4×	Elsewhere?
audio bible	3×	Elsewhere?
oswald chambers	3×	Elsewhere?
hymns	2×	Elsewhere?
john bunyan audio	2×	Elsewhere?
tozer pursuit of god	2×	Elsewhere?
brother lawrence	1×	Elsewhere?

Swahili sw · 5 unanswered searches

mafundisho ya yesu	5×	Elsewhere?
------------------------------------	----	----------------------------

Spanish es · 3 unanswered searches

devocional diario	3×	Elsewhere?
-----------------------------------	----	----------------------------

Searches by language · 30d

English en		105 · 35 zero
Spanish es		15 · 3 zero
Swahili sw		13 · 5 zero



Equipping people with classic Christian books — free to read, in your language.

EXPLORE

Books
Topics
Plans
Sermons
Biographies

DISCOVER

Articles
Scripture
Quotes
RSS

OUR MISSION

Free classic Christian books online — and printed books given out at conferences, churches, schools, and prisons across East Africa.

A ministry since 2021 · Victoria BC, Canada · Kampala, Uganda

Figure 16.1 — Search analytics: query volume, the zero-result rate, and the specific searches that came back empty.

The signal that matters

Total search volume is interesting; the **zero-result rate** is actionable. A search that returns nothing is a reader asking for something the library doesn't have yet — a work, an author, a topic. The list of empty searches is a demand-ranked backlog written by your readers.

From a gap to a queued translation

Where an empty search points to a work that exists in one language but not the reader's, you can turn that demand straight into queued work: the search view lets you file the translation job for the missing edition, closing the loop from "a reader couldn't find it" to "it's on its way."

ANONYMOUS BY DESIGN

Search analytics are aggregate. They tell you *what* was searched, never *who* searched it.

Access: [Reporting · View](#) .

Engagement analytics

The engagement screen shows how the library is actually being read — active readers over time, reading time, the most-read works, and the breakdown by language.



Admin

Dashboard

Import document

Coverage matrix

Language health

Review queue

Content audit

Activity

Engagement

Search

Users

Team & access

Help & roles

← View site

HomeBooksTopicsPlansSermonsBiographies

Q 26K⚙

ADMIN

Engagement

What readers are reading, marking, and loving — aggregate counts only, no personal data.

Aggregate only · no individual readersRefresh

READING PULSE

46Readers with saved progress

35Active · 7d ↑+106%9 today

42Active · 30d ↑+163%in the last month

23Marked chapters23 readers

46Registered usersaccounts

Reading time

Active reading — foreground, non-idle — not tab-open time.

41h 47mTotal time104 sittings

24mAvg sitting36 readers

9h 38mLast 7 days15 readers

30h 44mLast 30 days33 readers

Weekly active readers

7Jul 27

5Aug 3

3Aug 10

23Aug 17

22Aug 24

19Aug 31

29Sep 7

17Sep 14

Most read

Distinct readers — and, for books, how many reached the end.

Humility · Andrew Murray11 readers55% finished

Jesus Himself · Andrew Murray8 readers25% finished

The Inner Chamber · Andrew Murray6 readers33% finished

He Holds My Tomorrows · Gareth Evans5 readers60% finished

The Key in My Hand · Gareth Evans5 readers20% finished

The Way to God · Dwight L. Moody5 readers0% finished

Baptism with the Holy Spirit · R. A. Torrey4 readers0% finished

Divine Healing · Andrew Murray4 readers0% finished

Lord, Teach Us To Pray · Andrew Murray4 readers50% finished

Talks to the Farmer · Charles H. Spurgeon4 readers25% finished

Most highlighted

Readers who marked up the text — where it resonates.

Humility · Andrew Murray3 readers · 3 ch

The Unselfishness of God · Hannah Whitall Smith2 readers · 2 ch

Jesus Himself · Andrew Murray2 readers · 2 ch

Gleanings Among the Sheaves · Charles H. Spu...2 readers · 2 ch

Watchman Nee · Watchman Nee1 readers · 1 ch

Waiting on God · Andrew Murray1 readers · 1 ch

Till He Come · Charles H. Spurgeon1 readers · 1 ch

The Person and Work of the Holy Spirit · R. A...1 readers · 1 ch

The Key in My Hand · Gareth Evans1 readers · 1 ch

The Bruised Reed · Richard Sibbes1 readers · 1 ch

Readers by language

English en36

Portuguese pt19

Spanish es19

Luganda lg18




Figure 17.1 — *Engagement: active-reader windows with week-over-week movement, reading time, most-read and most-marked works, and readers by language.*

What's here

- **Active readers** over the last day, week, and month, each with a comparison to the previous period so you can see the trend, not just the count.
- **Reading time** — real active reading, not tab-open time — with a weekly-active chart.
- **Most read** and **most marked** — the works readers spend time in and highlight.
- **By language** — where your readers are, which feeds the engagement component of the health score (Chapter 8).

AGGREGATE ONLY

Like search, engagement is reported in aggregate — counts and rollups, never a named reader's activity. The Users section (Chapter 21) is where individual accounts are handled, under a separate, more sensitive permission.

Access: [Reporting · View](#) .

The activity log

The activity log is the admin's memory: a flat, append-only record of every change made here — who did what, to what, and when.



Admin

Dashboard

Import document

Coverage matrix

Language health

Review queue

Content audit

Activity

Engagement

Search

Users

Team & access

Help & roles

← View site

HomeBooksTopicsPlansSermonsBiographies

Search 26K

ADMIN

Activity

Every change made from this dashboard — who, what and when. Append-only.

Export CSVRefresh

2

Actions today

1 reader-facing

James Deg...

Most active

10 of 14 shown

Kiswahili

Last go-live

7 days ago

Like Christ

Last publish

6 days ago

Q Search target, admin or detail...

All 14

Language 2

Content 6

Review 3

Translation 1

Author 1

Access 1

All admins

Showing 14 of 14 actions.

Tuesday, September 8 2



The True Vine

en

Content edit job filed

7 days ago

Sep 8, 08:26 AM



Ruth Mensah

kind: body · chapter: 5 · created: yes



Kiswahili

Language taken live

7 days ago

Sep 8, 10:26 AM



James Degreef

forced: no

Wednesday, September 9 2



Like Christ

es

Document published

6 days ago

Sep 9, 12:26 PM



James Degreef

language: es · published: yes



Like Christ

es

Review decision recorded

6 days ago

Sep 9, 02:26 PM



Ruth Mensah

needs_work · language: es

Thursday, September 10 2



Octavius Winslow

Author created

5 days ago

Sep 10, 04:26 PM



James Degreef

name: Octavius Winslow



The Expulsive Power

en

Document unpublished

5 days ago

Sep 10, 06:26 PM



James Degreef

language: en · published: no

Friday, September 11 2



Português

Readiness thresholds changed

4 days ago

Sep 11, 08:26 PM



James Degreef

min books: 5 · min bios: 3



Andrew Murray

Content edit job filed

4 days ago

Sep 11, 10:26 PM



Ruth Mensah

kind: bio · created: yes

Sunday, September 13 2



role:ruth.mensah@example.com

Admin access granted

2 days ago

Sep 13, 12:26 AM



James Degreef

role: reviewer · languages: sw



Abide In Christ

sw

Review decision recorded

2 days ago

Sep 13, 02:26 AM



James Degreef

approved · confirmed: yes · language: sw

Yesterday 2



The Secret Of Guidance

pt

Translation job filed

yesterday

Sep 14, 04:26 AM



James Degreef

language: pt · created: yes



Humility

en

Content edit job filed

yesterday

Sep 14, 06:26 AM



James Degreef

kind: title · chapter: 3 · created: yes




Figure 18.1 — The activity log: each admin action as a row, with the actor, the target, and what changed.

What it records

Every action that changes the library or its configuration lands here: a document published or unpublished, a review decision recorded or undone, a translation or content-edit job filed, an author created, a language’s readiness bar moved, a language taken live, and admin access granted or revoked. Each row names the actor by email, the target it acted on, and a short summary of what changed.

WHY IT EXISTS

Before the log, the only evidence that something had happened was the changed row itself — “who took this language live, and when?” had no answer. The log is append-only on purpose: nothing edits or deletes a row, which is exactly what makes it worth trusting. It records the actor as plain text so the record survives even if the account is later removed.

Access: [Reporting · View](#) .

Administering a language

Each language has its own page — the place to see what it has, queue the work it needs, tune its readiness bar, and, when it's ready, take it live.

Ochorus

HomeBooksTopicsPlansSermonsBiographies

Q 26K

Admin

Dashboard

Import document

Coverage matrix

Language health

Review queue

Content audit

Activity

Engagement

Search

Users

Team & access

Help & roles

← View site

← Back to dashboard

ADMIN · LANGUAGE

Español · Spanish

Code es

Books36/102

Plans3/9

Articles10/76

Sermons41/93

Bios0/89

AllLive on siteSuggestedNeeds attentionEverything — translated and suggested.

ReadinessBooks 36Bios 0Sermons 41Plans 3Topics 31Articles 10

Readiness2 blocking: bios, topics

✓ BibleReina-Valera (1858/1862) resolves.

- Bible attributionPublic-domain Bible — nothing to credit.

✓ GlossaryAll 11 theological terms defined.

✓ Interface stringsAll 741 translated.

✓ Books36 of 5 books.

- SermonsNo minimum set — 41 sermons present.

✗ Biographies0 biographies — needs 3.

- Reading plansNo minimum set — 3 plans present.

✗ Topic shelves31 of 32 translated — an untranslated shelf is hidden in this language, so the topics page would be short.

THE BAR FOR THIS LANGUAGE

Set 0 to drop a requirement. Saving re-checks immediately.

Books5

Sermons0

Biographies3

Plans0

☑ All topic shelves translated

☑ Interface fully translated

Live

Has it shipped?

Triggers a rebuild — readers see it when that finishes.

Translation settingsDefined in the repo

BibleReina-Valera (1858/1862) (rv1858)

GlossaryAll 11 terms defined

DirectionLeft-to-right

This language's identity is re-seeded from backend/library/language_seed.py on every deploy, so it is edited there rather than here.

Books (36)

NEXT TO WORK ON

Gleanings Among the Sheaves · Charles H. SpurgeonTranslate

Absolute Surrender · Andrew MurrayTranslate

Divine Healing · Andrew MurrayTranslate

The Ministry of Intercession · Andrew MurrayTranslate

Holy in Christ · Andrew MurrayTranslate

Stepping Stones · Gareth EvansTranslate

The God of All Comfort · Hannah Whitall SmithTranslate

The Cheque Book of the Bank of Faith · Charles H. Spurge...Translate

Show all 10

Long-form bios (0)

None yet.

NEXT TO WORK ON · most-published authors first

Charles H. Spurgeon · 9 books, 18 sermonsTranslate

Dwight L. Moody · 3 books, 11 sermonsTranslate

Hudson Taylor · 3 books, 9 sermonsTranslate

Andrew Murray · 11 booksTranslate

A. B. Simpson · 3 books, 6 sermonsTranslate

Jonathan Edwards · 3 books, 5 sermonsTranslate

E. M. Bounds · 7 booksTranslate

R. A. Torrey · 5 books, 2 sermonsTranslate

Show all 10




Figure 19.1 — A language’s page: its content, its readiness checks, its thresholds, and the go-live switch.

Readiness

Readiness is the checklist a language must pass to go live. It covers both content and configuration: a working Bible translation for scripture, an attribution and glossary, a translated interface, and enough

published books, sermons, biographies, plans, and topic shelves to be worth a reader's time. Each check is shown with its current state; a language is ready when nothing is failing.

Thresholds

The counts a language must reach — minimum books, sermons, biographies, plans — are **thresholds** you can adjust per language. A widely-served language might demand more before launch; a pilot might set a lower bar. Moving a threshold is recorded in the activity log.

Going live

The **go-live** switch is what advertises a language to readers. Pressing it re-runs the readiness checks on the server, records the launch, and triggers the site to rebuild so the language appears. It is deliberately more than a status flag — a pre-built site needs a build to actually show the new language.

READINESS MAKES A LIVE CALL

The Bible check verifies scripture against an external service, so the full readiness check can take a moment and depends on that service being reachable. The language-health scoreboard (Chapter 8) deliberately skips this live check for speed; the language page and the go-live switch run the real thing.

Access: readiness and content are visible with [Reporting · View](#); changing thresholds and going live are [Language administration](#) at the *act / approve* level.

Adding a new language

A new language begins with a single registry entry. Creating it is what lets you start queuing work — nothing can be translated into a language that doesn't yet exist.

Creating the entry

From the dashboard's *By language* table, **+ Add a language** opens the create form. You provide the language's identity — its name, its native name, its code — and its scripture (the Bible translation whose wording is authoritative for that language). The new entry appears immediately in the by-language table and the coverage matrix, showing honest zeros: a language you have not started yet, but can now reach.

- 1 Create the language**
with its identity and Bible configuration.
- 2 Queue translations**
from its language page or from the search-demand list (Chapter 16).
- 3 Review the drafts**
as they arrive (Chapter 14) until the review bar is met.
- 4 Tune the thresholds**
and watch the readiness checks clear (Chapter 19).
- 5 Take it live**
when the checks are green.

THE REGISTRY IS THE SOURCE OF TRUTH

The language registry is read at run time by the translation tools, which is what lets you add a language and start work without waiting for a deployment. Built-in languages are defined in the project; a language you add from the admin is owned by the admin and left untouched by deploys.

Access: creating a language is a [Language administration](#) action.

Users & reader analytics

The Users section covers the people who read Ochorus — the account directory and each reader's profile — under a permission separate from, and more sensitive than, the aggregate analytics.




Figure 21.2 — A reader’s profile: their reading, highlights, streak, and timeline.

Figure 21.1 — The user directory, with reader accounts and their activity

 Hazel hazel@desiring.org	—	pt	7	1h 55m	Aug 16, 2024	—
 Grace Nesi grace@desiring.org	—	en	2	27m	Aug 12, 2024	—
 Esther Dube esther@desiring.org	—	en	6	1h 37m	Aug 8, 2024	—
 Sias Achterberg sias@desiring.org	—	en	2	1h 11m	Aug 4, 2024	—
 Peter Pereira peter@desiring.org	—	en	5	—	Jul 29, 2024	—
 Naomi Santos naomi@desiring.org	—	pt	6	1h 25m	Jul 23, 2024	—
 Mary Santos mary@desiring.org	—	en	2	13m	Jul 21, 2024	—
 John Oliveira john@desiring.org	—	pt	7	1h 34m	Jul 18, 2024	—
 Andrew Oliveira andrew@desiring.org	—	en	2	1h 43m	Jul 14, 2024	—
 Philip Adiyemi philip@desiring.org	—	ig	5	39m	Jul 13, 2024	—
 Mary Banda mary@desiring.org	—	en	6	1h 39m	Jul 10, 2024	—
 Ruth Kamau ruth@desiring.org	—	pt	5	1h 55m	Jul 6, 2024	—
 Naomi Banda naomi@desiring.org	—	pt	4	—	Jun 30, 2024	—
 Stephen Oliveira stephen@desiring.org	—	en	3	1h 53m	Jun 30, 2024	—
 Hannah Nesi hannah@desiring.org	—	en	5	1h 50m	Jun 28, 2024	—
 Priscilla Silva priscilla@desiring.org	—	en	7	—	Jun 27, 2024	—
 Grace Chaffar grace@desiring.org	—	pt	4	55m	Jun 26, 2024	—
 Priscilla Kamau priscilla@desiring.org	—	en	3	1h	Jun 19, 2024	—
 Deborah Dube deborah@desiring.org	—	en	6	47m	Jun 15, 2024	—
 Paul Mulus paul@desiring.org	—	ig	6	57m	Jun 12, 2024	—
 Peter Mamsah peter@desiring.org	—	pt	2	1h 45m	Jun 8, 2024	—
 Lydia Silva lydia@desiring.org	—	en	6	—	Jun 5, 2024	—
 David Achterberg david@desiring.org	—	en	7	—	Jun 1, 2024	—
 Mark Mamsah mark@desiring.org	—	en	6	1h 15m	May 31, 2024	—
 Paul Adiyemi paul@desiring.org	—	en	1	1h 40m	May 31, 2024	—
 Jaime Chaffar jaime@desiring.org	—	en	1	—	May 31, 2024	—
 Esther Mwangi esther@desiring.org	—	ig	3	29m	May 30, 2024	—
 David Costa david@desiring.org	—	en	4	1h 5m	May 28, 2024	—
 Timothy Costa timothy@desiring.org	—	en	4	54m	May 26, 2024	—
 Stephen Ballo stephen@desiring.org	—	pt	6	34m	May 24, 2024	—
 Philip Mulus philip@desiring.org	—	ig	6	36m	May 24, 2024	—
 Sias Costa sias@desiring.org	—	en	1	1h 15m	May 23, 2024	—
 Sarah Dube sarah@desiring.org	—	pt	6	55m	May 18, 2024	—
 Mark Pereira mark@desiring.org	—	en	5	1h 12m	May 15, 2024	—
 Samuel Pereira samuel@desiring.org	—	en	5	—	May 11, 2024	—
 Timothy Achterberg timothy@desiring.org	—	en	3	—	May 10, 2024	—



Equipping people with classic
Christian books — free to read in
your language.

EXPLORE

- Books
- Topics
- Plans
- Sermons
- Biographies

DISCOVER

- Articles
- Scriptures
- Quotes
- RS

OUR MISSION

Free classic Christian books online
— and printed books given out at
conferences, churches, schools,
and prisons across East Africa.

A ministry since 2021 • Victoria BC,
Canada • Kampala, Uganda

LANGUAGES

- English
- Español
- Kiswahili
- Luganda
- Português

[About Us](#)
[Contact](#)
[Privacy & Terms](#)

© 2024 Desiring.org

The directory and the profile

The directory lists reader accounts and lets you open any one. A reader’s profile gathers what they have been reading, what they have highlighted, their reading streak, and a timeline of their activity — the picture you need to answer a support question or understand a single reader’s experience.

PERSONAL DATA — HANDLE WITH CARE

This section shows information about identifiable people, which is why it sits behind its own *Users* capability rather than the general reporting one. Grant it only to those who genuinely need it, and never use it to compile information across readers. Email addresses are masked by default in the directory.

Access: the **Users** capability (distinct from Reporting).

Team & access (RBAC)

The Team & access page is where a super admin grants and revokes admin access. It is the only place grants are managed, and it is reserved for super admins alone.




Figure 22.1 — The team console: each member with their role, capabilities, verbs, and language scope, and the controls to grant or revoke.

Granting access

1 Enter the person's email.

This is the identity access is tied to; they sign in with it.

2 Choose a role

— contributor, reviewer, or language admin — or hand-pick a single capability and verb for a narrower grant.

3 Scope it to languages.

Every grant below super admin is limited to the languages you choose. Leaving the scope empty is not allowed — a grant must name its languages.

4 Grant.

The member appears in the list with their new access, and the grant is recorded in the activity log.

Revoking access

You can revoke a single capability from a member, or all of their access at once. Revocation takes effect immediately and, like every change here, is logged.

WHY MANAGING ACCESS IS SUPER-ADMIN-ONLY

The ability to grant access is, in effect, the ability to grant any access — so it is never delegated. A language admin can do a great deal within their languages, but they cannot create new admins. That authority stays with the super admins on the allowlist, which is also why the allowlist lives outside the grant system: there is always someone who can manage the team.

START SMALL, WIDEN DELIBERATELY

A good pattern for a new helper: grant *contributor* first so they can learn the library and file suggestions, then upgrade to *reviewer* for their language once you have seen their judgement. Because reviewer approvals are provisional (Chapter 14), you keep the final say while they do the volume of work.

Access: super admin only.

Help & roles page

The in-admin Help & roles page is a living summary of how the admin works and — most usefully — of your own access. It is visible to anyone with any admin access.

The page (Figure 4.1) opens with **your access**: whether you are a super admin, or the exact grants you hold — capability, verb, and languages. Below that it explains, in the same plain language as this manual, what the verbs mean, what each role can do, how the review workflow’s provisional step works, and how changes reach readers.

THE FASTEST ANSWER TO “WHY CAN’T I...?”

When a teammate asks why they can’t see or do something, point them to Help & roles first. Nine times in ten it answers the question — the action needs a capability or verb they don’t hold, or a language outside their scope — without anyone needing to open this manual.

Because it reads your access live, the Help page is always accurate for the person looking at it, which makes it the ideal starting point when you onboard someone new. This manual — the deeper, screenshot-by-screenshot reference — complements it, and is reached from the account menu, super admins only.

Capability & verb reference

The complete set of capabilities and verbs the admin uses to gate every screen and action.

Capabilities

CAPABILITY	GOVERNS
Reporting & analytics	The dashboard, coverage, language health, engagement, search, and the activity log.
User analytics	The Users directory and reader profiles (personal data).
Content audit	The content-audit report and dismissing findings.
Content review	The review queue and translation decisions.
Publishing & imports	Importing documents and the publish toggles.
Translation queue	Filing and managing translation jobs.
Content-edit queue	Filing title, text, and biography fixes.
Author records	Author-level administration.
Language administration	Thresholds, creating languages, and going live.

The verb ladder

Verbs stack: a grant at one level includes every level below it.

VERB	INCLUDES	MEANING
View	—	Read the area’s reports and queues.
Suggest	View	File a job; apply nothing live.
Act	View, Suggest	Apply changes yourself.
Approve	View, Suggest, Act	Confirm others’ work; high-stakes levers.

Roles as bundles

Contributor	Reporting/audit at View; translation & content-edit at Suggest — scoped to languages.
Reviewer	Contributor, plus Review at Act (provisional approvals) — scoped to languages.
Language admin	Act & approve across content, review, and publishing within their languages.
Super admin	Every capability at every verb, in every language, plus team management and this manual.

Glossary

Edition	One language version of a work. Books, sermons, and plans exist as per-language editions sharing a common identity.
Fixture / source	The committed project files the public site is built from. Prose changes are made here, via jobs — not in the live database.
Job	A tracked request to change source content (a translation, a title, a text fix, a biography). Filing a job changes nothing live on its own.
Publish state	Whether an edition is visible to readers. An immediate, live switch.
Source type	How a book was produced: public domain, AI-reviewed, or AI-unreviewed.
Unreviewed	An AI translation not yet confirmed by a person. Admin-only state; never shown to readers.
Provisional	A reviewer’s approval that is recorded but not yet confirmed by an approver.
Readiness	The checklist a language must pass before it can go live.
Threshold	The minimum counts (books, sermons, bios, plans) a language must reach, adjustable per language.
Go live	The switch that advertises a language to readers and triggers a site rebuild.
Capability	An area of the admin a grant can open (e.g. Review, Publishing).
Verb	How far a grant lets you act in a capability: view, suggest, act, approve.
Scope	The languages a grant applies to.
Super admin	Full access, defined by an allowlist outside the grant system.

Troubleshooting & FAQ

A section is missing from my navigation.

The rail shows only what your access opens. A missing section means you don't hold its capability, or (for a language-scoped section) you have no grant for the language in view. Open **Help & roles** to see your exact access, and ask a super admin if you need more.

I filed a fix but the site hasn't changed.

That is expected. Filing a job does not edit the live site — it queues a reviewed change that ships on the next build (Chapter 2). The control confirms the job was filed and links to it; the change reaches readers once the job is completed and the site rebuilds.

My approval says "awaiting confirmation."

You hold review at the *act* level, so your approvals are provisional (Chapter 14). An approver — a language admin or super admin — needs to confirm them. This is by design; it is how reviewers do the volume of work while an approver keeps the final say.

I can't take a language live.

Going live requires language-administration access and a passing readiness check. Open the language's page (Chapter 19) and look at the readiness list: any failing check is a blocker. The language-health scoreboard (Chapter 8) shows the same blockers at a glance across all languages.

The readiness check is slow or shows "unknown."

Readiness verifies scripture against an external service. If that service is briefly unreachable, the Bible check reports *unknown* rather than failing — an unknown does not block a launch. Re-run it from somewhere with access.

Why can't I just edit a chapter's text directly?

Because the site is pre-built from source files, a live edit would never reach readers and would leave search stale (Chapter 2). Filing a fix applies the change properly, in one reviewed step that moves the source, the live rows, and search together.

How do I add a new helper?

A super admin grants access on the **Team & access** page (Chapter 22). Start them as a contributor, then upgrade to reviewer for their language once you have seen their work.

Where do I find this manual again?

Open the account menu (the initials avatar, top-right of any page) and choose **Admin Manual PDF**. It is visible to super admins only, and opens this document in a new tab.

Ochorus Admin Manual · Version 1.0 · September 2026
Screens shown with sample data. Your library's figures will differ.