

FSFFL NEXT

Frozen Identity / Materialization Dependency Recovery

Management checkpoint • exact recovery only • 18 September 2026

BOUNDED NEGATIVE RESULT — STOP

The frozen selected-candidate training procedure and fitted parameters were recovered exactly. The original 335-row current-player → historical identity bridge and exact 2024/2023 PIT residual inputs were not persisted and cannot be reproduced without a new methodological choice.

Boundary	Finding
Frozen fit	Recovered exactly; no refit or reselection
Current identity bridge	Not persisted; constructed in memory from contemporaneous provider data
335-player direct GSIS coverage	73 present / 262 absent
Required action	Governance decision for a replacement coordinate; not a recovery step

What was recovered

Candidate: fixed routed Forecast + M1a + two-prior-season consistency. QB uses A2+C+D; RB/WR/TE use A2+D. Only positive-state conditional-production means change; persistence and state probabilities remain frozen.

Training and feature procedure

Eligible training rows are positive source/target transitions satisfying $\text{source_season} + \text{horizon} \leq \text{evaluation cutoff}$. Historical source seasons end in 2022. M1a is `BayesianRidge(fit_intercept=False)` on target versus current within-state residual z . The consistency fit predicts the residual remaining after M1a from two genuine prior seasons only; covered values use training-only population moments ($\text{ddof}=0$).

Exact fitted item	QB	RB
Training rows	5,974	4,781
Source seasons	2005-2022	2005-2022
M1a coefficient	0.07939942531895901	0.07812314495946265
Prior-two coverage	0.5033478406427854	0.4862999372516210
Mean μ / σ	0.1805173562 / 0.8250069242	0.2161366754 / 0.8286552915
Gap μ / σ	1.1093450525 / 0.9101986765	1.1049215895 / 0.8918729700

Exact consistency coefficients

Order: mean_global, gap_global, coverage_global, then mean/gap position deviations for QB, RB, WR, TE.

Category	Mean	Gap
mean_global	0.104407393	0.0896474572
gap_global	0.0256567937	0.00230448058
coverage_global	0.026386248	0.0208369151
mean_dev_QB	0.158161626	0.180179816
gap_dev_QB	-0.0501651272	-0.057293661
mean_dev_RB	-0.00347923962	-0.00910620769
gap_dev_RB	-0.000109866463	-0.0241324898
mean_dev_WR	0.0189868866	0.0336007196
gap_dev_WR	-0.0249518009	-0.0225647051
mean_dev_TE	-0.0206613761	-0.00887356736
gap_dev_TE	0.0522830842	0.000142033387

These values were copied from the frozen final diagnostic. They were not re-estimated in this recovery.

Search coverage

Category	Recovery status	Notes
Git	179 refs; 2,583 commits; stashes; reflogs; unreachable objects	No bridge/materializer/table
Repository	Phase2, Phase34, production-resolution, activation artifacts and path history	Fit recovered; resolved identities absent
Actions	Activation run 35145456513; Year-1 run 35330898624; artifacts and logs	Exact ZIPs recovered; ephemeral bridge/cache not uploaded
Local remnants	/workspace/scratch, /mnt, /tmp, all worktrees	Older routed runner and Phase2 archive only

Actions evidence

The activation ZIP exactly matches SHA-256 3866d653...95ca5 and contains only current_i1_facts_2026.json, frozen_i1_h12.json, frozen_i1_h3.json, and the build report. Logs show /tmp/private_beta_completed_source_points.csv, /tmp/nflreadpy-cache, and an in-memory stable-ID bridge. The upload step excluded all three; the workflow used no actions/cache persistence step.

Missing reproducibility dependency

Exact materialization requires the original frozen 335-row Sleeper → historical player/source-key crosswalk plus the corresponding exact 2024 and 2023 PIT age/state residual inputs, or a row-complete 335-player table already containing them.

Why the boundary cannot be crossed

The activation builder resolved identities from contemporaneous nflreadpy player/2025-roster snapshots and Sleeper data using a unique name+position bridge. Output rows retain Sleeper IDs and aggregate bridge counts—not the resolved historical keys. The exact provider snapshots were not preserved. Running the same code today would resolve against different evidence and could change collision or unmatched outcomes.

Historical cutoff procedure	Recovered exact
Frozen fitted parameters	Recovered exact
Later 335-player Year-1 universe	Recovered exact; fresh later coordinate
Original row-level identity bridge	Not persisted
Exact 2024/2023 PIT inputs	Not persisted
Ephemeral runner files/snapshots	Destroyed or inaccessible; equivalence unproven
Exact current-player materialization	Not reproducible without new methodology

Sentinel evidence

Direct GSIS references exist for Aaron Rodgers, Sam Darnold, and Christian McCaffrey. They are absent for Bijan Robinson, Jahmyr Gibbs, Puka Nacua, Brock Bowers, and Trey McBride. This proves the missing bridge affects five of the eight named sentinels and 262 of 335 governed rows.

Minimum governance decision

Authorize a replacement identity/materialization coordinate: name and version the provider snapshot; predeclare collision and unmatched-player rules; persist the full 335-row crosswalk and exact 2024/2023 PIT inputs. That would be a new evidence coordinate and must not be described as recovery of the frozen original.

STOP. Do not substitute another training window, refit, rebuild identities heuristically, fetch fresh provider data, materialize Y2/Y3, run sentinel parity, or run Shapley under this authority.