
```sql
-- 3.1.1 Find active, highly rated producers
SELECT driver_id, driver_name, avg_rating  419 ms
FROM  drivers
WHERE is_active = TRUE
AND avg_rating >= 4.5
ORDER BY avg_rating DESC
LIMIT 10;
```

ducers | 3.1.2 Find all possible event statuses | 3.1.3 Filter the eve...in two different ways | ex603_data.public.tri

	fare_amount	distance_km	fare_per_km	evaluation
3	22.43	12.89	1.74	Average
4	0.00	10.65	0.00	Cheap
5	7.07	3.93	1.8	Average
6	21.89	18.60	1.18	Cheap
7	26.17	19.29	1.36	Cheap
8	0.00	2.55	0.00	Cheap
9	20.06	19.69	1.02	Cheap
10	29.07	23.97	1.21	Cheap
11	22.46	15.89	1.41	Cheap
12	0.00	5.54	0.00	Cheap
13	19.89	11.98	1.66	Average
14	0.00	9.12	0.00	Cheap
15	20.29	8.05	2.52	Expensive
16	19.83	12.94	1.53	Average
17	29.42	16.03	1.84	Average
18	47.81	16.49	2.9	Expensive
19	15.21	8.21	1.85	Average
20	13.50	8.27	1.63	Average
21	0.00	17.08	0.00	Cheap
22	25.03	19.62	1.28	Cheap
23	15.22	10.58	1.44	Cheap
24	28.94	19.09	1.52	Average
25	13.19	12.83	1.03	Cheap
26	0.00	25.79	0.00	Cheap
27	24.02	15.54	1.55	Average
28	17.85	12.81	1.39	Cheap
29	11.15	4.94	2.26	Average


-- 3.1.2 Find all possible event statuses
SELECT DISTINCT trip_status 364 ms
FROM trips;
-- There are not more than I expected
-- 3.1.3 Filter the events in two different ways
oducers
3.1.2 Find all possible event statuses
3.1.3 Filt
Tx: Auto
DDL
trip_status
1 disputed
2 completed
3 cancelled

```sql
-- 3.1.3 Filter the events in two different ways
SELECT *  416 ms
FROM trips
WHERE distance_km >10;

SELECT *
FROM trips
WHERE pickup_city IN ('Saigon','Hanoi');
```


- q3_1.sql [rideshare]
- q3_1.sql.sql [postgres@localhost [5]]
- q3_2.sql.sql [postgres@localhost [5]]
- q3_2.sql_1.sql [rideshare]
- q3_3.sql.sql [postgres@localhost [5]]
- q3_3.sql_1.sql [rideshare]
- Queries.sql [postgres@localhost [5]]
- rideshare.sql [rideshare]
- RideshareWhatever.sql [postgres@localhost [5]]
- Scratches and Consoles

3.1.3 Filter the eve...in two different ways 2 | 3.1.2 Find all possible event statuses | 3.1.3 Filter the eve...in two different ways | ex603_data.public.trips | 3.1.4 Find users wh... match a text pattern | Result 51-6 | 3.1.5 Cre

Tx: Auto | DDL | CSV

	trip_id	rider_id	driver_id	requested_at	completed_at	pickup_city	fare_amount
1	1	14	1	2023-06-06 21:55:00.000000	2023-06-06 22:15:00.000000	Haiphong	19.74
2	3	20	1	2023-08-19 19:03:00.000000	2023-08-19 19:44:00.000000	Saigon	22.43
3	4	1	1	2023-01-01 15:48:00.000000	<null>	Hue	0.00
4	6	25	1	2023-02-08 00:47:00.000000	2023-02-08 01:19:00.000000	Haiphong	21.89
5	7	4	1	2023-02-23 10:07:00.000000	2023-02-23 11:02:00.000000	Haiphong	26.17
6	9	15	1	2023-03-26 10:22:00.000000	2023-03-26 11:02:00.000000	Hue	20.06
7	10	17	1	2023-06-22 22:30:00.000000	2023-06-22 22:55:00.000000	Haiphong	29.07
8	11	5	1	2023-11-14 09:05:00.000000	2023-11-14 09:54:00.000000	Saigon	22.46
9	13	22	2	2023-04-12 22:27:00.000000	2023-04-12 22:53:00.000000	Hanoi	19.89
10	16	23	2	2023-05-01 10:38:00.000000	2023-05-01 11:10:00.000000	Hanoi	19.83
11	17	11	2	2023-08-11 08:48:00.000000	2023-08-11 09:29:00.000000	Hue	29.42
12	18	28	2	2023-05-04 14:33:00.000000	2023-05-04 15:01:00.000000	Haiphong	47.81
13	21	29	2	2023-03-10 18:52:00.000000	<null>	Haiphong	0.00
14	22	30	2	2023-06-17 20:40:00.000000	2023-06-17 20:53:00.000000	Haiphong	25.03
15	23	27	2	2023-06-03 03:20:00.000000	2023-06-03 03:48:00.000000	Danang	15.22
16	24	29	2	2023-07-03 05:00:00.000000	2023-07-03 05:16:00.000000	Saigon	28.94
17	25	2	2	2023-08-05 23:11:00.000000	2023-08-05 23:20:00.000000	Saigon	13.19
18	26	1	2	2023-12-17 07:13:00.000000	<null>	Haiphong	0.00
19	27	15	2	2023-07-25 22:44:00.000000	2023-07-25 22:52:00.000000	Hanoi	24.02
20	28	13	3	2023-10-04 13:43:00.000000	2023-10-04 14:09:00.000000	Danang	17.85
21	30	1	3	2023-12-18 12:49:00.000000	2023-12-18 13:02:00.000000	Saigon	14.34
22	33	24	3	2023-07-05 20:00:00.000000	2023-07-05 20:29:00.000000	Danang	15.52
23	34	11	3	2023-05-12 17:06:00.000000	2023-05-12 17:41:00.000000	Hanoi	21.60
24	35	8	3	2023-02-28 17:00:00.000000	<null>	Hue	0.00
25	36	22	3	2023-07	2023-07-21 14:52:00.000000	Danang	38.09

135 rows


-- 3.1.4 Find users whose names match a text pattern
SELECT driver_name 366 ms
FROM drivers
WHERE driver_name LIKE 'Driver%';
o different ways 2
3.1.2 Find all possible event statuses
3.1.4 Find user
Tx: Auto
DDL
driver_name
1 Driver_01
2 Driver_02
3 Driver_03
4 Driver_04
5 Driver_05
6 Driver_06
7 Driver_07
8 Driver_08
9 Driver_09
10 Driver_10
11 Driver_11
12 Driver_12
13 Driver_13
14 Driver_14
15 Driver_15

```sql
SELECT trip_id, COALESCE(cancellation_reason, 'No reason provided') AS cancellation_reason
FROM trips
WHERE cancellation_reason IS NULL;
```

370 ms

wo different ways 2 | 3.1.2 Find all possible event statuses | 3.1.4 Find users wh... match a text pattern 2 | Result 55 | 3.1.4 Find users wh... match a

	trip_id	cancellation_reason
1	1	No reason provided
2	2	No reason provided
3	3	No reason provided
4	5	No reason provided
5	6	No reason provided
6	7	No reason provided
7	9	No reason provided
8	10	No reason provided
9	11	No reason provided
10	13	No reason provided
11	15	No reason provided
12	16	No reason provided
13	17	No reason provided
14	18	No reason provided
15	19	No reason provided
16	20	No reason provided
17	22	No reason provided
18	23	No reason provided
19	24	No reason provided
20	25	No reason provided
21	27	No reason provided
22	28	No reason provided
23	29	No reason provided
24	30	No reason provided
25	32	No reason provided
26	33	No reason provided
27	34	No reason provided
28	36	No reason provided
29	37	No reason provided
30	38	No reason provided
31	39	No reason provided

166 rows

```sql
-- 3.1.5 Create query with calcualted/computed column

SELECT fare_amount,  378 ms
       distance_km,
       ROUND(fare_amount / NULLIF(distance_km, 0), 2) AS fare_per_km,
       CASE
           WHEN distance_km IS NULL OR distance_km = 0 THEN 'Unknown'
           WHEN fare_amount / distance_km < 1.50 THEN 'Cheap'
           WHEN fare_amount / distance_km > 2.50 THEN 'Expensive'
           ELSE 'Average'
       END AS evaluation
FROM trips;
```

wo different ways 2 | 3.1.2 Find all possible event statuses | 3.1.4 Find users wh... match a text pattern 2

	fare_amount	distance_km	fare_per_km	evaluation
1	19.74	20.88	0.95	Cheap
2	7.40	3.12	2.37	Average
3	22.43	12.89	1.74	Average
4	0.00	10.65	0.00	Cheap
5	7.07	3.93	1.8	Average
6	21.89	18.60	1.18	Cheap
7	26.17	19.29	1.36	Cheap
8	0.00	2.55	0.00	Cheap
9	20.06	19.69	1.02	Cheap
10	29.07	23.97	1.21	Cheap
11	22.46	15.89	1.41	Cheap
12	0.00	5.54	0.00	Cheap
13	19.89	11.98	1.66	Average
14	0.00	9.12	0.00	Cheap
15	20.29	8.05	2.52	Expensive
16	19.83	12.94	1.53	Average
17	29.42	16.03	1.84	Average
18	47.81	16.49	2.9	Expensive
19	15.21	8.21	1.85	Average
20	13.50	8.27	1.63	Average
21	0.00	17.08	0.00	Cheap