
# ERD Special Building Blocks

# Weak entity set





Two requirements:

- Existence/meaning is dependent on another entity set(s).
- Its own attributes aren't sufficient to fully identify it.


PK = partial key + PKs of identifying entity set(s)

# Weak entity set:
# a subtle semantic distinction

College:




Professional:



# More weak examples

- Dependents depending on an Employee.
- PurchaseLines depending on a Purchase.



CARRABBA'S
ITALIAN GRILL

Orem, UT
(801) 765-1222
00086 Table 31 #Party 6
ALYSSA T SvrCk: 1 11:45a 02/27/15


| | |
|---|---|
| Cold Beverage | 2.80 |
| Cold Beverage | 2.80 |
| Lunch Small Salmon | 12.90 |
| Lunch Salmon | 14.50 |
| Lunch Cup Chix Chg/w | 2.00 |
| Lunch Fettuccine Carrabba | 10.90 |
| Lunch Small Salmon | 12.90 |
| Lunch Strawberry Salad | 11.50 |
| Lunch Sm Chix Bryan | 12.70 |
| Lunch House Salad Add On | 2.00 |
| Dessert Rosa | 7.20 |
| Dessert Rosa | 7.20 |
| Sogno di Cioccolata | 7.90 |
| Sogno di Cioccolata | 7.90 |

**********

We value your opin'on.
Go to www.TellCarrabbas.com within
the next 3 days and tell us about
your dining experience.


Enter for your chance to win a

# Weak non-example




# Associative entity set


Entity set and relationship



# 1-many associative not used





=



# Two def'ns of associative entity set

1. All many-many relationships are associative.
   - Motivation: Like entity sets, they are implemented as tables.
2. Relationships that also act as entity sets in another relationship are associative.
   - Corollary: A subset of many-many relationships.
   - Motivation: They act as an entity set in ERD.

# Compound attribute



# Calculated / Derived attribute

