

**General Information**

Modified	Thu Sep 10 20:36:47 UTC 2026
Name	DM_Invoice_Data_Mart
Description	Description: Users can report consolidated (data from ERP, SAP1, SAP2, and JDE) Backlog, Order Input and Invoicing data from a single universe. Use External Sales filter to include only "External Sales Only", "External Order Input", "External Backlog" filters along with appropriate other filters. Backlog is always as of current date. Historical backlog is not available. For detail documentation visit home.commscope.com > Corporate > Business Intelligence > Business Documentation > Business Objects Documentation > Sales Universe_DM_Invoice_Datamart.doc Reports can include customer, material (product code), profit center, business segment, ship to region, and sales organization information. The universe also contains measure objects which allow reporting of costs, revenues (sales), quantities, and profits.
Data Foundation	DM_Invoice_Data_Mart

Statistics

Folders	204
Business Layer Views	0
Dimensions	925
Attributes	179
Measures	785
Filters	83
Queries	0
Lists of Values	21
Parameters	13
Navigation Paths	15

Properties

Limit size of result set to	5000000 Rows
Limit execution time to	120 minutes
Allow use of subqueries	True
Allow use of union, intersect, and minus operators	True
Multiple SQL statements for each measure	False
Allow complex operands in Query Panel	True
Allow query stripping	True
Comments	Change Log : SR No: #SR-30058081 Modified By: Rahul Kambli Modified On: 9/30/2025 Desc: Change filter definition of External Sales (Excluding EPBCS Reclass Adjustments) from . SR No: SR-30017933 Modified By: Kris Lagocki Modified On: 7/24/2025 Desc: Added new object Purchase Order Text at Sales Order Dimension SR : #SR-30014406 Modified by : Abhir Naik Modified on : 2025/06/11 Desc : Modified formula to include Cost Multiplier rate for columns in below folders 1. Measures/Order Input/Cost/Costs-Local Currency-LC 2. Measures/Order Input/Cost/Costs-USD Dollars-USD 3. Measures/Backlog/Backlog Cost/Costs-Local Currency ENHC No : ENHC0012651 Change Date : 7th May 2025 Modified By : Rahul Kambli Desc: Unhide filter - External Sales (Excluding EPBCS Reclass Adjustments). Unhide filter - EPBCS Reclass Adjustments. ENHC No : ENHC0012772 Change Date : 16 April 2025 Created By : Akshay Goltekar Desc : Added new object Tariff Revenue Billed to Customer GL-Doc , Tariff Revenue Billed to Customer GL-LC and Tariff Revenue Billed to Customer GL-USD amount in Revenue GL folders. Corrected the description of the cost objects. Added new objects Profit center code and Profit center desc in Product Master dimension folder. Added new objects StdGrossProfit GL-LC, StdGrossProfit GL-USD and StdGrossProfit GL-Doc in the Invoice profits folder. Added folders Forecast and Plan , Revenue Forecast Revision buckets from Corporate report use only in the No Access Forecast security

profile. Added filter to exclude EPBCS reclass adjustments from external sales. Added new object Country of Origin of Material from dim_prod_master in Product Master Dimension. Added new filter to report EPBCS reclass adjustments only. Added new objects Inco Terms1 Desc in Sales Order Dimension folder and SC Inco Terms1 Desc in Service Contract Dimension folder. Added new objects Export Import Material Group and Export Import Material Group Desc in Product Master Dimension folder. Added new object Export Control Class in Product Master Dimension folder. PRJ DELTA : PRJ60000683 ENHC No : ENHC0012696 Change Date : 29 Jan 2025 Created By : Rehaan Inamdar Desc : Added Header Document Date , Item Billing Block Code and Item Billing Block Desc object in Sales Order Dimension. CR No : ENHC0012501 Change Date : 8 Nov 2024 Created By : Carson Binns Desc: Added Opportunity Number, Place Holder Opportunity Ind, and Opportunity Stage CR No : ENHC0012573 Change Date : 27th Oct 2024 Created By : Aslesha Bhangu Desc: Added 3 new objects to the universe 1.Sales Order Dimension/Your Reference Header 2.Sales Order Dimension/Your Reference Item 3.Sales Order Dimension/Route In Days CR#: ENHC0012553 Modified By: Eric Yang Modified on: 9 Oct 2024 Desc: Revert the logic of Invoice-Doc and Invoice-USD back since we decided to apply the logic to FCTV_INVOICE instead of in unx. CR: ENHC0012406 Modified by: Kris Lagocki Modification date: 21 August 2024 Desc: Added new fields Anchor Revenue Amt - USD and Anchor Cost Amt - USD. Also added Anchor filter. CR#: ENHC0012403 Modified By: Eric Yang Modified on: 8/26/2024 Desc: Change the logic of Invoice-Doc and Invoice-USD to make sure that whenever it is Deferred Revenue or MJE or JE STD COGS related, both attributes will be mapped as 0 1. Measures/Invoice/Revenues/Revenue-DocCurrency/Invoice-Doc 2. Measures/Invoice/Revenues/Revenue-USDollars-USD/Invoice-USD CR#: ENHC0012397 Modified By: Carina Yu Modified on: 6/21/2024 Desc: Correct the definition on YearWeek objects to get the logic in sync with Oracle version of .UNV universe 1. Date Dimension/Standard Dates/Today/Today's YearWeek 2. Date Dimension/Standard Dates/Yesterdays/Refresh Dates: a. Yesterday's YearWeek b. Yesterday's Previous Week 3. Date Dimension/Finance YearWeek 4. Sales Order Dimension: a. Ord Entry Date - SO Item/ Ord Entry Date-WeekOfYear b. Ord Entry Date - SO Header/Ord Entry Header DateTime-WeekOfYear c. Est Ship Date/Est Ship DateTime-WeekOfYear d. Last Ship Date/Last Ship Date-WeekOfYear e. First Est Manuf Date/First Est Manuf DateTime-WeekOfYear f. Last Mfg Date/ Last Mfg Date-WeekOfYear g. Cust Requested Date/Cust Requested Date-WeekOfYear h. Estimated Delivery Date/Estimated Delivery Date-WeekOfYear i. Cust Req Delivery Date/Cust Req Delivery Date-WeekOfYear j. Last Delivery Date/Last Delivery Date-WeekOfYear k. Invoice Date/Invoice Date-WeekOfYear l. Status Date/StatusDateTime-WeekOfYear m. Estimated Goods Issue Date/Estimated Goods Issue Date-WeekOfYear n. Schedule Line Date Stamp/Schedule Line Date Stamp-WeekOfYear o. Schedule Release Date/Schedule Release Date-WeekOfYear CR#: CHG40069553 Modified By : Venkata Mendi Modified On : 1/24/2024 Desc : Added new Over Delivery and Under Delivery tolerances objects under Sales Order Dimension Folder CR# : CTASK50333908 Modified By : Akshay Goltekar Modified On : 12/08/2023 Desc : Added object Business Backlog Assignments under Product Master Dimension/Characteristics/Operations CR#: CHG40068933 Modified By : Sreyas Mane/Carina Yu Modified On : 11/06/2023 Desc : Correct the definitions of WeekOfMonth and WeekOfYear Object under Date Dimension & Sales Order Dimension Folder CR#: CHG40068599 Modified By : Sreyas Mane/Carina Yu Modified On : 10/23/2023 Desc : Correct the definition on 4 objects: Date Dimension/StandardDates/Today/Today's Date; Corporate Report User Only/Date/Ending Date; Prompts/DerivedValues/Ending Week; Sales Order Dimension/Ord Item Nbr; CR#: CHG40068194 Modified By : Sreyas Mane/Carina Yu Modified On : 10/3/2023 Desc : Convert .unv universe(connect to Oracle DB) to .unx (connect to Hana DB) CR# : CHG40067570 Modified By : Rajaanjith Nadar Modified

On : 08/29/2023 Desc : Modified: 1)Measures/Opportunity: Opportunity Product USD Amt 2)Measures/Opportunity: Opportunity Qty Added : 1)Source_Plant_Dimension/History Reporting --Source Plant: Plant Short Name CR# : CTASK50320984 Modified By : Sreyas Mane Modified On : 08/15/2023 Desc : Added Planning Priority Number Object in Sales Order Dimension Folder CR#: CHG40065805 Modified Date: 06/16/2023 Modified By: Carson Binns Desc: Added below objects 1. Opportunity Dimension: Opportunity As of Year Month Nbr 2. Opportunity Dimension: High Quality Opportunity Ind 3. Opportunity Dimension: Opportunity Name 4. Opportunity Dimension: Opportunity Probability 5. Opportunity Dimension: Opportunity Id 6. Measures/Opportunity: Opportunity Product USD Amt 7. Measures/Opportunity: Opportunity Qty 8. Filters: Open Opportunity CR# : CHG40065203 Modified Date: 06/01/2023 Modified By : Aslesha Bhangue Desc : Added below objects . 1. Sales Order Dimension : POD Block Relevant Indicator 2. Measures/Backlog/Backlog Quantity : Backlog POD Block Qty 3. Measures/Backlog/Backlog Amount/Document Currency :Backlog POD Block DocCurrency 4. Measures/Backlog/Backlog Amount/Local Currency :Backlog POD Block-LC 5. Measures/Backlog/Backlog Amount/USD: Backlog POD Block-USD 6. Measures/Backlog/Backlog Quantity : Backlog Ship Not Invoice Qty 7. Measures/Backlog/Backlog Amount/Document Currency :Backlog Ship Not Invoice DocCurrency 8. Measures/Backlog/Backlog Amount/Local Currency :Backlog Ship Not Invoice-LC 9. Measures/Backlog/Backlog Amount/USD: Backlog Ship Not Invoice-USD 10. Filters : ShipNotInvoiced Backlog 11. Filters : ShipNotInvoiced-POD Backlog 12. Filters : POD Block Relevant Indicator Hidden Below Objects: 1. Opportunity dimension folder and all objects inside 2. Opportunity folder in measures and the two measures inside of that folder 3 Open opportunities filter CR#: CHG40065233 Modified On: 26-MAY-2023 Modified By: Visa Xiong Desc: Added Account Assignment Group and Account Assignment Group Desc to Product Master Dimension. CR#: CHG40064936 Modified on: 04-26-2023 Modified by: Rehaan Inamdar Desc: Added objects to the folder. - Objects in Folder Inv Dimension :- Item Category Code - Item Category Desc - Objects in Folder Sales Order Dimension :- ATP Override Indicator - High Level Item Number - Partial Delivery Indicator - Cust Account Assignment Grp Code - Cust Account Assignment Grp Desc - Objects in Folder Product Master Dimension :- Planning Time Fence - GR Processing Time - MRP Type - MRP Type Desc - Objects in Folder Service Contract Dimension : SC Sales Employee Name SC Settlement Start Date SC Settlement End Date SC Billing date SC Entitled Party Number SC Entitled Party Name SC Header Contract Start Date SC Header Contract End Date SC Billing Status SC Header Employee Responsible SC Cust PO Line Number - Objects Hidden:- Filters :- Sales Org Id Div Name Rec Type Key CR#: CHG40062857 Modified On: 28-FEB-2023 Modified By: Kris Lagocki Desc: Added logic to ord_item_nbr on sales order dimension table CR#: CHG40063216 Modified On: 13-02-2023 Modified By: Jagadeesh Aradhada Desc: Added Order Qty(DIM_SALES_ORDER.ORD_QTY) in Sales Order Dimension folder. CR#: CHG40063216 Modified on: 01-02-2023 Modified by: Rehaan Inamdar Desc: Added objects to the folder. Objects in Folder: Invoice Dimension/Material Account Assignment Group - Material Account Assignment Group Desc CR# : CHG40063216 Modified By : Rahul Kambli Modified On : 01/21/2022 Added objects to folders Objects in Folders: Measures/Invoice/Revenues/Revenue-DocCurrency/GL-DocCurrency - Sales - Tech Services GL-Doc - Sales - Pro Services GL-Doc - Sales - Repair Services GL-Doc - Discount - Tech Services GL-Doc - Discount - Pro Services GL-Doc - Discount - Repair Services GL-Doc Measures/Invoice/Revenues/Revenue-US Dollars-USD/GL-USD - Sales - Tech Services GL-USD - Sales - Pro Services GL-USD - Sales - Repair Services GL-USD - Discount - Tech Services GL-USD - Discount - Pro Services GL-USD - Discount - Repair Services GL-USD Measures/Invoice/Revenues/Revenue-LocalCurrency/GL-LocalCurrency - Sales - Tech Services GL-LC - Sales - Pro Services

GL-LC - Sales - Repair Services GL-LC - Discount - Tech Services GL-LC - Discount - Pro Services GL-LC - Discount - Repair Services GL-LC CR# : DMND0003627\CHG40062355 Modified By : Susan Ma Modified On : 11/7/2022 Added objects to folder Folder Name : Product Master Dimension\Characteristics\Operations Object Name: Emerging Markets Ind CR# : CHG40061510 Modified By : Kris Lagocki Modified On : 10/18/2022 Added objects to folder Folder Name : Sales Order Dimension Object Name: 1) SO Cancellation Date 2) RAR Relevant Ind 3) User Status Desc – SO Header Filters 1) RAR Relevant CR# : CHG40058427 Modified By : Rajaanjith Nadar Modified On : 09/19/2022 Desc : Project Harmony - Finance related changes in Datawarehouse/BO Modified below Objects Folder Name : Sales Order Dimension 1) Customer Acceptance Number 2) CRM Reference Header 3) CRM Reference Item 4) Customer PO Type CR# : CHG40058427 Modified By : Rajaanjith Nadar Modified On : 08/17/2022 Desc : Project Harmony - Added new Objects related to Service Contract. Added below Objects Folder Name : Service Contract Dimension 1)SC Number 2)SC Item Number 3)SC Ord Type Code 4)SC Ord Type Desc 5)SC Ord Line Type Code 6)SC Ord Line Type Desc 7)SC Sold To Country Code 8)SC Ship To Country Code 9)SC Distributor Channel Number 10)SC Co Id 11)SC Sales Org Id 12)SC Invoice Date 13)SC Ord Entry Date 14)SC Stat Desc 14)SC Cust PO Number 15)SC Sales Office Code 16)SC Reason for Rejection Code 17)SC Reason for Rejection Desc 18)SC Sales Group Code 19)SC Block Code 20)SC Block Code Desc 21)SC Inco Terms1 22)SC Inco Terms2 23)SC User Item Status Code 24)SC User Hdr Status Code 25)SC Ord Entry Header Date 26)SC Cust PO Date 27)SC Requested Delivery Header Date 28)SC Ord Entry Datetime 29)SC Delivery Block 30)SC Hreader Created By 31)SC Payment Terms 32)SC Payment Terms Desc 33)SC Start Date 34)SC End Date 35)SC POB ID 36)SC IVR Number 37)SC Contract Desc 38)SC Last Updated By CR# CHG40058514 Modified By: Priyanka Rane Modified On: 07/28/2022 Desc: Modified the object definition to fetch cost from DIM_PROD_COST for legacy Arris 1) Measures/Invoice/Costs/Cost-Doc Currency-Doc/Standard Cost-Doc - StdGrossCost-Master-Doc 2) Measures/Invoice/Costs/Cost-US Dollars-USD/USD-Standard Cost - StdGrossCost-MasterUSD CR# : CHG40058428 Modified By : Sreyas Mane Modified On : 05/06/2022 Desc : Project Harmony - Finance related changes in Datawarehouse/BO Added below Objects Folder Name : Sales Order Dimension 1) Job Id 2) Customer Acceptance Number 3) Internal Order Number 4) Item Reason Code 5) Item Reason Code Description 6) Overall Blocked Header Status Code 7) Overall Blocked Header Status Code Description 8) Contract Id 9) POB Id 10) Contract Start Date 11) Contract End Date 12) Customer Name 13) Cust Email Address (Header) Folder Name : Invoice Dimension 1) Goods Issue Date 2) Shipment Tracking Id CR: CHG40058397 Modified By: Priyanka Rane Modified on: 05/16/2022 Desc: 1) Modified the derivation of below objects to use DIM_PROD_COST columns and COMP_CUR_TO_USD_CUR_RATE rate instead of BASE_TO_DOC_CUR_RATE Path: Measures/Invoice/Costs/Cost-US Dollars-USD/USD-Standard Cost Objects: StdMaterialCost-USD, StdFreightCost-USD, StdDutyCost-USD, StdScrapCost-USD, StdLaborCost-USD, StdVOHCost-USD, StdFOHCost-USD,StdSubcontractCost-USD, StdContributionCost-USD 2) Modified the derivation of the below objects to reflect the correct amount in document currency.Before the change they all were pointed to Local currency amounts Path:Measures/Invoice/Costs/Cost-Doc Currency-Doc All today's cost pointing to DIM_PROD_COST TODAY FROM derived table TODAY_COST CR: CHG40056323 Modified By: Lakshmi Bhogadi Modified on: 03/09/2022 Desc: Added new object Object Name : Material Group 4 Description,Shipping Type Code,Shipping Type Description Location: Sales Order Dimension CHG40055333:Venkata Mendi 2/7/2022 Added Bill To details Customer Number CHG40054912 Clint Hall 2021-12-10 In Sales Order Dimension add Pricing Cond Unit Price,Pricing Cond Unit Qty, Pricing Cond UOM CHG40053515 B. Clint Hall 11/13/2021

Add Freight Surcharge Measures for Invoices in USD and Document currency and for Backlog in USD, Document Currency, and Local Currency. Change Log: Modified by Venkata Mendi Modified on 08/31/2021 CR: CHG40049508 Desc: Added Shipment Start Date, Shipment End Date and Shipment Trailer No Change Log: Modified By: Priyanka Rane Modified On: 08/26/2021 CR: CHG40052462 Desc: Added below objects under Sales Order Dimension folder: Reference Document Number, Reference Document Item Number, Price List Type, Price List Type Desc, Price Group, Price Group Desc, Material Pricing Group, Material Pricing Group Desc, Pricing Date, Customer Group, Customer Group Desc, Payment Guarantee, Payment Terms, Payment Terms Desc CHG40050949 Modified By : Vivekanand Bandekar Modified Date: 08/02/2021 Desc: 1) Added new object StdGrossCost-Master-USD under Measures/Invoice/Costs/Cost-US Dollars-USD/USD-Standard Cost/ 2) Changed the derivation of all the objects under below classes to use the column COMP_CUR_TO_USD_CUR_RATE instead of BASE_TO_DOC_CUR_RATE Measures/Invoice/Costs/Cost-Document Currency-Doc/Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-Doc: All Objects Measures/Invoice/Costs/Cost-Document Currency-Doc/Current Cost(PP3-Factory Spec at Invoice Time)-Doc: All Objects Measures/Invoice/Costs/Cost-Document Currency-Doc/Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Doc: All Objects Measures/Invoice/Costs/Cost-Document Currency-Doc/Current Cost(Todays PP3-Factory Spec)-Doc: All Objects Measures/Invoice/Costs/Cost-US Dollars-USD/USD- Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time): All Objects Measures/Invoice/Costs/Cost-US Dollars-USD/USD- Current Cost(PP3-Factory Spec at Invoice Time): All Objects Measures/Invoice/Costs/Cost-US Dollars-USD/USD- Current Cost(Todays PP2-Current Material-Current Labour/Overhead): All Objects Measures/Invoice/Costs/Cost-US Dollars-USD/USD- Current Cost(Todays PP3-Factory Spec): All Objects CHG40048721 05/14/2021 Clint Hall Add today's PP2 and PP3 costs in LOC, DOC, and USD. Correct Doc PP2 cost (it was showing the PP2 cost for 1 costing unit. It is now showing the total PP2 cost for the invoiced quantity). CHG40047657 03/01/2021 Narednra Yadlapati Modified Derived table WORK_DAYS changed SRC_SYS_ID logic from AND to JDEDOM in where condition. CHG40042503 08/20/2020 Ritesh Bhawsar Added Rev Line Of Business for L-Arris Invoices. CHG40040733 Vincy Ji 6/10/2020 Desc: modified the objects Payer Cust View Desc, Sold To Cust View Desc, Ship To Cust View Desc CHG40039134 Young Yang 5/13/2020 Desc: 1. Product Master Dimension/PLM/Ports - rename to MID_UOM. 2. Product Master Dimension/PLM/Ports per Panel - rename to Harmonized Unit CHG40039655 Rahul Suryavanshi 5/12/2020 Desc: 1. Industry Key code 2. Industry Key desc Sreyas Mane 04/30/2020 Add a new object Object Name : Header Approver Name Location: Sales Order Dimension CHG40038347 Rahul Suryavanshi / Supreetha Shenoy 04/08/2020 New: location: Corporate reports / Measures / Cost Forecast revision buckets: Forecast Cost Revision 0 Amt - Monthly USD, Forecast Cost Revision 1 Amt - Monthly USD, Forecast Cost Revision 2 Amt - Monthly USD, Forecast Cost Revision 3 Amt - Monthly USD, Forecast Cost Revision 4 Amt - Monthly USD, Forecast Cost Revision 5 Amt - Monthly USD, Forecast Cost Revision 0 Amt - Quaterly USD, Forecast Cost Revision 1 Amt - Quaterly USD, Forecast Cost Revision 2 Amt - Quaterly USD, Forecast Cost Revision 3 Amt - Quaterly USD, Forecast Cost Revision 4 Amt - Quaterly USD, Forecast Cost Revision 5 Amt - Quaterly USD location: Filters / Forecast Filters/ 1. Forecast location: Date dimension/Forecast Date : 1. Forecast Year Month Nbr location: Measures / Forecast / Annual Forecast / Cost Forecast USD Amt - Quaterly USD, Cost Forecast USD Amt - Monthly USD Existing: location: Corporate reports / Measures / Revenue Forecast revision buckets: Forecast Revenue Revision 0 Amt - Monthly USD, Forecast Revenue Revision 1 Amt - Monthly USD, Forecast Revenue Revision 2 Amt - Monthly USD, Forecast Revenue Revision 3 Amt - Monthly

USD,Forecast Revenue Revision 4 Amt - Monthly USD,Forecast Revenue Revision 5 Amt - Monthly USD,Forecast Revenue Revision 0 Amt - Quarterly USD,Forecast Revenue Revision 1 Amt - Quarterly USD,Forecast Revenue Revision 2 Amt - Quarterly USD,Forecast Revenue Revision 3 Amt - Quarterly USD,Forecast Revenue Revision 4 Amt - Quarterly USD,Forecast Revenue Revision 5 Amt - Quarterly USD location:Measures / Forecast /Annual Forecast / 1Q Revenue USD Amt - Quarterly USD - > Forecast Revenue Amt - Quarterly USD(Renamed),R2Q Revenue USD Amt - Monthly USD - > Forecast Revenue Amt - Monthly USD(Renamed) location:Filters / Forecast Filters/ R2Q revenue - > Forecast - All Revisions(Renamed),R2Q Revenue+External Sales - > Forecast+External Sales(Renaming and changing of the definition) CHG40038611-Sreyas Mane Date 03/25/2020 Desc: Add below objects 1) Operation Country Id 2) Operation Country Name Modified "Std-GrossCost-USD" object for Order Input and Backlog to include 'ARS-BRZ' Source system CHG40037418-Damodar Shirodkar/China Ankinapalli 02/28/2020 Desc: Added new objects Sales District Code/Desc, Deal Reg Id, CHAR Product Category, CHAR Category, EndUser Partner Dimension, VAR Partner Dimension and Ruckus SFDC Id,VAR Partner Id, EndUser Partner Id CHG40036760- Subodh Barve 1/24/2020 Desc: modified the objects Ultimate Cust View Desc,Payer Cust View Desc,Sold To Cust View Desc,Ship To Cust View Desc CHG40034857 Carina Yu 11/14/2019 Desc: 1. Add new objects to support POP/POS Sales and COGS Adjustment; 2. Add 2 new Filters to support POP/POS Adj CHG40032568 Young Date:10/30/2019 Desc:Added PLM Enterprise under Product Master Dimension. CHG40033926-Vidyal Nevrekar 09/17/2019 Desc: Add GL Cost objects under /Measures/ Invoice/Costs folder for all three currencies. CHG40034195 Kirti Betkekar Date:09/19/2019 Desc:Added object Prod Category Code under Product Master Dimension. CHG40033611 Supreetha Shenoy Date:09/10/2019 Desc:Added object Ultimate CustomerView Sales-Mgmt under Ultimate Customer Dimension. CHG40023944 Rakesh Kumar Madhasu 08/13/2019 Desc: Incorporate new objects as Storage Location.storage location field provide us the actual location of the finish goods CHG40030887 Carina Yu 06/28/2019 Desc: Incorporate several new objects as DAR GL-Doc and DAR GL-USD, Adjusted Gross Sales based on GL Account, NetPrice GL Amount based on GL Account, also Company Code Amount into Revenues Measures Folder. Also build those GL Amount objects for EPBCS Extract Project. CHG40030876 Supreetha Shenoy 03/31/2019 Desc- Modified the monthly and quarterly R2Q objects to reference MTH_R2Q_IND ='Y' and QTR_R2Q_IND ='Y' to pick Arris R2Q. Created new filter for Review R2Q . Added object for Rec type desc under Debug folder. CHG40029585 Kirti Betkekar 14/03/2019 Desc: Add New folder Schedule Release Date (Date on which line item comes out of block). CHG40029995 - Arris Day1 reporting Subodh Barve 03/05/2019 Desc- Added an object named Organization which will have COMMScope and ARRIS as the vaues Modified the below mentioned measures to add SRC_SYS_ID - ARS-EDW,ARS-HYP,ARS-RUK 1.Std-GrossCost-USD /Measures/Order Input/Cost/Cost-US Dollars-USD/ USD-Standard Cost 2.Std-GrossCost-USD /Measures/Backlog/Cost/ Cost-US Dollars-USD/USD-Standard Cost 3.Plan Revenue Amt-USD -> added DIM_REC_TYPE.PLAN_IND ='Y' Filters: 1.Plan Revenue : added ARRIS rec type - FCTV_INVOICE.REC_TYPE_KEY IN (50,637,639,640,645,647,649,652,653,655,642,651) 2.Plan Revenue+External - added ARRIS PLAN Plan Ind DIM_REC_TYPE.PLAN_IND = 'Y' 3.Plan+P&L+R2Q+STAT Forecast Revenues+External Sales - added ARRIS PLAN Plan Ind DIM_REC_TYPE.PLAN_IND = 'Y' 4.Plan&Forecast - added ARRIS PLAN Plan Ind DIM_REC_TYPE.PLAN_IND = 'Y' CHG40025497 Modified by:Clint H 01/29/2019 Desc: Add Channel Customer Class CHG40027297 Modified by:Meena S 10/12/2018 Desc: Modify derived 'FFM' flag at Global level CHG40024728 Modified by: Ritwick/Suresh 09/20/2018 Desc: Added a new object "FFM Flag"

under "Product Master Dimension" class. Project / PRJ60000341 / CHG40024673 Modified by: Kirti Betkekar 06/05/2018 Desc: Add New Objects for Contractual Lead Time. CHG40024177 Tanaji B 04/30/2018 Desc: Added 'ABC Indicator' object under "Product Master Dimension" and 'Sales Employee Id' and 'Sales Employee Name' in "Sales Order Dimension" class. CHG40023019 Vincy Ji 03/07/2018 Desc: Modify PCT_COMP_MONTH in DATE_PERCENTAGE. CHG40020125 Huijun Yang 23/10/2017 Desc: Add new object 'ROYALTY' in "/Product Master Dimension/Characteristics/Operations" folder. CHG40019895 Vincy Ji 9/29/2017 Desc: Add new object "Salesforce Opportunity Nbr" for Provision Order to "Sales Order Dimension" CHG40018902 Jessica Zhou 8/23/2017 Desc: Add Project Description to Track Project Revenue CR No: CHG40018755 Desc: Modify the SELECT clause of the object Ship To Customer Dimension/Addr Name 1 and Payer Customer Dimension/Addr Name 1 from DIM_ADDR.ADDR_ID to DIM_ADDR.ADDR_NAME1 Modified By: Priyanka Rane 07/10/2017 CR No: CHG40016935 Desc: Re-design Region Dimension to make them easier to understand. Add 2 new region objects based on DIM_CRM_SALES_ORG.CRM_PARENT_REGION and DIM_CRM_SALES_ORG.CRM_SUB_REGION in class "Corporate Region Dimension" 04/10/2017 Modified by: Carina Yu CR No:CHG40012777 Description:Clean-up the OLD RLG's from Business Objects Date : 10-02-2017 Praveen Malipeddi Change Request : CHG40012533 Modified By: Supreetha Shenoy 09/07/2016 Desc: Added Security restriction for RLG # Customer View CHG40012376 Modified By: Vidya Sagar Rao Kallepu 08/16/2016 Desc: Added new objects Sales Agent Location Code and Sales Agent Location under class Sales Order Dimension CHG40011641 Modified By: Priyanka Rane 05/25/2016 Desc: Added new object SAP Material Type under class Product Master Dimension Change Request:CHG40011117 Modified By: Kirti Betkekar 05/12/2016 Desc: Rename Cust Level1 to Cust View Code and Cust Level1 Desc Cust View Desc in all Customer Related folders. Change the object definition for all Cust Level1 Desc to : Case when business_segment = 'CMS' then 'SERVICE PROVIDER' Else DIM_CUST.level2_desc CHG40010386 Modified By: Hassett, Gerald (Jerry) 4/15/2016 1.Renamed the filter ExternalSales (Including Prior BNS Acquisition) to ExternalSales (Excluding BNS Prior Acquisition) 2. Renamed ExternalOrderInput(Including Prior BNS Acquisition) to ExternalOrderInput (Excluding BNS Prior to Acquisition) CHG40007891 Modified By: Carina Yu 3/25/2016 Desc:Add 2 more filters as "ExternalSales (Prior BNS Acquisition)" and "ExternalOrderInput (Prior BNS Acquisition)" to include all of BNS historical data CHG40009061 Modified By: Carina Yu 2/3/2016 Desc:Hide BB filters since new Profit Center Hierarchy Implementation

Dynamic Parameters

TRUST_CARDINALITIES	No
COLUMNS_SORT	No
FILTER_IN_FROM	No
CUMULATIVE_OBJECT_WHERE	No
FORCE_SORTED_LOV	No
DISTINCT_VALUES	DISTINCT
AUTO_UPDATE_QUERY	No
EVAL_WITHOUT_PARENTHESIS	No
THOROUGH_AGGREGATE_AWARE	No
CHECK_INTEGRITY	false



DM_Invoice_Data_Mart



Date Dimension



CalendarDate



TE Calendar Date



Cal Week Day Nbr



Cal Week Day Name



FinanceYear



FinanceMonth



Fin Month Name



FinanceYearMonth



Fin Year Month Name



Fin Week Nbr



FinanceYearWeek



FinanceYearMonthWeek



Fin Year Month Week Name



Fin Qtr Nbr



FinanceYearQuarter



Fin Year Qtr Name



Mon-Fri Date



Mon-Fri Date Week In Month Nbr



Mon-Fri Date Week Day Nbr



Mon-Fri Date Week Day Name



Working Days Completed



Remaining Working Days



Src Sys Id-Date



Last Mod Dt-Date Record



Backlog Buckets



Backlog Date Description



Backlog Week Description



Backlog Month Description



Backlog Quarter Description



Backlog Year Description



Backlog Date




Backlog Year Month Nbr



Standard Dates


	Today
	Month + 1
	Month + 2
	Month + 3
	Month + 4
	Month + 5
	Month + 6
	Month - 1
	Month - 2
	Month - 3
	Month - 4
	Month - 5
	Month - 6
	Quarter + 1
	Quarter + 2
	Quarter + 3
	Quarter + 4
	Quarter -1
	Quarter -2
	Quarter -3
	Quarter -4
	Today's Year Month Nbr
	Today's Date
	Today's YearWeek
	Today's YearQuarter
	Today's Year
	Yesterday/Refresh Dates
	Yesterday's Date
	Yesterday's Year Month Nbr
	Yesterday's YearWeek
	Yesterday's Previous Week
	Yesterday's YearQuarter
	Yesterday's Year
	Previous Year Month Nbr
	Performance Improvement
	Calendar Year Qtr
	Forecast Date



-  Prod Desc2
-  Prod Grp Code
-  * Prod Grp Desc
-  Prod Hier Code
-  Prod Category Code
-  * Prod Category Desc
-  Fiber Count Nbr
-  Flood Fiber Type Code
-  * Flood Fiber Type Desc
-  Prod Base Unit Meas Code
-  * Prod Base Unit Meas Desc
-  Legacy Material Type Code
-  * Legacy Material Type Name
-  Material Grp Code
-  * Material Grp Desc
-  SAP Material Type
-  GlobalMaterialMasterDivision
-  * GlobalMaterialMasterDivisionName
-  Mrp Ctrlr Id
-  * Mrp Ctrlr Name
-  Priority Material Where Used
-  * Priority Material Where Used Desc
-  Src Sys Id-Prod Master
-  Last Mod Dt-Prod Master Data
-  Procurement Type
-  Material Status
-  CH_Flame_Rating
-  CH_Cable_Construction
-  Lead Time
-  QM Proc Active
-  MID is config
-  Auth Group
-  Purch Value Key
-  QM Control Key
-  * QM Key Desc
-  Std Cost-USD
-  Special Procurement Type Desc

- Material Grouping Code
- ABC Indicator
- FFM Flag
- DP Class Name
- Planning Time Fence
- GR Processing Time
- MRP Type
- * MRP Type DESC
- Account Assignment Group
- * Account Assignment Group Desc
- Profit Center Code - MM
- * Profit Center Desc - MM
- Export Control Class
- Country of Origin of Material
- Export Import Material Group
- * Export Import Material Group Desc
- PLM Enterprise
 - Other
 - Harmonized Unit
 - MID_UOM
 - Solution
 - Environment
 - Shielded/UnShielded
 - Portfolio
 - Category
 - Enterprise Customer Products
- Characteristics
 - Operations
 - CHAR-ProductSet
 - CHAR-ProductSubSet
 - CHAR-Class
 - CHAR-Family
 - CHAR-Group
 - CHAR-Brand
 - CHAR-Catalog
 - CHAR-Type
 - CHAR-01

	CHAR-02
	CHAR-03
	CHAR-04
	CHAR-05
	CHAR-06
	CHAR-07
	CHAR-08
	CHAR-09
	CHAR-10
	CHAR-11
	CHAR-12
	CHAR-13
	CHAR-14
	CHAR-15
	CHAR-16
	CHAR-17
	CHAR-18
	CHAR-19
	CHAR-20
	ROYALTY
	CHAR-Category
	CHAR-ProductCategory
	Emerging Markets
	Business Backlog Assignments
	Source Plant Dimension
	Operation Country Id
	 Operation Country Name
	Plant Group Id
	 Plant Group Desc
	Operation Region
	History Reporting - Source Plant
	Plant Id
	Plant Name
	Last Mod Dt-Source Plant
	Src Sys Id-Source Plant
	Fct Ind
	Plant Short Name



- Interco Sale Ind
- Order Status Code
- * Order Status Desc
- External Backlog Ind
- External Pending Ind
- External Shipped Non-Invoiced Ind
- Order Input Ind
- IE Backlog Ind
- IE Pending Ind
- Src Sys Id-Order Status
- Last Mod Dt-Order Status Record
-  Sales Order Dimension
 - Storage Location
 - Source Vendor Number
 - Source Vendor Name
 - Sales Ord Id
 - Ord Item Nbr
 - Ord Type Code
 - * Ord Type Desc
 - Ord Cat Code
 - * Ord Cat Desc
 - Ord Line Type Code
 - * Ord Line Type Desc
 - Final Dest Country Code
 - * Final Dest Country Name
 - CompanyID
 - Last Delivery Date
 - Bill of Lading Nbr
 - Carrier Code
 - Carrier Name
 - PRO/Tracking Number
 - Stat Desc
 - CustomerRequestedDate
 - Cust PO Number
 - TransactionOriginator
 - * Transaction Originator Full Name
 - Sales Office Code

-  Sales Office Desc
-  Sales Order Counter
-  Cust Material Nbr
-  Ord Reason Code
-  Ord Reason Desc
-  Reason for Rejection Code
-  Reason for Rejection Desc
-  Cust Care Rep Id
-  Cust Care Rep Name
-  Block Desc
-  Block Code
-  Schedule Line Block Code
-  Schedule Line Block Desc
-  Est Ship Date
-  Original Est Manuf Date
-  Last Ship Date
-  Last Mod Dt-Sales Order
-  Ord Entry Date
-  Src Sys Id-Sales Order
-  Employee Resp number
-  Sales Group Code
-  Sales Group Desc
-  Available To Ship Date-Group Level
-  Available To Ship Date-Item Level
-  Customer Care Comment A
-  Customer Care Comment B
-  Inco Terms 1
-  Inco Terms1 Desc
-  Inco Terms 2
-  Last Delivery Document
-  Cable Status Code
-  Delivery Group
-  Delivery Document Date
-  Project Name – SO Item
-  Project Name – SO Header
-  Feature ID
-  Shipping Point

	Customer PO Item
	Related PO
	Related PO Item
	Related PO Create Date
	Current Manufacturing Date
	End Customer Material
	End Customer PO
	End Customer PO Item
	First Est Ship Date
	Delivery Doc Item Create Date
	Original Delivery Date
	Material Sales Org
	Buyer Name
	WBS Element – SO Item
	* WBS Element Desc – SO Item
	Job Tracker Work Number
	Mark for-Header Desc – SO Header
	Program Manager
	Item Note - SO Item
	User Status Code – SO Item
	System Status Code – SO Item
	User Status Code – SO Header
	* User Status Desc – SO Header
	System Status Code – SO Header
	Customer PO Date
	SO Material Desc
	Item Route
	* Item Route Desc
	YT Transportation
	* YT Transportation Desc
	Latest Delivery Document
	Delivery Qty
	PO Qty
	Order Qty
	Commercial Invoice ID
	Commercial Invoice Date
	Commercial Invoice Qty

-  Goods Issued Qty
-  Sales Item Comments – SO Item
-  Manual Header Discount Comment – SO Header
-  Mark for Item Desc – SO Item
-  Shipment Carrier Name
-  Shipment Tracking ID
-  Project Manager Id
-  Project Manager Name
-  Sales Agent Location Code
-  Sales Agent Location
-  Project Desc
-  Salesforce Opportunity Nbr
-  Sales Employee Id
-  * Sales Employee Name
-  Unloading Point
-  Sales District Code
-  * Sales District Desc
-  Deal Reg Id
-  VAR Partner Id
-  EndUser Partner Id
-  Header Approver Name
-  Reference Document Number
-  Reference Document Item Number
-  Price List Type
-  * Price List Type Desc
-  Price Group
-  * Price Group Desc
-  Material Pricing Group
-  * Material Pricing Group Desc
-  Pricing Date
-  Customer Group
-  * Customer Group Desc
-  Payment Terms
-  * Payment Terms Desc
-  Payment Guarantee
-  Pricing Cond Unit Price
-  Pricing Cond Unit Qty

	Pricing Cond UOM
	Header Requested Delivery Date
	Material Group 4 Description
	Shipping Type Code
*	Shipping Type Description
	Job Id
	Customer Acceptance Number
	Internal Order Number
	Item Reason Code
*	Item Reason Code Description
	Overall Blocked Header Status Code
*	Overall Blocked Header Status Code Description
	Contract Id
	POB Id
	Contract Start Date
	Contract End Date
	Customer Name
	Cust Email Address (Header)
	SO Cancellation Date
	RAR Relevant Ind
	Delivery Priority Code
*	Delivery Priority Desc
	CRM Reference Header
	CRM Reference Item
	Customer PO Type
	Hold Code
	Hold Code Desc
	ATP Override Indicator
	High Level Item Number
	Cust Account Assignment Grp Code
*	Cust Account Assignment Grp Desc
	Partial Delivery Indicator
	POD Block Relevant Indicator
	Planning Priority Number
	Over Delivery Tolerance
	Under Delivery Tolerance
	Your Reference Header

-  Your Reference Item
-  Route In Days
-  Header Document Date
-  Item Billing Block Code
-  Item Billing Block Desc
-  Purchase Order Text
-  Metrics Descriptions
 -  Delivery-Performance-CROJ
 -  Delivery-Performance-Promise
 -  Manufacturing-Performance-Description
 -  Shipping-Performance-Description
-  Ord Entry Date - SO Item
 -  Ord Entry Date
 -  Ord Entry DateTime
 -  Ord Entry Date-Year
 -  Ord Entry Date-Quarter
 -  Ord Entry Date-Month
 -  Ord Entry Date-WeekOfYear
 -  Ord Entry Date-WeekOfMonth
-  Ord Entry Date - SO Header
 -  Ord Entry Header DateTime
 -  Ord Entry Header DateTime-Year
 -  Ord Entry Header DateTime-Quarter
 -  Ord Entry Header DateTime-Month
 -  Ord Entry Header DateTime-WeekOfYear
 -  Ord Entry Header DateTime-WeekOfMonth
-  Est Ship Date
 -  Est Ship DateTime
 -  BacklogBucket-SixMonth
 -  Est Ship DateTime-Year
 -  Est Ship DateTime-Quarter
 -  Est Ship DateTime-Month
 -  Est Ship DateTime-WeekOfYear
 -  Est Ship DateTime-WeekOfMonth
-  Last Ship Date
 -  Last Ship Date
 -  Last Ship Date-Year

-  Last Ship Date-Quarter
-  Last Ship Date-Month
-  Last Ship Date-WeekOfYear
-  Last Ship Date-WeekOfMonth
-  First Est Manuf Date
 -  First Est Manuf DateTime
 -  First Est Manuf DateTime-Year
 -  First Est Manuf DateTime-Quarter
 -  First Est Manuf DateTime-Month
 -  First Est Manuf DateTime-WeekOfYear
 -  First Est Manuf DateTime-WeekOfMonth
-  Last Mfg Date
 -  Last Mfg Date
 -  Last Mfg Date-Year
 -  Last Mfg Date-Quarter
 -  Last Mfg Date-Month
 -  Last Mfg Date-WeekOfYear
 -  Last Mfg Date-WeekOfMonth
-  Cust Requested Date
 -  Cust Requested Date
 -  Cust Requested Date-Year
 -  Cust Requested Date-Quarter
 -  Cust Requested Date-Month
 -  Cust Requested Date-WeekOfYear
 -  Cust Requested Date-WeekOfMonth
-  Estimated Delivery Date
 -  Estimated Delivery Date
 -  Estimated Delivery Date-Year
 -  Estimated Delivery Date-Quarter
 -  Estimated Delivery Date-Month
 -  Estimated Delivery Date-WeekOfYear
 -  Estimated Delivery Date-WeekOfMonth
-  Cust Req Delivery Date
 -  Cust Req Delivery Date
 -  Cust Req Delivery Date-Year
 -  Cust Req Delivery Date-Quarter
 -  Cust Req Delivery Date-Month

	Cust Req Delivery Date-WeekOfYear
	Cust Req Delivery Date-WeekOfMonth
Folder	Last Delivery Date
	Last Delivery Date
	Last Delivery Date-Year
	Last Delivery Date-Quarter
	Last Delivery Date-Month
	Last Delivery Date-WeekOfYear
	Last Delivery Date-WeekOfMonth
Folder	Invoice Date
	Invoice Date
	Invoice Date-Year
	Invoice Date-Quarter
	Invoice Date-Month
	Invoice Date-WeekOfYear
	Invoice Date-WeekOfMonth
Folder	Status Date
	StatusDateTime
	StatusDateTime-Year
	StatusDateTime-Quarter
	StatusDateTime-Month
	StatusDateTime-WeekOfYear
	StatusDateTime-WeekOfMonth
Folder	Estimated Goods Issue Date
	Estimated Goods Issue Date
	Estimated Goods Issue Date-Year
	Estimated Goods Issue Date-Quarter
	Estimated Goods Issue Date-Month
	Estimated Goods Issue Date-WeekOfYear
	Estimated Goods Issue Date-WeekOfMonth
Folder	Schedule Line Date Stamp
	Schedule Line Date Stamp
	Sched Line Datestamp-time concat
	Schedule Line Date Stamp-Year
	Schedule Line Date Stamp-Quarter
	Schedule Line Date Stamp-Month
	Schedule Line Date Stamp-WeekOfYear

-  Schedule Line Date Stamp-WeekOfMonth
-  Schedule Release Date
 -  Schedule Release Date
 -  Schedule Release Date-Year
 -  Schedule Release Date-Quarter
 -  Schedule Release Date-Month
 -  Schedule Release Date-WeekOfYear
 -  Schedule Release Date-WeekOfMonth
 -  Schedule Release Date-Timestamp
-  Additional Data A
 -  Condition Group 1
 -  Condition Group 2
-  Additional Data B
 -  Plate Number
 -  Delay Reason Desc
 -  Sched Line Datestamp
 -  Sched Line Datestamp-time
 -  End User Name – SO Header
-  Combined SO/PO columns
 -  SO/PO ID
 -  SO/PO Item
 -  SO/PO Type
 -  SO/PO Create Date
 -  SO/PO Cust Requested Date
 -  SO/PO Last Delivery Date
 -  SO/PO Last Ship Date
 -  SO/PO Est Ship Date
-  Service Contract Dimension
 -  SC Number
 -  SC Item Number
 -  SC Ord Type Code
 -  * SC Ord Type Desc
 -  SC Ord Line Type Code
 -  * SC Ord Line Type Desc
 -  SC Final Dest Country Code
 -  SC Sold To Country Code
 - SC Ship To Country Code

	SC Distributor Channel Number
	SC Co Id
	SC Sales Org Id
	SC Invoice Date
	SC Ord Entry Date
	SC Stat Desc
	SC Cust PO Number
	SC Cust PO Line Number
	SC Sales Office Code
	SC Reason for Rejection Code
	* SC Reason for Rejection Desc
	SC Sales Group Code
	SC Block Code
	* SC Block Code Desc
	SC Inco Terms1
	* SC Inco Terms1 Desc
	SC Inco Terms2
	SC User Item Status Code
	SC User Hdr Status Code
	SC Ord Entry Header Date
	SC Cust PO Date
	SC Ord Entry Datetime
	SC Requested Delivery Header Date
	SC Delivery Block
	SC Header Created By
	SC Payment Terms
	* SC Payment Terms Desc
	SC Start Date
	SC End Date
	SC POB ID
	SC IVR Number
	SC Contract Desc
	SC Last Updated By
	SC Sales Employee Name
	SC Settlement Start Date
	SC Settlement End Date
	SC Billing date

- SC Entitled Party Number
- * SC Entitled Party Name
- SC Header Contract Start Date
- SC Header Contract End Date
- SC Billing Status
- SC Header Employee Responsible
- Ship To Customer Dimension
 - Ship To Cust Id
 - * Ship To Cust Name
 - Ship To Customer Segmentation
 - Addr Id
 - Addr Name1
 - Addr Name2
 - Street Addr Name1
 - Addr City Name
 - Addr State Code
 - Addr Zip Code
 - Addr Country Code
 - * Addr Country Desc
 - Region Sales Mgr Name
 - Account Mgr Name
 - Sales Agent Name
 - Src Sys Id-Ship To Cust
 - Last Mod Dt-Ship Cust
 - Ship To Hierarchy
 - Ship To Cust View Code
 - * Ship To Cust View Desc
 - Ship To Cust Level2
 - * Ship To Cust Level2 Desc
 - Ship To Cust Level3
 - * Ship To Cust Level3 Desc
 - Ship To Cust Level4
 - * Ship To Cust Level4 Desc
 - Sold To Parent Cust Id
 - * Sold ToParent Cust Name
 - Sold To Customer Dimension
 - Sold To Cust Id

-  * Sold To Cust Name
-  Sold To Cust Addr Id
-  Sold To CustNameAddr
-  Sold to Industry Key Code
-  Sold to Industry Key Desc
-  Sold To Cust Street Addr1 Name
-  Sold To Cust City Name
-  Sold To Cust State Code
-  Sold To Cust Zip Code
-  Sold To Cust County Name
-  Sold To Cust Country Code
-  * Sold To Cust Country Desc
-  Sold To Customer Segmentation
-  Account Mgr Name
-  Src Sys Id-Sold To Cust
-  Last Mod Dt-Sold To Cust
-  Ruckus SFDC Id
-  Sold To Customer Hierarchy
 -  Sold To Cust View code
 -  * Sold To Cust View Desc
 -  Sold To Cust Level2
 -  * Sold To Cust Level2 Desc
 -  Sold To Cust Level3
 -  * Sold To Cust Level3 Desc
 -  Sold To Cust Level4
 -  * Sold To Cust Level4 Desc
 -  Sold To Parent Cust Id
 -  * Sold ToParent Cust Name
-  Bill To Customer Dimension
 -  Bill To Cust Id
 -  * Bill To Cust Name
 -  Bill To Cust Country Code
 -  * Bill To Cust Country Desc
-  Payer Customer Dimension
 -  Payer Cust Type Code
 -  * Payer Cust Type Desc
 -  Payer ClsGrp

-  Payer Cust Cls Code
 -   PayerCust Cls Desc
 -  Payer Cust Grp Code
 -   Payer Cust Grp Desc
 -  Payer Customer Segmentation
 -  Addr Id
 -  Addr Name1
 -  Addr Name2
 -  Street Addr Name1
 -  Addr City Name
 -  Addr State Code
 -  Addr Zip Code
 -  Addr Country Code
 -   Addr Country Desc
 -  Region Sales Mgr Name
 -  Account Mgr Name
 -  Sales Agent Name
 -  Src Sys Id-Ship To Cust
 -  Last Mod Dt-Ship Cust
 -  Payer Hierarchy
 -  Payer Cust View Code
 -   Payer Cust View Desc
 -  Payer Cust Level2
 -   Ship To Cust Level2 Desc
 -  PayerCust Level3
 -   Payer Cust Level3 Desc
 -  PayerCust Level4
 -   Payer Cust Level4 Desc
 -  PayerParent Cust Id
 -   Payer Parent Cust Name
 -  Payer Cust Id
 -   PayerCust Name
 -  Ultimate Customer Dimension
 -  Ultimate Cust Id
 -   Ultimate Cust Name
 -  Ultimate Customer Cust Type Code
 -   Ultimate Cust Type Desc

- Ultimate ClsGrp
- Ultimate Cust Cls Code
- * Ultimate Cust Cls Desc
- Ultimate Cust Grp Code
- * Ultimate Cust Grp Desc
- Ultimate Cust_Group_or_ID
- Ultimate Cust_Group_or_Name
- Ultimate Cust Addr Id
- Ultimate CustNameAddr
- Ultimate Cust Street Addr1 Name
- Ultimate Cust City Name
- Ultimate Cust State Code
- Ultimate Cust Zip Code
- Ultimate Cust County Name
- Ultimate Cust Country Code
- * Ultimate Cust Country Desc
- Ultimate Customer Segmentation
- Account Mgr Name
- Src Sys Id-Ultimate Cust
- Last Mod Dt-Ultimate Cust
- ClsGrp
- Ultimate Customer Hierarchy
 - Ultimate Customer View Sales-Mgmt
 - Ultimate Cust View Code
 - * Ultimate Cust View Desc
 - Ultimate Cust Level2
 - * Ultimate Cust Level2 Desc
 - Ultimate Cust Level3
 - * Ultimate Cust Level3 Desc
 - Ultimate Cust Level4
 - * Ultimate Cust Level4 Desc
 - Ultimate Parent Cust Id
 - * Ultimate Parent Cust Name
- Channel Customer Dimension
 - Channel Cust Id
 - * Channel Cust Name
 - Channel Cust Addr Id

- Channel CustNameAddr
- Channel Cust Street Addr1 Name
- Channel Cust City Name
- Channel Cust State Code
- Channel Cust Zip Code
- Channel Cust County Name
- Channel Cust Country Code
- * Channel Cust Country Desc
- Channel Customer Segmentation
- Channel Cust Account Mgr Name
- Src Sys Id-Channel Cust
- Last Mod Dt-Channel Cust
- Channel Customer Hierarchy
 - Channel Cust View code
 - * Channel Cust View Desc
 - Channel Cust Level2
 - * Channel Cust Level2 Desc
 - Channel Cust Level3
 - * Channel Cust Level3 Desc
 - Channel Cust Level4
 - * Channel Cust Level4 Desc
 - Channel Parent Cust Id
 - * Channel Parent Cust Name
- EndUser Customer Dimension
 - EndUser Cust Id
 - * EndUser Cust Name
 - EndUser Cust Addr Id
 - EndUser CustNameAddr
 - EndUser Cust Street Addr1 Name
 - EndUser Cust City Name
 - EndUser Cust State Code
 - EndUser Cust Zip Code
 - EndUser Cust County Name
 - EndUser Cust Country Code
 - * EndUser Cust Country Desc
 - EndUser Customer Segmentation
 - EndUser Cust Account Mgr Name

- Src Sys Id-EndUser Cust
- Last Mod Dt-EndUser Cust
- EndUser Customer Hierarchy
 - EndUser Cust View code
 - * EndUser Cust View Desc
 - EndUser Cust Level2
 - * EndUser Cust Level2 Desc
 - EndUser Cust Level3
 - * EndUser Cust Level3 Desc
 - EndUser Cust Level4
 - * EndUser Cust Level4 Desc
 - EndUser Parent Cust Id
 - * EndUser Parent Cust Name
- VAR Customer Dimension
 - VAR Cust Id
 - * VAR Cust Name
 - VAR Cust Addr Id
 - VAR CustNameAddr
 - VAR Cust Street Addr1 Name
 - VAR Cust City Name
 - VAR Cust State Code
 - VAR Cust Zip Code
 - VAR Cust County Name
 - VAR Cust Country Code
 - * VAR Cust Country Desc
 - VAR Customer Segmentation
 - VAR Cust Account Mgr Name
 - Src Sys Id-VAR Cust
 - Last Mod Dt-VAR Cust
- VAR Customer Hierarchy
 - VAR Cust View code
 - * VAR Cust View Desc
 - VAR Cust Level2
 - * VAR Cust Level2 Desc
 - VAR Cust Level3
 - * VAR Cust Level3 Desc
 - VAR Cust Level4

-  VAR Cust Level4 Desc
-  VAR Parent Cust Id
-  VAR Parent Cust Name
-  Invoice Dimension
 -  Delivery Order ID
 -  Delivery Item Nbr
 -  Invoice ID
 -  Invoice Line Nbr
 -  Invoice Date Time
 -  GL Date Time
 -  Sales Order ID
 -  Sales Ord Line Nbr
 -  CompanyID
 -  Inv Bill Type Code
 -  Inv Bill Type Desc
 -  Inv Category Code
 -  Inv Category Desc
 -  Fin Doc Nbr
 -  Inv Remark Desc
 -  Final Dest Country Code
 -  Final Dest Country Name
 -  GL Trans Ind
 -  Ship Loc Code
 -  Ship Loc Desc
 -  WBS Element – Invoice Item
 -  Sales Group
 -  End Use
 -  Act Prod Grp
 -  Src Sys Id-Invoice
 -  Last Mod Dt-Invoice
 -  Invoice Header Comments
 -  Doc Currency To Dollars Rate
 -  Accounting Refrence Doc Nbr
 -  Create Date – Invoice item
 -  L-Arris Revenue LOB Code
 -  Shipment_Start_Date
 -  Shipment_End_Date

	Shipment_Trailer_Number
	Goods Issue Date
	Shipment Tracking Id
	Material Account Assignment Group
	Material Account Assignment Group Desc
	Item Category Code
	Item Category Desc
	PO Dimension
	PO ID
	PO Item Nbr
	PO Last Delivery Date
	PO Last Ship Date
	PO Request Delivery Date
	PO Create Date
	STO Backlog Status Desc
	PO Commit Date
	PO Order Type
	GL Entry (Non-Billing External) Dimension
	GL Id
	GL Posting Date
	GL Doc Entry Date
	GL Company Id
	GL Cost Center
	GL Sales Org
	GL Doc Type
	GL Ref Transaction
	GL Ref Doc Nbr
	GL Ref Doc Line
	GL Ref Doc Year
	GL Ref Doc Type
	GL Ref Doc Activity
	GL Ref Org
	GL Account
	GL Functional Area
	GL HFM Group
	GL HFM Group Description
	GL Debit/Credit Indicator


-  GL Doc Currency
-  GL Company Currency
-  GL Doc Reversed Indicator
-  GL Sales Ord 1 Id
-  GL Sales Ord 1 Line
-  GL Sales Ord 2 Id
-  GL Sales Ord 2 Line
-  GL Bill Type
-  GL Invoice Nbr
-  GL Invoice Line
-  GL Customer
-  GL Vendor
-  GL PO Nbr
-  GL PO Line
-  GL Plant Id
-  GL Material Id

 Accounting Document

-  Acctg Doc Nbr
-  Acctg Line Nbr
-  Acctg Doc User Id
-  Acctg Doc Transaction
-  Acctg Doc Header Text
-  Acctg Doc Ref Key
-  Acctg Doc Header Xref 1
-  Acctg Doc Header Xref 2
-  Acctg Line Item Text
-  Acctg Line Item Xref 1
-  Acctg Line Item Xref 2
-  Acctg Line Item Xref 3
-  Acctg Line Business Area

 Company Dimension

-  Company Group ID
-  Company Group ID Name
-  Company ID Short Name
-  Company Loc Curr Code
-  Company Region Name
-  Company Country Code



-  GL-DocCurrency
 -  DAR GL-Doc
 -  AdjustedGrossPrice GL-Doc
 -  NetPrice GL-Doc
 -  Sales - Product GL-Doc
 -  Sales - Returns - Product GL-Doc
 -  Sales - Service GL-Doc
 -  Sales - Software GL-Doc
 -  Sales - Project Revenue GL-Doc
 -  Sales - PCS GL-Doc
 -  Sales - External Royalties GL-Doc
 -  Freight Revenue Billed to Customers GL-Doc
 -  Deferred Revenue GL-Doc
 -  Sales - Tech Services GL-Doc
 -  Discount - Tech Services GL-Doc
 -  Sales - Pro Services GL-Doc
 -  Discount - Pro Services GL -Doc
 -  Sales - Repair Services GL-Doc
 -  Discount - Repair Services GL-Doc
 -  Tariff Revenue Billed to Customer GL-Doc

-  Revenue-US Dollars-USD
 -  GrossPrice-USD
 -  AdjustedGrossPrice-USD
 -  NetPrice-USD
 -  Net-ProductUnit-Price-USD
 -  Freight-USD
 -  CustomerFreight-USD
 -  AIMRevenue-USD
 -  Unit Price Qtyuom USD
 -  Invoice-USD
 -  FreightSurcharge-USD

-  GL-USD
 -  DAR GL-USD
 -  AdjustedGrossPrice GL-USD
 -  NetPrice GL-USD
 -  Sales - Product GL-USD
 -  Sales - Returns - Product GL-USD

-  Sales - Service GL-USD
-  Sales - Software GL-USD
-  Sales - Project Revenue GL-USD
-  Sales - PCS GL-USD
-  Sales - External Royalties GL-USD
-  Freight Revenue Billed to Customers GL-USD
-  Deferred Revenue GL-USD
-  POP Sales Adjustment - USD
-  POS Sales Adjustment - USD
-  Sales - Tech Services GL-USD
-  Discount - Tech Services GL-USD
-  Sales - Pro Services GL-USD
-  Discount - Pro Services GL-USD
-  Sales - Repair Services GL-USD
-  Discount - Repair Services GL-USD
-  Tariff Revenue Billed to Customer GL-USD
-  Revenue-LocalCurrency
 -  Local Currency Code - Revenue
 -  GL- LocalCurrency
 -  DAR G-LC
 -  AdjustedGrossPrice GL-LC
 -  NetPrice GL-LC
 -  Sales - Product GL-LC
 -  Sales - Returns - Product GL-LC
 -  Sales - Service GL-LC
 -  Sales - Software GL-LC
 -  Sales - Project Revenue GL-LC
 -  Sales - PCS GL-LC
 -  Sales - External Royalties GL-LC
 -  Freight Revenue Billed to Customers GL-LC
 -  Deferred Revenue GL-LC
 -  Sales - Tech Services GL-LC
 -  Discount - Tech Services GL-LC
 -  Sales - Pro Services GL-LC
 -  Discount - Pro Services GL-LC
 -  Sales - Repair Services GL-LC
 -  Discount - Repair Services GL-LC

-  Tariff Revenue Billed to Customer GL-LC
-  Costs
 -  GL Cost - Document Type
 -  Cost-Document Currency-Doc
 -  Standard Cost-Doc
 -  StandardMaterialCost-Doc
 -  StandardFreightCost-Doc
 -  StandardDutyCost-Doc
 -  StandardScrapCost-Doc
 -  StandardDirectLaborCost-Doc
 -  StandardVOHCost-Doc
 -  StandardFOHCost-Doc
 -  StandardSubcontractCost-Doc
 -  StandardContributionCost-Doc
 -  StandardGrossCost-Doc
 -  StdGrossCost-Master-Doc
 -  Current Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc
 -  CurrentMaterialCost-Doc
 -  CurrentFreightCost-Doc
 -  CurrentDutyCost-Doc
 -  CurrentScrapCost-Doc
 -  CurrentDirectLaborCost-Doc
 -  CurrentVOHCost-Doc
 -  CurrentFOHCost-Doc
 -  CurrentSubcontract-Doc
 -  CurrentContribution-Doc
 -  CurrentGross-Doc
 -  Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-Doc
 -  PP2-MaterialCost-Doc
 -  PP2-FreightCost-Doc
 -  PP2-DutyCost-Doc
 -  PP2-ScrapCost-Doc
 -  PP2-DirectLaborCost-Doc
 -  PP2-VOHCost-Doc
 -  PP2-FOHCost-Doc
 -  PP2-SubcontractCost-Doc
 -  PP2-ContributionCost-Doc

-  PP2-GrossCost-Doc
-  Current Cost(PP3-Factory Spec at Invoice Time)-Doc
 -  PP3-MaterialCost-Doc
 -  PP3-FreightCost-Doc
 -  PP3-DutyCost-Doc
 -  PP3-ScrapCost-Doc
 -  PP3-DirectLaborCost-Doc
 -  PP3-VOHCost-Doc
 -  PP3-FOHCost-Doc
 -  PP3-SubcontractCost-Doc
 -  PP3-ContributionCost-Doc
 -  PP3-GrossCost-Doc
-  Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Doc
 -  PP2-Today-MaterialCost-Doc
 -  PP2-Today-FreightCost-Doc
 -  PP2-Today-DutyCost-Doc
 -  PP2-Today-ScrapCost-Doc
 -  PP2-Today-DirectLaborCost-Doc
 -  PP2-Today-VOHCost-Doc
 -  PP2-Today-FOHCost-Doc
 -  PP2-Today-SubcontractCost-Doc
 -  PP2-Today-ContributionCost-Doc
 -  PP2-Today-GrossCost-Doc
-  Current Cost(Todays PP3-Factory Spec)-Doc
 -  PP3-Today-MaterialCost-Doc
 -  PP3-Today-FreightCost-Doc
 -  PP3-Today-DutyCost-Doc
 -  PP3-Today-ScrapCost-Doc
 -  PP3-Today-DirectLaborCost-Doc
 -  PP3-Today-VOHCost-Doc
 -  PP3-Today-FOHCost-Doc
 -  PP3-Today-SubcontractCost-Doc
 -  PP3-Today-ContributionCost-Doc
 -  PP3-Today-GrossCost-Doc
-  GL Cost-DocCurrency
 -  GL Cost - Doc Currency
 -  Cost - Total CGS GL-Doc

-  Cost - Standard Cost GL-Doc
-  Cost - Packaging GL-Doc
-  Cost - Project Expenses GL-Doc
-  Cost - Royalty Product GL-Doc
-  Cost - Freight Outbound to Customer GL-Doc
-  Cost-US Dollars-USD
 -  USD-Standard Cost
 -  StdMaterialCost-USD
 -  StdFreightCost-USD
 -  StdDutyCost-USD
 -  StdScrapCost-USD
 -  StdLaborCost-USD
 -  StdVOHCost-USD
 -  StdFOHCost-USD
 -  StdSubcontractCost-USD
 -  StdContributionCost-USD
 -  StdGrossCost-USD
 -  StdGrossCost-Master-USD
 -  USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)
 -  CurrentMaterialCost-USD
 -  CurrentFreightCost-USD
 -  CurrentDutyCost-USD
 -  CurrentScrap-USD
 -  CurrentDirectLabor-USD
 -  CurrentVOH-USD
 -  CurrentFOH-USD
 -  CurrentSubcontract-USD
 -  CurrentContribution-USD
 -  CurrentGross-USD
 -  USD- Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)
 -  PP2-Material-USD
 -  PP2-Freight-USD
 -  PP2-Duty-USD
 -  PP2-Scrap-USD
 -  PP2-DirectLabor-USD
 -  PP2-VOH-USD
 -  PP2-FOH-USD

-  PP2-Subcontract-USD
-  PP2-Contribution-USD
-  PP2-Gross-USD
-  USD- Current Cost(PP3-Factory Spec at Invoice Time)
 -  PP3-Material-USD
 -  PP3-Freight-USD
 -  PP3-Duty-USD
 -  PP3-Scrap-USD
 -  PP3-DirectLabor-USD
 -  PP3-VOH-USD
 -  PP3-FOH-USD
 -  PP3-Subcontract-USD
 -  PP3-Contribution-USD
 -  PP3-Gross-USD
-  USD- Current Cost(Todays PP2-Current Material-Current Labour/Overhead)
 -  PP2-Today-Material-USD
 -  PP2-Today-Freight-USD
 -  PP2-Today-Duty-USD
 -  PP2-Today-Scrap-USD
 -  PP2-Today-DirectLabor-USD
 -  PP2-Today-VOH-USD
 -  PP2-Today-FOH-USD
 -  PP2-Today-Subcontract-USD
 -  PP2-Today-Contribution-USD
 -  PP2-Today-Gross-USD
-  USD- Current Cost(Todays PP3-Factory Spec)
 -  PP3-Today-Material-USD
 -  PP3-Today-Freight-USD
 -  PP3-Today-Duty-USD
 -  PP3-Today-Scrap-USD
 -  PP3-Today-DirectLabor-USD
 -  PP3-Today-VOH-USD
 -  PP3-Today-FOH-USD
 -  PP3-Today-Subcontract-USD
 -  PP3-Today-Contribution-USD
 -  PP3-Today-Gross-USD
-  GL Cost-USD

-  Cost - Total CGS GL-USD
-  Cost - Standard Cost GL-USD
-  Cost - Packaging GL-USD
-  Cost - Project Expenses GL-USD
-  POP CGS Adjustment - USD
-  POS CGS Adjustment - USD
-  Cost - Royalty Product GL-USD
-  Cost - Freight Outbound to Customer GL-USD
-  Cost-LocalCurrency-Loc
 -  Local Currency Code - Cost
-  Todays Cost in Company Code Currency (Current Matrial & Std Labor)
 -  Cost Cur Code
 -  Base Uom Code
 -  TodaysMaterialCost
 -  TodaysFreightCost
 -  TodaysDutyCost-ShipLoc
 -  TodaysScrapCost
 -  TodaysDirectLaborCost
 -  TodaysVOHCost
 -  TodaysFOHCost
 -  TodaysSubcontractCost
 -  TodaysContributionCost
 -  TodaysGrossCost
-  Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Loc
 -  PP2-Today-MaterialCost-Loc
 -  PP2-Today-FreightCost-Loc
 -  PP2-Today-DutyCost-Loc
 -  PP2-Today-ScrapCost-Loc
 -  PP2-Today-DiirectLaborCost-Loc
 -  PP2-Today-VOHCost-Loc
 -  PP2-Today-FOHCost-Loc
 -  PP2-Today-SubcontractCost-Loc
 -  PP2-Today-ContributionCost-Loc
 -  PP2-Today-GrossCost-Loc
-  Current Cost(Todays PP3-Factory Spec)-Loc
 -  PP3-Today-MaterialCost-Loc
 -  PP3-Today-FreightCost-Loc

-  PP3-Today-DutyCost-Loc
-  PP3-Today-ScrapCost-Loc
-  PP3-Today-DiirectLaborCost-Loc
-  PP3-Today-VOHCost-Loc
-  PP3-Today-FOHCost-Loc
-  PP3-Today-SubcontractCost-Loc
-  PP3-Today-ContributionCost-Loc
-  PP3-Today-GrossCost-Loc
-  GL Cost- LocalCurrency
 -  Cost - Total CGS GL-LC
 -  Cost - Standard Cost GL-LC
 -  Cost - Packaging GL-LC
 -  Cost - Project Expenses GL-LC
 -  Cost - Royalty Product GL-LC
 -  Cost - Freight Outbound to Customer GL-LC
-  Quantities
 -  Qty Uom Code
 -  InvQty
 -  InvMetersOrEachQty
 -  InvFeetOrEachQty
 -  Ship1000ftOrEachQty
 -  InvQty_Base_UOM
-  To-Date Quantities
 -  WTD- InvQty
 -  MTD- InvQty
 -  QTD- InvQty
 -  YTD- InvQty
 -  WTD- InvMetersOrEachQty
 -  MTD- InvMetersOrEachQty
 -  QTD- InvMetersOrEachQty
 -  YTD-InvMetersOrEachQty
 -  WTD-InvFeetOrEachQty
 -  MTD-InvFeetOrEachQty
 -  QTD-InvFeetOrEachQty
 -  YTD-InvFeetOrEachQty
 -  WTD-Inv1000FtOrEachQty
 -  MTD-Inv1000FtOrEachQty

-  QTD-Inv1000FtOrEachQty
-  YTD-Inv1000FtOrEachQty
-  Profits
 -  Profit-Local Currency
 -  StdContribProfit-LC
 -  StdGrossProfit-LC
 -  CurrContribProfit-LC
 -  CurrGrossProfit-LC
 -  StdGrossProfit GL-LC
 -  Profit-US Dollars
 -  StdContribProfit-USD
 -  StdGrossProfit-USD
 -  CurrContribProfit-USD
 -  CurrGrossProfit-USD
 -  StdGrossProfit GL-USD
 -  Profit-Doc Currency
 -  StdGrossProfit GL-Doc
-  ASP
 -  ASP-FT(Each)-USD
 -  ASP-1000FT(Each)-USD
-  Time Measures
 -  Time Measures - Revenues
 -  Time Measures Revenues - Local Currency
 -  Net Prices - LC
 -  Week Net Price - LC
 -  Month Net Price - LC
 -  QTD Net Price - USD
 -  Q1 Net Price - LC
 -  Q2 Net Price - LC
 -  Q3 Net Price - LC
 -  Q4 Net Price - LC
 -  Prior YTD Net Price - LC
 -  YTD Net Price - LC
 -  List Prices - LC
 -  Week List Price - LC
 -  Month List Price - LC
 -  QTD List Price - LC

-  Q1 List Price - LC
-  Q2 List Price - LC
-  Q3 List Price - LC
-  Q4 List Price - LC
-  Prior YTD List Price - LC
-  YTD List Price - LC
-  Time Measures Revenues - US Dollars
 -  Net Prices - USD
 -  Week Net Price - USD
 -  Month Net Price - USD
 -  QTD Net Price - USD
 -  Q1 Net Price - USD
 -  Q2 Net Price - USD
 -  Q3 Net Price - USD
 -  Q4 Net Price - USD
 -  Prior YTD Net Price - USD
 -  YTD Net Price - USD
 -  List Prices - USD
 -  Week List Price - USD
 -  Month List Price - USD
 -  QTD List Price - USD
 -  Q1 List Price - USD
 -  Q2 List Price - USD
 -  Q3 List Price - USD
 -  Q4 List Price - USD
 -  Prior YTD List Price - USD
 -  YTD List Price - USD
-  Time Measures - Costs
 -  Time Measures Cost - Local Currency
 -  Current Contribution Cost - LC
 -  Week Current Contrib Cost - LC
 -  Month Current Contrib - LC
 -  Prior YTD Current Contrib - LC
 -  YTD Current Contrib - LC
 -  Standard Contribution Cost - LC
 -  Week Standard Contrib Cost - LC
 -  Month Standard Contrib - LC

-  Prior YTD Standard Contrib - LC
 -  YTD Standard Contrib - LC
-  Time Measures Cost - USD
 -  Current Contribution Cost - USD
 -  Week Current Contrib Cost - USD
 -  Month Current Contrib - USD
 -  Prior YTD Current Contrib - USD
 -  YTD Current Contrib - USD
 -  Standard Contribution Cost - USD
 -  Week Standard Contrib Cost - USD
 -  Month Standard Contrib - USD
 -  Prior YTD Standard Contrib - USD
 -  YTD Standard Contrib - USD
-  Time Measures - Quantities
 -  WTD Ship Qty
 -  MTD Ship Qty
 -  QTD Ship Qty
 -  Q1 Ship Qty
 -  Q2 Ship Qty
 -  Q3 Ship Qty
 -  Q4 Ship Qty
 -  Prior YTD Ship Qty
 -  YTD Ship Qty
-  Time Measures - Profits
 -  Time Measure Profit - Local Currency
 -  Current Profit - LC
 -  Week Current Contr Profit - LC
 -  Week Current Gross Profit - LC
 -  Month Current Contr Profit - LC
 -  Month Current Gross Profit - LC
 -  Prior YTD Current Contr Profit - LC
 -  Prior YTD Current Gross Profit - LC
 -  YTD Current Contr Profit - LC
 -  YTD Current Gross Profit - LC
 -  Standard Profit - LC
 -  Week Standard Contr Profit - LC
 -  Week Standard Gross Profit - LC

-  Month Standard Contr Profit - LC
-  Month Standard Gross Profit - LC
-  Prior YTD Standard Contr Profit - LC
-  Prior YTD Standard Gross Profit - LC
-  YTD Standard Contr Profit - LC
-  YTD Standard Gross Profit - LC
-  Time Measures Profit - US Dollars
 -  Current Profit - USD
 -  Week Current Contr Profit - USD
 -  Week Current Gross Profit - USD
 -  Month Current Contr Profit - USD
 -  Month Current Gross Profit - USD
 -  Prior YTD Current Contr Profit - USD
 -  Prior YTD Current Gross Profit - USD
 -  YTD Current Contr Profit - USD
 -  YTD Current Gross Profit - USD
 -  Standard Profit - USD
 -  Week Standard Contr Profit - USD
 -  Week Standard Gross Profit - USD
 -  Month Standard Contr Profit - USD
 -  Month Standard Gross Profit - USD
 -  Prior YTD Standard Contr Profit - USD
 -  Prior YTD Standard Gross Profit - USD
 -  YTD Standard Contr Profit - USD
 -  YTD Standard Gross Profit - USD
-  Forecast
 -  Plan
 -  Plan CGS Amt -USD
 -  Plan Revenue Amt - USD
 -  Annual Forecast
 -  Forecast Revenue Amt - Monthly USD
 -  Forecast Revenue Amt - Quarterly USD
 -  Anchor Revenue Amt - USD
 -  Cost Forecast
 -  Forecast Cost Amt - Monthly USD
 -  Forecast Cost Amt - Quarterly USD
 -  Anchor Cost Amt - USD



 Costs-Local Currency-LC

 LC-Standard Costs

-  Std-DirectLaborCost-LC
-  Std-MaterialCost-LC
-  Std-VOHCost-LC
-  Std-ScrapCost-LC
-  Std-FOHCost-LC
-  Std-SubcontractCost-LC
-  Std-FreightCost-LC
-  Std-DutyCost-LC
-  Std-ContributionCost-LC
-  Std-GrossCost-LC

 LC-Current Costs (PP1 - Current Material & Std Labor)

-  Cur-DirectLaborCost-LC
-  Cur-MaterialCost-LC
-  Cur-VOHCost-LC
-  Cur-ScrapCost-LC
-  Cur-FOHCost-LC
-  Cur-ContributionCost-LC
-  Cur-GrossCost-LC
-  Cur-SubcontractCost-LC
-  Cur-FreightCost-LC
-  Cur-DutyCost-LC

 LC-Current Costs (PP2 - PIR Material & Current Labor)

-  PP2-DirectLabor-LC
-  PP2-MaterialCost-LC
-  PP2-VOHCost-LC
-  PP2-ScrapCost-LC
-  PP2-FOHCost-LC
-  PP2-SubcontractCost-LC
-  PP2-FreightCost-LC
-  PP2-DutyCost-LC
-  PP2-ContributionCost-LC
-  PP2-GrossCost-LC

 LC-Current Costs (PP3 - Current Material & Current Labor)

-  PP3-DirectLabor-LC
-  PP3-MaterialCost-LC

-  PP3-VOHCost-LC
-  PP3-ScrapCost-LC
-  PP3-FOHCost-LC
-  PP3-SubcontractCost-LC
-  PP3-FreightCost-LC
-  PP3-DutyCost-LC
-  PP3-ContributionCost-LC
-  PP3-GrossCost-LC
-  Costs-US Dollars-USD
 -  USD-Standard Costs
 -  Std-DirectLaborCost-USD
 -  Std-MaterialCost-USD
 -  Std-VOHCost-USD
 -  Std-ScrapCost-USD
 -  Std-FOHCost-USD
 -  Std-SubcontractCost-USD
 -  Std-FreightCost-USD
 -  Std-DutyCost-USD
 -  Std-ContributionCost-USD
 -  Std-GrossCost-USD
 -  USD-Current Costs (PP1 - Current Material & Std Labor)
 -  Cur-DirectLaborCost-USD
 -  Cur-MaterialCost-USD
 -  Cur-VOHCost-USD
 -  Cur-ScrapCost-USD
 -  Cur-FOHCost-USD
 -  Cur-ContributionCost-USD
 -  Cur-GrossCost-USD
 -  Cur-SubcontractCost-USD
 -  Cur-FreightCost-USD
 -  Cur-DutyCost-USD
 -  USD-Current Costs (PP2 - PIR Material & Current Labor)
 -  PP2-DirectLabor-USD
 -  PP2-MaterialCost-USD
 -  PP2-VOHCost-USD
 -  PP2-ScrapCost-USD
 -  PP2-FOHCost-USD

-  PP2-SubcontractCost-USD
-  PP2-FreightCost-USD
-  PP2-DutyCost-USD
-  PP2-ContributionCost-USD
-  PP2-GrossCost-USD
-  USD-Current Costs (PP3 - Current Material & Current Labor)
 -  PP3-DirectLabor-USD
 -  PP3-MaterialCost-USD
 -  PP3-VOHCost-USD
 -  PP3-ScrapCost-USD
 -  PP3-FOHCost-USD
 -  PP3-SubcontractCost-USD
 -  PP3-FreightCost-USD
 -  PP3-DutyCost-USD
 -  PP3-ContributionCost-USD
 -  PP3-GrossCost-USD
-  Backlog
 -  Backlog Amount
 -  Fuel Surcharge Condition Price
 -  Document Currency
 -  Doc Cur Code
 -  Backlog-DocCurrency
 -  Backlog Ordered DocCurrency
 -  Backlog Shipped DocCurrency
 -  Backlog Net Price DocCurrency
 -  Backlog Invoice DocCurrency
 -  EstBacklog-DocCurrency
 -  ListPrice-DocCurrency
 -  ContractPrice-DocCurrency
 -  ManualDiscountPrice-DocCurrency
 -  SurchargePrice-DocCurrency
 -  Fuel Surcharge Condition Price – DocCurrency
 -  FreightSurcharge-DocCurrency
 -  Backlog POD Block DocCurrency
 -  Backlog Ship Not Invoice DocCurrency
 -  Local Currency
 -  Local Cur Code

-  Backlog-LC
-  Backlog Ordered LC
-  Backlog Shipped LC
-  Backlog Net Price LC
-  Backlog Invoice LC
-  EstBacklog-LC
-  ListPrice-LC
-  ContractPrice-LC
-  ManualDiscountPrice-LC
-  SurchargePrice-LC
-  Fuel Surcharge Condition Price – LC
-  FreightSurcharge-LC
-  Backlog POD Block-LC
-  Backlog Ship Not Invoice-LC

USD

-  Backlog-USD
-  Backlog-UnderEightWeeks-USD
-  Backlog-Eight Weeks to SixMonths-USD
-  Backlog-OverSixMonths-USD
-  Backlog-OrdersPastDue-USD
-  Backlog-QuarterToDate-USD
-  Backlog-NextQuarter-USD
-  Backlog-Next2Quarter-USD
-  Backlog Ordered USD
-  Backlog Shipped USD
-  Backlog Invoiced USD
-  Backlog Net Price USD
-  EstBacklog-USD
-  ListPrice-USD
-  ContractPrice-USD
-  ManualDiscountPrice-USD
-  SurchargePrice-USD
-  Fuel Surcharge Condition Price – USD
-  FreightSurcharge-USD
-  Backlog POD Block-USD
-  Backlog Ship Not Invoice-USD

Backlog Quantity

-  Qty Uom Code
-  Backlog Qty
-  Backlog Ft Qty
-  Backlog Mt Qty
-  Backlog Order Qty
-  Backlog Ship Qty
-  Backlog Invoice Qty
-  Backlog Order Ft Qty
-  Backlog Ship Ft Qty
-  Backlog Invoice Ft Qty
-  Backlog Order Mt Qty
-  Backlog Ship Mt Qty
-  Backlog Invoice Mt Qty
-  Quantity Short
-  Sales Order Line Cut Count
-  Backlog POD Block Qty
-  Backlog Ship Not Invoice Qty
-  Backlog Cost
 -  Costs-Local Currency
 -  LC - Standard Cost
 -  Std-DirectLaborCost-LC
 -  Std-MaterialCost-LC
 -  Std-VOHCost-LC
 -  Std-ScrapCost-LC
 -  Std-FOHCost-LC
 -  Std-SubcontractCost-LC
 -  Std-FreightCost-LC
 -  Std-DutyCost-LC
 -  Std-ContributionCost-LC
 -  Std-GrossCost-LC
 -  LC - Current Cost (PP1 - Current Material & Std Labor)
 -  Cur-DirectLaborCost-LC
 -  Cur-MaterialCost-LC
 -  Cur-VOHCost-LC
 -  Cur-ScrapCost-LC
 -  Cur-FOHCost-LC
 -  Cur-ContributionCost-LC

-  Cur-GrossCost-LC
-  Cur-SubcontractCost-LC
-  Cur-FreightCost-LC
-  Cur-DutyCost-LC
-  LC - Current Cost (PP2 - PIR Material & Current Labor)
 -  PP2-DirectLabor-LC
 -  PP2-MaterialCost-LC
 -  PP2-VOHCost-LC
 -  PP2-ScrapCost-LC
 -  PP2-FOHCost-LC
 -  PP2-SubcontractCost-LC
 -  PP2-FreightCost-LC
 -  PP2-DutyCost-LC
 -  PP2-ContributionCost-LC
 -  PP2-GrossCost-LC
-  LC - Current Cost (PP3 - Current Material & Current Labor)
 -  PP3-DirectLabor-LC
 -  PP3-MaterialCost-LC
 -  PP3-VOHCost-LC
 -  PP3-ScrapCost-LC
 -  PP3-FOHCost-LC
 -  PP3-SubcontractCost-LC
 -  PP3-FreightCost-LC
 -  PP3-DutyCost-LC
 -  PP3-ContributionCost-LC
 -  PP3-GrossCost-LC
-  Costs-USD
 -  USD - Standard Cost
 -  Std-DirectLaborCost-USD
 -  Std-MaterialCost-USD
 -  Std-VOHCost-USD
 -  Std-ScrapCost-USD
 -  Std-FOHCost-USD
 -  Std-SubcontractCost-USD
 -  Std-FreightCost-USD
 -  Std-DutyCost-USD
 -  Std-ContributionCost-USD

	Std-GrossCost-USD
	USD - Current Cost (PP1 - Current Material & Std Labor)
	Cur-DirectLaborCost-USD
	Cur-MaterialCost-USD
	Cur-VOHCost-USD
	Cur-ScrapCost-USD
	Cur-FOHCost-USD
	Cur-ContributionCost-USD
	Cur-GrossCost-USD
	Cur-SubcontractCost-USD
	Cur-FreightCost-USD
	Cur-DutyCost-USD
	USD - Current Cost (PP2 - PIR Material & Current Labor)
	PP2-DirectLabor-USD
	PP2-MaterialCost-USD
	PP2-VOHCost-USD
	PP2-ScrapCost-USD
	PP2-FOHCost-USD
	PP2-SubcontractCost-USD
	PP2-FreightCost-USD
	PP2-DutyCost-USD
	PP2-ContributionCost-USD
	PP2-GrossCost-USD
	USD - Current Cost (PP3 - Current Material & Current Labor)
	PP3-DirectLabor-USD
	PP3-MaterialCost-USD
	PP3-VOHCost-USD
	PP3-ScrapCost-USD
	PP3-FOHCost-USD
	PP3-SubcontractCost-USD
	PP3-FreightCost-USD
	PP3-DutyCost-USD
	PP3-ContributionCost-USD
	PP3-GrossCost-USD
	Unit Of Measures
	Base Uom Code
	Qty Uom Code

	Price Uom Code
	Ord Cur Code
	Debug
	Rec Type Key
	Rec Type Desc
	Fct Invoice Clndr Year Qtr
	Cur From Code
	Cur To Code
	Cur Year Month Nbr
	Cur Rate
	Price Uom Conv Rate
	Cost Multiplier Qty
	Sales Ord Lkup Id
	Inv Lkup Id
	Src Sys Id-Fact Table
	Src Id-Fact Table
	MOC Reporting
	ListPrice-USD
	ContractPrice-USD
	ManualDiscount-USD
	SurchargePrice-USD
	ListPrice-LC
	ContractPrice-LC
	ManualDiscountPrice-LC
	SurchargePrice-LC
	Metrics
	OTS-Curr-Ship-Date
	OTS-First-Ship-Date
	OTM-Curr-Mfg-Date
	OTM-First-Mfg-Date
	OTD
	DOA
	SI
	OTPD
	OTPD-First-Prom-Deliv-Date
	OTR
	OTR-minus-DOA

	Sched_Line_DTST-minus-Ord_Ent_DTST
	Opportunity
	Opportunity Product USD Amt
	Opportunity Qty
	Prompts
	DatePrompt
	DateType
	Ending Date
	Begin Date
	DerivedValues
	Ending Week
	Ending Year Month
	Ending Month
	Ending YearQuarter
	Ending Date First Qtr
	Ending Year
	Beginning YearQuarter
	Prior Ending Year
	Prior Year Month
	Year Month Before Last
	Forecast Prompts
	Fcst as of Year Month Nbr prompt
	Current Fcst
	Forecast year Month Nbr for Filter
	Filters
	ExternalSales
	RAR Relevant
	ExternalOrderInput
	ExternalSales+OrderInput
	ExternalBacklog
	ExternalPendingOrders
	ExternalBacklog+PendingOrders
	InterCompSalesInd
	InterEntityBacklog
	TotalBacklog (External+InterEntity)
	ExternalOrderInput (Excluding BNS Prior to Acquisition)
	ExternalSales (Excluding BNS Prior to Acquisition)

-  LastWeekSales
-  YesterdaySales
-  Finance MTD
-  Finance Year Qtr
-  Finance YTD
-  Finance PriorYTD To YTD
-  Date Range
-  ScheduleLineAgreementsOnly
-  Prior(?UserPrompt)Days
-  Project Orders
-  POP POS Adjustment
-  ExternalSales+POP POS Adjustment
-  ShipNotInvoiced Backlog
-  ShipNotInvoiced-POD Backlog
-  Open Opportunities
-  POD Block Relevant Indicator
-  EPBCS Reclass Adjustments
-  DistributionChannels
 -  DistributionChannel-NAR
 -  DistributionChannel-EMEA
 -  DistributionChannel-APAC
 -  DistributionChannel-CALA
 -  DistributionChannel-US
 -  DistributionChannel-Canada
 -  DistributionChannel-InterEntity
-  Forecast Filters
 -  Forecast - All Revisions
 -  Plan Revenue
 -  Plan Revenue+External Sales
 -  Forecast
 -  Forecast + External Sales
 -  Plan+Forecast+External Sales
 -  Anchor
-  Plant
 -  Catawba
 -  Claremont
 -  Reno

-  Statesville
-  Vextra
-  Dashboard Filters
 -  Distr Channel Name
 -  Business Segment
 -  Sales Org Name
 -  Product Group
-  Currency Rates
 -  Currency Rate Key
 -  From Currency Code
 -  To Currency Code
 -  Currency Rate
 -  Currency Type Code
 -  * Currency Type Desc
 -  Currency Date
 -  Currency Date-YearMonth Nbr
 -  Currency Id
 -  Source System Id
 -  Last Modify Date
-  Legacy JDE Objects
 -  Previous Prod Line Code
 -  Prod Gl Code
 -  * Prod Gl Desc
 -  Inter Co Sales Ord Id
 -  Next Stat Code
 -  * Next Stat Desc
 -  Last Stat Code
 -  * Last Stat Desc
 -  Sales Rep Id
 -  Street Addr Name2
 -  Previous Ship To Cust Id
 -  Sales Mgr Id
 -  Sales Mgr Name
 -  Sold To Cust Sic Code
 -  * Sold To Cust Sic Desc
 -  Sold To Cust Street Addr2 Name
 -  Sold To Cust Affil Code

	Sold To Cust Forecast Code
	Sold To Cust Forecast Desc
	Sold To Cust Type Code
	Sold To Cust Type Desc
	Previous Sold To Customer Id
	Corporate Report Use Only
	Date
	Derived Date
	Ending Date
	Current Week Nbr
	Pct Comp Month
	Pct Comp Qtr
	PriorMonth-Days
	Measure
	NetPrice
	To-Date
	WTD-NetPrice-USD
	MTD-NetPrice-USD
	QTD-NetPrice-USD
	YTD-NetPrice-USD
	PriorMonth
	PriorMonth-NetPrice-USD
	PriorMonthToDate-NetPrice-USD
	PriorYear
	PriorYear-NetPrice-USD
	PriorYearToDate-NetPrice-USD
	Forecast and Plan
	To-Date Forecast
	MTD-Forecast-USD
	QTD-Forecast-USD
	YTD-Forecast-USD
	To-Date Plan
	MTD-Plan-USD
	QTD-Plan-USD
	YTD-Plan-USD
	Revenue Forecast Revision buckets
	Forecast Revenue Revision 0 Amt - Monthly USD

-  Forecast Revenue Revision 1 Amt - Monthly USD
-  Forecast Revenue Revision 2 Amt - Monthly USD
-  Forecast Revenue Revision 3 Amt - Monthly USD
-  Forecast Revenue Revision 4 Amt - Monthly USD
-  Forecast Revenue Revision 5 Amt - Monthly USD
-  Forecast Revenue Revision 0 Amt - Quarterly USD
-  Forecast Revenue Revision 1 Amt - Quarterly USD
-  Forecast Revenue Revision 2 Amt - Quarterly USD
-  Forecast Revenue Revision 4 Amt - Quarterly USD
-  Forecast Revenue Revision 3 Amt - Quarterly USD
-  Forecast Revenue Revision 5 Amt - Quarterly USD



Filter

-  YTD
-  QTD
-  MTD
-  WTD
-  CurrentMonth
-  CurrentQuarter
-  PriorMonth
-  PriorYear
-  Plan&Forecast

Folders



Folder: Date Dimension

Name	Date Dimension
Cuid	CLS_5
Translation ID	CLS_5
Path	\
State	Active



Folder: Backlog Buckets

Name	Backlog Buckets
Cuid	CLS_558
Translation ID	CLS_558
Path	\Date Dimension\
State	Active



Folder: Backlog Date

Name	Backlog Date
Cuid	CLS_512
Translation ID	CLS_512
Path	\Date Dimension\
State	Active



Folder: Standard Dates

Name	Standard Dates
Cuid	CLS_542
Translation ID	CLS_542
Path	\Date Dimension\
State	Active



Folder: Today

Name	Today
Cuid	CLS_543
Translation ID	CLS_543
Path	\Date Dimension\Standard Dates\
State	Active



Folder: Yesterday/Refresh Dates

Name	Yesterday/Refresh Dates
Cuid	CLS_544
Translation ID	CLS_544
Path	\Date Dimension\Standard Dates\
State	Active



Folder: Performance Improvement

Name	Performance Improvement
Cuid	CLS_549
Translation ID	CLS_549
Path	\Date Dimension\
State	Active



Folder: Forecast Date

Name	Forecast Date
Cuid	CLS_621
Translation ID	CLS_621
Path	\Date Dimension\
State	Active



Folder: Profit Center Dimension

Name	Profit Center Dimension
------	-------------------------

Cuid	CLS_6
Translation ID	CLS_6
Path	\
State	Active

 Folder: Above Profit Center Hierarchy

Name	Above Profit Center Hierarchy
Cuid	CLS_468
Translation ID	CLS_468
Path	\Profit Center Dimension\
State	Active

 Folder: Below Profit Center Hierarchy(Product Hierarchy)

Name	Below Profit Center Hierarchy(Product Hierarchy)
Description	
Cuid	CLS_469
Translation ID	CLS_469
Path	\Profit Center Dimension\
State	Active

 Folder: History Reporting - Detail Profit Center

Name	History Reporting - Detail Profit Center
Description	Use this only if you would like to see sales by JDE or SAP1, or SAP2 profit centers
Cuid	CLS_470
Translation ID	CLS_470
Path	\Profit Center Dimension\
State	Active

 Folder: Product Master Dimension

Name	Product Master Dimension
Cuid	CLS_7
Translation ID	CLS_7
Path	\
State	Active

 Folder: PLM Enterprise

Name	PLM Enterprise
Description	The objects under this folder are used for PLM Enterprise BU
Cuid	CLS_605
Translation ID	CLS_605
Path	\Product Master Dimension\
State	Active

 Folder: Characteristics

Name	Characteristics
Cuid	CLS_535
Translation ID	CLS_535
Path	\Product Master Dimension\
State	Active

 Folder: Operations

Name	Operations
Cuid	CLS_536
Translation ID	CLS_536
Path	\Product Master Dimension\Characteristics\
State	Active

 Folder: Source Plant Dimension

Name	Source Plant Dimension
Cuid	CLS_9

Translation ID	CLS_9
Path	\
State	Active

 Folder: History Reporting - Source Plant

Name	History Reporting - Source Plant
Description	Use this only if you would like to see sales by JDE or SAP1, or SAP2 profit centers
Cuid	CLS_474
Translation ID	CLS_474
Path	\Source Plant Dimension\
State	Active

 Folder: Division Dimension

Name	Division Dimension
Cuid	CLS_10
Translation ID	CLS_10
Path	\
State	Hidden

 Folder: CRM ORG. Hier

Name	CRM ORG. Hier
Cuid	CLS_481
Translation ID	CLS_481
Path	\
State	Active

 Folder: Distribution Channel Dimension

Name	Distribution Channel Dimension
Cuid	CLS_11
Translation ID	CLS_11
Path	\
State	Active

 Folder: Region Dimension

Name	Region Dimension
Description	Region Dimension
Cuid	CLS_588
Translation ID	CLS_588
Path	\
State	Active

 Folder: Corporate Region Dimension

Name	Corporate Region Dimension
Description	Corporate Region Dimension
Cuid	CLS_587
Translation ID	CLS_587
Path	\Region Dimension\
State	Active

 Folder: Ultimate Dest Region Country Dimension

Name	Ultimate Dest Region Country Dimension
Cuid	CLS_12
Translation ID	CLS_12
Path	\Region Dimension\
State	Active

 Folder: Sales Organization Dimension

Name	Sales Organization Dimension
Cuid	CLS_13
Translation ID	CLS_13

Path \

State Active

 Folder: Order Status Dimension

Name Order Status Dimension

Cuid CLS_86

Translation ID CLS_86

Path \

State Active

 Folder: Sales Order Dimension

Name Sales Order Dimension

Cuid CLS_17

Translation ID CLS_17

Path \

State Active

 Folder: Metrics Descriptions

Name Metrics Descriptions

Cuid CLS_433

Translation ID CLS_433

Path \Sales Order Dimension\

State Active

 Folder: Ord Entry Date - SO Item

Name Ord Entry Date - SO Item

Cuid CLS_443

Translation ID CLS_443

Path \Sales Order Dimension\

State Active

 Folder: Ord Entry Date - SO Header

Name Ord Entry Date - SO Header

Cuid CLS_552

Translation ID CLS_552

Path \Sales Order Dimension\

State Active

 Folder: Est Ship Date

Name Est Ship Date

Cuid CLS_498

Translation ID CLS_498

Path \Sales Order Dimension\

State Active

 Folder: Last Ship Date

Name Last Ship Date

Cuid CLS_499

Translation ID CLS_499

Path \Sales Order Dimension\

State Active

 Folder: First Est Manuf Date

Name First Est Manuf Date

Cuid CLS_450

Translation ID CLS_450

Path \Sales Order Dimension\

State Active

 Folder: Last Mfg Date

Name Last Mfg Date

Cuid
Translation ID
Path
State

CLS_500
CLS_500
\Sales Order Dimension\
Active



Folder: Cust Requested Date

Name
Cuid
Translation ID
Path
State

Cust Requested Date
CLS_448
CLS_448
\Sales Order Dimension\
Active



Folder: Estimated Delivery Date

Name
Cuid
Translation ID
Path
State

Estimated Delivery Date
CLS_501
CLS_501
\Sales Order Dimension\
Active



Folder: Cust Req Delivery Date

Name
Cuid
Translation ID
Path
State

Cust Req Delivery Date
CLS_502
CLS_502
\Sales Order Dimension\
Active



Folder: Last Delivery Date

Name
Cuid
Translation ID
Path
State

Last Delivery Date
CLS_503
CLS_503
\Sales Order Dimension\
Active



Folder: Invoice Date

Name
Cuid
Translation ID
Path
State

Invoice Date
CLS_504
CLS_504
\Sales Order Dimension\
Active



Folder: Status Date

Name
Cuid
Translation ID
Path
State

Status Date
CLS_505
CLS_505
\Sales Order Dimension\
Active



Folder: Feature ID

Name
Cuid
Translation ID
Path
State

Feature ID
CLS_545
CLS_545
\Sales Order Dimension\
Hidden



Folder: Estimated Goods Issue Date

Name
Cuid
Translation ID
Path
State

Estimated Goods Issue Date
CLS_546
CLS_546
\Sales Order Dimension\
Active

**Folder: Schedule Line Date Stamp**

Name	Schedule Line Date Stamp
Cuid	CLS_554
Translation ID	CLS_554
Path	\Sales Order Dimension\
State	Active

**Folder: Schedule Release Date**

Name	Schedule Release Date
Cuid	CLS_569
Translation ID	CLS_569
Path	\Sales Order Dimension\
State	Active

**Folder: Additional Data A**

Name	Additional Data A
Cuid	CLS_583
Translation ID	CLS_583
Path	\Sales Order Dimension\
State	Active

**Folder: Additional Data B**

Name	Additional Data B
Cuid	CLS_553
Translation ID	CLS_553
Path	\Sales Order Dimension\
State	Active

**Folder: Combined SO/PO columns**

Name	Combined SO/PO columns
Description	Combined SO/PO columns
Cuid	CLS_562
Translation ID	CLS_562
Path	\Sales Order Dimension\
State	Active

**Folder: Service Contract Dimension**

Name	Service Contract Dimension
Cuid	CLS_641
Translation ID	CLS_641
Path	\
State	Active

**Folder: Ship To Customer Dimension**

Name	Ship To Customer Dimension
Cuid	CLS_14
Translation ID	CLS_14
Path	\
State	Active

**Folder: Ship To Hierarchy**

Name	Ship To Hierarchy
Cuid	CLS_495
Translation ID	CLS_495
Path	\Ship To Customer Dimension\
State	Active

**Folder: Sold To Customer Dimension**

Name	Sold To Customer Dimension
Cuid	CLS_15

Translation ID	CLS_15
Path	\
State	Active

**Folder: Sold To Customer Hierarchy**

Name	Sold To Customer Hierarchy
Cuid	CLS_496
Translation ID	CLS_496
Path	\Sold To Customer Dimension\
State	Active

**Folder: Bill To Customer Dimension**

Name	Bill To Customer Dimension
Cuid	CLS_632
Translation ID	CLS_632
Path	\
State	Active

**Folder: Payer Customer Dimension**

Name	Payer Customer Dimension
Cuid	CLS_510
Translation ID	CLS_510
Path	\
State	Active

**Folder: Payer Hierarchy**

Name	Payer Hierarchy
Cuid	CLS_511
Translation ID	CLS_511
Path	\Payer Customer Dimension\
State	Active

**Folder: Ultimate Customer Dimension**

Name	Ultimate Customer Dimension
Cuid	CLS_508
Translation ID	CLS_508
Path	\
State	Active

**Folder: Ultimate Customer Hierarchy**

Name	Ultimate Customer Hierarchy
Cuid	CLS_509
Translation ID	CLS_509
Path	\Ultimate Customer Dimension\
State	Active

**Folder: Channel Customer Dimension**

Name	Channel Customer Dimension
Cuid	CLS_592
Translation ID	CLS_592
Path	\
State	Active

**Folder: Channel Customer Hierarchy**

Name	Channel Customer Hierarchy
Cuid	CLS_593
Translation ID	CLS_593
Path	\Channel Customer Dimension\
State	Active

**Folder: EndUser Customer Dimension**

Name	EndUser Customer Dimension
Cuid	CLS_614
Translation ID	CLS_614
Path	\
State	Active



Folder: EndUser Customer Hierarchy

Name	EndUser Customer Hierarchy
Cuid	CLS_615
Translation ID	CLS_615
Path	\EndUser Customer Dimension\
State	Active



Folder: VAR Customer Dimension

Name	VAR Customer Dimension
Cuid	CLS_618
Translation ID	CLS_618
Path	\
State	Active



Folder: VAR Customer Hierarchy

Name	VAR Customer Hierarchy
Cuid	CLS_619
Translation ID	CLS_619
Path	\VAR Customer Dimension\
State	Active



Folder: Invoice Dimension

Name	Invoice Dimension
Cuid	CLS_18
Translation ID	CLS_18
Path	\
State	Active



Folder: PO Dimension

Name	PO Dimension
Description	PO Dimension
Cuid	CLS_559
Translation ID	CLS_559
Path	\
State	Active



Folder: GL Entry (Non-Billing External) Dimension

Name	GL Entry (Non-Billing External) Dimension
Cuid	CLS_560
Translation ID	CLS_560
Path	\
State	Active



Folder: Accounting Document

Name	Accounting Document
Cuid	CLS_561
Translation ID	CLS_561
Path	\GL Entry (Non-Billing External) Dimension\
State	Active



Folder: Company Dimension

Name	Company Dimension
Description	Company dimension
Cuid	CLS_585
Translation ID	CLS_585

Path	\
State	Active
 Folder: Opportunity Dimension	
Name	Opportunity Dimension
Description	Opportunity specific information from CRM systems
Cuid	CLS_645
Translation ID	CLS_645
Path	\
State	Active
 Folder: Company	
Name	Company
Cuid	CLS_447
Translation ID	CLS_447
Path	\
State	Hidden
 Folder: Contractual Lead Time	
Name	Contractual Lead Time
Cuid	CLS_589
Translation ID	CLS_589
Path	\
State	Active
 Folder: Measures	
Name	Measures
Cuid	CLS_37
Translation ID	CLS_37
Path	\
State	Active
 Folder: Invoice	
Name	Invoice
Cuid	CLS_464
Translation ID	CLS_464
Path	\Measures\
State	Active
 Folder: Revenues	
Name	Revenues
Cuid	CLS_36
Translation ID	CLS_36
Path	\Measures\Invoice\
State	Active
 Folder: Revenue-DocCurrency	
Name	Revenue-DocCurrency
Cuid	CLS_550
Translation ID	CLS_550
Path	\Measures\Invoice\Revenues\
State	Active
 Folder: GL-DocCurrency	
Name	GL-DocCurrency
Description	This would hold all of the Revenue Related Amount objects based on GL Account - Document Currency
Cuid	CLS_601
Translation ID	CLS_601
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Active

**Folder: Revenue-US Dollars-USD**

Name	Revenue-US Dollars-USD
Cuid	CLS_44
Translation ID	CLS_44
Path	\Measures\Invoice\Revenues\
State	Active

**Folder: GL-USD**

Name	GL-USD
Description	This would hold all of the Revenue Related Amount objects based on GL Account - USD Currency
Cuid	CLS_600
Translation ID	CLS_600
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
State	Active

**Folder: GL-USD - DO-NOT-USE**

Name	GL-USD - DO-NOT-USE
Description	This would hold all of the Pure Revenue Related Amount objects based on GL Account - USD Currency from GLPCA
Cuid	CLS_603
Translation ID	CLS_603
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Hidden

**Folder: Revenue-LocalCurrency**

Name	Revenue-LocalCurrency
Description	Revenue-LocalCurrency
Cuid	CLS_599
Translation ID	CLS_599
Path	\Measures\Invoice\Revenues\
State	Active

**Folder: GL- LocalCurrency**

Name	GL- LocalCurrency
Description	This would hold all of the Revenue Related Amount objects based on GL Account - LocalCurrency
Cuid	CLS_602
Translation ID	CLS_602
Path	\Measures\Invoice\Revenues\Revenue-LocalCurrency\
State	Active

**Folder: Costs**

Name	Costs
Cuid	CLS_21
Translation ID	CLS_21
Path	\Measures\Invoice\
State	Active

**Folder: Cost-Documents Currency-Doc**

Name	Cost-Documents Currency-Doc
Cuid	CLS_23
Translation ID	CLS_23
Path	\Measures\Invoice\Costs\
State	Active

**Folder: Standard Cost-Doc**

Name	Standard Cost-Doc
Cuid	CLS_28
Translation ID	CLS_28
Path	\Measures\Invoice\Costs\Cost-Documents Currency-Doc\

State

Active



Folder: Current Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc

Name	Current Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc
Cuid	CLS_26
Translation ID	CLS_26
Path	\Measures\Invoice\Costs\Cost-Doc Currency-Doc\
State	Active



Folder: Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-Doc

Name	Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-Doc
Cuid	CLS_478
Translation ID	CLS_478
Path	\Measures\Invoice\Costs\Cost-Doc Currency-Doc\
State	Active



Folder: Current Cost(PP3-Factory Spec at Invoice Time)-Doc

Name	Current Cost(PP3-Factory Spec at Invoice Time)-Doc
Description	Factory Spec means the cost is customized to meet individual plant needs. This is different from the CP1 and PP2 objects. A common approach is utilized across CommScope for CP1 and PP2 objects.
Cuid	CLS_477
Translation ID	CLS_477
Path	\Measures\Invoice\Costs\Cost-Doc Currency-Doc\
State	Active



Folder: Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Doc

Name	Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Doc
Cuid	CLS_629
Translation ID	CLS_629
Path	\Measures\Invoice\Costs\Cost-Doc Currency-Doc\
State	Active



Folder: Current Cost(Todays PP3-Factory Spec)-Doc

Name	Current Cost(Todays PP3-Factory Spec)-Doc
Description	Factory Spec means the cost is customized to meet individual plant needs. This is different from the CP1 and PP2 objects. A common approach is utilized across CommScope for CP1 and PP2 objects.
Cuid	CLS_630
Translation ID	CLS_630
Path	\Measures\Invoice\Costs\Cost-Doc Currency-Doc\
State	Active



Folder: GL Cost-DocCurrency

Name	GL Cost-DocCurrency
Cuid	CLS_607
Translation ID	CLS_607
Path	\Measures\Invoice\Costs\Cost-Doc Currency-Doc\
State	Active



Folder: Cost-US Dollars-USD

Name	Cost-US Dollars-USD
Cuid	CLS_25
Translation ID	CLS_25
Path	\Measures\Invoice\Costs\
State	Active



Folder: USD-Standard Cost

Name	USD-Standard Cost
------	-------------------

Cuid	CLS_31
Translation ID	CLS_31
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\
State	Active

 Folder: USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)

Name	USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)
Cuid	CLS_30
Translation ID	CLS_30
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\
State	Active

 Folder: USD- Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)

Name	USD- Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)
Cuid	CLS_480
Translation ID	CLS_480
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\
State	Active

 Folder: USD- Current Cost(PP3-Factory Spec at Invoice Time)

Name	USD- Current Cost(PP3-Factory Spec at Invoice Time)
Description	Factory Spec means the cost is customized to meet individual plant needs. This is different from the CP1 and PP2 objects. A common approach is utilized across CommScope for CP1 and PP2 objects.
Cuid	CLS_479
Translation ID	CLS_479
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\
State	Active

 Folder: USD- Current Cost(Todays PP2-Current Material-Current Labour/Overhead)

Name	USD- Current Cost(Todays PP2-Current Material-Current Labour/Overhead)
Cuid	CLS_627
Translation ID	CLS_627
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\
State	Active

 Folder: USD- Current Cost(Todays PP3-Factory Spec)

Name	USD- Current Cost(Todays PP3-Factory Spec)
Description	Factory Spec means the cost is customized to meet individual plant needs. This is different from the CP1 and PP2 objects. A common approach is utilized across CommScope for CP1 and PP2 objects.
Cuid	CLS_628
Translation ID	CLS_628
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\
State	Active

 Folder: GL Cost-USD

Name	GL Cost-USD
Cuid	CLS_608
Translation ID	CLS_608
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\
State	Active

 Folder: Cost-LocalCurrency-Loc

Name	Cost-LocalCurrency-Loc
Cuid	CLS_613
Translation ID	CLS_613
Path	\Measures\Invoice\Costs\
State	Active

**Folder: Todays Cost in Company Code Currency (Current Matrial & Std Labor)**

Name	Todays Cost in Company Code Currency (Current Matrial & Std Labor)
Cuid	CLS_95
Translation ID	CLS_95
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\
State	Active

**Folder: Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Loc**

Name	Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Loc
Cuid	CLS_626
Translation ID	CLS_626
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\
State	Active

**Folder: Current Cost(Todays PP3-Factory Spec)-Loc**

Name	Current Cost(Todays PP3-Factory Spec)-Loc
Cuid	CLS_631
Translation ID	CLS_631
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\
State	Active

**Folder: GL Cost- LocalCurrency**

Name	GL Cost- LocalCurrency
Cuid	CLS_609
Translation ID	CLS_609
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\
State	Active

**Folder: Quantities**

Name	Quantities
Cuid	CLS_42
Translation ID	CLS_42
Path	\Measures\Invoice\
State	Active

**Folder: To-Date Quantities**

Name	To-Date Quantities
Cuid	CLS_441
Translation ID	CLS_441
Path	\Measures\Invoice\Quantities\
State	Active

**Folder: Profits**

Name	Profits
Cuid	CLS_46
Translation ID	CLS_46
Path	\Measures\Invoice\
State	Active

**Folder: Profit-Local Currency**

Name	Profit-Local Currency
Cuid	CLS_47
Translation ID	CLS_47
Path	\Measures\Invoice\Profits\
State	Active

**Folder: Profit-US Dollars**

Name	Profit-US Dollars
Cuid	CLS_48

Translation ID	CLS_48
Path	\Measures\Invoice\Profits\
State	Active

**Folder: Profit-Doc Currency**

Name	Profit-Doc Currency
Cuid	_oJoHABahEfCdaK68k8v0jw
Translation ID	_oJouEBahEfCdaK68k8v0jw
Path	\Measures\Invoice\Profits\
State	Active

**Folder: ASP**

Name	ASP
Description	Average Selling Price
Cuid	CLS_91
Translation ID	CLS_91
Path	\Measures\Invoice\
State	Active

**Folder: Time Measures**

Name	Time Measures
Cuid	CLS_56
Translation ID	CLS_56
Path	\Measures\Invoice\
State	Active

**Folder: Time Measures - Revenues**

Name	Time Measures - Revenues
Cuid	CLS_60
Translation ID	CLS_60
Path	\Measures\Invoice\Time Measures\
State	Active

**Folder: Time Measures Revenues - Local Currency**

Name	Time Measures Revenues - Local Currency
Cuid	CLS_63
Translation ID	CLS_63
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\
State	Active

**Folder: Net Prices - LC**

Name	Net Prices - LC
Cuid	CLS_72
Translation ID	CLS_72
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - Local Currency\
State	Active

**Folder: List Prices - LC**

Name	List Prices - LC
Cuid	CLS_73
Translation ID	CLS_73
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - Local Currency\
State	Active

**Folder: Time Measures Revenues - US Dollars**

Name	Time Measures Revenues - US Dollars
Cuid	CLS_64
Translation ID	CLS_64
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\

State

Active



Folder: Net Prices - USD

Name

Net Prices - USD

Cuid

CLS_74

Translation ID

CLS_74

Path

\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\

State

Active



Folder: List Prices - USD

Name

List Prices - USD

Cuid

CLS_75

Translation ID

CLS_75

Path

\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\

State

Active



Folder: Time Measures - Costs

Name

Time Measures - Costs

Cuid

CLS_61

Translation ID

CLS_61

Path

\Measures\Invoice\Time Measures\

State

Active



Folder: Time Measures Cost - Local Currency

Name

Time Measures Cost - Local Currency

Cuid

CLS_70

Translation ID

CLS_70

Path

\Measures\Invoice\Time Measures\Time Measures - Costs\

State

Active



Folder: Current Contribution Cost - LC

Name

Current Contribution Cost - LC

Cuid

CLS_76

Translation ID

CLS_76

Path

\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - Local Currency\

State

Active



Folder: Standard Contribution Cost - LC

Name

Standard Contribution Cost - LC

Cuid

CLS_77

Translation ID

CLS_77

Path

\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - Local Currency\

State

Active



Folder: Time Measures Cost - USD

Name

Time Measures Cost - USD

Cuid

CLS_71

Translation ID

CLS_71

Path

\Measures\Invoice\Time Measures\Time Measures - Costs\

State

Active



Folder: Current Contribution Cost - USD

Name

Current Contribution Cost - USD

Cuid

CLS_80

Translation ID

CLS_80

Path

\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - USD\

State

Active



Folder: Standard Contribution Cost - USD

Name

Standard Contribution Cost - USD

Cuid

CLS_81

Translation ID

CLS_81

Path

\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - USD\

State

Active



Folder: Time Measures - Quantities

Name

Time Measures - Quantities

Cuid

CLS_62

Translation ID

CLS_62

Path

\Measures\Invoice\Time Measures\

State

Active



Folder: Time Measures - Profits

Name

Time Measures - Profits

Cuid

CLS_59

Translation ID

CLS_59

Path

\Measures\Invoice\Time Measures\

State

Active



Folder: Time Measure Profit - Local Currency

Name

Time Measure Profit - Local Currency

Cuid

CLS_58

Translation ID

CLS_58

Path

\Measures\Invoice\Time Measures\Time Measures - Profits\

State

Active



Folder: Current Profit - LC

Name

Current Profit - LC

Cuid

CLS_82

Translation ID

CLS_82

Path

\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\

State

Active



Folder: Standard Profit - LC

Name

Standard Profit - LC

Cuid

CLS_83

Translation ID

CLS_83

Path

\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\

State

Active



Folder: Time Measures Profit - US Dollars

Name

Time Measures Profit - US Dollars

Cuid

CLS_57

Translation ID

CLS_57

Path

\Measures\Invoice\Time Measures\Time Measures - Profits\

State

Active



Folder: Current Profit - USD

Name

Current Profit - USD

Cuid

CLS_84

Translation ID

CLS_84

Path

\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\

State

Active

**Folder: Standard Profit - USD**

Name	Standard Profit - USD
Cuid	CLS_85
Translation ID	CLS_85
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\
State	Active

**Folder: Forecast**

Name	Forecast
Cuid	CLS_565
Translation ID	CLS_565
Path	\Measures\
State	Active

**Folder: Plan**

Name	Plan
Cuid	CLS_566
Translation ID	CLS_566
Path	\Measures\Forecast\
State	Active

**Folder: Annual Forecast**

Name	Annual Forecast
Cuid	CLS_575
Translation ID	CLS_575
Path	\Measures\Forecast\
State	Active

**Folder: Cost Forecast**

Name	Cost Forecast
Cuid	CLS_624
Translation ID	CLS_624
Path	\Measures\Forecast\Annual Forecast\
State	Active

**Folder: P&L Forecast**

Name	P&L Forecast
Cuid	CLS_576
Translation ID	CLS_576
Path	\Measures\Forecast\
State	Hidden

**Folder: STAT Forecast**

Name	STAT Forecast
Cuid	CLS_579
Translation ID	CLS_579
Path	\Measures\Forecast\
State	Hidden

**Folder: Order Input**

Name	Order Input
Cuid	CLS_463
Translation ID	CLS_463
Path	\Measures\
State	Active

**Folder: Amount**

Name	Amount
Cuid	CLS_484

Translation ID	CLS_484
Path	\Measures\Order Input\
State	Active



Folder: Document Currency-Doc

Name	Document Currency-Doc
Cuid	CLS_493
Translation ID	CLS_493
Path	\Measures\Order Input\Amount\
State	Active



Folder: US Dollars-USD

Name	US Dollars-USD
Cuid	CLS_494
Translation ID	CLS_494
Path	\Measures\Order Input\Amount\
State	Active



Folder: To Date

Name	To Date
Cuid	CLS_506
Translation ID	CLS_506
Path	\Measures\Order Input\Amount\US Dollars-USD\
State	Active



Folder: Quantity

Name	Quantity
Cuid	CLS_485
Translation ID	CLS_485
Path	\Measures\Order Input\
State	Active



Folder: To Date Quantity

Name	To Date Quantity
Cuid	CLS_507
Translation ID	CLS_507
Path	\Measures\Order Input\Quantity\
State	Active



Folder: Cost

Name	Cost
Cuid	CLS_513
Translation ID	CLS_513
Path	\Measures\Order Input\
State	Active



Folder: Costs-Local Currency-LC

Name	Costs-Local Currency-LC
Cuid	CLS_515
Translation ID	CLS_515
Path	\Measures\Order Input\Cost\
State	Active



Folder: LC-Standard Costs

Name	LC-Standard Costs
Cuid	CLS_519
Translation ID	CLS_519
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\
State	Active



Folder: LC-Current Costs (PP1 - Current Material & Std Labor)

Name	LC-Current Costs (PP1 - Current Material & Std Labor)
Cuid	CLS_520
Translation ID	CLS_520
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\
State	Active

**Folder: LC-Current Costs (PP2 - PIR Material & Current Labor)**

Name	LC-Current Costs (PP2 - PIR Material & Current Labor)
Cuid	CLS_521
Translation ID	CLS_521
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\
State	Active

**Folder: LC-Current Costs (PP3 - Current Material & Current Labor)**

Name	LC-Current Costs (PP3 - Current Material & Current Labor)
Cuid	CLS_522
Translation ID	CLS_522
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\
State	Active

**Folder: Costs-US Dollars-USD**

Name	Costs-US Dollars-USD
Cuid	CLS_516
Translation ID	CLS_516
Path	\Measures\Order Input\Cost\
State	Active

**Folder: USD-Standard Costs**

Name	USD-Standard Costs
Cuid	CLS_523
Translation ID	CLS_523
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\
State	Active

**Folder: USD-Current Costs (PP1 - Current Material & Std Labor)**

Name	USD-Current Costs (PP1 - Current Material & Std Labor)
Cuid	CLS_524
Translation ID	CLS_524
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\
State	Active

**Folder: USD-Current Costs (PP2 - PIR Material & Current Labor)**

Name	USD-Current Costs (PP2 - PIR Material & Current Labor)
Cuid	CLS_525
Translation ID	CLS_525
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\
State	Active

**Folder: USD-Current Costs (PP3 - Current Material & Current Labor)**

Name	USD-Current Costs (PP3 - Current Material & Current Labor)
Cuid	CLS_526
Translation ID	CLS_526
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\
State	Active

**Folder: Backlog**

Name	Backlog
Cuid	CLS_438
Translation ID	CLS_438
Path	\Measures\
State	Active

**Folder: Gross**

Name	Gross
Cuid	CLS_483
Translation ID	CLS_483
Path	\Measures\Backlog\
State	Hidden

**Folder: Backlog Amount**

Name	Backlog Amount
Cuid	CLS_488
Translation ID	CLS_488
Path	\Measures\Backlog\
State	Active

**Folder: Document Currency**

Name	Document Currency
Description	Sales Order document currency.
Cuid	CLS_537
Translation ID	CLS_537
Path	\Measures\Backlog\Backlog Amount\
State	Active

**Folder: Local Currency**

Name	Local Currency
Description	Sales Order local currency (company code currency).
Cuid	CLS_539
Translation ID	CLS_539
Path	\Measures\Backlog\Backlog Amount\
State	Active

**Folder: USD**

Name	USD
Cuid	CLS_491
Translation ID	CLS_491
Path	\Measures\Backlog\Backlog Amount\
State	Active

**Folder: Backlog Quantity**

Name	Backlog Quantity
Cuid	CLS_489
Translation ID	CLS_489
Path	\Measures\Backlog\
State	Active

**Folder: Backlog Cost**

Name	Backlog Cost
Cuid	CLS_514
Translation ID	CLS_514
Path	\Measures\Backlog\
State	Active

**Folder: Costs-Local Currency**

Name	Costs-Local Currency
Cuid	CLS_517
Translation ID	CLS_517
Path	\Measures\Backlog\Backlog Cost\
State	Active

**Folder: LC - Standard Cost**

Name	LC - Standard Cost
------	--------------------

Cuid	CLS_527
Translation ID	CLS_527
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\
State	Active

 Folder: LC - Current Cost (PP1 - Current Material & Std Labor)

Name	LC - Current Cost (PP1 - Current Material & Std Labor)
Cuid	CLS_528
Translation ID	CLS_528
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\
State	Active

 Folder: LC - Current Cost (PP2 - PIR Material & Current Labor)

Name	LC - Current Cost (PP2 - PIR Material & Current Labor)
Cuid	CLS_529
Translation ID	CLS_529
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\
State	Active

 Folder: LC - Current Cost (PP3 - Current Material & Current Labor)

Name	LC - Current Cost (PP3 - Current Material & Current Labor)
Cuid	CLS_530
Translation ID	CLS_530
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\
State	Active

 Folder: Costs-USD

Name	Costs-USD
Cuid	CLS_518
Translation ID	CLS_518
Path	\Measures\Backlog\Backlog Cost\
State	Active

 Folder: USD - Standard Cost

Name	USD - Standard Cost
Cuid	CLS_531
Translation ID	CLS_531
Path	\Measures\Backlog\Backlog Cost\Costs-USD\
State	Active

 Folder: USD - Current Cost (PP1 - Current Material & Std Labor)

Name	USD - Current Cost (PP1 - Current Material & Std Labor)
Cuid	CLS_532
Translation ID	CLS_532
Path	\Measures\Backlog\Backlog Cost\Costs-USD\
State	Active

 Folder: USD - Current Cost (PP2 - PIR Material & Current Labor)

Name	USD - Current Cost (PP2 - PIR Material & Current Labor)
Cuid	CLS_533
Translation ID	CLS_533
Path	\Measures\Backlog\Backlog Cost\Costs-USD\
State	Active

 Folder: USD - Current Cost (PP3 - Current Material & Current Labor)

Name	USD - Current Cost (PP3 - Current Material & Current Labor)
Cuid	CLS_534
Translation ID	CLS_534
Path	\Measures\Backlog\Backlog Cost\Costs-USD\
State	Active

**Folder: Unit Of Measures**

Name	Unit Of Measures
Cuid	CLS_89
Translation ID	CLS_89
Path	\Measures\
State	Active

**Folder: Debug**

Name	Debug
Cuid	CLS_90
Translation ID	CLS_90
Path	\Measures\
State	Active

**Folder: MOC Reporting**

Name	MOC Reporting
Cuid	CLS_541
Translation ID	CLS_541
Path	\Measures\
State	Active

**Folder: Metrics**

Name	Metrics
Cuid	CLS_555
Translation ID	CLS_555
Path	\Measures\
State	Active

**Folder: Opportunity**

Name	Opportunity
Cuid	CLS_648
Translation ID	CLS_648
Path	\Measures\
State	Active

**Folder: Prompts**

Name	Prompts
Cuid	CLS_52
Translation ID	CLS_52
Path	\
State	Active

**Folder: DerivedValues**

Name	DerivedValues
Cuid	CLS_54
Translation ID	CLS_54
Path	\Prompts\
State	Active

**Folder: Forecast Prompts**

Name	Forecast Prompts
Cuid	CLS_623
Translation ID	CLS_623
Path	\Prompts\
State	Active

**Folder: Filters**

Name	Filters
Cuid	CLS_45
Translation ID	CLS_45

Path	\
State	Active
 Folder: DistributionChannels	
Name	DistributionChannels
Cuid	CLS_304
Translation ID	CLS_304
Path	\Filters\
State	Active
 Folder: Forecast Filters	
Name	Forecast Filters
Cuid	CLS_581
Translation ID	CLS_581
Path	\Filters\
State	Active
 Folder: LegacyFilters-DBB	
Name	LegacyFilters-DBB
Cuid	CLS_439
Translation ID	CLS_439
Path	\Filters\
State	Hidden
 Folder: Plant	
Name	Plant
Cuid	CLS_437
Translation ID	CLS_437
Path	\Filters\
State	Active
 Folder: Dashboard Filters	
Name	Dashboard Filters
Cuid	CLS_459
Translation ID	CLS_459
Path	\Filters\
State	Active
 Folder: Currency Rates	
Name	Currency Rates
Cuid	CLS_551
Translation ID	CLS_551
Path	\
State	Active
 Folder: Legacy JDE Objects	
Name	Legacy JDE Objects
Description	This class contains objects which contain only Legacy JDE Data.
Cuid	CLS_467
Translation ID	CLS_467
Path	\
State	Active
 Folder: Corporate Report Use Only	
Name	Corporate Report Use Only
Description	The objects under this folder are used for the "Weekly Invoice Report".
Cuid	CLS_452
Translation ID	CLS_452
Path	\
State	Active

**Folder: Date**

Name	Date
Cuid	CLS_453
Translation ID	CLS_453
Path	\Corporate Report Use Only\
State	Active

**Folder: Measure**

Name	Measure
Cuid	CLS_454
Translation ID	CLS_454
Path	\Corporate Report Use Only\
State	Active

**Folder: NetPrice**

Name	NetPrice
Cuid	CLS_455
Translation ID	CLS_455
Path	\Corporate Report Use Only\Measure\
State	Active

**Folder: To-Date**

Name	To-Date
Cuid	CLS_96
Translation ID	CLS_96
Path	\Corporate Report Use Only\Measure\NetPrice\
State	Active

**Folder: PriorMonth**

Name	PriorMonth
Cuid	CLS_451
Translation ID	CLS_451
Path	\Corporate Report Use Only\Measure\NetPrice\
State	Active

**Folder: PriorYear**

Name	PriorYear
Cuid	CLS_449
Translation ID	CLS_449
Path	\Corporate Report Use Only\Measure\NetPrice\
State	Active

**Folder: Forecast and Plan**

Name	Forecast and Plan
Cuid	CLS_444
Translation ID	CLS_444
Path	\Corporate Report Use Only\Measure\
State	Active

**Folder: To-Date Forecast**

Name	To-Date Forecast
Cuid	CLS_445
Translation ID	CLS_445
Path	\Corporate Report Use Only\Measure\Forecast and Plan\
State	Active

**Folder: To-Date Plan**

Name	To-Date Plan
Cuid	CLS_446
Translation ID	CLS_446

Path	\Corporate Report Use Only\Measure\Forecast and Plan\
State	Active

 Folder: Revenue Forecast Revision buckets

Name	Revenue Forecast Revision buckets
Cuid	CLS_620
Translation ID	CLS_620
Path	\Corporate Report Use Only\Measure\
State	Active

 Folder: Cost Forecast Revision Buckets

Name	Cost Forecast Revision Buckets
Cuid	CLS_622
Translation ID	CLS_622
Path	\Corporate Report Use Only\Measure\
State	Hidden

 Folder: Filter

Name	Filter
Cuid	CLS_457
Translation ID	CLS_457
Path	\Corporate Report Use Only\
State	Active



Dimension: CalendarDate

Name	CalendarDate
Description	Calendar Date : DIM_DATE.CLNDR_DT
Cuid	OBJ_194
Translation ID	OBJ_194
Path	\Date Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_DATE.CLNDR_DT
--------	-------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: TE Calendar Date

Name	TE Calendar Date
Description	TE Calendar Date : DIM_DATE.TE_CLNDR_DT
Cuid	OBJ_4428
Translation ID	OBJ_4428
Path	\Date Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_DATE.TE_CLNDR_DT
--------	----------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Cal Week Day Nbr

Name	Cal Week Day Nbr
Description	Day of Week : DIM_DATE.CLNDR_WEEK_DAY_NBR
Cuid	OBJ_2734
Translation ID	OBJ_2734
Path	\Date Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select	DIM_DATE.CLNDR_WEEK_DAY_NBR
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Cal Week Day Name

Name	Cal Week Day Name
Description	Name of Day of Week : DIM_DATE.CLNDR_WEEK_DAY_NAME
Cuid	OBJ_2735
Translation ID	OBJ_2735
Path	\Date Dimension\
State	Active
Data Type	String

SQL Definition

Select

DIM_DATE.CLNDR_WEEK_DAY_NAME

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

 Dimension: FinanceYear

Name
 Description
 Cuid
 Translation ID
 Path
 State
 Data Type

FinanceYear
 Finance Year Number : DIM_DATE.FIN_YEAR_NBR
 OBJ_363
 OBJ_363
 \Date Dimension\
 Active
 Numeric

SQL Definition

Select

DIM_DATE.FIN_YEAR_NBR

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in
 Display format

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts
 NUMERIC

 Dimension: FinanceMonth

Name
 Description

 Cuid
 Translation ID
 Path
 State
 Data Type

FinanceMonth
 Finance Month Number, e.g. 10 as October :
 DIM_DATE.FIN_MONTH_NBR
 OBJ_364
 OBJ_364
 \Date Dimension\
 Active
 Numeric

SQL Definition

Select

DIM_DATE.FIN_MONTH_NBR

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

 Dimension: Fin Month Name

Name
 Description
 Cuid
 Translation ID
 Path
 State
 Data Type

Fin Month Name
 Finance Month Name : DIM_DATE.FIN_MONTH_NAME
 OBJ_447
 OBJ_447
 \Date Dimension\
 Active
 String

SQL Definition

Select

DIM_DATE.FIN_MONTH_NAME

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

 Dimension: FinanceYearMonth

Name	FinanceYearMonth
Description	Finance Year Month Number, e.g. 200910 as October 2009. : DIM_DATE.FIN_YEAR_MONTH_NBR
Cuid	OBJ_360
Translation ID	OBJ_360
Path	\Date Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select DIM_DATE.FIN_YEAR_MONTH_NBR

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC

Dimension: Fin Year Month Name

Name	Fin Year Month Name
Description	Finance Year Month Number : DIM_DATE.FIN_YEAR_MONTH_NAME
Cuid	OBJ_448
Translation ID	OBJ_448
Path	\Date Dimension\
State	Active
Data Type	String

SQL Definition

Select DIM_DATE.FIN_YEAR_MONTH_NAME

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Fin Week Nbr

Name	Fin Week Nbr
Description	Cumulative finance week number in year : DIM_DATE.FIN_WEEK_NBR
Cuid	OBJ_417
Translation ID	OBJ_417
Path	\Date Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select DIM_DATE.FIN_WEEK_NBR

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: FinanceYearWeek

Name	FinanceYearWeek
Description	Financial Week within a Year: to_char(DIM_DATE.CLNDR_DT, 'YYYYWW')
Cuid	OBJ_4094
Translation ID	OBJ_4094
Path	\Date Dimension\
State	Active
Data Type	String

SQL Definition

Select

CONCAT(year(DIM_DATE.CLNDR_DT),lpad(to_number(ceiling(DayOfYear(DIM_DATE.CLNDR_DT)),2,'0'))

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: FinanceYearMonthWeek

Name
Description

FinanceYearMonthWeek
The financial week within the Month :
DIM_DATE.FIN_YEAR_MONTH_WEEK_ID
OBJ_679
OBJ_679
\Date Dimension\
Active
String

SQL Definition

Select

DIM_DATE.FIN_YEAR_MONTH_WEEK_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Fin Year Month Week Name

Name
Description

Fin Year Month Week Name
Finance Year Month Week Name :
DIM_DATE.FIN_YEAR_MONTH_WEEK_NAME
OBJ_450
OBJ_450
\Date Dimension\
Active
String

SQL Definition

Select

DIM_DATE.FIN_YEAR_MONTH_WEEK_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Fin Qtr Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Fin Qtr Nbr
Finance Quarter Number : DIM_DATE.FIN_QTR_NBR
OBJ_2903
OBJ_2903
\Date Dimension\
Active
Numeric

SQL Definition

Select

DIM_DATE.FIN_QTR_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC



Dimension: FinanceYearQuarter

Name	FinanceYearQuarter
Description	Financial Year and Quarter (e.g. 20091 for the first quarter of 2009) : DIM_DATE.FIN_YEAR_QTR_ID
Cuid	OBJ_682
Translation ID	OBJ_682
Path	\Date Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_DATE.FIN_YEAR_QTR_ID
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Fin Year Qtr Name

Name	Fin Year Qtr Name
Description	Finance Year Quarter Name : DIM_DATE.FIN_YEAR_QTR_NAME
Cuid	OBJ_449
Translation ID	OBJ_449
Path	\Date Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_DATE.FIN_YEAR_QTR_NAME
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Mon-Fri Date

Name	Mon-Fri Date
Description	Mon-Fri Date Uses the following logic:Month begins on Saturday – For the first week of this month, Saturday and Sunday grouped into Monday. But for other weeks, Saturday and Sunday both grouped into Friday. E.g. Aug 2009, Aug 1st and Aug 2nd grouped into Aug 3rd, Aug 8th and Aug 9th grouped into Aug 7th, Aug 15th and Aug 16th grouped into Aug 14th, etc. The first week begins at Aug 1st and ends at Aug 9th. The second week begins at Aug 10th and ends at Aug 16th, etc. Month begins on Sunday – For the first week of this month, Sunday grouped into Monday and Saturday grouped into Friday. But for the other weeks, Saturday and Sunday both grouped into Friday. E.g. Nov 2009, Nov 1st grouped into Nov 2nd, Nov 7th and Nov 8th grouped into Nov 6th. Nov 14th and Nov 15th grouped into Nov 13th, etc. The first week begins at Nov 1st and ends at Nov 8th. The second week begins at Nov 9th and ends at Nov 15th, etc. Others: Sunday and Saturday grouped into Friday. : DIM_DATE.ORD_INPUT_DT
Cuid	OBJ_2992
Translation ID	OBJ_2992
Path	\Date Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_DATE.ORD_INPUT_DT
--------	-----------------------

Advanced

Minimum Object Level Security	Public
-------------------------------	--------

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Mon-Fri Date Week In Month Nbr

Name	Mon-Fri Date Week In Month Nbr
Description	Mon-Fri Date Week In Month Nbr : This reports week 1,2,3,4,5 in a month. : DIM_DATE.ORD_INPUT_WEEK_IN_MONTH_NBR
Cuid	OBJ_2993
Translation ID	OBJ_2993
Path	\Date Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select	DIM_DATE.ORD_INPUT_WEEK_IN_MONTH_NBR
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Mon-Fri Date Week Day Nbr

Name	Mon-Fri Date Week Day Nbr
Description	Reports day number in a week. First week begins on first day of the month. For January-1, this would be 1, Jan-2 will be 2, Jan-3 will be 4, and Jan-8 will be 1 again. Saturday and Sunday are rolled into the week day number of the previous Friday. If Friday is day 2, then the value for Saturday and Sunday is also 2 : DIM_DATE.ORD_INPUT_WEEK_DAY_NBR
Cuid	OBJ_2994
Translation ID	OBJ_2994
Path	\Date Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select	DIM_DATE.ORD_INPUT_WEEK_DAY_NBR
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC

Dimension: Mon-Fri Date Week Day Name

Name	Mon-Fri Date Week Day Name
Description	Reports day name in a week. : DIM_DATE.ORD_INPUT_WEEK_DAY_NAME
Cuid	OBJ_2995
Translation ID	OBJ_2995
Path	\Date Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_DATE.ORD_INPUT_WEEK_DAY_NAME
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Working Days Completed

Name	Working Days Completed
Description	Working Days Completed for the current month :WORK_DAYS.WRK_DAYS_COMPLTE
Cuid	OBJ_3760
Translation ID	OBJ_3760
Path	\Date Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select	"WORK_DAYS"."WRK_DAYS_COMPLTE"
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Remaining Working Days

Name	Remaining Working Days
Description	Remaining Working Days for the current month:WORK_DAYS.REM_WRK_DAYS
Cuid	OBJ_3759
Translation ID	OBJ_3759
Path	\Date Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select	"WORK_DAYS"."REM_WRK_DAYS"
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Src Sys Id-Date

Name	Src Sys Id-Date
Description	Source System ID : DIM_DATE.SRC_SYS_ID
Cuid	OBJ_2757
Translation ID	OBJ_2757
Path	\Date Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_DATE.SRC_SYS_ID
--------	---------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Last Mod Dt-Date Record

Name	Last Mod Dt-Date Record
Description	Last Modified Date Time of date dimension record : DIM_DATE.LAST_MOD_DT
Cuid	OBJ_2758
Translation ID	OBJ_2758
Path	\Date Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select

DIM_DATE.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Order Input Date

Name

Description

Order Input Date

DIM_DATE.ORD_INPUT_DT: Order Input Date Uses the following logic: Month begins on Saturday – For the first week of this month, Saturday and Sunday grouped into Monday. But for other weeks, Saturday and Sunday both grouped into Friday. E.g. Aug 2009, Aug 1st and Aug 2nd grouped into Aug 3rd, Aug 8th and Aug 9th grouped into Aug 7th, Aug 15th and Aug 16th grouped into Aug 14th, etc. The first week begins at Aug 1st and ends at Aug 9th. The second week begins at Aug 10th and ends at Aug 16th, etc. Month begins on Sunday – For the first week of this month, Sunday grouped into Monday and Saturday grouped into Friday. But for the other weeks, Saturday and Sunday both grouped into Friday. E.g. Nov 2009, Nov 1st grouped into Nov 2nd, Nov 7th and Nov 8th grouped into Nov 6th. Nov 14th and Nov 15th grouped into Nov 13th, etc. The first week begins at Nov 1st and ends at Nov 8th. The second week begins at Nov 9th and ends at Nov 15th, etc. Others: Sunday and Saturday grouped into Friday.

Cuid

Translation ID

Path

State

Data Type

OBJ_2939

OBJ_2939

\Date Dimension\

Hidden

DateTime

SQL Definition

Select

DIM_DATE.ORD_INPUT_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ord Input Week In Month Nbr

Name

Description

Ord Input Week In Month Nbr

DIM_DATE.ORD_INPUT_WEEK_IN_MONTH_NBR: Order Input Fin Week In Month Nbr : This reports week 1,2,3,4,5 in a month.

Cuid

Translation ID

Path

State

Data Type

OBJ_2872

OBJ_2872

\Date Dimension\

Hidden

Numeric

SQL Definition

Select

DIM_DATE.ORD_INPUT_WEEK_IN_MONTH_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Fin Week In Month Nbr

Name

Cuid

Translation ID

Path

Fin Week In Month Nbr

OBJ_377

OBJ_377

\Date Dimension\

State
Data Type

Hidden
Numeric

SQL Definition

Select

DIM_DATE.FIN_WEEK_IN_MONTH_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Calendar Quarter Number

Name
Description
Cuid
Translation ID
Path
State
Data Type

Calendar Quarter Number
DIM_DATE.CLNDR_QTR_NBR : Calendar Quarter Number
OBJ_715
OBJ_715
\Date Dimension\
Hidden
Numeric

SQL Definition

Select

DIM_DATE.CLNDR_QTR_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Backlog Date Description

Name
Description
Cuid
Translation ID
Path
State
Data Type

Backlog Date Description
Backlog Date Description: DIM_DATE.BACKLOG_DATE_DESC
OBJ_4313
OBJ_4313
\Date Dimension\Backlog Buckets\
Active
String

SQL Definition

Select

DIM_DATE.BACKLOG_DATE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Backlog Week Description

Name
Description
Cuid
Translation ID
Path
State
Data Type

Backlog Week Description
Backlog Week Description: DIM_DATE.BACKLOG_WEEK_DESC
OBJ_4312
OBJ_4312
\Date Dimension\Backlog Buckets\
Active
String

SQL Definition

Select

DIM_DATE.BACKLOG_WEEK_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Backlog Month Description

Name	Backlog Month Description
Description	Backlog Month Description: DIM_DATE.BACKLOG_MONTH_DESC
Cuid	OBJ_4311
Translation ID	OBJ_4311
Path	\Date Dimension\Backlog Buckets\
State	Active
Data Type	String

SQL Definition

Select	DIM_DATE.BACKLOG_MONTH_DESC
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Backlog Quarter Description

Name	Backlog Quarter Description
Description	Backlog Quarter Description: DIM_DATE.BACKLOG_QUARTER_DESC
Cuid	OBJ_4310
Translation ID	OBJ_4310
Path	\Date Dimension\Backlog Buckets\
State	Active
Data Type	String

SQL Definition

Select	DIM_DATE.BACKLOG_QUARTER_DESC
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Backlog Year Description

Name	Backlog Year Description
Description	Backlog Year Description: DIM_DATE.BACKLOG_YEAR_DESC
Cuid	OBJ_4309
Translation ID	OBJ_4309
Path	\Date Dimension\Backlog Buckets\
State	Active
Data Type	String

SQL Definition

Select	DIM_DATE.BACKLOG_YEAR_DESC
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Backlog Year Month Nbr

Name	Backlog Year Month Nbr
Description	Backlog Year Month Nbr: FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR
Cuid	OBJ_3851
Translation ID	OBJ_3851
Path	\Date Dimension\Backlog Date\
State	Active
Data Type	Numeric

SQL Definition

Select

FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Month + 1

Name
Description
Cuid
Translation ID
Path
State
Data Type

Month + 1
Year month + 1 number based on system date. Format : yyyyymm
OBJ_4132
OBJ_4132
\Date Dimension\Standard Dates\Today\
Active
Numeric

SQL Definition

Select

to_char(add_months(current_date,1),'yyyymm')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Month + 2

Name
Description
Cuid
Translation ID
Path
State
Data Type

Month + 2
Year month + 2 number based on system date. Format : yyyyymm
OBJ_4133
OBJ_4133
\Date Dimension\Standard Dates\Today\
Active
Numeric

SQL Definition

Select

to_char(add_months(current_date,2),'yyyymm')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Month + 3

Name
Description
Cuid
Translation ID
Path
State
Data Type

Month + 3
Year month + 3 number based on system date. Format : yyyyymm
OBJ_4134
OBJ_4134
\Date Dimension\Standard Dates\Today\
Active
Numeric

SQL Definition

Select

to_char(add_months(current_date,3),'yyyymm')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Month + 4

Name	Month + 4
Description	Year month + 4 number based on system date. Format : yyyyymm
Cuid	OBJ_4135
Translation ID	OBJ_4135
Path	\Date Dimension\Standard Dates\Today\
State	Active
Data Type	Numeric

SQL Definition

Select	to_char(add_months(current_date,4),'yyyymm')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC

Dimension: Month + 5

Name	Month + 5
Description	Year month + 5 number based on system date. Format : yyyyymm
Cuid	OBJ_4136
Translation ID	OBJ_4136
Path	\Date Dimension\Standard Dates\Today\
State	Active
Data Type	Numeric

SQL Definition

Select	to_char(add_months(current_date,5),'yyyymm')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC

Dimension: Month + 6

Name	Month + 6
Description	Year month + 6 number based on system date. Format : yyyyymm
Cuid	OBJ_4137
Translation ID	OBJ_4137
Path	\Date Dimension\Standard Dates\Today\
State	Active
Data Type	Numeric

SQL Definition

Select	to_char(add_months(current_date,6),'yyyymm')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC

Dimension: Month - 1

Name	Month - 1
Description	Year month - 1 number based on system date. Format : yyyyymm
Cuid	OBJ_4138
Translation ID	OBJ_4138
Path	\Date Dimension\Standard Dates\Today\
State	Active
Data Type	Numeric

SQL Definition

Select

to_char(add_months(current_date,-1),'yyyymm')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Month - 2

Name
Description
Cuid
Translation ID
Path
State
Data Type

Month - 2
Year month - 2 number based on system date. Format : yyyymm
OBJ_4139
OBJ_4139
\Date Dimension\Standard Dates\Today\
Active
Numeric

SQL Definition

Select

to_char(add_months(current_date,-2),'yyyymm')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Month - 3

Name
Description
Cuid
Translation ID
Path
State
Data Type

Month - 3
Year month - 3 number based on system date. Format : yyyymm
OBJ_4140
OBJ_4140
\Date Dimension\Standard Dates\Today\
Active
Numeric

SQL Definition

Select

to_char(add_months(current_date,-3),'yyyymm')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Month - 4

Name
Description
Cuid
Translation ID
Path
State
Data Type

Month - 4
Year month - 4 number based on system date. Format : yyyymm
OBJ_4141
OBJ_4141
\Date Dimension\Standard Dates\Today\
Active
Numeric

SQL Definition

Select

to_char(add_months(current_date,-4),'yyyymm')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Month - 5

Name	Month - 5
Description	Year month - 5 number based on system date. Format : yyyyymm
Cuid	OBJ_4142
Translation ID	OBJ_4142
Path	\Date Dimension\Standard Dates\Today\
State	Active
Data Type	Numeric

SQL Definition

Select	to_char(add_months(current_date,-5),'yyyymm')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC

Dimension: Month - 6

Name	Month - 6
Description	Year month - 6 number based on system date. Format : yyyyymm
Cuid	OBJ_4143
Translation ID	OBJ_4143
Path	\Date Dimension\Standard Dates\Today\
State	Active
Data Type	Numeric

SQL Definition

Select	to_char(add_months(current_date,-6),'yyyymm')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC

Dimension: Quarter + 1

Name	Quarter + 1
Description	YearQuarter + 1 of the Year based on system date. Format: YYYYQ (e.g.20123)
Cuid	OBJ_4144
Translation ID	OBJ_4144
Path	\Date Dimension\Standard Dates\Today\
State	Active
Data Type	Numeric

SQL Definition

Select	to_char(add_months((current_date),3),'YYYYQ')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC

Dimension: Quarter + 2

Name	Quarter + 2
Description	YearQuarter + 2 of the Year based on system date. Format: YYYYQ (e.g.20123)
Cuid	OBJ_4145
Translation ID	OBJ_4145
Path	\Date Dimension\Standard Dates\Today\

State
Data Type

Active
Numeric

SQL Definition

Select

to_char(add_months((current_date),6),'YYYYQ')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC



Dimension: Quarter + 3

Name
Description

Quarter + 3
YearQuarter + 3 of the Year based on system date. Format: YYYYQ
(e.g. 20123)

Cuid
Translation ID
Path
State
Data Type

OBJ_4146
OBJ_4146
\Date Dimension\Standard Dates\Today\
Active
Numeric

SQL Definition

Select

to_char(add_months((current_date),9),'YYYYQ')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC



Dimension: Quarter + 4

Name
Description

Quarter + 4
YearQuarter + 4 of the Year based on system date. Format: YYYYQ
(e.g. 20123)

Cuid
Translation ID
Path
State
Data Type

OBJ_4147
OBJ_4147
\Date Dimension\Standard Dates\Today\
Active
Numeric

SQL Definition

Select

to_char(add_months((current_date),12),'YYYYQ')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC



Dimension: Quarter -1

Name
Description

Quarter -1
YearQuarter - 1 of the Year based on system date. Format: YYYYQ
(e.g.20123)

Cuid
Translation ID
Path
State
Data Type

OBJ_4148
OBJ_4148
\Date Dimension\Standard Dates\Today\
Active
Numeric

SQL Definition

Select

to_char(add_months((current_date),-3),'YYYYQ')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Quarter -2

Name
Description

Quarter -2
YearQuarter - 2 of the Year based on system date. Format: YYYYQ
(e.g. 20123)
OBJ_4149
OBJ_4149
\Date Dimension\Standard Dates\Today\
Active
Numeric

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

to_char(add_months((current_date),-6),'YYYYQ')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Quarter -3

Name
Description

Quarter -3
YearQuarter - 3 of the Year based on system date. Format: YYYYQ
(e.g.20123)
OBJ_4150
OBJ_4150
\Date Dimension\Standard Dates\Today\
Active
Numeric

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

to_char(add_months((current_date),-9),'YYYYQ')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Quarter -4

Name
Description

Quarter -4
YearQuarter - 4 of the Year based on system date. Format: YYYYQ
(e.g.20123)
OBJ_4151
OBJ_4151
\Date Dimension\Standard Dates\Today\
Active
Numeric

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

to_char(add_months((current_date),-12),'YYYYQ')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC



Dimension: Today's Year Month Nbr

Name	Today's Year Month Nbr
Description	Current year month number based on today's date. Format : yyyymm
Cuid	OBJ_3690
Translation ID	OBJ_3690
Path	\Date Dimension\Standard Dates\Today\
State	Active
Data Type	Numeric

SQL Definition

Select	to_char((current_date),'yyyymm')
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC



Dimension: Today's Date

Name	Today's Date
Description	Today's Date
Cuid	OBJ_3689
Translation ID	OBJ_3689
Path	\Date Dimension\Standard Dates\Today\
State	Active
Data Type	String

SQL Definition

Select	current_date
--------	--------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Today's YearWeek

Name	Today's YearWeek
Description	YearWeek of the Year based on today's date. Format: YYYYWW (e.g. 201251)
Cuid	OBJ_4120
Translation ID	OBJ_4120
Path	\Date Dimension\Standard Dates\Today\
State	Active
Data Type	Numeric

SQL Definition

Select	CONCAT(year(current_date),lpad(to_number(ceiling(DayOfYear(current_date))),2,'0'))
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC



Dimension: Today's YearQuarter

Name	Today's YearQuarter
Description	YearQuarter based on today's date. Format: YYYYQ (e.g. 20121)
Cuid	OBJ_4121
Translation ID	OBJ_4121
Path	\Date Dimension\Standard Dates\Today\
State	Active
Data Type	Numeric

SQL Definition

Select

to_char(current_date, 'YYYYQ')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Today's Year

Name
Description
Cuid
Translation ID
Path
State
Data Type

Today's Year
Year based on today's date. Format: YYYY (e.g. 2012)
OBJ_4122
OBJ_4122
\Date Dimension\Standard Dates\Today\
Active
Numeric

SQL Definition

Select

to_char(current_date, 'YYYY')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Yesterday's Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Yesterday's Date
Yesterday's Date
OBJ_4123
OBJ_4123
\Date Dimension\Standard Dates\Yesterday/Refresh Dates\
Active
String

SQL Definition

Select

Add_days(current_date, -1)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Yesterday's Year Month Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Yesterday's Year Month Nbr
Year Month number based on yesterday's date. Format : yyyymm
OBJ_4124
OBJ_4124
\Date Dimension\Standard Dates\Yesterday/Refresh Dates\
Active
Numeric

SQL Definition

Select

to_char(Add_days(current_date, -1), 'yyyymm')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC



Dimension: Yesterday's YearWeek

Name	Yesterday's YearWeek
Description	YearWeek of the Year based on yesterday's date. Format: YYYYWW (e.g. 201251)
Cuid	OBJ_4125
Translation ID	OBJ_4125
Path	\Date Dimension\Standard Dates\Yesterday/Refresh Dates\
State	Active
Data Type	Numeric

SQL Definition

Select	CONCAT(year(add_days(current_date,-1)),lpad(to_number(ceiling(DayOfYear
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC



Dimension: Yesterday's Previous Week

Name	Yesterday's Previous Week
Description	Returns last week in YYYYWW format: to_char(sysdate-7, 'YYYYWW')
Cuid	OBJ_4186
Translation ID	OBJ_4186
Path	\Date Dimension\Standard Dates\Yesterday/Refresh Dates\
State	Active
Data Type	Numeric

SQL Definition

Select	year(Add_days(current_date, -7)) LPAD (TO_NUMBER(CEIL(DayOfYear(Add_days(current_date, -7)) / 7)),2,'0')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC



Dimension: Yesterday's YearQuarter

Name	Yesterday's YearQuarter
Description	YearQuarter based on yesterday's date. Format: YYYYQ (e.g. 20121)
Cuid	OBJ_4126
Translation ID	OBJ_4126
Path	\Date Dimension\Standard Dates\Yesterday/Refresh Dates\
State	Active
Data Type	Numeric

SQL Definition

Select	to_char(Add_days(current_date, -1), 'YYYYQ')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC



Dimension: Yesterday's Year

Name	Yesterday's Year
Description	Year based on yesterday's date. Format: YYYY (e.g. 2012)
Cuid	OBJ_4127

Translation ID
Path
State
Data Type

OBJ_4127
\\Date Dimension\\Standard Dates\\Yesterday/Refresh Dates\\
Active
Numeric

SQL Definition

Select to_char(Add_days(current_date, -1), 'YYYY')

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts
Display format NUMERIC

Dimension: Previous Year Month Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Previous Year Month Nbr
Previous year month number based on system date. Format: yyyyymm
OBJ_3691
OBJ_3691
\\Date Dimension\\Standard Dates\\Yesterday/Refresh Dates\\
Active
Numeric

SQL Definition

Select to_char(add_months(current_date, -1), 'yyyyymm')

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts
Display format NUMERIC

Dimension: Calendar Year Qtr

Name
Description

Cuid
Translation ID
Path
State
Data Type

Calendar Year Qtr
Use this object in filters to improve query performance for Order Input and Revenue Queries
OBJ_4221
OBJ_4221
\\Date Dimension\\Performance Improvement\\
Active
Numeric

SQL Definition

Select FCTV_INVOICE.CLNDR_YEAR_QTR_NBR

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values 3fl
Can be used in Results, Filters, Sorts

Dimension: Forecast Year Month Nbr

Name
Description

Cuid
Translation ID
Path
State
Data Type

Forecast Year Month Nbr
Forecast As of Year Month Nbr :
FCTV_INVOICE.FCST_AS_OF_YEAR_MONTH_NBR
OBJ_4884
OBJ_4884
\\Date Dimension\\Forecast Date\\
Active
Numeric

SQL Definition

Select FCTV_INVOICE.FCST_AS_OF_YEAR_MONTH_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Organization

Name
Description
Cuid
Translation ID
Path
State
Data Type

Organization
Organization : DIM_PROD_LINE.ORG_NAME
OBJ_4638
OBJ_4638
\Profit Center Dimension\Above Profit Center Hierarchy\
Active
String

SQL Definition

Select

DIM_PROD_LINE.ORG_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Division

Name
Description
Cuid
Translation ID
Path
State
Data Type

Division
Values are CCS, CMS and CS Other
OBJ_3012
OBJ_3012
\Profit Center Dimension\Above Profit Center Hierarchy\
Active
String

SQL Definition

Select

DIM_PROD_LINE.PROD_LINE_DIVISION

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
2g2
Results, Filters, Sorts

Attribute: Division Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Division Desc
Values are Mobility Solutions, Connectivity Solutions and CS Other
OBJ_3013
OBJ_3013
Active
String
True

SQL Definition

Select

DIM_PROD_LINE.PROD_LINE_DIVISION_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
2g3
Results, Filters, Sorts

Dimension: Business Segment

Name
Description
Cuid
Translation ID

Business Segment
Values are CCS, CMS and CS OTHER
OBJ_3014
OBJ_3014

Path
State
Data Type

\Profit Center Dimension\Above Profit Center Hierarchy\
Active
String

SQL Definition

Select

DIM_PROD_LINE.PROD_LINE_BUS_SEGMENT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
2g4
Results, Filters, Sorts



Attribute: Business Segment Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Business Segment Desc
Values are Mobility Solutions, Connectivity Solutions and CS Other
OBJ_3015
OBJ_3015
Active
String
True

SQL Definition

Select

DIM_PROD_LINE.PROD_LINE_BUS_SEGMENT_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
2g5
Results, Filters, Sorts



Dimension: Product Group

Name
Description

Product Group
Groups profit centers together. Ex: all Cable Products profit centers are grouped as "Cable Products". Enterprise Copper Cable and Apparatus profit centers are grouped as "Copper"

Cuid
Translation ID
Path
State
Data Type

OBJ_3016
OBJ_3016
\Profit Center Dimension\Above Profit Center Hierarchy\
Active
String

SQL Definition

Select

DIM_PROD_LINE.PROD_LINE_PRODUCT_GRP_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
2g6
Results, Filters, Sorts



Dimension: Product Sub Group1

Name
Description

Product Sub Group1
Level below Product Group. Groups profit centers together. Ex: all Cable Products profit centers are grouped as "Cable Products". Enterprise Copper Cable and Apparatus profit centers are grouped as "Copper"

Cuid
Translation ID
Path
State
Data Type

OBJ_3017
OBJ_3017
\Profit Center Dimension\Above Profit Center Hierarchy\
Active
String

SQL Definition

Select

DIM_PROD_LINE.PROD_LINE_SUBGROUP_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
2g7
Results, Filters, Sorts

Dimension: Product Sub Group2

Name
Description

Product Sub Group2
Level below Product Sub Group 1. Groups profit centers together. Ex: ACCG "Cable Products" is separated into Heliac and Braided, Wireless Cable etc..
OBJ_3018
OBJ_3018
\Profit Center Dimension\Above Profit Center Hierarchy\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_PROD_LINE.PROD_LINE_SUBGROUP2_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
2g8
Results, Filters, Sorts

Dimension: Product Sub Group3

Name
Description

Product Sub Group3
Level below Product Sub Group 2. Groups profit centers together. Ex: ACCG "Heliac Products" is separated into Smoothwall and Corrugated
OBJ_3019
OBJ_3019
\Profit Center Dimension\Above Profit Center Hierarchy\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_PROD_LINE.PROD_LINE_SUBGROUP3_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
2g9
Results, Filters, Sorts

Dimension: Product Line Group Code

Name
Description

Product Line Group Code
Same as Profit Center. JDE product lines, SAP1 Profit Centers, SAP2 Business Areas (division) are grouped with ERP Profit Center. Groups product lines at higher level. Example, all microwave business areas in different ERP systems are grouped as Total Microwave.
OBJ_3020
OBJ_3020
\Profit Center Dimension\Above Profit Center Hierarchy\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_PROD_LINE.PROD_LINE_GRP_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
2ga
Results, Filters, Sorts



Attribute: Product Line Group Desc

Name
Description

Product Line Group Desc
Same as Profit Center. JDE product lines, SAP1 Profit Centers, SAP2 Business Areas (division) are grouped with ERP Profit Center. Groups product lines at higher level. Example, all microwave business areas in different ERP systems are grouped as Total Microwave.

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_3021
OBJ_3021
Active
String
True

SQL Definition

Select

DIM_PROD_LINE.PROD_LINE_GRP_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
2gb
Results, Filters, Sorts



Dimension: Level1

Name
Description

Level1
Object displays characters 1-5 of the product hierarchy. This value is synonymous with the SAP1 OC Code :

Cuid
Translation ID
Path

DIM_PROD_MASTER.PROD_OC_CODE
OBJ_3022
OBJ_3022
\\Profit Center Dimension\\Below Profit Center Hierarchy(Product Hierarchy)\\

State
Data Type

Active
String

SQL Definition

Select

DIM_PROD_MASTER.PROD_OC_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Level1 Desc

Name
Description

Level1 Desc
Object displays the description characters 1-5 of the product hierarchy. This value is synonymous with the SAP1 OC Code Description : DIM_PROD_MASTER.PROD_OC_DESC

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_3023
OBJ_3023
Active
String
True

SQL Definition

Select

DIM_PROD_MASTER.PROD_OC_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Level2

Name

Level2

Description	Object displays characters 6-10 of the product hierarchy. This value is synonymous with the SAP1 MC Code : DIM_PROD_MASTER.PROD_MC_CODE
Cuid	OBJ_3024
Translation ID	OBJ_3024
Path	\Profit Center Dimension\Below Profit Center Hierarchy(Product Hierarchy)\
State	Active
Data Type	String
SQL Definition	
Select	DIM_PROD_MASTER.PROD_MC_CODE
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Attribute: Level2 Desc	
Name	Level2 Desc
Description	Object displays characters 6-10 of the product hierarchy. This value is synonymous with the SAP1 MC Code Description : DIM_PROD_MASTER.PROD_MC_DESC
Cuid	OBJ_3025
Translation ID	OBJ_3025
State	Active
Data Type	String
Aggregatable	True
SQL Definition	
Select	DIM_PROD_MASTER.PROD_MC_DESC
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Dimension: Level3	
Name	Level3
Description	Object displays the description of characters 11-12 of the product hierarchy : DIM_PROD_MASTER.IA_LEVEL_3
Cuid	OBJ_3026
Translation ID	OBJ_3026
Path	\Profit Center Dimension\Below Profit Center Hierarchy(Product Hierarchy)\
State	Active
Data Type	String
SQL Definition	
Select	DIM_PROD_MASTER.IA_LEVEL_3
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Attribute: Level3 Desc	
Name	Level3 Desc
Description	Object displays the description of characters 11-12 of the product hierarchy : DIM_PROD_MASTER.IA_LEVEL3_DESCRIPTION
Cuid	OBJ_3030
Translation ID	OBJ_3030
State	Active

Data Type
Aggregatable

String
True

SQL Definition

Select

DIM_PROD_MASTER.IA_LEVEL3_DESCRIPTION

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Level4

Name

Level4

Description

Object displays characters 13-14 of the product hierarchy :

DIM_PROD_MASTER.IA_LEVEL_4

Cuid

OBJ_3027

Translation ID

OBJ_3027

Path

\Profit Center Dimension\Below Profit Center Hierarchy(Product Hierarchy)\

State

Active

Data Type

String

SQL Definition

Select

DIM_PROD_MASTER.IA_LEVEL_4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Level4 Desc

Name

Level4 Desc

Description

Object displays the description of characters 13-14 of the product hierarchy : DIM_PROD_MASTER.IA_LEVEL4_DESCRIPTION

Cuid

OBJ_3031

Translation ID

OBJ_3031

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

DIM_PROD_MASTER.IA_LEVEL4_DESCRIPTION

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Level5

Name

Level5

Description

Object displays characters 15-16 of the product hierarchy :

DIM_PROD_MASTER.IA_LEVEL_5

Cuid

OBJ_3028

Translation ID

OBJ_3028

Path

\Profit Center Dimension\Below Profit Center Hierarchy(Product Hierarchy)\

State

Active

Data Type

String

SQL Definition

Select

DIM_PROD_MASTER.IA_LEVEL_5

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Attribute: Level5 Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Level5 Desc
Object displays the description of characters 15-16 of the product hierarchy : DIM_PROD_MASTER.IA_LEVEL5_DESCRIPTION
OBJ_3032
OBJ_3032
Active
String
True

SQL Definition

Select

DIM_PROD_MASTER.IA_LEVEL5_DESCRIPTION

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Dimension: Level6

Name
Description

Cuid
Translation ID
Path

State
Data Type

Level6
Object displays characters 17-18 of the product hierarchy : DIM_PROD_MASTER.IA_LEVEL_6
OBJ_3029
OBJ_3029
\\Profit Center Dimension\\Below Profit Center Hierarchy(Product Hierarchy)\\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.IA_LEVEL_6

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Attribute: Level6 Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Level6 Desc
Object displays the description of characters 17-18 of the product hierarchy : DIM_PROD_MASTER.IA_LEVEL6_DESCRIPTION
OBJ_3033
OBJ_3033
Active
String
True

SQL Definition

Select

DIM_PROD_MASTER.IA_LEVEL6_DESCRIPTION

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Dimension: Profit Center Code

Name

Profit Center Code

Description	SAP1 : Profit Center SAP2 : Business Area JDE: Product Line Ex: QR Cable is Profit Center 20000875 in SAP1, Business Area ACW in SAP2, and Product Line QR in JDE.
Cuid	OBJ_445
Translation ID	OBJ_445
Path	\Profit Center Dimension\History Reporting - Detail Profit Center\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_LINE.PROD_LINE_CODE
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	0cp
Can be used in	Results, Filters, Sorts



Attribute: Profit Center Desc

Name	Profit Center Desc
Description	Description of Prod Line Code Ex: 20000875 is 'Broadband QR'
Cuid	OBJ_446
Translation ID	OBJ_446
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_PROD_LINE.PROD_LINE_DESC
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	0cq
Can be used in	Results, Filters, Sorts



Dimension: Prod Line Grp Code

Name	Prod Line Grp Code
Description	Groups together similar product lines from the various source systems. Ex: 20999875 (SAP1), ACW (SAP2), and QR (JDE) are 'QR'
Cuid	OBJ_197
Translation ID	OBJ_197
Path	\Profit Center Dimension\History Reporting - Detail Profit Center\
State	Hidden
Data Type	String

SQL Definition

Select	DIM_PROD_LINE.PROD_LINE_GRP_ID
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	05m
Can be used in	Results, Filters, Sorts



Attribute: Prod Line Grp Desc

Name	Prod Line Grp Desc
Description	Description for Prod Line Group Code Ex: 'QR' is 'Broadband QR'
Cuid	OBJ_198
Translation ID	OBJ_198
State	Hidden
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_PROD_LINE.PROD_LINE_GRP_NAME
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	05n
Can be used in	Results, Filters, Sorts

Dimension: Prod Line Group Desc2

Name	Prod Line Group Desc2
Description	Grouping of Prod Line Group Codes. Ex: An item with Prod Line 'P3' or 'QR' would be grouped under 'Trunk Cable' in this field. Prod Line 'TAVL' would be grouped under 'ValuLine Antennas'.
Cuid	OBJ_2740
Translation ID	OBJ_2740
Path	\Profit Center Dimension\History Reporting - Detail Profit Center\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_LINE.PROD_LINE_PRODUCT_GRP_RPT_DESC
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	28a
Can be used in	Results, Filters, Sorts

Dimension: Last Mod Dt-Product Line Filter

Name	Last Mod Dt-Product Line Filter
Description	DIM_PROD_LINE.LAST_MOD_DT : Last Modified Date Time for Product Line Record
Cuid	OBJ_2760
Translation ID	OBJ_2760
Path	\Profit Center Dimension\History Reporting - Detail Profit Center\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_PROD_LINE.LAST_MOD_DT
--------	---------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Src Sys Id-Product Line

Name	Src Sys Id-Product Line
Description	DIM_PROD_LINE.SRC_SYS_ID : Source System ID for Product Line
Cuid	OBJ_2759
Translation ID	OBJ_2759
Path	\Profit Center Dimension\History Reporting - Detail Profit Center\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_LINE.SRC_SYS_ID
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Active Ind

Name	Active Ind
------	------------

Description	Indicates whether profit center is used in transactions
Cuid	OBJ_3041
Translation ID	OBJ_3041
Path	\Profit Center Dimension\History Reporting - Detail Profit Center\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_LINE.FCT_IND
--------	-----------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Prod ID

Name	Prod ID
Description	Alphanumeric value which uniquely identifies a product or material (SAP1 and SAP2 Material ID, JDE Product Long ID)
Cuid	OBJ_3002
Translation ID	OBJ_3002
Path	\Product Master Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_MASTER.PROD_LONG_ID
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Prodline Group Id

Name	Prodline Group Id
Description	Prodline Group ID: The Group Id enables the user to query historical plant data, based on the ERP plant code.
Cuid	OBJ_3008
Translation ID	OBJ_3008
Path	\Product Master Dimension\
State	Hidden
Data Type	String

SQL Definition

Select	DIM_PROD_LINE.PROD_LINE_GRP_ID
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Prodline Group Desc

Name	Prodline Group Desc
Description	Prodline Group Description/Name: The Group Id enables the user to query historical plant data, based on the ERP plant code.
Cuid	OBJ_3009
Translation ID	OBJ_3009
State	Hidden
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_PROD_LINE.PROD_LINE_GRP_NAME
--------	----------------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Prod Desc1

Name
Description
Cuid
Translation ID
Path
State
Data Type

Prod Desc1
SAP Material Description, JDE Product Description
OBJ_202
OBJ_202
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.PROD_DESC1

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Prod Desc2

Name
Description

Cuid
Translation ID
Path
State
Data Type

Prod Desc2
Additional characteristic of materials from SAP1. Product Description 2 from JDE. Not applicable in SAP2.
OBJ_673
OBJ_673
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.PROD_DESC2

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Prod Grp Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

Prod Grp Code
Product Group Code(Legacy product lines such as: Cellreach Cable, CIC With MC2, CIC With P3, CIC With QR, etc) - SAP1 Material Group 3
OBJ_203
OBJ_203
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.PROD_GRP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: Prod Grp Desc

Name

Prod Grp Desc

Description
Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Description of Product Group Code
OBJ_204
OBJ_204
Active
String
True

DIM_PROD_MASTER.PROD_GRP_DESC

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Prod Mc Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Prod Mc Code
MC Code value from SAP 1 (Merchandise Class) The MC Code (Merchandise Class) is a sub-level of the OC code, and groups like material based on same characteristics of the material.

OBJ_207
OBJ_207
\Product Master Dimension\
Hidden
String

DIM_PROD_MASTER.PROD_MC_CODE

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: Prod Mc Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Prod Mc Desc
Description of MC Code
OBJ_208
OBJ_208
Hidden
String
True

DIM_PROD_MASTER.PROD_MC_DESC

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Prod Oc Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

Prod Oc Code
OC Code value from SAP 1 OC code (Occupational Code) consists of the first 5 characters of the product hierarchy.

OBJ_209
OBJ_209
\Product Master Dimension\
Hidden
String

DIM_PROD_MASTER.PROD_OC_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Prod Oc Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Prod Oc Desc
DIM_PROD_MASTER.PROD_OC_DESC:Product OC Description
OBJ_210
OBJ_210
Hidden
String
True

SQL Definition

Select

DIM_PROD_MASTER.PROD_OC_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Prod Hier Code

Name
Description

Prod Hier Code
Product Hierarchy Code from SAP 1 and SAP 2 The product hierarchy is made up of 2 parts: Part one is the OC code (Occupational Code) which consist of the first 5 characters of the product hierarchy. This is a way to group like products. Part two is the merchandise class – this is the next 5 characters. The merchandise class is a sub-level of the OC code, and groups like material based on same characteristics of the material.

Cuid
Translation ID
Path
State
Data Type

OBJ_211
OBJ_211
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.PROD_HIER_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Prod Category Code

Name
Description

Prod Category Code
Product
Category :DIM_PROD_MASTER.PROD_CATEGORY_CODE
OBJ_4737
OBJ_4737
\Product Master Dimension\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_PROD_MASTER.PROD_CATEGORY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts



Attribute: Prod Category Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Prod Category Desc
Product Category Description :
DIM_PROD_MASTER.PROD_CATEGORY_DESC
OBJ_4738
OBJ_4738
Active
String
True

SQL Definition

Select

DIM_PROD_MASTER.PROD_CATEGORY_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Fiber Count Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Fiber Count Nbr
The number of optical fibers in a fiber optic cable prout.
OBJ_212
OBJ_212
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.FIBER_COUNT_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Flood Fiber Type Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

Flood Fiber Type Code
Flood characteristic for copper cable (ex. CAT6A), Fiber type for fiber optic cable (ex. 8W).
OBJ_213
OBJ_213
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.FLOOD_FIBER_TYPE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Flood Fiber Type Desc

Name
Description
Cuid
Translation ID
State
Data Type

Flood Fiber Type Desc
Description of flood or fiber type
OBJ_214
OBJ_214
Active
String

Aggregatable

True

SQL Definition

Select

DIM_PROD_MASTER.FLOOD_FIBER_TYPE_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Prod Base Unit Meas Code

Name

Prod Base Unit Meas Code

Description

Product Base Unit Measure Code

Cuid

OBJ_215

Translation ID

OBJ_215

Path

\Product Master Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_PROD_MASTER.PROD_BASE_UNIT_MEAS_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

* Attribute: Prod Base Unit Meas Desc

Name

Prod Base Unit Meas Desc

Description

Product Base Unit Measure Description

Cuid

OBJ_216

Translation ID

OBJ_216

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

DIM_PROD_MASTER.PROD_BASE_UNIT_MEAS_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Legacy Material Type Code

Name

Legacy Material Type Code

Description

Legacy Andrew Material Type Code Ex: ROHE, HALB, FERT

Cuid

OBJ_2960

Translation ID

OBJ_2960

Path

\Product Master Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_PROD_MASTER.LEGACY_MATERIAL_TYPE_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

* Attribute: Legacy Material Type Name

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Legacy Material Type Name
Name for Legacy Andrew Material Type Code: ROHE Electrical Component, HALB Semi-finished, FERT Finished product
OBJ_2964
OBJ_2964
Active
String
True

SQL Definition

Select

DIM_PROD_MASTER.LEGACY_MATERIAL_TYPE_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Material Grp Code

Name
Description

Material Grp Code
Material Group Code Ex: 35055, 26735, 0155, Next Gen. VL, 9631 : MARA.MAKTL
OBJ_2961
OBJ_2961
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.MATERIAL_GRP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: Material Grp Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Material Grp Desc
Material Group Description Ex: Cable, Fiber Optic, Electronic Cabinets, STANDALONE FILTERS
OBJ_2962
OBJ_2962
Active
String
True

SQL Definition

Select

DIM_PROD_MASTER.MATERIAL_GRP_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SAP Material Type

Name
Description
Cuid
Translation ID
Path
State
Data Type

SAP Material Type
SAP Material Type : DIM_PROD_MASTER.SAP_MATERIAL_TYPE
OBJ_4459
OBJ_4459
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.SAP_MATERIAL_TYPE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: GlobalMaterialMasterDivision

Name
Description

GlobalMaterialMasterDivision
SAP 1 and SAP2 Sales Division (TSPAT.SPART) Sales Division ID Ex:
02,03,WA, VL:DIM_PROD_MASTER.SALES_DIV_ID

Cuid
Translation ID
Path
State
Data Type

OBJ_3003
OBJ_3003
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.SALES_DIV_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: GlobalMaterialMasterDivisionName

Name
Description

GlobalMaterialMasterDivisionName
Division Name SAP 1 and SAP 2 only-Sales Division Name:
CommScope Inc , Enterprise, Brdband Pwr Amp, ValuLine Antennas:
DIM_PROD_MASTER.SALES_DIV_NAME

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_3004
OBJ_3004
Active
String
True

SQL Definition

Select

DIM_PROD_MASTER.SALES_DIV_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Mrp Ctrlr Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Mrp Ctrlr Id
MRP Controller ID/Planner ID
OBJ_2980
OBJ_2980
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.MRP_CTRLR_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Mrp Ctrlr Name

Name	Mrp Ctrlr Name
Description	MRP Controller Name/Planner Name
Cuid	OBJ_2981
Translation ID	OBJ_2981
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_PROD_MASTER.MRP_CTRLR_NAME
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Priority Material Where Used

Name	Priority Material Where Used
Description	Priority Material Where Used:DIM_PROD_MASTER.IA_PRITY_MATAL_WHERE_USED
Cuid	OBJ_2991
Translation ID	OBJ_2991
Path	\Product Master Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_MASTER.IA_PRITY_MATAL_WHERE_USED
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: Priority Material Where Used Desc

Name	Priority Material Where Used Desc
Description	DIM_PROD_MASTER.IA_PRITY_MATAL_WHERE_USED_DESC:Priority Material Where Used Desc
Cuid	OBJ_4129
Translation ID	OBJ_4129
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_PROD_MASTER.IA_PRITY_MATAL_WHERE_USED_DESC
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Src Sys Id-Prod Master

Name	Src Sys Id-Prod Master
Description	DIM_PROD_MASTER.SRC_SYS_ID : Source System ID for Product Master Data
Cuid	OBJ_2763
Translation ID	OBJ_2763
Path	\Product Master Dimension\
State	Active
Data Type	String

SQL Definition

Select

DIM_PROD_MASTER.SRC_SYS_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Last Mod Dt-Prod Master Data

Name
Description

Last Mod Dt-Prod Master Data
DIM_PROD_MASTER.LAST_MOD_DT : Last Modified Date Time
for Product Master Record

Cuid
Translation ID
Path
State
Data Type

OBJ_2764
OBJ_2764
\Product Master Dimension\
Active
DateTime

SQL Definition

Select

DIM_PROD_MASTER.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Prod Short Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Prod Short Id
DIM_PROD_MASTER.PROD_SHORT_ID:Product Short ID
OBJ_200
OBJ_200
\Product Master Dimension\
Hidden
String

SQL Definition

Select

DIM_PROD_MASTER.PROD_SHORT_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Prod Long Id

Name
Description

Prod Long Id
Alphanumeric value which uniquely identifies a product or material
(SAP1 and SAP2 Material ID, JDE Product Long ID)

Cuid
Translation ID
Path
State
Data Type

OBJ_201
OBJ_201
\Product Master Dimension\
Hidden
String

SQL Definition

Select

DIM_PROD_MASTER.PROD_LONG_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Div Id

Name

Div Id

Description	SAP 1 and SAP2 Sales Division (TSPAT.SPART) Sales Division ID Ex: 02,03,WA, VL
Cuid	OBJ_2965
Translation ID	OBJ_2965
Path	\Product Master Dimension\
State	Hidden
Data Type	String

SQL Definition

Select	DIM_PROD_MASTER.SALES_DIV_ID
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Div Name

Name	Div Name
Description	Division Name SAP 1 and SAP 2 only-Sales Division Name: CommScope Inc , Enterprise, Brdband Pwr Amp, ValuLine Antennas
Cuid	OBJ_2966
Translation ID	OBJ_2966
State	Hidden
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_PROD_MASTER.SALES_DIV_NAME
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Procurement Type

Name	Procurement Type
Description	Procurement Type: DIM_PROD_MASTER.PRODURE_TYPE_CODE
Cuid	OBJ_4083
Translation ID	OBJ_4083
Path	\Product Master Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_MASTER.PROCURE_TYPE_CODE
--------	-----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Material Status

Name	Material Status
Description	Material Status: DIM_PROD_MASTER.MATERIAL_STATUS
Cuid	OBJ_4084
Translation ID	OBJ_4084
Path	\Product Master Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_MASTER.MATERIAL_STATUS
--------	---------------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CH_Flame_Rating

Name
Description
Cuid
Translation ID
Path
State
Data Type

CH_Flame_Rating
CH_Flame_Rating: DIM_PROD_MASTER.FLAME_RATING_DESC
OBJ_4085
OBJ_4085
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.FLAME_RATING_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CH_Cable_Construction

Name
Description

Cuid
Translation ID
Path
State
Data Type

CH_Cable_Construction
CH_Cable_Construction:
DIM_PROD_MASTER.CABLE_CONST_CODE
OBJ_4086
OBJ_4086
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.CABLE_CONST_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Lead Time

Name
Description
Cuid
Translation ID
Path
State
Data Type

Lead Time
Lead Time: DIM_PROD_MASTER.LEAD_TIME_NBR
OBJ_4087
OBJ_4087
\Product Master Dimension\
Active
Numeric

SQL Definition

Select

DIM_PROD_MASTER.LEAD_TIME_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: QM Proc Active

Name
Description
Cuid
Translation ID

QM Proc Active
QM Proc Active : DIM_PROD_MASTER.QM_PRC_ACT_IND
OBJ_4202
OBJ_4202

Path
State
Data Type

\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.QM_PRC_ACT_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: MID is config

Name
Description
Cuid
Translation ID
Path
State
Data Type

MID is config
MID is config: DIM_PROD_MASTER.MID_CONFIG_IND
OBJ_4203
OBJ_4203
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.MID_CONFIG_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Auth Group

Name
Description
Cuid
Translation ID
Path
State
Data Type

Auth Group
Auth Group : DIM_PROD_MASTER.AUTH_GRP_CODE
OBJ_4204
OBJ_4204
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.AUTH_GRP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Purch Value Key

Name
Description
Cuid
Translation ID
Path
State
Data Type

Purch Value Key
Purch Value Key: DIM_PROD_MASTER.PUR_VAL_CODE
OBJ_4205
OBJ_4205
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.PUR_VAL_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: QM Control Key

Name	QM Control Key
Description	QM Control Key: DIM_PROD_MASTER.QM_CTL_CODE
Cuid	OBJ_4206
Translation ID	OBJ_4206
Path	\Product Master Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_MASTER.QM_CTL_CODE
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: QM Key Desc

Name	QM Key Desc
Description	QM Key Desc: DIM_PROD_MASTER.QM_CTL_DESC
Cuid	OBJ_4207
Translation ID	OBJ_4207
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_PROD_MASTER.QM_CTL_DESC
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Special Procurement Type Desc

Name	Special Procurement Type Desc
Description	Special Procurement Type Description: DIM_PROD_MASTER.PROCUREMENT_TYPE_DESC
Cuid	OBJ_4426
Translation ID	OBJ_4426
Path	\Product Master Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_MASTER.PROCUREMENT_TYPE_DESC
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Material Grouping Code

Name	Material Grouping Code
Description	Group of Materials for Transition Matrix: DIM_PROD_MASTER.MATERIAL_GROUPING_CODE
Cuid	OBJ_4427
Translation ID	OBJ_4427
Path	\Product Master Dimension\
State	Active
Data Type	String

SQL Definition

Select

DIM_PROD_MASTER.MATERIAL_GROUPING_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: ABC Indicator

Name
Description
Cuid
Translation ID
Path
State
Data Type

ABC Indicator
ABC Indicator : DIM_PROD_MASTER.MAT_ABC_IND
OBJ_4469
OBJ_4469
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.MAT_ABC_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: FFM Flag

Name
Description
Cuid
Translation ID
Path
State
Data Type

FFM Flag
FFM Flag : DIM_PROD_MASTER.IA_FFM_FLAG
OBJ_4524
OBJ_4524
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.IA_FFM_FLAG

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: DP Class Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

DP Class Name
DP Class Name : DIM_PROD_MASTER.DP_CLASS_NAME
OBJ_5134
OBJ_5134
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.DP_CLASS_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Planning Time Fence

Name

Planning Time Fence

Description

Cuid

Translation ID

Path

State

Data Type

Planning Time Fence :

DIM_PROD_MASTER.PLANNING_TIME_FENCE

OBJ_5150

OBJ_5150

\Product Master Dimension\

Active

Numeric

SQL Definition

Select

DIM_PROD_MASTER.PLANNING_TIME_FENCE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: GR Processing Time

Name

GR Processing Time

Description

Good Receipt Processing Time :

DIM_PROD_MASTER.GR_PROCESS_TIME

Cuid

OBJ_5151

Translation ID

OBJ_5151

Path

\Product Master Dimension\

State

Active

Data Type

Numeric

SQL Definition

Select

DIM_PROD_MASTER.GR_PROCESS_TIME

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: MRP Type

Name

MRP Type

Description

MRP Type : DIM_PROD_MASTER.MRP_TYPE

Cuid

OBJ_5152

Translation ID

OBJ_5152

Path

\Product Master Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_PROD_MASTER.MRP_TYPE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Attribute: MRP Type DESC

Name

MRP Type DESC

Description

MRP Type DESC : DIM_PROD_MASTER.MRP_TYPE_DESC

Cuid

OBJ_5153

Translation ID

OBJ_5153

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

DIM_PROD_MASTER.MRP_TYPE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Account Assignment Group

Name
Description
Cuid
Translation ID
Path
State
Data Type

Account Assignment Group
Account Assignment Group for Material; MVKE_KTGRM
OBJ_5161
OBJ_5161
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.ACCOUNT_ASSIGNMENT_GROUP

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Account Assignment Group Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Account Assignment Group Desc
Account Assignment Group for Material Description;
TVKMT_VTEXT
OBJ_5163
OBJ_5163
Active
String
True

SQL Definition

Select

DIM_PROD_MASTER.ACCOUNT_ASSIGNMENT_GROUP_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Profit Center Code - MM

Name
Description

Cuid
Translation ID
Path
State
Data Type

Profit Center Code - MM
Profit center code from material master :
DIM_PROD_MASTER.PROD_LINE_CODE
_83E8wBa9EfCdaK68k8v0jw
_83Fj0Ba9EfCdaK68k8v0jw
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.PROD_LINE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Attribute: Profit Center Desc - MM

Name
Description

Cuid

Profit Center Desc - MM
Profit center description from material master :
DIM_PROD_MASTER.PROD_LINE_DESC
_llURABa-EfCdaK68k8v0jw

Translation ID
State
Data Type
Aggregatable

_llU4EBa-EfCdaK68k8v0jw
Active
String
True

SQL Definition

Select

DIM_PROD_MASTER.PROD_LINE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Allow user to search values in the database
Results, Filters, Sorts

Dimension: Export Control Class

Name
Description
Cuid
Translation ID
Path
State
Data Type

Export Control Class
Export Control Class : DIM_PROD_MASTER.ECCN_NBR
_Mi3OwB9GEfCiU_AN4_qDTw
_Mi3OwR9GEfCiU_AN4_qDTw
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.ECCN_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Dimension: Country of Origin of Material

Name
Description

Cuid
Translation ID
Path
State
Data Type

Country of Origin of Material
Country of Origin of Material (Non - Preferential Origin) :
DIM_PROD_MASTER."COUNTRY_OF_ORIGIN"
_JHWyUBtCEfCcXpknzvRo-A
_JHXZYBtCEfCcXpknzvRo-A
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER."COUNTRY_OF_ORIGIN"

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Dimension: Export Import Material Group

Name
Description

Cuid
Translation ID
Path
State
Data Type

Export Import Material Group
Export Import Material Group :
DIM_PROD_MASTER.EXP_IMP_GRP_CODE
_GqTg8B87EfCiU_AN4_qDTw
_GqTg8R87EfCiU_AN4_qDTw
\Product Master Dimension\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.EXP_IMP_GRP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Attribute: Export Import Material Group Desc

Name	Export Import Material Group Desc
Description	Export Import Material Group Desc : DIM_PROD_MASTER.EXP_IMP_GRP_DESC
Cuid	_d93HAB87EfCiU_AN4_qDTw
Translation ID	_hOo7QB87EfCiU_AN4_qDTw
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_PROD_MASTER.EXP_IMP_GRP_DESC
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Dimension: Other

Name	Other
Description	Other: DIM_PROD_MASTER.PLM_ENT_OTHER
Cuid	OBJ_4735
Translation ID	OBJ_4735
Path	\Product Master Dimension\PLM Enterprise\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_MASTER.PLM_ENT_OTHER
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Harmonized Unit

Name	Harmonized Unit
Description	Ports Per Panel: DIM_PROD_MASTER.PLM_ENT_POSTS_PER_PANEL
Cuid	OBJ_4734
Translation ID	OBJ_4734
Path	\Product Master Dimension\PLM Enterprise\
State	Active
Data Type	String

SQL Definition

Select	DIM_PROD_MASTER.PLM_ENT_POSTS_PER_PANEL
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: MID_UOM

Name	MID_UOM
Description	Ports: DIM_PROD_MASTER.PLM_ENT_PORTS
Cuid	OBJ_4733
Translation ID	OBJ_4733
Path	\Product Master Dimension\PLM Enterprise\
State	Active
Data Type	String

SQL Definition

Select

DIM_PROD_MASTER.PLM_ENT_PORTS

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Solution

Name
Description
Cuid
Translation ID
Path
State
Data Type

Solution
Solution: DIM_PROD_MASTER.PLM_ENT_SOLUTION
OBJ_4732
OBJ_4732
\Product Master Dimension\PLM Enterprise\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.PLM_ENT_SOLUTION

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Environment

Name
Description
Cuid
Translation ID
Path
State
Data Type

Environment
Environment: DIM_PROD_MASTER.PLM_ENT_ENVIRONMENT
OBJ_4731
OBJ_4731
\Product Master Dimension\PLM Enterprise\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.PLM_ENT_ENVIRONMENT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Shielded/UnShielded

Name
Description

Cuid
Translation ID
Path
State
Data Type

Shielded/UnShielded
Shielded/UnShielded:
DIM_PROD_MASTER.PLM_ENT_IS_SHIELDED
OBJ_4730
OBJ_4730
\Product Master Dimension\PLM Enterprise\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.PLM_ENT_IS_SHIELDED

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Portfolio

Name
Description

Portfolio
Portfolio: DIM_PROD_MASTER.PLM_ENT_PORTFOLIO

Cuid
Translation ID
Path
State
Data Type

OBJ_4729
OBJ_4729
\Product Master Dimension\PLM Enterprise\
Active
String

SQL Definition

Select DIM_PROD_MASTER.PLM_ENT_PORTFOLIO

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: Category

Name
Description
Cuid
Translation ID
Path
State
Data Type

Category
Category: DIM_PROD_MASTER.PLM_ENT_CATEGORY
OBJ_4728
OBJ_4728
\Product Master Dimension\PLM Enterprise\
Active
String

SQL Definition

Select DIM_PROD_MASTER.PLM_ENT_CATEGORY

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: Enterprise Customer Products

Name
Description

Cuid
Translation ID
Path
State
Data Type

Enterprise Customer Products
Enterprise Customer Products:
DIM_PROD_MASTER.PLM_ENT_ENT_CUST_PROD
OBJ_4727
OBJ_4727
\Product Master Dimension\PLM Enterprise\
Active
String

SQL Definition

Select DIM_PROD_MASTER.PLM_ENT_ENT_CUST_PROD

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: CHAR-ProductSet

Name
Description

Cuid
Translation ID
Path
State
Data Type

CHAR-ProductSet
IA_OPERATIONS_CHARACTERISTICS.CHAR_PRODUCTSET:
ProductSet
OBJ_4033
OBJ_4033
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select "IA_OPERATIONS_CHARACTERISTICS".CHAR_PRODUCTSET

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-ProductSubSet

Name
Description

CHAR-ProductSubSet
IA_OPERATIONS_CHARACTERISTICS.CHAR_PRODUCTSUBSET:
ProductSubSet
OBJ_4034
OBJ_4034
\Product Master Dimension\Characteristics\Operations\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_PRODUCTSUBSET

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-Class

Name
Description
Cuid
Translation ID
Path
State
Data Type

CHAR-Class
IA_OPERATIONS_CHARACTERISTICS.CHAR_CLASS: Class
OBJ_4035
OBJ_4035
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_CLASS

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-Family

Name
Description
Cuid
Translation ID
Path
State
Data Type

CHAR-Family
IA_OPERATIONS_CHARACTERISTICS.CHAR_FAMILY: Family
OBJ_4036
OBJ_4036
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_FAMILY

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-Group

Name
Description
Cuid
Translation ID

CHAR-Group
IA_OPERATIONS_CHARACTERISTICS.CHAR_GROUP: Group
OBJ_4037
OBJ_4037

Path
State
Data Type

\\Product Master Dimension\\Characteristics\\Operations\\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_GROUP

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-Brand

Name
Description
Cuid
Translation ID
Path
State
Data Type

CHAR-Brand
IA_OPERATIONS_CHARACTERISTICS.CHAR_BRAND: Brand
OBJ_4038
OBJ_4038
\\Product Master Dimension\\Characteristics\\Operations\\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_BRAND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-Catalog

Name
Description
Cuid
Translation ID
Path
State
Data Type

CHAR-Catalog
IA_OPERATIONS_CHARACTERISTICS.CHAR_CATALOG: Catalog
OBJ_4039
OBJ_4039
\\Product Master Dimension\\Characteristics\\Operations\\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_CATALOG

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-Type

Name
Description
Cuid
Translation ID
Path
State
Data Type

CHAR-Type
IA_OPERATIONS_CHARACTERISTICS.CHAR_TYPE: Type
OBJ_4040
OBJ_4040
\\Product Master Dimension\\Characteristics\\Operations\\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_TYPE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

**Dimension: CHAR-01**

Name	CHAR-01
Description	IA_OPERATIONS_CHARACTERISTICS.CHAR_01: Characteristic 01
Cuid	OBJ_4041
Translation ID	OBJ_4041
Path	\Product Master Dimension\Characteristics\Operations\
State	Active
Data Type	String

SQL Definition

Select	"IA_OPERATIONS_CHARACTERISTICS".CHAR_01
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: CHAR-02**

Name	CHAR-02
Description	IA_OPERATIONS_CHARACTERISTICS.CHAR_02: Characteristic 02
Cuid	OBJ_4042
Translation ID	OBJ_4042
Path	\Product Master Dimension\Characteristics\Operations\
State	Active
Data Type	String

SQL Definition

Select	"IA_OPERATIONS_CHARACTERISTICS".CHAR_02
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: CHAR-03**

Name	CHAR-03
Description	IA_OPERATIONS_CHARACTERISTICS.CHAR_03: Characteristic 03
Cuid	OBJ_4043
Translation ID	OBJ_4043
Path	\Product Master Dimension\Characteristics\Operations\
State	Active
Data Type	String

SQL Definition

Select	"IA_OPERATIONS_CHARACTERISTICS".CHAR_03
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: CHAR-04**

Name	CHAR-04
Description	IA_OPERATIONS_CHARACTERISTICS.CHAR_04: Characteristic 04
Cuid	OBJ_4044
Translation ID	OBJ_4044
Path	\Product Master Dimension\Characteristics\Operations\
State	Active

Data Type

String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_04

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-05

Name

CHAR-05

Description

IA_OPERATIONS_CHARACTERISTICS.CHAR_05: Characteristic
05

Cuid

OBJ_4045

Translation ID

OBJ_4045

Path

\Product Master Dimension\Characteristics\Operations\

State

Active

Data Type

String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_05

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-06

Name

CHAR-06

Description

IA_OPERATIONS_CHARACTERISTICS.CHAR_06: Characteristic
06

Cuid

OBJ_4046

Translation ID

OBJ_4046

Path

\Product Master Dimension\Characteristics\Operations\

State

Active

Data Type

String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_06

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-07

Name

CHAR-07

Description

IA_OPERATIONS_CHARACTERISTICS.CHAR_07: Characteristic
07

Cuid

OBJ_4047

Translation ID

OBJ_4047

Path

\Product Master Dimension\Characteristics\Operations\

State

Active

Data Type

String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_07

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts

Dimension: CHAR-08

Name	CHAR-08
Description	IA_OPERATIONS_CHARACTERISTICS.CHAR_08: Characteristic 08
Cuid	OBJ_4048
Translation ID	OBJ_4048
Path	\Product Master Dimension\Characteristics\Operations\
State	Active
Data Type	String

SQL Definition

Select	"IA_OPERATIONS_CHARACTERISTICS".CHAR_08
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: CHAR-09

Name	CHAR-09
Description	IA_OPERATIONS_CHARACTERISTICS.CHAR_09: Characteristic 09
Cuid	OBJ_4049
Translation ID	OBJ_4049
Path	\Product Master Dimension\Characteristics\Operations\
State	Active
Data Type	String

SQL Definition

Select	"IA_OPERATIONS_CHARACTERISTICS".CHAR_09
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: CHAR-10

Name	CHAR-10
Description	IA_OPERATIONS_CHARACTERISTICS.CHAR_10: Characteristic 10
Cuid	OBJ_4050
Translation ID	OBJ_4050
Path	\Product Master Dimension\Characteristics\Operations\
State	Active
Data Type	String

SQL Definition

Select	"IA_OPERATIONS_CHARACTERISTICS".CHAR_10
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: CHAR-11

Name	CHAR-11
Description	IA_OPERATIONS_CHARACTERISTICS.CHAR_11: Characteristic 11
Cuid	OBJ_4051
Translation ID	OBJ_4051
Path	\Product Master Dimension\Characteristics\Operations\

State
Data Type

Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_11

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-12

Name
Description

CHAR-12
IA_OPERATIONS_CHARACTERISTICS.CHAR_12: Characteristic
12

Cuid
Translation ID
Path
State
Data Type

OBJ_4052
OBJ_4052
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_12

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-13

Name
Description

CHAR-13
IA_OPERATIONS_CHARACTERISTICS.CHAR_13: Characteristic
13

Cuid
Translation ID
Path
State
Data Type

OBJ_4053
OBJ_4053
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_13

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-14

Name
Description

CHAR-14
IA_OPERATIONS_CHARACTERISTICS.CHAR_14: Characteristic
14

Cuid
Translation ID
Path
State
Data Type

OBJ_4054
OBJ_4054
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_14

Advanced

Minimum Object Level Security
Data Sensitivity Category

Public
Uncategorized data

List of Values
Can be used in

Editable
Results, Filters, Sorts

Dimension: CHAR-15

Name
Description

Cuid
Translation ID
Path
State
Data Type

CHAR-15
IA_OPERATIONS_CHARACTERISTICS.CHAR_15: Characteristic
15
OBJ_4055
OBJ_4055
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_15

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-16

Name
Description

Cuid
Translation ID
Path
State
Data Type

CHAR-16
IA_OPERATIONS_CHARACTERISTICS.CHAR_16: Characteristic
16
OBJ_4056
OBJ_4056
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_16

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-17

Name
Description

Cuid
Translation ID
Path
State
Data Type

CHAR-17
IA_OPERATIONS_CHARACTERISTICS.CHAR_17: Characteristic
17
OBJ_4057
OBJ_4057
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_17

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-18

Name
Description

Cuid

CHAR-18
IA_OPERATIONS_CHARACTERISTICS.CHAR_18: Characteristic
18
OBJ_4058

Translation ID
Path
State
Data Type

OBJ_4058
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select "IA_OPERATIONS_CHARACTERISTICS".CHAR_18

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: CHAR-19

Name
Description

CHAR-19
IA_OPERATIONS_CHARACTERISTICS.CHAR_19: Characteristic
19

Cuid
Translation ID
Path
State
Data Type

OBJ_4059
OBJ_4059
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select "IA_OPERATIONS_CHARACTERISTICS".CHAR_19

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: CHAR-20

Name
Description

CHAR-20
IA_OPERATIONS_CHARACTERISTICS.CHAR_20: Characteristic
20

Cuid
Translation ID
Path
State
Data Type

OBJ_4060
OBJ_4060
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select "IA_OPERATIONS_CHARACTERISTICS".CHAR_20

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: ROYALTY

Name
Description
Cuid
Translation ID
Path
State
Data Type

ROYALTY
ROYALTY:IA_OPERATIONS_CHARACTERISTICS.ROYALTY
OBJ_4468
OBJ_4468
\Product Master Dimension\Characteristics\Operations\
Active
String

SQL Definition

Select "IA_OPERATIONS_CHARACTERISTICS".ROYALTY

Advanced

Minimum Object Level Security Public

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-Category

Name
Description

CHAR-Category
CHAR-
Category:IA_OPERATIONS_CHARACTERISTICS.CHAR_CATEGORY
OBJ_4876
OBJ_4876
\Product Master Dimension\Characteristics\Operations\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_CATEGORY

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CHAR-ProductCategory

Name
Description

CHAR-ProductCategory
CHAR-
ProductCategory:IA_OPERATIONS_CHARACTERISTICS.CHAR_PRODUCT
OBJ_4875
OBJ_4875
\Product Master Dimension\Characteristics\Operations\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".CHAR_PRODUCT_CATEGOR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Emerging Markets

Name
Description

Emerging Markets
IA_OPERATIONS_CHARACTERISTICS.EMERGING_MARKETS_IND :
ZMATL_ATTRIBUTES
OBJ_5092
OBJ_5092
\Product Master Dimension\Characteristics\Operations\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

"IA_OPERATIONS_CHARACTERISTICS".EMERGING_MARKETS_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Business Backlog Assignments

Name
Description

Business Backlog Assignments
Business Backlog Assignments :
IA_OPERATIONS_CHARACTERISTICS.BUS_BKLG_ASSIGN

Cuid	_YIVsL7WEe62sL6QCIqRkQ
Translation ID	_YIVsb7WEe62sL6QCIqRkQ
Path	\Product Master Dimension\Characteristics\Operations\
State	Active
Data Type	String

SQL Definition

Select	"IA_OPERATIONS_CHARACTERISTICS".BUS_BKLG_ASSIGN
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Dimension: Operation Country Id

Name	Operation Country Id
Description	Operation Country Id : DIM_SOURCE_PLANT.COUNTRY_ID : Indicates the Country ID of the Source Plant
Cuid	OBJ_4879
Translation ID	OBJ_4879
Path	\Source Plant Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SOURCE_PLANT.COUNTRY_ID
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: Operation Country Name

Name	Operation Country Name
Description	Operation Country Name : DIM_SOURCE_PLANT.COUNTRY_NAME : Indicates the Country Name of the Source Plant
Cuid	OBJ_4880
Translation ID	OBJ_4880
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_SOURCE_PLANT.COUNTRY_NAME
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Plant Group Id

Name	Plant Group Id
Description	Plant Group ID: The Group Id enables the user to query historical plant data, based on the ERP plant code.
Cuid	OBJ_3006
Translation ID	OBJ_3006
Path	\Source Plant Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SOURCE_PLANT.PLANT_GROUP_ID
--------	---------------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Plant Group Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Plant Group Desc
Plant Group Description/Name: The Group Id enables the user to query historical plant data, based on the ERP plant code.
OBJ_3007
OBJ_3007
Active
String
True

SQL Definition

Select

DIM_SOURCE_PLANT.PLANT_GROUP_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Operation Region

Name
Description

Cuid
Translation ID
Path
State
Data Type

Operation Region
Operation Region :
DIM_SOURCE_PLANT.OPERATIONS_REGION_NAME
OBJ_4386
OBJ_4386
\Source Plant Dimension\
Active
String

SQL Definition

Select

DIM_SOURCE_PLANT.OPERATIONS_REGION_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Plant Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Plant Id
Plant ID
OBJ_217
OBJ_217
\Source Plant Dimension\History Reporting - Source Plant\
Active
String

SQL Definition

Select

DIM_SOURCE_PLANT.PLANT_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Plant Name

Name
Description
Cuid

Plant Name
Plant Name
OBJ_218

Translation ID
Path
State
Data Type

OBJ_218
\\Source Plant Dimension\\History Reporting - Source Plant\\
Active
String

SQL Definition

Select DIM_SOURCE_PLANT.PLANT_NAME

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts



Foreign Key

Name FK3037
Cuid OBJ_3037
Translation ID OBJ_3037
State Active
Data Type Numeric
Select FCTV_INVOICE.SRC_PLANT_KEY



Primary Key

Name PK3036
Cuid OBJ_3036
Translation ID OBJ_3036
State Active
Data Type Numeric
Select DIM_SOURCE_PLANT.SRC_PLANT_KEY



Dimension: Last Mod Dt-Source Plant

Name Last Mod Dt-Source Plant
Description Last Modified Date Time for Source Plant
Cuid OBJ_2766
Translation ID OBJ_2766
Path \\Source Plant Dimension\\History Reporting - Source Plant\\
State Active
Data Type DateTime

SQL Definition

Select DIM_SOURCE_PLANT.LAST_MOD_DT

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts



Dimension: Src Sys Id-Source Plant

Name Src Sys Id-Source Plant
Description Source System ID for Source Plant
Cuid OBJ_2765
Translation ID OBJ_2765
Path \\Source Plant Dimension\\History Reporting - Source Plant\\
State Active
Data Type String

SQL Definition

Select DIM_SOURCE_PLANT.SRC_SYS_ID

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

**Dimension: Fct Ind**

Name	Fct Ind
Description	Indicates Whether Plant has any transactions
Cuid	OBJ_3042
Translation ID	OBJ_3042
Path	\Source Plant Dimension\History Reporting - Source Plant\
State	Active
Data Type	String

SQL Definition

Select	DIM_SOURCE_PLANT.FCT_IND
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Plant Short Name**

Name	Plant Short Name
Description	Plant Short Name :DIM_SOURCE_PLANT.PLANT_SHORT_NAME
Cuid	OBJ_5182
Translation ID	OBJ_5182
Path	\Source Plant Dimension\History Reporting - Source Plant\
State	Active
Data Type	String

SQL Definition

Select	DIM_SOURCE_PLANT.PLANT_SHORT_NAME
--------	-----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Div Grp Name**

Name	Div Grp Name
Description	Divisoin Group Name: DIM_DIVISION.DIV_GRP_NAME - Name of the Division. Groups ACCG, Wireline, and Cabinets into one group
Cuid	OBJ_2871
Translation ID	OBJ_2871
Path	\Division Dimension\
State	Hidden
Data Type	String

SQL Definition

Select	DIM_PROD_LINE.PROD_LINE_BUS_SEGMENT
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Src Sys Id-Division**

Name	Src Sys Id-Division
Description	DIM_DIVISION.SRC_SYS_ID : Source System ID for Division
Cuid	OBJ_2767
Translation ID	OBJ_2767
Path	\Division Dimension\
State	Hidden
Data Type	String

SQL Definition

Select

DIM_DIVISION.SRC_SYS_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Last Mod Dt-Division

Name
Description

Last Mod Dt-Division
DIM_DIVISION.LAST_MOD_DT : Last Modified Date Time for
Division
OBJ_2768
OBJ_2768
\Division Dimension\
Hidden
DateTime

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_DIVISION.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Div Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Div Id
DIM_DIVISION.DIV_ID:Division ID
OBJ_219
OBJ_219
\Division Dimension\
Hidden
String

SQL Definition

Select

DIM_DIVISION.DIV_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Div Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Div Name
DIM_DIVISION.DIV_NAME:Division Name
OBJ_220
OBJ_220
\Division Dimension\
Hidden
String

SQL Definition

Select

DIM_DIVISION.DIV_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: CRM Org Code

Name

CRM Org Code

Description

Cuid

Translation ID

Path

State

Data Type

CRM Sales Organization :

DIM_CRM_SALES_ORG.CRM_SALES_ORG

OBJ_3099

OBJ_3099

\CRM ORG. Hier\

Active

String

SQL Definition

Select

DIM_CRM_SALES_ORG.CRM_SALES_ORG

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Attribute: CRM Org Desc

Name

CRM Org Desc

Description

CRM Sales Organization Description:

DIM_CRM_SALES_ORG.CRM_SALES_ORG_DESC

Cuid

OBJ_3100

Translation ID

OBJ_3100

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

DIM_CRM_SALES_ORG.CRM_SALES_ORG_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Sales Employee

Name

Sales Employee

Description

Sales Employee : DIM_CRM_PARTNER.PARTNER It will only to reflect the sales employee on Sales before Jul.2021, for SOs after Jul.2021 please use "Sales Employee Id" which is under "Sales Order Dimension"

Cuid

OBJ_3385

Translation ID

OBJ_3385

Path

\CRM ORG. Hier\

State

Hidden

Data Type

Numeric

SQL Definition

Select

DIM_CRM_PARTNER.EMPLOYEE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Display format

NUMERIC



Attribute: Empl. Resp. Name

Name

Empl. Resp. Name

Description

Empl. Resp. Name : DIM_CRM_PARTNER.PARTNER_TXTSH It will only to reflect the sales employee on Sales before Jul.2021, for SOs after Jul.2021 please use "Sales Employee Id" which is under "Sales Order Dimension"

Cuid

OBJ_3580

Translation ID

OBJ_3580

State
Data Type
Aggregatable

Hidden
String
True

SQL Definition

Select

DIM_CRM_PARTNER.PARTNER_TXTSH

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Empl. Resp. Full Name

Name
Description

Empl. Resp. Full Name
Empl. Resp. Full Name :
DIM_CRM_PARTNER.PARTNER_TXTMD It will only to reflect the sales employee on Sales before Jul.2021, for SOs after Jul.2021 please use "Sales Employee Id" which is under "Sales Order Dimension"
OBJ_3581
OBJ_3581
Hidden
String
True

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

DIM_CRM_PARTNER.PARTNER_TXTMD

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: User Id

Name
Description

User Id
User Id : DIM_CRM_PARTNER.TCTUSERNM It will only to reflect the sales employee on Sales before Jul.2021, for SOs after Jul.2021 please use "Sales Employee Id" which is under "Sales Order Dimension"
OBJ_3596
OBJ_3596
Hidden
String
True

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

DIM_CRM_PARTNER.TCTUSERNM

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CRM Sales Org Level 1

Name
Description
Cuid
Translation ID
Path
State
Data Type

CRM Sales Org Level 1
World Wide Sales : DIM_CRM_SALES_ORG.LEVEL3
OBJ_3586
OBJ_3586
\\CRM ORG. Hier\
Active
String

SQL Definition

Select

DIM_CRM_SALES_ORG.LEVEL3

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: CRM Sales Org Level 1 Desc

Name
Description

CRM Sales Org Level 1 Desc
World Wide Sales Description :
DIM_CRM_SALES_ORG.LEVEL3_DESC
OBJ_3587
OBJ_3587
\CRM ORG. Hier\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_CRM_SALES_ORG.LEVEL3_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: CRM Sales Org Level 2

Name
Description
Cuid
Translation ID
Path
State
Data Type

CRM Sales Org Level 2
CRM Sales Org Level 2 : DIM_CRM_SALES_ORG.LEVEL4
OBJ_3588
OBJ_3588
\CRM ORG. Hier\
Active
String

SQL Definition

Select

DIM_CRM_SALES_ORG.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: CRM Sales Org Level 2 Desc

Name
Description

CRM Sales Org Level 2 Desc
CRM Sales Org Level 2 Desc :
DIM_CRM_SALES_ORG.LEVEL4_DESC
OBJ_3589
OBJ_3589
\CRM ORG. Hier\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_CRM_SALES_ORG.LEVEL4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: CRM Sales Org Level 3

Name

CRM Sales Org Level 3

Description	CRM Sales Org Level 3 : DIM_CRM_SALES_ORG.LEVEL5
Cuid	OBJ_3590
Translation ID	OBJ_3590
Path	\CRM ORG. Hier\
State	Active
Data Type	String

SQL Definition

Select	DIM_CRM_SALES_ORG.LEVEL5
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: CRM Sales Org Level 3 Desc

Name	CRM Sales Org Level 3 Desc
Description	CRM Sales Org Level 3 Desc : DIM_CRM_SALES_ORG.LEVEL5_DESC
Cuid	OBJ_3591
Translation ID	OBJ_3591
Path	\CRM ORG. Hier\
State	Active
Data Type	String

SQL Definition

Select	DIM_CRM_SALES_ORG.LEVEL5_DESC
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: CRM Sales Org Level 4

Name	CRM Sales Org Level 4
Description	CRM Sales Org Level 4 : DIM_CRM_SALES_ORG.LEVEL6
Cuid	OBJ_3592
Translation ID	OBJ_3592
Path	\CRM ORG. Hier\
State	Active
Data Type	String

SQL Definition

Select	DIM_CRM_SALES_ORG.LEVEL6
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: CRM Sales Org Level 4 Desc

Name	CRM Sales Org Level 4 Desc
Description	CRM Sales Org Level 4 Desc : DIM_CRM_SALES_ORG.LEVEL6_DESC
Cuid	OBJ_3593
Translation ID	OBJ_3593
Path	\CRM ORG. Hier\
State	Active
Data Type	String

SQL Definition

Select	DIM_CRM_SALES_ORG.LEVEL6_DESC
--------	-------------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CRM Sales Org Level 5

Name
Description
Cuid
Translation ID
Path
State
Data Type

CRM Sales Org Level 5
CRM Sales Org Level 5 : DIM_CRM_SALES_ORG.LEVEL7
OBJ_3594
OBJ_3594
\CRM ORG. Hier\
Active
String

SQL Definition

Select

DIM_CRM_SALES_ORG.LEVEL7

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CRM Sales Org Level 5 Desc

Name
Description

Cuid
Translation ID
Path
State
Data Type

CRM Sales Org Level 5 Desc
CRM Sales Org Level 5 Desc :
DIM_CRM_SALES_ORG.LEVEL7_DESC
OBJ_3595
OBJ_3595
\CRM ORG. Hier\
Active
String

SQL Definition

Select

DIM_CRM_SALES_ORG.LEVEL7_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Distr Channel Id

Name
Description

Cuid
Translation ID
Path
State
Data Type

Distr Channel Id
Distribution Channel ID: Z1, Z5, IS, AP, BZ. The Distribution Channel is the geographic area into which an item is sold.
OBJ_221
OBJ_221
\Distribution Channel Dimension\
Hidden
String

SQL Definition

Select

DIM_DISTR_CHANNEL.DISTR_CHANNEL_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Distr Channel Name

Name
Description

Distr Channel Name
Distribution Channel Name: US, Canada, Inter-Entity, WIS/ASIAPAC, WIS/BRAZIL

Cuid
Translation ID
Path
State
Data Type

OBJ_222
OBJ_222
\\Distribution Channel Dimension\
Hidden
String

SQL Definition

Select DIM_DISTR_CHANNEL.DISTR_CHANNEL_NAME

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts



Dimension: Distr Channel Grp Id

Name
Description

Distr Channel Grp Id
Distribution Channel Grp Short Name for Order Input reports. Ex:
Distribution Channels 'US' and 'Canada' are grouped into 'NAR'. 'Asia
Pacific' is called 'APAC'.

Cuid
Translation ID
Path
State
Data Type

OBJ_2786
OBJ_2786
\\Distribution Channel Dimension\
Active
String

SQL Definition

Select Case When DIM_DISTR_CHANNEL.DISTR_CHANNEL_NAME
= 'US' or DIM_DISTR_CHANNEL.DISTR_CHANNEL_NAME
= 'Canada' Then 'NAR' When
DIM_DISTR_CHANNEL.DISTR_CHANNEL_NAME
= 'Asia Pacific' Then 'APAC' Else
DIM_DISTR_CHANNEL.DISTR_CHANNEL_NAME End

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values 29I
Can be used in Results, Filters, Sorts



Dimension: Src Sys Id-Dist Table

Name
Description

Src Sys Id-Dist Table
DIM_DISTR_CHANNEL.SRC_SYS_ID : Source System ID for
Distribution Channel

Cuid
Translation ID
Path
State
Data Type

OBJ_2769
OBJ_2769
\\Distribution Channel Dimension\
Active
String

SQL Definition

Select DIM_DISTR_CHANNEL.SRC_SYS_ID

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts



Dimension: Last Mod Dt-Dist Channel Record

Name
Description

Last Mod Dt-Dist Channel Record
DIM_DISTR_CHANNEL.LAST_MOD_DT : Last Modified Date Time
for Distribution Channel

Cuid
Translation ID
Path

OBJ_2770
OBJ_2770
\\Distribution Channel Dimension\
- 155 -

State
Data Type

Active
DateTime

SQL Definition

Select

DIM_DISTR_CHANNEL.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Fct Ind

Name
Cuid
Translation ID
Path
State
Data Type

Fct Ind
OBJ_3625
OBJ_3625
\Distribution Channel Dimension\
Active
String

SQL Definition

Select

DIM_DISTR_CHANNEL.FCT_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Corporate - Parent Region Name

Name
Description

Corporate - Parent Region Name
Corporate - Parent Region Name: This will show the 5 Parent Regions, eg. APAC, NAR, CALA, MEA, EUROPE, it's utilized CRM Sales Org Hierarchy for CMS products and Ultimate Destination Country for CCS products : DIM_CRM_SALES_ORG.CRM_PARENT_REGION

Cuid
Translation ID
Path
State
Data Type

OBJ_4464
OBJ_4464
\Region Dimension\Corporate Region Dimension\
Active
String

SQL Definition

Select

DIM_CRM_SALES_ORG.CRM_PARENT_REGION

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Corporate – Sub-Region Name

Name
Description

Corporate – Sub-Region Name
Corporate – Sub-Region Name: This will show the 7 Parent Regions, eg. APAC, NAR, CALA, MEA, Europe, India and China, it's utilized CRM Sales Org Hierarchy for CMS products and Ultimate Destination Country for CCS products: DIM_CRM_SALES_ORG.CRM_SUB_REGION

Cuid
Translation ID
Path
State
Data Type

OBJ_4465
OBJ_4465
\Region Dimension\Corporate Region Dimension\
Active
String

SQL Definition

Select

DIM_CRM_SALES_ORG.CRM_SUB_REGION

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Parent Region Name

Name
Description

Cuid
Translation ID
Path
State
Data Type

Parent Region Name
Parent Region
Name: DIM_REGION_COUNTRY.PARENT_REGION_NAME
OBJ_2990
OBJ_2990
\Region Dimension\Ultimate Dest Region Country Dimension\
Active
String

SQL Definition

Select

DIM_REGION_COUNTRY.PARENT_REGION_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Region Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Region Name
Region Name: DIM_REGION_COUNTRY.REGION_NAME
OBJ_2989
OBJ_2989
\Region Dimension\Ultimate Dest Region Country Dimension\
Active
String

SQL Definition

Select

DIM_REGION_COUNTRY.REGION_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sub Region Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sub Region Name
Sub Region Name: DIM_REGION_COUNTRY.SUB_REGION_NAME
OBJ_4458
OBJ_4458
\Region Dimension\Ultimate Dest Region Country Dimension\
Hidden
String

SQL Definition

Select

DIM_REGION_COUNTRY.SUB_REGION_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Country Id

Name
Description
Cuid
Translation ID

Country Id
Abbreviation for sold to country name from sales order
OBJ_223
OBJ_223

Path	\Region Dimension\Ultimate Dest Region Country Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_REGION_COUNTRY.COUNTRY_ID
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Country Name

Name	Country Name
Description	Sold to country name on sales order
Cuid	OBJ_224
Translation ID	OBJ_224
Path	\Region Dimension\Ultimate Dest Region Country Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_REGION_COUNTRY.COUNTRY_NAME
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Src Sys Id-Region Country

Name	Src Sys Id-Region Country
Description	DIM_REGION_COUNTRY.SRC_SYS_ID : Source System for Region Country
Cuid	OBJ_2771
Translation ID	OBJ_2771
Path	\Region Dimension\Ultimate Dest Region Country Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_REGION_COUNTRY.SRC_SYS_ID
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Last Mod Dt-Region Country Record

Name	Last Mod Dt-Region Country Record
Description	DIM_REGION_COUNTRY.LAST_MOD_DT : Last Modified Date Time for Region Country Record
Cuid	OBJ_2772
Translation ID	OBJ_2772
Path	\Region Dimension\Ultimate Dest Region Country Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_REGION_COUNTRY.LAST_MOD_DT
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data

List of Values
Can be used in

Editable
Results, Filters, Sorts

Dimension: Sales Org Group Id

Name
Description

Cuid
Translation ID
Path
State
Data Type

Sales Org Group Id
Sales Org Group ID: The Group Id enables the user to query historical plant data, based on the ERP plant code.
OBJ_3010
OBJ_3010
\Sales Organization Dimension\
Hidden
String

SQL Definition

Select

DIM_SALES_ORG.SALES_GROUP_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Sales Org Group Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Sales Org Group Desc
Sales Org Group Description/Name: The Group Id enables the user to query historical plant data, based on the ERP plant code.
OBJ_3011
OBJ_3011
Hidden
String
True

SQL Definition

Select

DIM_SALES_ORG.SALES_GROUP_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sales Org Id

Name
Description

Sales Org Id
SAP Sales Org: An organizational unit responsible for the sale of certain products or services. The responsibility of a sales organization may include legal liability for products and customer claims. (Ex: 428B, CS01)
OBJ_225
OBJ_225
\Sales Organization Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORG.SALES_ORG_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
06f
Results, Filters, Sorts

Dimension: Sales Org Name

Name
Description

Sales Org Name
SAP Sales Org Name (Ex: Commscope EMEA Ltd., CommScope Inc)

Cuid
Translation ID
Path
State
Data Type

OBJ_226
OBJ_226
\Sales Organization Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORG.SALES_ORG_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
06g
Results, Filters, Sorts



Dimension: Src Sys Id-Sales Org

Name
Description
Cuid
Translation ID
Path
State
Data Type

Src Sys Id-Sales Org
DIM_SALES_ORG.SRC_SYS_ID : Source System for Sales Org
OBJ_2773
OBJ_2773
\Sales Organization Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORG.SRC_SYS_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Last Mod Dt-Sales Org

Name
Description

Cuid
Translation ID
Path
State
Data Type

Last Mod Dt-Sales Org
DIM_SALES_ORG.LAST_MOD_DT : Last Modified Date Time for
Sales Org Record
OBJ_2774
OBJ_2774
\Sales Organization Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORG.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Legacy DBB Grouping

Name
Description

Legacy DBB Grouping
1. When Distribution Channel = 'Z1' or 'Z5' and Sales Org = 'CS01' or '5201' and Div Id='DBB' then 'US-DOM'; 2. When Distribution Channel = 'Z2' or 'Z3' or 'Z4' and Sales Org = 'CS01' or '5201' and Div Id='DBB' then 'US-INT'; 3. When Source Plant='CN05' Distr Channel Id <>'IS' and Div Id='DBB' then 'China'; 4. When Plant = 'WSBE' , 'SHLX', 'WAMS', 'NL07', or 'GB05' and Div Id='DBB' then 'Europe'; 5. When Plant = 'CASB' or 'BR02' and Div Id='DBB' then Brazil 6. Else = Sales Org ID

Cuid
Translation ID
Path
State

OBJ_2756
OBJ_2756
\Sales Organization Dimension\
Active

Data Type

String

SQL Definition

Select

```
case when (((@Select(Distribution Channel Dimension\Distr Channel
Id) IN ('Z1', 'Z5') and (@Select(Sales Organization Dimension\Sales
Org Id) in('CS01','5201') or @Select(Invoice Dimension\CompanyID)
in ('VTLC')))) or (substr(DIM_SOURCE_PLANT.PLANT_ID,1,2)
in ('US', 'CA') and DIM_SOURCE_PLANT.SRC_SYS_ID
= 'ERP' AND @Select(Region Dimension\Ultimate Dest
Region Country Dimension\Country Id) IN ('US','CA'))
and DIM_PROD_LINE.PROD_LINE_BUS_SEGMENT =
'BROADBAND' then 'US-DOM' when (((@Select(Distribution
Channel Dimension\Distr Channel Id) IN ('Z2', 'Z3', 'Z4')
and (@Select(Sales Organization Dimension\Sales Org Id)
in('CS01','5201') or @Select(Invoice Dimension\CompanyID) in
('VTLC')))) or (substr(DIM_SOURCE_PLANT.PLANT_ID,1,2)
in ('US', 'CA') and DIM_SOURCE_PLANT.SRC_SYS_ID
= 'ERP' AND @Select(Region Dimension\Ultimate Dest
Region Country Dimension\Country Id) NOT IN ('US','CA'))
and DIM_PROD_LINE.PROD_LINE_BUS_SEGMENT =
'BROADBAND' then 'US-INT' when (@Select(Source Plant
Dimension\History Reporting - Source Plant\Plant Id)= 'CN05'
or (substr(DIM_SOURCE_PLANT.PLANT_ID,1,2) in ('CN')
and DIM_SOURCE_PLANT.SRC_SYS_ID = 'ERP' )) and
@Select(Distribution Channel Dimension\Distr Channel Id)<>'IS'
and DIM_PROD_LINE.PROD_LINE_BUS_SEGMENT
= 'BROADBAND' then 'China' when (@Select(Source
Plant Dimension\History Reporting - Source Plant
\Plant Id) in('WSBE','SHLX','WAMS','NL07','GB05') or
(substr(DIM_SOURCE_PLANT.PLANT_ID,1,2) in ('BE','GB','NL')
and DIM_SOURCE_PLANT.SRC_SYS_ID = 'ERP' ))
and DIM_PROD_LINE.PROD_LINE_BUS_SEGMENT
= 'BROADBAND' then 'Europe' when
(@Select(Source Plant Dimension\History Reporting
- Source Plant\Plant Id) in('CASB','BR02') or
(substr(DIM_SOURCE_PLANT.PLANT_ID,1,2) in ('BR')
and DIM_SOURCE_PLANT.SRC_SYS_ID = 'ERP' )) and
DIM_PROD_LINE.PROD_LINE_BUS_SEGMENT =
'BROADBAND' then 'Brazil' else @Select(Sales Organization
Dimension\Sales Org Id) end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: External Sale Ind

Name
Description
Cuid
Translation ID
Path
State
Data Type

External Sale Ind
If 'Y' then the order is an external sale.
OBJ_2998
OBJ_2998
\Order Status Dimension\
Active
String

SQL Definition

Select

DIM_REC_TYPE.GROSS_SALE_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Interco Sale Ind

Name	Interco Sale Ind
Description	If 'Y' then the order is an intercompany sale.
Cuid	OBJ_454
Translation ID	OBJ_454
Path	\Order Status Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_REC_TYPE.INTERCO_SALE_IND
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Order Status Code

Name	Order Status Code
Description	Order Status Code (Ex: 'SALES ORDER', 'INTER COMPANY', 'DEBIT MEMO', 'CREDIT MEMO')
Cuid	OBJ_451
Translation ID	OBJ_451
Path	\Order Status Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_REC_TYPE.REC_TYPE_CODE
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: Order Status Desc

Name	Order Status Desc
Description	Order Status Desc : DIM_REC_TYPE.REC_TYPE_DESC
Cuid	OBJ_452
Translation ID	OBJ_452
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_REC_TYPE.REC_TYPE_DESC
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: External Backlog Ind

Name	External Backlog Ind
Description	External Backlog Ind, If 'Y' then the order is a committed non-invoiced order: DIM_REC_TYPE.BACKLOG_IND
Cuid	OBJ_3603
Translation ID	OBJ_3603
Path	\Order Status Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_REC_TYPE.BACKLOG_IND
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: External Pending Ind

Name	External Pending Ind
Description	External Pending Ind, If 'Y' then the order is not committed:DIM_REC_TYPE.PENDING_IND
Cuid	OBJ_3604
Translation ID	OBJ_3604
Path	\Order Status Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_REC_TYPE.PENDING_IND
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: External Shipped Non-Invoiced Ind

Name	External Shipped Non-Invoiced Ind
Description	External Shipped Non-Invoiced Ind: If 'Y' then the order is shipped but not invoiced.DIM_REC_TYPE.SHIPPED_UNINVOICE_IND
Cuid	OBJ_3605
Translation ID	OBJ_3605
Path	\Order Status Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_REC_TYPE.SHIPPED_UNINVOICE_IND
--------	------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Order Input Ind

Name	Order Input Ind
Description	If 'Y' then the order is external order input
Cuid	OBJ_3606
Translation ID	OBJ_3606
Path	\Order Status Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_REC_TYPE.ORDER_INPUT_IND
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: IE Backlog Ind

Name	IE Backlog Ind
------	----------------

Description

Cuid

Translation ID

Path

State

Data Type

InterEntity Backlog Ind:

DIM_REC_TYPE.INTERNAL_BACKLOG_IND

OBJ_4367

OBJ_4367

\Order Status Dimension\

Active

String

SQL Definition

Select

DIM_REC_TYPE.INTERNAL_BACKLOG_IND

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: IE Pending Ind

Name

IE Pending Ind

Description

InterEntity Pending Ind:

DIM_REC_TYPE.INTERNAL_PENDING_IND

Cuid

OBJ_4368

Translation ID

OBJ_4368

Path

\Order Status Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_REC_TYPE.INTERNAL_PENDING_IND

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Src Sys Id-Order Status

Name

Src Sys Id-Order Status

Description

Source System ID for Order Status

Cuid

OBJ_2761

Translation ID

OBJ_2761

Path

\Order Status Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_REC_TYPE.SRC_SYS_ID

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Last Mod Dt-Order Status Record

Name

Last Mod Dt-Order Status Record

Description

Last Modified Date Time for Order Status Record

Cuid

OBJ_2762

Translation ID

OBJ_2762

Path

\Order Status Dimension\

State

Active

Data Type

DateTime

SQL Definition

Select

DIM_REC_TYPE.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Gross Sale Ind

Name
Description
Cuid
Translation ID
Path
State
Data Type

Gross Sale Ind
DIM_REC_TYPE.GROSS_SALE_IND: Gross Sale Order Indicator
OBJ_453
OBJ_453
\Order Status Dimension\
Hidden
String

SQL Definition

Select

DIM_REC_TYPE.GROSS_SALE_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Storage Location

Name
Description
Cuid
Translation ID
Path
State
Data Type

Storage Location
Storage Location : DIM_SALES_ORDER.STORAGE_LOC_CODE
OBJ_4723
OBJ_4723
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.STORAGE_LOC_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Source Vendor Number

Name
Description

Cuid
Translation ID
Path
State
Data Type

Source Vendor Number
Source_Vendor_Number-POPULATES FROM
VBAP_AGG.ODR_VENDOR_NUMBER
OBJ_3848
OBJ_3848
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SOURCE_VENDOR_NUMBER

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Source Vendor Name

Name
Description

Cuid

Source Vendor Name
Source Vendor Name-POPULATE FROM
VBAP_AGG.ODR_VENDOR_NAME
OBJ_3849

Translation ID
Path
State
Data Type

OBJ_3849
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SOURCE_VENDOR_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sales Ord Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sales Ord Id
Sales Order ID – uniquely identifies the sales order header record
OBJ_259
OBJ_259
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SALES_ORD_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Item Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ord Item Nbr
Ord Item Nbr – Unique identifier for sales order item record.
OBJ_260
OBJ_260
\Sales Order Dimension\
Active
String

SQL Definition

Select

```
CASE DIM_SALES_ORDER.SRC_SYS_ID  
WHEN 'ARS-EDW' THEN  
DIM_SALES_ORDER.REFERENCE_DOC_ITEM_NBR ELSE  
TO_CHAR(TO_NUMBER(DIM_SALES_ORDER.ORD_ITEM_NBR))  
END
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Type Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ord Type Code
Sales Order Type Code – Ex. 'ZOEX', 'ZLZ'
OBJ_261
OBJ_261
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.ORD_TYPE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Ord Type Desc

Name
Description

Ord Type Desc
Sales Order Type Code Desc – Ex. ‘CS External Order’, ‘CS SCH AGREEMENT’
OBJ_262
OBJ_262
Active
String
True

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

DIM_SALES_ORDER.ORD_TYPE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Cat Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ord Cat Code
Sales Order Document Category- Ex. ‘A’, ‘B’, ‘C’, ‘I’, ‘K’
OBJ_263
OBJ_263
\\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.ORD_CAT_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Ord Cat Desc

Name
Description

Ord Cat Desc
Sales Order Document Category Desc – Ex: ‘Inquiry’, ‘Quotation’, ‘Order’, ‘Order w/o charge’, ‘Credit memo request’
OBJ_264
OBJ_264
Active
String
True

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

DIM_SALES_ORDER.ORD_CAT_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Line Type Code

Name
Description
Cuid

Ord Line Type Code
Type code for sales order item. Ex: ZLZN, ZOFS
OBJ_265

Translation ID
Path
State
Data Type

OBJ_265
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.ORD_LINE_TYPE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Ord Line Type Desc

Name
Description

Ord Line Type Desc
Type code description for sales order item. Ex: 'CS Sched.Agrmt',
Item 'CS NC Standard Item'

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_266
OBJ_266
Active
String
True

SQL Definition

Select

DIM_SALES_ORDER.ORD_LINE_TYPE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Final Dest Country Code

Name
Description

Final Dest Country Code
Final destination country code. The code of the country in which the
product will be installed.

Cuid
Translation ID
Path
State
Data Type

OBJ_267
OBJ_267
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.FINAL_DEST_COUNTRY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Final Dest Country Name

Name
Description

Final Dest Country Name
Final destination country name. The name of the country in which the
product will be installed.

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_2996
OBJ_2996
Active
String
True

SQL Definition

Select

DIM_REGION_COUNTRY_SALES.COUNTRY_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: CompanyID

Name
Description
Cuid
Translation ID
Path
State
Data Type

CompanyID
Company Code of the Sales Order
OBJ_3799
OBJ_3799
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.CO_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Last Delivery Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Last Delivery Date
Last Delivery Date
OBJ_2867
OBJ_2867
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.DELIV_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Bill of Lading Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Bill of Lading Nbr
Bill of Lading Number
OBJ_2868
OBJ_2868
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.BOL_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Carrier Code

Name
Description
Cuid
Translation ID
Path

Carrier Code
Code of Carrier: DIM_SALES_ORDER.CARRIER_NAME
OBJ_2869
OBJ_2869
\Sales Order Dimension\

State
Data Type

Active
String

SQL Definition

Select

DIM_SALES_ORDER.CARRIER_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Carrier Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Carrier Name
Carrier Name: DIM_SALES_ORDER.SHIPPER_NAME
OBJ_4450
OBJ_4450
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SHIPPER_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: PRO/Tracking Number

Name
Description
Cuid
Translation ID
Path
State
Data Type

PRO/Tracking Number
Means of Transportation ID from SAP1 Delivery Document Header
OBJ_2739
OBJ_2739
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.PRO_TRA_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Stat Desc

Name
Description

Cuid
Translation ID
Path
State
Data Type

Stat Desc
Status description for sales order item: Open, Partially-Shipped,
Invoiced
OBJ_273
OBJ_273
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.STAT_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

**Dimension: CustomerRequestedDate**

Name	CustomerRequestedDate
Description	Customer Requested Ship Date- The date on which the customer requested the item to be shipped.
Cuid	OBJ_2922
Translation ID	OBJ_2922
Path	\Sales Order Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.CUST_REQ_DT
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Cust PO Number**

Name	Cust PO Number
Description	Customer PO Number – The PO Number from the customer.
Cuid	OBJ_671
Translation ID	OBJ_671
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.CUST_PO_NBR
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: TransactionOriginator**

Name	TransactionOriginator
Description	Name of person who keyed order into system (SAP1 only)
Cuid	OBJ_2931
Translation ID	OBJ_2931
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.TRANS_ORIG_NAME
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Attribute: Transaction Originator Full Name**

Name	Transaction Originator Full Name
Description	Transaction Originator Full Name: DIM_SALES_ORDER.TRANS_ORIG_FULL_NAME
Cuid	OBJ_4425
Translation ID	OBJ_4425
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select

DIM_SALES_ORDER.TRANS_ORIG_FULL_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Dimension: Sales Office Code

Name
Description

Sales Office Code
Sales office for SAP1 Sales Orders— Sales Office is used to identified the customer segment, and is used in reporting.

Cuid
Translation ID
Path
State
Data Type

OBJ_2935
OBJ_2935
\\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SALES_OFFICE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: Sales Office Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Sales Office Desc
Sales Office Description for SAP1 Sales Orders
OBJ_2936
OBJ_2936
Active
String
True

SQL Definition

Select

DIM_SALES_ORDER.SALES_OFFICE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Cust Material Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Cust Material Nbr
Customer Material Number for SAP1 Sales Orders
OBJ_2937
OBJ_2937
\\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.CUST_MATERIAL_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Reason Code

Name

Ord Reason Code

Description

Cuid

Translation ID

Path

State

Data Type

Order Reason Code (reason for the business transaction, at sales order header level)

OBJ_3852

OBJ_3852

\Sales Order Dimension\

Active

String

SQL Definition

Select

DIM_SALES_ORDER.ORD_REASON_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Attribute: Ord Reason Desc

Name

Ord Reason Desc

Description

Order Reason Description (reason for the business transaction, at sales order header level)

Cuid

OBJ_3853

Translation ID

OBJ_3853

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

DIM_SALES_ORDER.ORD_REASON_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Reason for Rejection Code

Name

Reason for Rejection Code

Description

Reason for rejection of quotations and sales orders.(at sales order item level) Ex: IC (SAP2), CH(SAP1)

Cuid

OBJ_2967

Translation ID

OBJ_2967

Path

\Sales Order Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.REASON_FOR_REJ_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Attribute: Reason for Rejection Desc

Name

Reason for Rejection Desc

Description

Reason for rejection of quotations and sales orders (at sales order item level) Ex: Item Cancelled, Item Cancellation

Cuid

OBJ_2968

Translation ID

OBJ_2968

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

DIM_SALES_ORDER.REASON_FOR_REJ_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Cust Care Rep Id

Name
Description

Cust Care Rep Id
Customer Care Rep ID (ZA Partner):
DIM_SALES_ORDER.CUST_CARE_REP_ID
OBJ_2970
OBJ_2970
\Sales Order Dimension\
Active
Numeric

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.CUST_CARE_REP_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Cust Care Rep Name

Name
Description

Cust Care Rep Name
Customer Care Rep Name (ZA Partner):
DIM_SALES_ORDER.CUST_CARE_REP_NAME
OBJ_2971
OBJ_2971
Active
String
True

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

DIM_SALES_ORDER.CUST_CARE_REP_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Block Desc

Name
Description

Block Desc
Reason sales order is blocked (Credit Rejection, Minimum \$ Violation, Margin Hold) : DIM_SALES_ORDER.BLOCK_DESC
OBJ_3636
OBJ_3636
\Sales Order Dimension\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.BLOCK_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Block Code

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Block Code
Code for sales order block(CR, MD, MH) :
DIM_SALES_ORDER.BLOCK_CODE
OBJ_3635
OBJ_3635
Active
String
True

SQL Definition

Select DIM_SALES_ORDER.BLOCK_CODE

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: Schedule Line Block Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Schedule Line Block Code
Schedule Line Block Code : DIM_SALES_ORDER.HOLD_CODE
OBJ_4026
OBJ_4026
\Sales Order Dimension\
Active
String

SQL Definition

Select DIM_SALES_ORDER.HOLD_CODE

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: Schedule Line Block Desc

Name
Description

Cuid
Translation ID
Path
State
Data Type

Schedule Line Block Desc
Schedule Line Block Description :
DIM_SALES_ORDER.HOLD_DESC
OBJ_4025
OBJ_4025
\Sales Order Dimension\
Active
String

SQL Definition

Select DIM_SALES_ORDER.HOLDE_DESC

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: Overall blocked status

Name
Description
Cuid
Translation ID
Path
State
Data Type

Overall blocked status
Overall blocked status: DIM_SALES_ORDER.BLOCK_STAT
OBJ_4064
OBJ_4064
\Sales Order Dimension\
Hidden
String

SQL Definition

Select DIM_SALES_ORDER.BLOCK_STAT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Est Ship Date

Name
Description

Est Ship Date
Estimated Ship Date used to determine whether order is committed and due for delivery
OBJ_3001
OBJ_3001
\Sales Order Dimension\
Active
DateTime

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.EST_SHIP_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Original Est Manuf Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Original Est Manuf Date
Original Estimated Manufacture Date
OBJ_3000
OBJ_3000
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.EST_MANUF_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Last Ship Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Last Ship Date
Last Ship Date
OBJ_2866
OBJ_2866
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.SHIP_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Last Mod Dt-Sales Order

Name
Description

Last Mod Dt-Sales Order
DIM_SALES_ORDER.LAST_MOD_DT : Last Modified Date Time for Sales Order Record

Cuid
Translation ID
Path
State
Data Type

OBJ_2776
OBJ_2776
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ord Entry Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ord Entry Date
Date of Order Entry
OBJ_2999
OBJ_2999
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.ORD_ENT_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Src Sys Id-Sales Order

Name
Description
Cuid
Translation ID
Path
State
Data Type

Src Sys Id-Sales Order
DIM_SALES_ORDER.SRC_SYS_ID : Source System for Sales Order
OBJ_2775
OBJ_2775
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SRC_SYS_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ord Entry DateTime

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ord Entry DateTime
Date of Order Entry
OBJ_268
OBJ_268
\Sales Order Dimension\
Hidden
DateTime

SQL Definition

Select

DIM_SALES_ORDER.ORD_ENT_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category

Public
Uncategorized data

List of Values
Can be used in

Editable
Results, Filters, Sorts

Dimension: Est Manufacture DateTime

Name	Est Manufacture DateTime
Description	Estimated Manufacture Date Time
Cuid	OBJ_641
Translation ID	OBJ_641
Path	\Sales Order Dimension\
State	Hidden
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.EST_MANUF_DT
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Est Ship DateTime

Name	Est Ship DateTime
Description	Estimated Ship Date Time
Cuid	OBJ_640
Translation ID	OBJ_640
Path	\Sales Order Dimension\
State	Hidden
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.EST_SHIP_DT
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Employee Resp number

Name	Employee Resp number
Description	Employee responsible for the sales order : DIM_SALES_ORDER.SALES_REP_ID
Cuid	OBJ_3846
Translation ID	OBJ_3846
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.SALES_REP_ID
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Sales Group Code

Name	Sales Group Code
Description	Sales Group: DIM_SALES_ORDER.SALES_GRP_CODE
Cuid	OBJ_4061
Translation ID	OBJ_4061
Path	\Sales Order Dimension\
State	Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.SALES_GRP_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Attribute: Sales Group Desc

Name

Sales Group Desc

Description

Sales Group Description :

DIM_SALES_ORDER.SALES_GRP_DESC

Cuid

OBJ_4267

Translation ID

OBJ_4267

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

DIM_SALES_ORDER.SALES_GRP_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Available To Ship Date-Group Level

Name

Available To Ship Date-Group Level

Description

Available To Ship Date-Group

Level:DIM_SALES_ORDER.AVAIL_TO_SHIP_DT

Cuid

OBJ_4018

Translation ID

OBJ_4018

Path

\Sales Order Dimension\

State

Active

Data Type

DateTime

SQL Definition

Select

DIM_SALES_ORDER.AVAIL_TO_SHIP_DT

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Available To Ship Date-Item Level

Name

Available To Ship Date-Item Level

Description

Available To Ship Date-Item Level:

DIM_SALES_ORDER.AVAIL_TO_SHIP_ITEM_DT

Cuid

OBJ_4201

Translation ID

OBJ_4201

Path

\Sales Order Dimension\

State

Active

Data Type

DateTime

SQL Definition

Select

DIM_SALES_ORDER.AVAIL_TO_SHIP_ITEM_DT

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Customer Care Comment A

Name	Customer Care Comment A
Description	Customer Care Comment A
Cuid	OBJ_4021
Translation ID	OBJ_4021
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.CUST_CARE_COMMENTA_DESC
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Customer Care Comment B

Name	Customer Care Comment B
Description	Customer Care Comment B
Cuid	OBJ_4022
Translation ID	OBJ_4022
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.CUST_CARE_COMMENTB_DESC
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Inco Terms 1

Name	Inco Terms 1
Description	Inco Terms 1
Cuid	OBJ_4019
Translation ID	OBJ_4019
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.INCO_TERMS1_CODE
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Inco Terms1 Desc

Name	Inco Terms1 Desc
Description	Inco Terms1 Description: DIM_SALES_ORDER.INCO_TERMS1_DESC _ZqCnAB6vEfCzdoKoCgoVPg _ilJg0B6vEfCzdoKoCgoVPg
Cuid	
Translation ID	
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select

DIM_SALES_ORDER."INCO_TERMS1_DESC"

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts

Dimension: Inco Terms 2

Name

Inco Terms 2

Description

Inco Terms 2

Cuid

OBJ_4020

Translation ID

OBJ_4020

Path

\Sales Order Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.INCO_TERMS2_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Last Delivery Document

Name

Last Delivery Document

Description

Last Delivery Document (Coming from ZVLR01):

Cuid

DIM_SALES_ORDER.LAST_DELIVERY_NBR

Translation ID

OBJ_4023

Path

OBJ_4023

State

\Sales Order Dimension\

Data Type

Active

String

SQL Definition

Select

DIM_SALES_ORDER.LAST_DELIVERY_NBR

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Cable Status Code

Name

Cable Status Code

Description

Cable Status Code

Cuid

OBJ_4024

Translation ID

OBJ_4024

Path

\Sales Order Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.CABLE_STATUS_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Delivery Group

Name

Delivery Group

Description
Cuid
Translation ID
Path
State
Data Type

Delivery Group
OBJ_4066
OBJ_4066
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.DELIVERY_GRP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Delivery Document Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Delivery Document Date
Delivery Document Created Date
OBJ_4069
OBJ_4069
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.DELIVERY_DOC_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Project Name – SO Item

Name
Description
Cuid
Translation ID
Path
State
Data Type

Project Name – SO Item
Project Name – SO Item: DIM_SALES_ORDER.PROJ_NAME
OBJ_4071
OBJ_4071
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.PROJ_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Project Name – SO Header

Name
Description

Cuid
Translation ID
Path
State
Data Type

Project Name – SO Header
Project name on header level:
DIM_SALES_ORDER.PROJ_NAME_HEADER_CODE
OBJ_4286
OBJ_4286
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.PROJ_NAME_HEADER_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Feature ID

Name
Description
Cuid
Translation ID
Path
State
Data Type

Feature ID
Feature ID: DIM_SALES_ORDER.FEATURE_ID
OBJ_4072
OBJ_4072
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.FEATURE_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Shipping Point

Name
Description
Cuid
Translation ID
Path
State
Data Type

Shipping Point
Shipping Point: DIM_SALES_ORDER.SHIP_POINT
OBJ_4073
OBJ_4073
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SHIP_POINT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Customer PO Item

Name
Description
Cuid
Translation ID
Path
State
Data Type

Customer PO Item
Customer PO Item: DIM_SALES_ORDER.CUST_PO_ITEM
OBJ_4074
OBJ_4074
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.CUST_PO_ITEM

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Related PO

Name
Description
Cuid
Translation ID
Path

Related PO
Related PO: DIM_SALES_ORDER.ODR_PO
OBJ_4076
OBJ_4076
\Sales Order Dimension\

State
Data Type

Active
String

SQL Definition

Select

DIM_SALES_ORDER.ODR_PO

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Related PO Item

Name
Description
Cuid
Translation ID
Path
State
Data Type

Related PO Item
Related PO Item: DIM_SALES_ORDER.ODR_PO_ITEM
OBJ_4095
OBJ_4095
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.ODR_PO_ITEM

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Related PO Create Date

Name
Description

Cuid
Translation ID
Path
State
Data Type

Related PO Create Date
Related PO Create Date:
DIM_SALES_ORDER.ODR_PO_CREATE_DT
OBJ_4077
OBJ_4077
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.ODR_PO_CREATE_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Current Manufacturing Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Current Manufacturing Date
Current Manufacturing Date: DIM_SALES_ORDER.CUR_MFG_DT
OBJ_4078
OBJ_4078
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.CUR_MFG_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: End Customer Material

Name	End Customer Material
Description	End Customer Material: DIM_SALES_ORDER.END_CUST_MATERIAL
Cuid	OBJ_4079
Translation ID	OBJ_4079
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.END_CUST_MATERIAL
--------	-----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: End Customer PO

Name	End Customer PO
Description	End Customer PO: DIM_SALES_ORDER.END_CUST_PO
Cuid	OBJ_4080
Translation ID	OBJ_4080
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.END_CUST_PO
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: End Customer PO Item

Name	End Customer PO Item
Description	End Customer PO Item: DIM_SALES_ORDER.END_CUST_PO_ITEM
Cuid	OBJ_4081
Translation ID	OBJ_4081
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.END_CUST_PO_ITEM
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: First Est Ship Date

Name	First Est Ship Date
Description	First Estimated Ship Date: DIM_SALES_ORDER.FIRST_EST_SHIP_DT
Cuid	OBJ_4082
Translation ID	OBJ_4082
Path	\Sales Order Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select

DIM_SALES_ORDER.FIRST_EST_SHIP_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Delivery Doc Item Create Date

Name
Description

Cuid
Translation ID
Path
State
Data Type

Delivery Doc Item Create Date
Delivery Doc Item Create Date:
DIM_SALES_ORDER.DELIVERY_DOC_ITEM_CREATE_DT
OBJ_4088
OBJ_4088
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.DELIVERY_DOC_ITEM_CREATE_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Original Delivery Date

Name
Description

Cuid
Translation ID
Path
State
Data Type

Original Delivery Date
Original Delivery Date:
DIM_SALES_ORDER.ORIGINAL_DELIV_DT
OBJ_4089
OBJ_4089
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.ORIGINAL_DELIV_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Material Sales Org

Name
Description

Cuid
Translation ID
Path
State
Data Type

Material Sales Org
Material Sales Org: An organizational unit responsible for the sale of certain products or services. The responsibility of a sales organization may include legal liability for products and customer claims. (Ex: 614B, AOP,ACT,ACV,ANDI USA,5201,3601)
OBJ_4070
OBJ_4070
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SALES_ORG_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts

Dimension: Buyer Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Buyer Name
DIM_SALES_ORDER.BUYER_NAME: Buyer Name
OBJ_4128
OBJ_4128
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.BUYER_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: WBS Element – SO Item

Name
Description

Cuid
Translation ID
Path
State
Data Type

WBS Element – SO Item
DIM_SALES_ORDER.SO_ITEM_WBS_ELEMT_CODE: WBS
Element – SO Item
OBJ_4130
OBJ_4130
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SO_ITEM_WBS_ELEMT_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: WBS Element Desc – SO Item

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

WBS Element Desc – SO Item
DIM_SALES_ORDER.IA_SO_ITEM_WBS_ELEMT_DESC: WBS
Element Desc – SO Item
OBJ_4185
OBJ_4185
Active
String
True

SQL Definition

Select

DIM_SALES_ORDER.IA_SO_ITEM_WBS_ELEMT_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Job Tracker Work Number

Name
Description

Cuid
Translation ID
Path

Job Tracker Work Number
DIM_SALES_ORDER.JOB_TRACKER_WORK_CODE: Job Tracker
Work Number
OBJ_4131
OBJ_4131
\Sales Order Dimension\
Active

State
Data Type

Active
String

SQL Definition

Select

DIM_SALES_ORDER.JOB_TRACKER_WORK_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Mark for-Header Desc – SO Header

Name
Description

Mark for-Header Desc – SO Header
DIM_SALES_ORDER.IA_MARK_FOR_DESC: Mark for Header
Desc – SO Header

Cuid
Translation ID
Path
State
Data Type

OBJ_4195
OBJ_4195
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.IA_MARK_FOR_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Program Manager

Name
Description
Cuid
Translation ID
Path
State
Data Type

Program Manager
DIM_PROGRAM_MANEGER.PARTNER_TXTLG: Program Manager
OBJ_4198
OBJ_4198
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_PROGRAM_MANAGER.PARTNER_TXTLG

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Item Note - SO Item

Name
Description
Cuid
Translation ID
Path
State
Data Type

Item Note - SO Item
Line Level Item Note: DIM_SALES_ORDER.ITEM_NOTE_DESC
OBJ_4245
OBJ_4245
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.ITEM_NOTE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: User Status Code – SO Item

Name	User Status Code – SO Item
Description	User Status Code - SO Item: DIM_SALES_ORDER. USER_STATUS_ITEM_LEVEL_CODE
Cuid	OBJ_4247
Translation ID	OBJ_4247
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.USER_STATUS_ITEM_LEVEL_CODE
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: System Status Code – SO Item

Name	System Status Code – SO Item
Description	System Status Code - SO Item: DIM_SALES_ORDER.SYS_STATUS_ITEM_LEVEL_CODE
Cuid	OBJ_4248
Translation ID	OBJ_4248
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.SYS_STATUS_ITEM_LEVEL_CODE
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: User Status Code – SO Header

Name	User Status Code – SO Header
Description	User Status Code – SO Header: DIM_SALES_ORDER.USER_STATUS_HEADER_CODE
Cuid	OBJ_4250
Translation ID	OBJ_4250
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.USER_STATUS_HEADER_CODE
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: User Status Desc – SO Header

Name	User Status Desc – SO Header
Description	User Status Desc – SO Header : DIM_SALES_ORDER.USER_STATUS_HEADER_DESC
Cuid	OBJ_5088
Translation ID	OBJ_5088
State	Active
Data Type	String

Aggregatable

True

SQL Definition

Select

DIM_SALES_ORDER.USER_STATUS_HEADER_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: System Status Code – SO Header

Name

System Status Code – SO Header

Description

System Status Code – SO Header:

DIM_SALES_ORDER.SYS_STATUS_HEADER_CODE

Cuid

OBJ_4251

Translation ID

OBJ_4251

Path

\Sales Order Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.SYS_STATUS_HEADER_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Customer PO Date

Name

Customer PO Date

Description

Customer Purchase Order Date: DIM_SALES_ORDER.CUST_PO_DT

Cuid

OBJ_4262

Translation ID

OBJ_4262

Path

\Sales Order Dimension\

State

Active

Data Type

DateTime

SQL Definition

Select

DIM_SALES_ORDER.CUST_PO_DT

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: SO Material Desc

Name

SO Material Desc

Description

Material description from sales order item, default from Material master but can be updated by CSR's: DIM_SALES_ORDER.PROD_DESC

Cuid

OBJ_4264

Translation ID

OBJ_4264

Path

\Sales Order Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.PROD_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Item Route

Name	Item Route
Description	Item Route: DIM_SALES_ORDER.ROUTE_CODE
Cuid	OBJ_4265
Translation ID	OBJ_4265
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.ROUTE_CODE
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Item Route Desc

Name	Item Route Desc
Description	Description of Item Route: DIM_SALES_ORDER.ROUTE_DESC
Cuid	OBJ_4266
Translation ID	OBJ_4266
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_SALES_ORDER.ROUTE_DESC
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: YT Transportation

Name	YT Transportation
Description	YT Transportation Mode: DIM_SALES_ORDER.YT_TRANS_CODE
Cuid	OBJ_4268
Translation ID	OBJ_4268
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.YT_TRANS_CODE
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: YT Transportation Desc

Name	YT Transportation Desc
Description	YT Transportation Description: DIM_SALES_ORDER.YT_TRANS_DESC
Cuid	OBJ_4269
Translation ID	OBJ_4269
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select

DIM_SALES_ORDER.YT_TRANS_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Latest Delivery Document

Name
Description

Latest Delivery Document
Latest Delivery Document (Max document of latest delivery date from LIPS): DIM_SALES_ORDER.LATEST_DELIVERY_DOC_ID
OBJ_4270
OBJ_4270
\Sales Order Dimension\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.LATEST_DELIVERY_DOC_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Commercial Invoice ID

Name
Description
Cuid
Translation ID
Path
State
Data Type

Commercial Invoice ID
Commercial Invoice Number: DIM_SALES_ORDER.COMM_INV_ID
OBJ_4272
OBJ_4272
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.COMM_INV_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Commercial Invoice Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Commercial Invoice Date
Commercial Invoice Date: DIM_SALES_ORDER.COMM_INV_DT
OBJ_4274
OBJ_4274
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.COMM_INV_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sales Item Comments – SO Item

Name

Sales Item Comments – SO Item

Description	Sales Item Comments – SO
Cuid	Item:DIM_SALES_ORDER.SALES_ITEM_COMM_DESC
Translation ID	OBJ_4421
Path	OBJ_4421
State	\Sales Order Dimension\
Data Type	Active
	String

SQL Definition

Select	DIM_SALES_ORDER.SALES_ITEM_COMM_DESC
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Manual Header Discount Comment – SO Header

Name	Manual Header Discount Comment – SO Header
Description	Manual Header Discount Comment – SO
	Header:DIM_SALES_ORDER.MANUAL_DISCOUNT_COMM_DESC
Cuid	OBJ_4422
Translation ID	OBJ_4422
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.MANUAL_DISCOUNT_COMM_DESC
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Mark for Item Desc – SO Item

Name	Mark for Item Desc – SO Item
Description	Mark for Item Desc – SO
	Item:DIM_SALES_ORDER.MARK_FOR_ITEM_DESC
Cuid	OBJ_4423
Translation ID	OBJ_4423
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.MARK_FOR_ITEM_DESC
--------	------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Shipment Carrier Name

Name	Shipment Carrier Name
Description	Carrier Name from Shipment documents:
	DIM_SALES_ORDER.SHIPMENT_CARRIER_NAME
Cuid	OBJ_4451
Translation ID	OBJ_4451
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select

DIM_SALES_ORDER.SHIPMENT_CARRIER_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Shipment Tracking ID

Name
Description

Shipment Tracking ID
Tracking ID from Shipment documents:
DIM_SALES_ORDER.SHIPMENT_TRACKING_ID
OBJ_4452
OBJ_4452
\Sales Order Dimension\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.SHIPMENT_TRACKING_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Project Manager Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Project Manager Id
Project Manager Id : DIM_SALES_ORDER. PROGRAM_MGR_ID
OBJ_4462
OBJ_4462
\Sales Order Dimension\
Active
Numeric

SQL Definition

Select

DIM_SALES_ORDER. PROGRAM_MGR_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC



Dimension: Project Manager Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Project Manager Name
Project Manager Name: DIM_SALES_ORDER. PROJ_MGR_NAME
OBJ_4463
OBJ_4463
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER. PROJ_MGR_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sales Agent Location Code

Name

Sales Agent Location Code

Description	Sales Agent Location Code : DIM_SALES_ORDER. SALES_AGENT_LOC_ID
Cuid	OBJ_4460
Translation ID	OBJ_4460
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER. SALES_AGENT_LOC_ID
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Sales Agent Location

Name	Sales Agent Location
Description	Sales Agent Location : DIM_SALES_ORDER. SALES_AGENT_LOC_NAME
Cuid	OBJ_4461
Translation ID	OBJ_4461
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER. SALES_AGENT_LOC_NAME
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Project Desc

Name	Project Desc
Description	Project Description for Project Orders: DIM_SALES_ORDER.PROJ_DESC
Cuid	OBJ_4466
Translation ID	OBJ_4466
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.PROJ_DESC
--------	---------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Salesforce Opportunity Nbr

Name	Salesforce Opportunity Nbr
Description	Salesforce Opportunity Nbr: DIM_SALES_ORDER.SALESFORCE_OPPORTUNITY_NBR
Cuid	OBJ_4467
Translation ID	OBJ_4467
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select

DIM_SALES_ORDER.SALESFORCE_OPPORTUNITY_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sales Employee Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sales Employee Id
Sales Employee Id :
OBJ_4470
OBJ_4470
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SALES_EMPLOYEE_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Sales Employee Name

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Sales Employee Name
Sales Employee Name :
DIM_SALES_ORDER.SALES_EMPLOYEE_NAME
OBJ_4471
OBJ_4471
Active
String
True

SQL Definition

Select

DIM_SALES_ORDER.SALES_EMPLOYEE_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Unloading Point

Name
Description

Cuid
Translation ID
Path
State
Data Type

Unloading Point
Unloading Point indicates the day on which the delivery will be picked up : DIM_SALES_ORDER.UNLOADING_POINT
OBJ_4523
OBJ_4523
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.UNLOADING_POINT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sales District Code

Name

Sales District Code

Description

Cuid

Translation ID

Path

State

Data Type

Sales District Code :

DIM_SALES_ORDER.SALES_DISTRICT_CODE

OBJ_4819

OBJ_4819

\Sales Order Dimension\

Active

String

SQL Definition

Select

DIM_SALES_ORDER.SALES_DISTRICT_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Attribute: Sales District Desc

Name

Sales District Desc

Description

Sales District Desc :

DIM_SALES_ORDER.SALES_DISTRICT_DESC

Cuid

OBJ_4820

Translation ID

OBJ_4820

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

DIM_SALES_ORDER.SALES_DISTRICT_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Deal Reg Id

Name

Deal Reg Id

Description

Deal Registration ID : DIM_SALES_ORDER.DEAL_REG_ID

Cuid

OBJ_4821

Translation ID

OBJ_4821

Path

\Sales Order Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.DEAL_REG_ID

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: VAR Partner Id

Name

VAR Partner Id

Description

VAR Partner Id :DIM_SALES_ORDER.VAR_PARTNER_ID

Cuid

OBJ_4878

Translation ID

OBJ_4878

Path

\Sales Order Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.VAR_PARTNER_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: EndUser Partner Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

EndUser Partner Id
EndUser Partner Id :DIM_SALES_ORDER.EU_PARTNER_ID
OBJ_4877
OBJ_4877
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.EU_PARTNER_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Header Approver Name

Name
Description

Cuid
Translation ID
Path
State
Data Type

Header Approver Name
SO Header Approver Name :
DIM_SALES_ORDER.HDR_APPROVER_NAME
OBJ_4907
OBJ_4907
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.HDR_APPROVER_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Reference Document Number

Name
Description

Cuid
Translation ID
Path
State
Data Type

Reference Document Number
Number of the Reference Document;
DIM_SALES_ORDER.REFERENCE_DOC_NBR
OBJ_4987
OBJ_4987
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.REFERENCE_DOC_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Reference Document Item Number

Name
Description

Reference Document Item Number
Number of the Reference Document
Item;DIM_SALES_ORDER.REFERENCE_DOC_ITEM_NBR

Cuid
Translation ID
Path
State
Data Type

OBJ_4988
OBJ_4988
\Sales Order Dimension\
Active
String

SQL Definition

Select DIM_SALES_ORDER.REFERENCE_DOC_ITEM_NBR

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: Price List Type

Name
Description
Cuid
Translation ID
Path
State
Data Type

Price List Type
Price List Type; DIM_SALES_ORDER.PRICE_LIST_TYPE
OBJ_4989
OBJ_4989
\Sales Order Dimension\
Active
String

SQL Definition

Select DIM_SALES_ORDER.PRICE_LIST_TYPE

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

* Attribute: Price List Type Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Price List Type Desc
Price List Type Desc;
DIM_SALES_ORDER.PRICE_LIST_TYPE_DESC
OBJ_4990
OBJ_4990
Active
String
True

SQL Definition

Select DIM_SALES_ORDER.PRICE_LIST_TYPE_DESC

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: Price Group

Name
Description
Cuid
Translation ID
Path
State
Data Type

Price Group
Price Group; DIM_SALES_ORDER.PRICE_GRP
OBJ_4991
OBJ_4991
\Sales Order Dimension\
Active
String

SQL Definition

Select DIM_SALES_ORDER.PRICE_GRP

Advanced

Minimum Object Level Security Public

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Price Group Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Price Group Desc
Price Group Desc; DIM_SALES_ORDER.PRICE_GRP_DESC
OBJ_4992
OBJ_4992
Active
String
True

SQL Definition

Select DIM_SALES_ORDER.PRICE_GRP_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Material Pricing Group

Name
Description

Cuid
Translation ID
Path
State
Data Type

Material Pricing Group
Material Pricing Group;
DIM_SALES_ORDER.MATERIAL_PRICING_GRP
OBJ_4993
OBJ_4993
\Sales Order Dimension\
Active
String

SQL Definition

Select DIM_SALES_ORDER.MATERIAL_PRICING_GRP

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Material Pricing Group Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Material Pricing Group Desc
Material Pricing Group Desc;
DIM_SALES_ORDER.MATERIAL_PRICING_GRP_DESC
OBJ_4994
OBJ_4994
Active
String
True

SQL Definition

Select DIM_SALES_ORDER.MATERIAL_PRICING_GRP_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Pricing Date

Name
Description
Cuid
Translation ID

Pricing Date
Pricing Date; DIM_SALES_ORDER.PRICING_DT
OBJ_4995
OBJ_4995

Path	\Sales Order Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.PRICING_DT
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Customer Group

Name	Customer Group
Description	Customer Group; DIM_SALES_ORDER.CUSTOMER_GRP
Cuid	OBJ_4996
Translation ID	OBJ_4996
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.CUSTOMER_GRP
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: Customer Group Desc

Name	Customer Group Desc
Description	Customer Group Desc; DIM_SALES_ORDER.CUSTOMER_GRP_DESC
Cuid	OBJ_4997
Translation ID	OBJ_4997
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_SALES_ORDER.CUSTOMER_GRP_DESC
--------	-----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Payment Terms

Name	Payment Terms
Description	Payment Terms; DIM_SALES_ORDER.PAYMENT_TERMS
Cuid	OBJ_4999
Translation ID	OBJ_4999
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.PAYMENT_TERMS
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable

Results, Filters, Sorts

 Attribute: Payment Terms Desc

Payment Terms Desc	
Payment Terms Desc;	
DIM_SALES_ORDER.PAYMENT_TERMS_DESC	
OBJ_5000	
OBJ_5000	
Active	
String	
True	

SQL Definition

DIM_SALES_ORDER.PAYMENT_TERMS_DESC

Advanced

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Payment Guarantee

Payment Guarantee
Payment Guarantee;
DIM_SALES_ORDER.PAYMENT_GUARANTEE
OBJ_4998
OBJ_4998
\\Sales Order Dimension\
Active
String

SQL Definition

DIM SALES ORDER.PAYMENT GUARANTEE

Advanced

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Pricing Cond Unit Price

Pricing Cond Unit Price
Price per pricing condition unit, e.g. price per 1000ft. (VBAP.NETPR)
OBJ_5009
OBJ_5009
\\Sales\\Order Dimension\\
Active
Numeric

SQL Definition

DIM	SALES	ORDER.PRICING	COND	UNIT	PRICE	AMT
-----	-------	---------------	------	------	-------	-----

Advanced

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Pricing Cond Unit Qty

Pricing Cond Unit Qty
Quantity of pricing condition unit of measure, e.g. 1000 for 1000FT.
(VBAP.KPEIN)
OBJ_5010
OBJ_5010
\\Sales\\Order Dimension\\

State
Data Type

Active
Numeric

SQL Definition

Select

DIM_SALES_ORDER.PRICING_COND_UNIT_QTY

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Pricing Cond UOM

Name
Description

Pricing Cond UOM
Unit of measure for pricing condition unit, e.g. FT for 1000FT.
(VBAP.KMEIN)

Cuid
Translation ID
Path
State
Data Type

OBJ_5011
OBJ_5011
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.PRICING_COND_UOM_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Header Requested Delivery Date

Name
Description

Header Requested Delivery Date
DIM_SALES_ORDER.REQ_DELIV_HEADER_DT: Header
Requested Delivery Date

Cuid
Translation ID
Path
State
Data Type

OBJ_5016
OBJ_5016
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.REQ_DELIV_HEADER_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Material Group 4 Description

Name
Description

Material Group 4 Description
Material Group 4 Description : This field indicates
extra information related to OTP Failure Reason :
DIM_SALES_ORDER.MATERIAL_GRP4_DESC

Cuid
Translation ID
Path
State
Data Type

OBJ_5017
OBJ_5017
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.MATERIAL_GRP4_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Shipping Type Code

Name
Description

Shipping Type Code
Shipping Type Code : Its gives information by what means
(Ground, Air, Ocean) the Sales Order is shipped to the Customer
DIM_SALES_ORDER.SHIPPING_TYPE_CODE
OBJ_5018
OBJ_5018
\Sales Order Dimension\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.SHIPPING_TYPE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Shipping Type Description

Name
Description

Shipping Type Description
Shipping Type Description : Its gives information by what means
(Ground, Air, Ocean) the Sales Order is shipped to the Customer
DIM_SALES_ORDER.SHIPPING_TYPE_DESC
OBJ_5019
OBJ_5019
Active
String
True

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

DIM_SALES_ORDER.SHIPPING_TYPE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Job Id

Name
Description

Job Id
Its a Unique number provided by Project Manager to reference a sales
order : DIM_SALES_ORDER.JOB_ID
OBJ_5023
OBJ_5023
\Sales Order Dimension\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.JOB_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Customer Acceptance Number

Name

Customer Acceptance Number

Description

Its an acknowledgement number sent by Customer to CS notifying that product has been received and CS can generate the Invoice :
DIM_SALES_ORDER.CUST_ACCEPTANCE_NBR

Cuid

OBJ_5024

Translation ID

OBJ_5024

Path

\Sales Order Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.CUST_ACCEPTANCE_NBR

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Internal Order Number

Name

Internal Order Number

Description

This is a reference to the Project number in PSA system. It is a cost collector object like cost center :

DIM_SALES_ORDER.INTERNAL_ORD_NBR

Cuid

OBJ_5025

Translation ID

OBJ_5025

Path

\Sales Order Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.INTERNAL_ORD_NBR

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Item Reason Code

Name

Item Reason Code

Description

Reason Code at Item Level :

DIM_SALES_ORDER.ITEM_REASON_CODE

Cuid

OBJ_5026

Translation ID

OBJ_5026

Path

\Sales Order Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.ITEM_REASON_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Attribute: Item Reason Code Description

Name

Item Reason Code Description

Description

Reason Code Description at Item Level :

DIM_SALES_ORDER.ITEM_REASON_CODE_DESC

Cuid

OBJ_5027

Translation ID

OBJ_5027

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select DIM_SALES_ORDER.ITEM_REASON_CODE_DESC

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Overall Blocked Header Status Code

Name	Overall Blocked Header Status Code
Description	Its gives Overall Block status at the header level : DIM_SALES_ORDER.OVERALL_BLOCKED_HDR_STAT_CODE
Cuid	OBJ_5028
Translation ID	OBJ_5028
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select DIM_SALES_ORDER.OVERALL_BLOCKED_HDR_STAT_CODE

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

* Attribute: Overall Blocked Header Status Code Description

Name	Overall Blocked Header Status Code Description
Description	Its gives Overall Block status description at the header level : DIM_SALES_ORDER.OVERALL_BLOCKED_HDR_STAT_DESC
Cuid	OBJ_5029
Translation ID	OBJ_5029
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select DIM_SALES_ORDER.OVERALL_BLOCKED_HDR_STAT_DESC

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Contract Id

Name	Contract Id
Description	Contract Id : DIM_SALES_ORDER.CONTRACT_ID
Cuid	OBJ_5033
Translation ID	OBJ_5033
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select DIM_SALES_ORDER.CONTRACT_ID

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: POB Id

Name	POB Id
Description	POB Id : DIM_SALES_ORDER.POB_ID
Cuid	OBJ_5034
Translation ID	OBJ_5034
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.POB_ID
--------	------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Contract Start Date

Name	Contract Start Date
Description	Contract Start Date : DIM_SALES_ORDER.CONTRACT_START_DT
Cuid	OBJ_5035
Translation ID	OBJ_5035
Path	\Sales Order Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.CONTRACT_START_DT
--------	-----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Contract End Date

Name	Contract End Date
Description	Contract End Date : DIM_SALES_ORDER.CONTRACT_END_DT
Cuid	OBJ_5036
Translation ID	OBJ_5036
Path	\Sales Order Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.CONTRACT_END_DT
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Customer Name

Name	Customer Name
Description	Customer Name : DIM_SALES_ORDER.ORD_CUST_NAME
Cuid	OBJ_5037
Translation ID	OBJ_5037
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.ORD_CUST_NAME
--------	-------------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Cust Email Address (Header)

Name
Description

Cust Email Address (Header)
Cust Email Address (Header) :
DIM_SALES_ORDER.CUST_EMAIL_ADDR
OBJ_5038
OBJ_5038
\Sales Order Dimension\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.CUST_EMAIL_ADDR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SO Cancellation Date

Name
Description

SO Cancellation Date
SO Cancellation Date :
DIM_SALES_ORDER.SO_CANCELLATION_DATE
OBJ_5086
OBJ_5086
\Sales Order Dimension\
Active
DateTime

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.SO_CANCELLATION_DATE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: RAR Relevant Ind

Name
Description
Cuid
Translation ID
Path
State
Data Type

RAR Relevant Ind
RAR Relevant Ind : DIM_SALES_ORDER.RAR_RELEVANT_IND
OBJ_5087
OBJ_5087
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.RAR_RELEVANT_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Delivery Priority Code

Name
Description

Delivery Priority Code
Delivery Priority Code - DIM_SALES_ORDER.
DELIVERY_PRIORITY_CODE

Cuid
Translation ID
Path
State
Data Type

OBJ_5089
OBJ_5089
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.DELIVERY_PRIORITY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Delivery Priority Desc

Name
Description

Delivery Priority Desc
Delivery Priority Description - DIM_SALES_ORDER.
DELIVERY_PRIORITY_DESC

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_5090
OBJ_5090
Active
String
True

SQL Definition

Select

DIM_SALES_ORDER.DELIVERY_PRIORITY_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: CRM Reference Header

Name
Description

CRM Reference Header
CRM Reference Header :
DIM_SALES_ORDER.CRM_HDR_OPP_NBR

Cuid
Translation ID
Path
State
Data Type

OBJ_5094
OBJ_5094
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.CRM_HDR_OPP_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: CRM Reference Item

Name
Description
Cuid
Translation ID
Path
State
Data Type

CRM Reference Item
CRM Reference Item : DIM_SALES_ORDER.CRM_ITEM_OPP_NBR
OBJ_5095
OBJ_5095
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.CRM_ITEM_OPP_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Customer PO Type

Name
Description
Cuid
Translation ID
Path
State
Data Type

Customer PO Type
Customer PO Type : DIM_SALES_ORDER.CUST_PO_TYPE
OBJ_5097
OBJ_5097
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.CUST_PO_TYPE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Hold Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Hold Code
Hold Code : DIM_SALES_ORDER.HOLD_CODE
OBJ_5137
OBJ_5137
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.HOLD_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Hold Code Desc

Name
Description
Cuid
Translation ID
Path
State
Data Type

Hold Code Desc
Hold Code Desc : DIM_SALES_ORDER.HOLDE_DESC
OBJ_5138
OBJ_5138
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.HOLDE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: ATP Override Indicator

Name
Description

Cuid
Translation ID

ATP Override Indicator
ATP Override Indicator :
DIM_SALES_ORDER.ATP_OVERRIDE_IND
OBJ_5154
OBJ_5154

Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.ATP_OVERRIDE_IND
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: High Level Item Number

Name	High Level Item Number
Description	High Level Item Number : DIM_SALES_ORDER.HIGH_LEVEL_ITEM_NBR
Cuid	OBJ_5155
Translation ID	OBJ_5155
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.HIGH_LEVEL_ITEM_NBR
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Cust Account Assignment Grp Code

Name	Cust Account Assignment Grp Code
Description	Cust Account Assignment Grp Code : DIM_SALES_ORDER.CUST_ACCOUNT_ASSIGNMENT_GRP_CODE
Cuid	OBJ_5156
Translation ID	OBJ_5156
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.CUST_ACCOUNT_ASSIGNMENT_GRP_CODE
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Cust Account Assignment Grp Desc

Name	Cust Account Assignment Grp Desc
Description	Cust Account Assignment Grp Desc : DIM_SALES_ORDER.CUST_ACCOUNT_ASSIGNMENT_GRP_CODE_D
Cuid	OBJ_5159
Translation ID	OBJ_5159
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_SALES_ORDER.CUST_ACCOUNT_ASSIGNMENT_GRP_CODE
--------	--

Advanced

Minimum Object Level Security	Public
-------------------------------	--------

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Partial Delivery Indicator

Name
Description

Cuid
Translation ID
Path
State
Data Type

Partial Delivery Indicator
Partial Delivery Indicator :
DIM_SALES_ORDER.PARTIAL_DELIV_IND
OBJ_5157
OBJ_5157
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.PARTIAL_DELIV_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: POD Block Relevant Indicator

Name
Description

Cuid
Translation ID
Path
State
Data Type

POD Block Relevant Indicator
Indicates if sales order is POD block relevant based on the incoterms:
DIM_SALES_ORDER.POD_BLOCK_RELEVANT_IND
OBJ_5164
OBJ_5164
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.POD_BLOCK_RELEVANT_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Planning Priority Number

Name
Description

Cuid
Translation ID
Path
State
Data Type

Planning Priority Number
Planning Priority Number :
DIM_SALES_ORDER.PLANNING_PRIORITY_NBR
OBJ_5181
OBJ_5181
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.PLANNING_PRIORITY_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Over Delivery Tolerance

Name
Description

Over Delivery Tolerance
Over Delivery Tolerance :
DIM_SALES_ORDER.OVER_DELIV_TOLERANCE

Cuid	_ck6GILrAEe6cmN044kaCmA
Translation ID	_ck6GIbrAEe6cmN044kaCmA
Path	\Sales Order Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select	DIM_SALES_ORDER.OVER_DELIV_TOLERANCE
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Dimension: Under Delivery Tolerance

Name	Under Delivery Tolerance
Description	Under Delivery Tolerance : DIM_SALES_ORDER.UNDER_DELIV_TOLERANCE
Cuid	_yEBTELrAEe6cmN044kaCmA
Translation ID	_yEBTEbrAEe6cmN044kaCmA
Path	\Sales Order Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select	DIM_SALES_ORDER.UNDER_DELIV_TOLERANCE
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Dimension: Your Reference Header

Name	Your Reference Header
Description	Your Reference Header : DIM_SALES_ORDER.YOUR_REFERENCE_HEADER
Cuid	_TPRYsJVXEe-3FrGahwcb3w
Translation ID	_TPRYsZVXEe-3FrGahwcb3w
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER."YOUR_REFERENCE_HEADER"
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Dimension: Your Reference Item

Name	Your Reference Item
Description	Your Reference Header : DIM_SALES_ORDER.YOUR_REFERENCE_ITEM
Cuid	_zhcbwZWoe-yIfoeBos-6w
Translation ID	_zhcbwpWoEe-yIfoeBos-6w
Path	\Sales Order Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER."YOUR_REFERENCE_ITEM"
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data

Can be used in

Results, Filters, Sorts

Dimension: Route In Days

Name
Description
Cuid
Translation ID
Path
State
Data Type

Route In Days
Item Route In Days: DIM_SALES_ORDER.ROUTE_IN_DAYS
_6MEgsZWoe-yIfoeBos-6w
_6MEgspWoEc-yIfoeBos-6w
\Sales Order Dimension\
Active
Numeric

SQL Definition

Select

DIM_SALES_ORDER."ROUTE_IN_DAYS"

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Dimension: Header Document Date

Name
Description

Header Document Date
This is a date field for the Sales Order at the header level. In the case of a Provision Order, it will be the PO Received Date, and the field will contain the ORDER ENTRY DATE from LEG_ORDER as part of Project Delta. DIM_SALES_ORDER.HDR_DOCUMENT_DT
_DslmAN4pEe-31d4YZIU41Q
_DsmNEN4pEe-31d4YZIU41Q
\Sales Order Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.HDR_DOCUMENT_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Dimension: Item Billing Block Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

Item Billing Block Code
Item Billing Block Code:
DIM_SALES_ORDER.ITEM_BILLING_BLOCK_CODE
_1pEbEN-gEe-H-ruIOUNEMQ
_1pEbEd-gEe-H-ruIOUNEMQ
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.ITEM_BILLING_BLOCK_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Attribute: Item Billing Block Desc

Name
Description

Cuid
Translation ID
State
Data Type

Item Billing Block Desc
Item Billing Block Description:
DIM_SALES_ORDER.ITEM_BILLING_BLOCK_DESC
_QIvX0N-hEe-H-ruIOUNEMQ
_QIv-4N-hEe-H-ruIOUNEMQ
Active
String

Aggregatable

True

SQL Definition

Select

DIM_SALES_ORDER.ITEM_BILLING_BLOCK_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Allow user to search values in the database
Results, Filters, Sorts

Dimension: Purchase Order Text

Name
Description
Cuid
Translation ID
Path
State
Data Type

Purchase Order Text
Line Level Purchase Order Text: DIM_SALES_ORDER.PO_TEXT
_pu-goWiEfCvQ7PoLyllEg
_pu-gomilEfCvQ7PoLyllEg
\Sales Order Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.PO_TEXT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Delivery-Performance-CROJ

Name
Description
Cuid
Translation ID
Path
State
Data Type

Delivery-Performance-CROJ
Delivery Performance CROJ: On-Time, Late, Early
OBJ_2729
OBJ_2729
\Sales Order Dimension\Metrics Descriptions\
Active
String

SQL Definition

Select

```
case when DIM_SALES_ORDER.DELIV_DT >
DIM_SALES_ORDER.CUST_REQ_DELIV_DT then
'Late' when DIM_SALES_ORDER.DELIV_DT =
DIM_SALES_ORDER.CUST_REQ_DELIV_DT then
'On-Time' when DIM_SALES_ORDER.DELIV_DT <
DIM_SALES_ORDER.CUST_REQ_DELIV_DT then 'Early' else 'n/
a' end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Delivery-Performance-Promise

Name
Description
Cuid
Translation ID
Path
State
Data Type

Delivery-Performance-Promise
Delivery Performance Promise: On-Time, Late, Early
OBJ_2721
OBJ_2721
\Sales Order Dimension\Metrics Descriptions\
Active
String

SQL Definition

Select

```
case when DIM_SALES_ORDER.DELIV_DT
> DIM_SALES_ORDER.EST_DELIV_DT then
'Late' when DIM_SALES_ORDER.DELIV_DT =
```

DIM_SALES_ORDER.EST_DELIV_DT then 'On-Time' when DIM_SALES_ORDER.DELIV_DT < DIM_SALES_ORDER.EST_DELIV_DT then 'Early' else 'n/a' end

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Manufacturing-Performance-Description

Name	Manufacturing-Performance-Description
Description	Manufacturing Performance Description: On-Time, Late, Early
Cuid	OBJ_2668
Translation ID	OBJ_2668
Path	\Sales Order Dimension\Metrics Descriptions\
State	Active
Data Type	String

SQL Definition

Select	case when DIM_SALES_ORDER.MANUF_DT > DIM_SALES_ORDER.EST_MANUF_DT then 'Late' when DIM_SALES_ORDER.MANUF_DT = DIM_SALES_ORDER.EST_MANUF_DT then 'On-Time' when DIM_SALES_ORDER.MANUF_DT < DIM_SALES_ORDER.EST_MANUF_DT then 'Early' else 'n/a' end
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Shipping-Performance-Description

Name	Shipping-Performance-Description
Description	Shipping Performance Description: On-Time, Late, Early
Cuid	OBJ_2669
Translation ID	OBJ_2669
Path	\Sales Order Dimension\Metrics Descriptions\
State	Active
Data Type	String

SQL Definition

Select	Case when DIM_SALES_ORDER.SHIP_DT IS NULL then case when DIM_SALES_ORDER.INV_DT > DIM_SALES_ORDER.EST_SHIP_DT then 'Late' when DIM_SALES_ORDER.INV_DT = DIM_SALES_ORDER.EST_SHIP_DT then 'On-Time' when DIM_SALES_ORDER.INV_DT < DIM_SALES_ORDER.EST_SHIP_DT then 'Early' else 'n/a' end else case when DIM_SALES_ORDER.SHIP_DT > DIM_SALES_ORDER.EST_SHIP_DT then 'Late' when DIM_SALES_ORDER.SHIP_DT = DIM_SALES_ORDER.EST_SHIP_DT then 'On-Time' when DIM_SALES_ORDER.SHIP_DT < DIM_SALES_ORDER.EST_SHIP_DT then 'Early' else 'n/a' end end
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ord Entry Date

Name	Ord Entry Date
------	----------------

Description
Cuid
Translation ID
Path
State
Data Type

Order Entry Date : DIM_SALES_ORDER.ORD_ENT_DT
OBJ_3705
OBJ_3705
\Sales Order Dimension\Ord Entry Date - SO Item\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.ORD_ENT_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Entry DateTime

Name
Description

Ord Entry DateTime
Order Entry
DateTime :DIM_SALES_ORDER.ORD_ENT_DATETIME
OBJ_4289
OBJ_4289
\Sales Order Dimension\Ord Entry Date - SO Item\
Active
DateTime

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.ORD_ENT_DATETIME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Entry Date-Year

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ord Entry Date-Year
Order Entry Date -Year
OBJ_3706
OBJ_3706
\Sales Order Dimension\Ord Entry Date - SO Item\
Active
String

SQL Definition

Select

to_char(DIM_SALES_ORDER.ORD_ENT_DT,'YYYY')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Entry Date-Quarter

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ord Entry Date-Quarter
Order Entry Date -Quarter
OBJ_3707
OBJ_3707
\Sales Order Dimension\Ord Entry Date - SO Item\
Active
String

SQL Definition

Select

to_char(DIM_SALES_ORDER.ORD_ENT_DT,'Q')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Entry Date-Month

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ord Entry Date-Month
Order Entry Date-Month
OBJ_2904
OBJ_2904
\Sales Order Dimension\Ord Entry Date - SO Item\
Active
String

SQL Definition

Select

to_char(DIM_SALES_ORDER.ORD_ENT_DT,'MM')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Entry Date-WeekOfYear

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ord Entry Date-WeekOfYear
Order Entry Date-Week Nbr of the Year
OBJ_3708
OBJ_3708
\Sales Order Dimension\Ord Entry Date - SO Item\
Active
String

SQL Definition

Select

LPAD
(TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.ORD_ENT_DT) /
7)), 2, '0')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Entry Date-WeekOfMonth

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ord Entry Date-WeekOfMonth
Order Entry Date-Week Nbr of the Month
OBJ_2906
OBJ_2906
\Sales Order Dimension\Ord Entry Date - SO Item\
Active
String

SQL Definition

Select

CEIL(TO_CHAR(DIM_SALES_ORDER.ORD_ENT_DT, 'DD')/7)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ord Entry Header DateTime

Name
Description

Ord Entry Header DateTime
Order Entry Date Time at header level :
DIM_SALES_ORDER.ORD_ENT_HDR_DT

Cuid	OBJ_4256
Translation ID	OBJ_4256
Path	\Sales Order Dimension\Ord Entry Date - SO Header\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.ORD_ENT_HDR_DT
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Ord Entry Header DateTime-Year

Name	Ord Entry Header DateTime-Year
Description	Order Entry Date Time-Year at header level: to_char(DIM_SALES_ORDER.ORD_ENT_HDR_DT,'YYYY')
Cuid	OBJ_4257
Translation ID	OBJ_4257
Path	\Sales Order Dimension\Ord Entry Date - SO Header\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.ORD_ENT_HDR_DT,'YYYY')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Ord Entry Header DateTime-Quarter

Name	Ord Entry Header DateTime-Quarter
Description	Order Entry Date Time-Quarter at header level: to_char(DIM_SALES_ORDER.ORD_ENT_HDR_DT,'Q')
Cuid	OBJ_4258
Translation ID	OBJ_4258
Path	\Sales Order Dimension\Ord Entry Date - SO Header\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.ORD_ENT_HDR_DT,'Q')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Ord Entry Header DateTime-Month

Name	Ord Entry Header DateTime-Month
Description	Order Entry Date Time-Month at header level: to_char(DIM_SALES_ORDER.ORD_ENT_HDR_DT,'MM')
Cuid	OBJ_4259
Translation ID	OBJ_4259
Path	\Sales Order Dimension\Ord Entry Date - SO Header\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.ORD_ENT_HDR_DT,'MM')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ord Entry Header DateTime-WeekOfYear

Name	Ord Entry Header DateTime-WeekOfYear
Description	Order Entry Date Time-Week Nbr of the Year at header level: to_char(DIM_SALES_ORDER.ORD_ENT_HDR_DT,'ww')
Cuid	OBJ_4260
Translation ID	OBJ_4260
Path	\Sales Order Dimension\Ord Entry Date - SO Header\
State	Active
Data Type	String

SQL Definition

Select	LPAD (TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.ORD_ENT_HDR_7))), 2, '0')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ord Entry Header DateTime-WeekOfMonth

Name	Ord Entry Header DateTime-WeekOfMonth
Description	Order Entry Date Time-Week Nbr of the Month at header level: to_char(DIM_SALES_ORDER.ORD_ENT_HDR_DT,'w')
Cuid	OBJ_4261
Translation ID	OBJ_4261
Path	\Sales Order Dimension\Ord Entry Date - SO Header\
State	Active
Data Type	String

SQL Definition

Select	CEIL(TO_CHAR(DIM_SALES_ORDER.ORD_ENT_HDR_DT, 'DD')/7)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Est Ship DateTime

Name	Est Ship DateTime
Description	Estimated Ship Date Time : DIM_SALES_ORDER.EST_SHIP_DT
Cuid	OBJ_633
Translation ID	OBJ_633
Path	\Sales Order Dimension\Est Ship Date\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.EST_SHIP_DT
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: BacklogBucket-SixMonth

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

BacklogBucket-SixMonth

Backlog bucket built based on Estimated Ship Date. If estimated ship date is less than 183 in the future, it is defined as '\$ UNDER 6 MONTHS'. If the estimated ship date is greater than or equal to 183 days out in the future, it is defined as '\$ OVER 6 MONTHS'.

OBJ_2743
OBJ_2743
Active
String
True

Case when DIM_SALES_ORDER.EST_SHIP_DT <
add_days(current_date, 183) then '\$ UNDER 6 MONTHS' when
DIM_SALES_ORDER.EST_SHIP_DT >= add_days(current_date,
183) then '\$ OVER 6 MONTHS' end

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Est Ship DateTime-Year

Name
Description
Cuid
Translation ID
Path
State
Data Type

Est Ship DateTime-Year
Estimated Ship Date Time-Year
OBJ_2783
OBJ_2783
\Sales Order Dimension\Est Ship Date\
Active
String

SQL Definition

Select

to_char(DIM_SALES_ORDER.EST_SHIP_DT,'YYYY')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Est Ship DateTime-Quarter

Name
Description
Cuid
Translation ID
Path
State
Data Type

Est Ship DateTime-Quarter
Estimated Ship Date Time-Quarter
OBJ_3702
OBJ_3702
\Sales Order Dimension\Est Ship Date\
Active
String

SQL Definition

Select

to_char(DIM_SALES_ORDER.EST_SHIP_DT,'Q')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Est Ship DateTime-Month

Name
Description
Cuid
Translation ID
Path
State

Est Ship DateTime-Month
Estimated Ship Date Time-Month
OBJ_2785
OBJ_2785
\Sales Order Dimension\Est Ship Date\
Active

Data Type

String

SQL Definition

Select

to_char(DIM_SALES_ORDER.EST_SHIP_DT,'MM')

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Est Ship DateTime-WeekOfYear

Name

Est Ship DateTime-WeekOfYear

Description

Estimated Ship Date Time-Week Nbr of the Year

Cuid

OBJ_3703

Translation ID

OBJ_3703

Path

\Sales Order Dimension\Est Ship Date\

State

Active

Data Type

String

SQL Definition

Select

LPAD

(TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.EST_SHIP_DT) / 7)), 2, '0')

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Est Ship DateTime-WeekOfMonth

Name

Est Ship DateTime-WeekOfMonth

Description

Estimated Ship Date Time-Week Nbr of the Month:

to_char(DIM_SALES_ORDER.EST_SHIP_DT,'w')

Cuid

OBJ_3704

Translation ID

OBJ_3704

Path

\Sales Order Dimension\Est Ship Date\

State

Active

Data Type

String

SQL Definition

Select

CEIL(TO_CHAR(DIM_SALES_ORDER.EST_SHIP_DT, 'DD')/7)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Last Ship Date

Name

Last Ship Date

Description

Last Ship Date of sales order

Cuid

OBJ_3709

Translation ID

OBJ_3709

Path

\Sales Order Dimension\Last Ship Date\

State

Active

Data Type

DateTime

SQL Definition

Select

DIM_SALES_ORDER.SHIP_DT

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Last Ship Date-Year

Name	Last Ship Date-Year
Description	Last Ship Date-Year
Cuid	OBJ_3710
Translation ID	OBJ_3710
Path	\Sales Order Dimension\Last Ship Date\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.SHIP_DT,'YYYY')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Last Ship Date-Quarter

Name	Last Ship Date-Quarter
Description	Last Ship Date-Quarter
Cuid	OBJ_3711
Translation ID	OBJ_3711
Path	\Sales Order Dimension\Last Ship Date\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.SHIP_DT,'Q')
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Last Ship Date-Month

Name	Last Ship Date-Month
Description	Last Ship Date-Month
Cuid	OBJ_3712
Translation ID	OBJ_3712
Path	\Sales Order Dimension\Last Ship Date\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.SHIP_DT,'MM')
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Last Ship Date-WeekOfYear

Name	Last Ship Date-WeekOfYear
Description	Last Ship Date-Week Nbr of the Year
Cuid	OBJ_3713
Translation ID	OBJ_3713
Path	\Sales Order Dimension\Last Ship Date\
State	Active
Data Type	String

SQL Definition

Select

LPAD

(TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.SHIP_DT) / 7)), 2, '0')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Last Ship Date-WeekOfMonth

Name
Description
Cuid
Translation ID
Path
State
Data Type

Last Ship Date-WeekOfMonth
Last Ship Date-Week Nbr of the Month
OBJ_3714
OBJ_3714
\Sales Order Dimension\Last Ship Date\
Active
String

SQL Definition

Select

CEIL(TO_CHAR(DIM_SALES_ORDER.SHIP_DT, 'DD')/7)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: First Est Manuf DateTime

Name
Description

Cuid
Translation ID
Path
State
Data Type

First Est Manuf DateTime
First Estimated Manufacture DateTime :
DIM_SALES_ORDER.EST_MANUF_DT
OBJ_634
OBJ_634
\Sales Order Dimension\First Est Manuf Date\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.EST_MANUF_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: First Est Manuf DateTime-Year

Name
Description
Cuid
Translation ID
Path
State
Data Type

First Est Manuf DateTime-Year
First Estimated Manufacture Date Time-Year
OBJ_3715
OBJ_3715
\Sales Order Dimension\First Est Manuf Date\
Active
String

SQL Definition

Select

to_char(DIM_SALES_ORDER.EST_MANUF_DT, 'YYYY')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: First Est Manuf DateTime-Quarter

Name	First Est Manuf DateTime-Quarter
Description	First Estimated Manufacture Date Time-Quarter
Cuid	OBJ_3716
Translation ID	OBJ_3716
Path	\Sales Order Dimension\First Est Manuf Date\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.EST_MANUF_DT,'Q')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: First Est Manuf DateTime-Month

Name	First Est Manuf DateTime-Month
Description	First Estimated Manufacture Date Time-Month
Cuid	OBJ_3717
Translation ID	OBJ_3717
Path	\Sales Order Dimension\First Est Manuf Date\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.EST_MANUF_DT,'MM')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: First Est Manuf DateTime-WeekOfYear

Name	First Est Manuf DateTime-WeekOfYear
Description	First Estimated Manufacture Date Time-Week Nbr of the Year
Cuid	OBJ_3718
Translation ID	OBJ_3718
Path	\Sales Order Dimension\First Est Manuf Date\
State	Active
Data Type	String

SQL Definition

Select	LPAD (TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.EST_MANUF_DT 7))), 2, '0')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: First Est Manuf DateTime-WeekOfMonth

Name	First Est Manuf DateTime-WeekOfMonth
Description	First Estimated Manufacture Date Time-Week Nbr of the Month
Cuid	OBJ_3719
Translation ID	OBJ_3719
Path	\Sales Order Dimension\First Est Manuf Date\
State	Active
Data Type	String

SQL Definition

Select

CEIL(TO_CHAR(DIM_SALES_ORDER.EST_MANUF_DT,
'DD')/7)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Last Mfg Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Last Mfg Date
Last Mfg Date : DIM_SALES_ORDER.MANUF_DT
OBJ_3720
OBJ_3720
\Sales Order Dimension\Last Mfg Date\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.MANUF_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Last Mfg Date-Year

Name
Description
Cuid
Translation ID
Path
State
Data Type

Last Mfg Date-Year
Last Mfg Date-Year
OBJ_3721
OBJ_3721
\Sales Order Dimension\Last Mfg Date\
Active
String

SQL Definition

Select

to_char(DIM_SALES_ORDER.MANUF_DT,'YYYY')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Last Mfg Date-Quarter

Name
Description
Cuid
Translation ID
Path
State
Data Type

Last Mfg Date-Quarter
Last Mfg Date-Quarter
OBJ_2873
OBJ_2873
\Sales Order Dimension\Last Mfg Date\
Active
String

SQL Definition

Select

to_char(DIM_SALES_ORDER.MANUF_DT,'Q')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Last Mfg Date-Month

Name
Description

Last Mfg Date-Month
Last Mfg Date-Month

Cuid
Translation ID
Path
State
Data Type

OBJ_2874
OBJ_2874
\Sales Order Dimension\Last Mfg Date\
Active
String

SQL Definition

Select to_char(DIM_SALES_ORDER.MANUF_DT,'MM')

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: Last Mfg Date-WeekOfYear

Name
Description
Cuid
Translation ID
Path
State
Data Type

Last Mfg Date-WeekOfYear
Last Mfg Date-Week Nbr of the Year
OBJ_2875
OBJ_2875
\Sales Order Dimension\Last Mfg Date\
Active
String

SQL Definition

Select LPAD
(TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.MANUF_DT) /
7)), 2, '0')

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: Last Mfg Date-WeekOfMonth

Name
Description
Cuid
Translation ID
Path
State
Data Type

Last Mfg Date-WeekOfMonth
Last Mfg Date-Week Nbr of the Month
OBJ_2876
OBJ_2876
\Sales Order Dimension\Last Mfg Date\
Active
String

SQL Definition

Select CEIL(TO_CHAR(DIM_SALES_ORDER.MANUF_DT,'DD')/7)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: Cust Requested Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Cust Requested Date
Customer Requested Date DIM_SALES_ORDER.CUST_REQ_DT
OBJ_3722
OBJ_3722
\Sales Order Dimension\Cust Requested Date\
Active
DateTime

SQL Definition

Select DIM_SALES_ORDER.CUST_REQ_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Cust Requested Date-Year

Name
Description
Cuid
Translation ID
Path
State
Data Type

Cust Requested Date-Year
Customer Requested Date-Year
OBJ_2877
OBJ_2877
\Sales Order Dimension\Cust Requested Date\
Active
String

SQL Definition

Select to_char(DIM_SALES_ORDER.CUST_REQ_DT,'YYYY')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Cust Requested Date-Quarter

Name
Description
Cuid
Translation ID
Path
State
Data Type

Cust Requested Date-Quarter
Customer Requested Date-Quarter
OBJ_2878
OBJ_2878
\Sales Order Dimension\Cust Requested Date\
Active
String

SQL Definition

Select to_char(DIM_SALES_ORDER.CUST_REQ_DT,'Q')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Cust Requested Date-Month

Name
Description
Cuid
Translation ID
Path
State
Data Type

Cust Requested Date-Month
Customer Requested Date-Month
OBJ_2879
OBJ_2879
\Sales Order Dimension\Cust Requested Date\
Active
String

SQL Definition

Select to_char(DIM_SALES_ORDER.CUST_REQ_DT,'MM')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Cust Requested Date-WeekOfYear

Name
Description
Cuid
Translation ID
Path

Cust Requested Date-WeekOfYear
Customer Requested Date-Week Nbr of the Year
OBJ_2880
OBJ_2880
\Sales Order Dimension\Cust Requested Date\
Active
String

State	Active
Data Type	String
SQL Definition	
Select	LPAD (TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.CUST_REQ_DT) 7)), 2, '0')
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Cust Requested Date-WeekOfMonth

Name	Cust Requested Date-WeekOfMonth
Description	Customer Requested Date-Week Nbr of the Month
Cuid	OBJ_3723
Translation ID	OBJ_3723
Path	\Sales Order Dimension\Cust Requested Date\
State	Active
Data Type	String
SQL Definition	
Select	CEIL(TO_CHAR(DIM_SALES_ORDER.CUST_REQ_DT, 'DD')/7)
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Estimated Delivery Date

Name	Estimated Delivery Date
Description	Estimated Delivery Date : DIM_SALES_ORDER.EST_DELIV_DT
Cuid	OBJ_3724
Translation ID	OBJ_3724
Path	\Sales Order Dimension\Estimated Delivery Date\
State	Active
Data Type	DateTime
SQL Definition	
Select	DIM_SALES_ORDER.EST_DELIV_DT
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Estimated Delivery Date-Year

Name	Estimated Delivery Date-Year
Description	Estimated Delivery Date-Year
Cuid	OBJ_3725
Translation ID	OBJ_3725
Path	\Sales Order Dimension\Estimated Delivery Date\
State	Active
Data Type	String
SQL Definition	
Select	to_char(DIM_SALES_ORDER.EST_DELIV_DT, 'YYYY')
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable

Can be used in

Results, Filters, Sorts

Dimension: Estimated Delivery Date-Quarter

Name	Estimated Delivery Date-Quarter
Description	Estimated Delivery Date-Quarter
Cuid	OBJ_3726
Translation ID	OBJ_3726
Path	\Sales Order Dimension\Estimated Delivery Date\
State	Active
Data Type	String

SQL Definition

Select to_char(DIM_SALES_ORDER.EST_DELIV_DT,'Q')

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Estimated Delivery Date-Month

Name	Estimated Delivery Date-Month
Description	Estimated Delivery Date-Month
Cuid	OBJ_3727
Translation ID	OBJ_3727
Path	\Sales Order Dimension\Estimated Delivery Date\
State	Active
Data Type	String

SQL Definition

Select to_char(DIM_SALES_ORDER.EST_DELIV_DT,'MM')

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Estimated Delivery Date-WeekOfYear

Name	Estimated Delivery Date-WeekOfYear
Description	Estimated Delivery Date-Week Nbr of the Year
Cuid	OBJ_3728
Translation ID	OBJ_3728
Path	\Sales Order Dimension\Estimated Delivery Date\
State	Active
Data Type	String

SQL Definition

Select LPAD
(TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.EST_DELIV_DT)
7)), 2, '0')

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Estimated Delivery Date-WeekOfMonth

Name	Estimated Delivery Date-WeekOfMonth
Description	Estimated Delivery Date-Week Nbr of the Month
Cuid	OBJ_3729
Translation ID	OBJ_3729
Path	\Sales Order Dimension\Estimated Delivery Date\
State	Active

Data Type

String

SQL Definition

Select

CEIL(TO_CHAR(DIM_SALES_ORDER.EST_DELIV_DT, 'DD')/7)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Cust Req Delivery Date

Name

Cust Req Delivery Date

Description

Customer Request Delivery Date (CROJ Date) :
DIM_SALES_ORDER.CUST_REQ_DELIV_DT

Cuid

OBJ_3730

Translation ID

OBJ_3730

Path

\Sales Order Dimension\Cust Req Delivery Date\

State

Active

Data Type

DateTime

SQL Definition

Select

DIM_SALES_ORDER.CUST_REQ_DELIV_DT

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Cust Req Delivery Date-Year

Name

Cust Req Delivery Date-Year

Description

Customer Request Delivery Date (CROJ Date)-Year

Cuid

OBJ_3731

Translation ID

OBJ_3731

Path

\Sales Order Dimension\Cust Req Delivery Date\

State

Active

Data Type

String

SQL Definition

Select

to_char(DIM_SALES_ORDER.CUST_REQ_DELIV_DT, 'YYYY')

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Cust Req Delivery Date-Quarter

Name

Cust Req Delivery Date-Quarter

Description

Customer Request Delivery Date (CROJ Date)-Quarter

Cuid

OBJ_3732

Translation ID

OBJ_3732

Path

\Sales Order Dimension\Cust Req Delivery Date\

State

Active

Data Type

String

SQL Definition

Select

to_char(DIM_SALES_ORDER.CUST_REQ_DELIV_DT, 'Q')

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

Dimension: Cust Req Delivery Date-Month

Name	Cust Req Delivery Date-Month
Description	Customer Request Delivery Date (CROJ Date)-Month
Cuid	OBJ_3733
Translation ID	OBJ_3733
Path	\Sales Order Dimension\Cust Req Delivery Date\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.CUST_REQ_DELIV_DT,'MM')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Cust Req Delivery Date-WeekOfYear

Name	Cust Req Delivery Date-WeekOfYear
Description	Customer Request Delivery Date (CROJ Date)-Week Nbr of the Year
Cuid	OBJ_3734
Translation ID	OBJ_3734
Path	\Sales Order Dimension\Cust Req Delivery Date\
State	Active
Data Type	String

SQL Definition

Select	LPAD (TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.CUST_REQ_DELIV_DT)/7)), 2, '0')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Cust Req Delivery Date-WeekOfMonth

Name	Cust Req Delivery Date-WeekOfMonth
Description	Customer Request Delivery Date (CROJ Date)-Week Nbr of the Month
Cuid	OBJ_3735
Translation ID	OBJ_3735
Path	\Sales Order Dimension\Cust Req Delivery Date\
State	Active
Data Type	String

SQL Definition

Select	CEIL(TO_CHAR(DIM_SALES_ORDER.CUST_REQ_DELIV_DT,'DD')/7)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Last Delivery Date

Name	Last Delivery Date
Description	Last Delivery Date : DIM_SALES_ORDER.DELIV_DT
Cuid	OBJ_3736
Translation ID	OBJ_3736
Path	\Sales Order Dimension\Last Delivery Date\
State	Active
Data Type	DateTime

SQL Definition

Select

DIM_SALES_ORDER.DELIV_DT

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

**Dimension: Last Delivery Date-Year**

Name
 Description
 Cuid
 Translation ID
 Path
 State
 Data Type

Last Delivery Date-Year
 Last Delivery Date-Year
 OBJ_3737
 OBJ_3737
 \Sales Order Dimension\Last Delivery Date\
 Active
 String

SQL Definition

Select

to_char(DIM_SALES_ORDER.DELIV_DT,'YYYY')

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

**Dimension: Last Delivery Date-Quarter**

Name
 Description
 Cuid
 Translation ID
 Path
 State
 Data Type

Last Delivery Date-Quarter
 Last Delivery Date-Quarter
 OBJ_3738
 OBJ_3738
 \Sales Order Dimension\Last Delivery Date\
 Active
 String

SQL Definition

Select

to_char(DIM_SALES_ORDER.DELIV_DT,'Q')

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

**Dimension: Last Delivery Date-Month**

Name
 Description
 Cuid
 Translation ID
 Path
 State
 Data Type

Last Delivery Date-Month
 Last Delivery Date-Month
 OBJ_3739
 OBJ_3739
 \Sales Order Dimension\Last Delivery Date\
 Active
 String

SQL Definition

Select

to_char(DIM_SALES_ORDER.DELIV_DT,'MM')

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

**Dimension: Last Delivery Date-WeekOfYear**

Name

Last Delivery Date-WeekOfYear

Description	Last Delivery Date-Week Nbr of the Year
Cuid	OBJ_3740
Translation ID	OBJ_3740
Path	\Sales Order Dimension\Last Delivery Date\
State	Active
Data Type	String

SQL Definition

Select	LPAD (TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.DELIV_DT) / 7)), 2, '0')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Last Delivery Date-WeekOfMonth

Name	Last Delivery Date-WeekOfMonth
Description	Last Delivery Date-Week Nbr of the Month
Cuid	OBJ_3741
Translation ID	OBJ_3741
Path	\Sales Order Dimension\Last Delivery Date\
State	Active
Data Type	String

SQL Definition

Select	CEIL(TO_CHAR(DIM_SALES_ORDER.DELIV_DT, 'DD')/7)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Invoice Date

Name	Invoice Date
Description	Date Invoice Created : DIM_SALES_ORDER.INV_DT
Cuid	OBJ_3742
Translation ID	OBJ_3742
Path	\Sales Order Dimension\Invoice Date\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.INV_DT
--------	------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Invoice Date-Year

Name	Invoice Date-Year
Description	Invoice Date-Year
Cuid	OBJ_3743
Translation ID	OBJ_3743
Path	\Sales Order Dimension\Invoice Date\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.INV_DT, 'YYYY')
--------	---

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Invoice Date-Quarter

Name
Description
Cuid
Translation ID
Path
State
Data Type

Invoice Date-Quarter
Invoice Date-Quarter
OBJ_3744
OBJ_3744
\Sales Order Dimension\Invoice Date\
Active
String

SQL Definition

Select

to_char(DIM_SALES_ORDER.INV_DT,'Q')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Invoice Date-Month

Name
Description
Cuid
Translation ID
Path
State
Data Type

Invoice Date-Month
Invoice Date-Month
OBJ_3745
OBJ_3745
\Sales Order Dimension\Invoice Date\
Active
String

SQL Definition

Select

to_char(DIM_SALES_ORDER.INV_DT,'MM')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Invoice Date-WeekOfYear

Name
Description
Cuid
Translation ID
Path
State
Data Type

Invoice Date-WeekOfYear
Invoice Date-Week Nbr of the Year
OBJ_3746
OBJ_3746
\Sales Order Dimension\Invoice Date\
Active
String

SQL Definition

Select

LPAD
(TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.INV_DT) /
7)), 2, '0')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Invoice Date-WeekOfMonth

Name
Description
Cuid

Invoice Date-WeekOfMonth
Invoice Date-Week Nbr of the Month
OBJ_3747

Translation ID
Path
State
Data Type

OBJ_3747
\Sales Order Dimension\Invoice Date\
Active
String

SQL Definition

Select CEIL(TO_CHAR(DIM_SALES_ORDER.INV_DT, 'DD')/7)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: StatusDateTime

Name
Description
Cuid
Translation ID
Path
State
Data Type

StatusDateTime
IA Status Date Time : DIM_SALES_ORDER.STAT_DT
OBJ_3748
OBJ_3748
\Sales Order Dimension\Status Date\
Active
DateTime

SQL Definition

Select DIM_SALES_ORDER.STAT_DT

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: StatusDateTime-Year

Name
Description
Cuid
Translation ID
Path
State
Data Type

StatusDateTime-Year
Status Date Time-Year
OBJ_3749
OBJ_3749
\Sales Order Dimension\Status Date\
Active
String

SQL Definition

Select to_char(DIM_SALES_ORDER.STAT_DT, 'YYYY')

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: StatusDateTime-Quarter

Name
Description
Cuid
Translation ID
Path
State
Data Type

StatusDateTime-Quarter
Status Date Time-Quarter
OBJ_3750
OBJ_3750
\Sales Order Dimension\Status Date\
Active
String

SQL Definition

Select to_char(DIM_SALES_ORDER.STAT_DT, 'Q')

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable

Can be used in

Results, Filters, Sorts

Dimension: StatusDateTime-Month

Name	StatusDateTime-Month
Description	Status Date Time-Month
Cuid	OBJ_3751
Translation ID	OBJ_3751
Path	\Sales Order Dimension\Status Date\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.STAT_DT,'MM')
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: StatusDateTime-WeekOfYear

Name	StatusDateTime-WeekOfYear
Description	Status Date Time-Week Nbr of the Year
Cuid	OBJ_3752
Translation ID	OBJ_3752
Path	\Sales Order Dimension\Status Date\
State	Active
Data Type	String

SQL Definition

Select	LPAD (TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.STAT_DT) / 7)), 2, '0')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: StatusDateTime-WeekOfMonth

Name	StatusDateTime-WeekOfMonth
Description	Status Date Time-Week Nbr of the Month
Cuid	OBJ_3753
Translation ID	OBJ_3753
Path	\Sales Order Dimension\Status Date\
State	Active
Data Type	String

SQL Definition

Select	CEIL(TO_CHAR(DIM_SALES_ORDER.STAT_DT,'DD')/7)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Feature ID

Name	Feature ID
Description	IA_VBAP_FEATURE.FEATURE_ID: Feature ID
Cuid	OBJ_4155
Translation ID	OBJ_4155
Path	\Sales Order Dimension\Feature ID\
State	Active

Data Type

String

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Derived Feature ID

Name

Derived Feature ID

Description

IA_VBAP_FEATURE.DERIVED_FEATURE_ID: If the Feature ID is empty, then equal to Material ID, otherwise, it is Feature ID.

Cuid

OBJ_4156

Translation ID

OBJ_4156

Path

\Sales Order Dimension\Feature ID\

State

Active

Data Type

String

SQL Definition

Select

IA_VBAP_FEATURE.DERIVED_FEATURE_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Feature1 Code

Name

Feature1 Code

Description

IA_VBAP_FEATURE.FEATURE1_CODE: Feature Code 1

Cuid

OBJ_4157

Translation ID

OBJ_4157

Path

\Sales Order Dimension\Feature ID\

State

Active

Data Type

String

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE1_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Feature1 Desc

Name

Feature1 Desc

Description

IA_VBAP_FEATURE.FEATURE1_DESC: Feature Description 1

Cuid

OBJ_4158

Translation ID

OBJ_4158

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE1_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Feature2 Code

Name	Feature2 Code
Description	IA_VBAP_FEATURE.FEATURE2_CODE: Feature Code 2
Cuid	OBJ_4159
Translation ID	OBJ_4159
Path	\Sales Order Dimension\Feature ID\
State	Active
Data Type	String

SQL Definition

Select	IA_VBAP_FEATURE.FEATURE2_CODE
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Feature2 Desc

Name	Feature2 Desc
Description	IA_VBAP_FEATURE.FEATURE2_DESC: Feature Description 2
Cuid	OBJ_4160
Translation ID	OBJ_4160
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	IA_VBAP_FEATURE.FEATURE2_DESC
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Feature3 Code

Name	Feature3 Code
Description	IA_VBAP_FEATURE.FEATURE3_CODE: Feature Code 3
Cuid	OBJ_4161
Translation ID	OBJ_4161
Path	\Sales Order Dimension\Feature ID\
State	Active
Data Type	String

SQL Definition

Select	IA_VBAP_FEATURE.FEATURE3_CODE
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Feature3 Desc

Name	Feature3 Desc
Description	IA_VBAP_FEATURE.FEATURE3_DESC: Feature Description 3
Cuid	OBJ_4162
Translation ID	OBJ_4162
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	IA_VBAP_FEATURE.FEATURE3_DESC
--------	-------------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Feature4 Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Feature4 Code
IA_VBAP_FEATURE.FEATURE4_CODE: Feature Code 4
OBJ_4163
OBJ_4163
\Sales Order Dimension\Feature ID\
Active
String

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE4_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: Feature4 Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Feature4 Desc
IA_VBAP_FEATURE.FEATURE4_DESC: Feature Description 4
OBJ_4164
OBJ_4164
Active
String
True

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Feature5 Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Feature5 Code
IA_VBAP_FEATURE.FEATURE5_CODE: Feature Code 5
OBJ_4165
OBJ_4165
\Sales Order Dimension\Feature ID\
Active
String

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE5_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: Feature5 Desc

Name
Description
Cuid
Translation ID

Feature5 Desc
IA_VBAP_FEATURE.FEATURE5_DESC: Feature Description 5
OBJ_4166
OBJ_4166

State
Data Type
Aggregatable

Active
String
True

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE5_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Feature6 Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Feature6 Code
IA_VBAP_FEATURE.FEATURE6_CODE: Feature Code 6
OBJ_4167
OBJ_4167
\Sales Order Dimension\Feature ID\
Active
String

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE6_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Feature6 Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Feature6 Desc
IA_VBAP_FEATURE.FEATURE6_DESC: Feature Description 6
OBJ_4168
OBJ_4168
Active
String
True

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE6_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Feature7 Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Feature7 Code
IA_VBAP_FEATURE.FEATURE7_CODE: Feature Code 7
OBJ_4169
OBJ_4169
\Sales Order Dimension\Feature ID\
Active
String

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE7_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

**Attribute: Feature7 Desc**

Name	Feature7 Desc
Description	IA_VBAP_FEATURE.FEATURE7_DESC: Feature Description 7
Cuid	OBJ_4170
Translation ID	OBJ_4170
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	IA_VBAP_FEATURE.FEATURE7_DESC
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Feature8 Code**

Name	Feature8 Code
Description	IA_VBAP_FEATURE.FEATURE8_CODE: Feature Code 8
Cuid	OBJ_4171
Translation ID	OBJ_4171
Path	\Sales Order Dimension\Feature ID\
State	Active
Data Type	String

SQL Definition

Select	IA_VBAP_FEATURE.FEATURE8_CODE
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Attribute: Feature8 Desc**

Name	Feature8 Desc
Description	IA_VBAP_FEATURE.FEATURE8_DESC: Feature Description 8
Cuid	OBJ_4172
Translation ID	OBJ_4172
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	IA_VBAP_FEATURE.FEATURE8_DESC
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Feature9 Code**

Name	Feature9 Code
Description	IA_VBAP_FEATURE.FEATURE9_CODE: Feature Code 9
Cuid	OBJ_4173
Translation ID	OBJ_4173
Path	\Sales Order Dimension\Feature ID\
State	Active
Data Type	String

SQL Definition

Select	IA_VBAP_FEATURE.FEATURE9_CODE
--------	-------------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Feature9 Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Feature9 Desc
IA_VBAP_FEATURE.FEATURE9_DESC: Feature Description 9
OBJ_4174
OBJ_4174
Active
String
True

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE9_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Feature10 Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Feature10 Code
IA_VBAP_FEATURE.FEATURE10_CODE: Feature Code 10
OBJ_4175
OBJ_4175
\Sales Order Dimension\Feature ID\
Active
String

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE10_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Feature10 Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Feature10 Desc
IA_VBAP_FEATURE.FEATURE10_DESC: Feature Description 10
OBJ_4176
OBJ_4176
Active
String
True

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE10_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Feature11 Code

Name
Description
Cuid
Translation ID

Feature11 Code
IA_VBAP_FEATURE.FEATURE11_CODE: Feature Code 11
OBJ_4177
OBJ_4177

Path
State
Data Type

\Sales Order Dimension\Feature ID\
Active
String

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE11_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Feature11 Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Feature11 Desc
IA_VBAP_FEATURE.FEATURE11_DESC: Feature Description 11
OBJ_4178
OBJ_4178
Active
String
True

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE11_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Feature12 Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Feature12 Code
IA_VBAP_FEATURE.FEATURE12_CODE: Feature Code 12
OBJ_4179
OBJ_4179
\Sales Order Dimension\Feature ID\
Active
String

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE12_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Feature12 Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Feature12 Desc
IA_VBAP_FEATURE.FEATURE12_DESC: Feature Description 12
OBJ_4180
OBJ_4180
Active
String
True

SQL Definition

Select

IA_VBAP_FEATURE.FEATURE12_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Feature13 Code

Name	Feature13 Code
Description	IA_VBAP_FEATURE.FEATURE13_CODE: Feature Code 13
Cuid	OBJ_4181
Translation ID	OBJ_4181
Path	\Sales Order Dimension\Feature ID\
State	Active
Data Type	String

SQL Definition

Select	IA_VBAP_FEATURE.FEATURE13_CODE
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: Feature13 Desc

Name	Feature13 Desc
Description	IA_VBAP_FEATURE.FEATURE13_DESC: Feature Description 13
Cuid	OBJ_4182
Translation ID	OBJ_4182
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	IA_VBAP_FEATURE.FEATURE13_DESC
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Estimated Goods Issue Date

Name	Estimated Goods Issue Date
Description	DIM_SALES_ORDER.EST_GOODS_ISSUE_DT: Estimated Goods Issue Date
Cuid	OBJ_4188
Translation ID	OBJ_4188
Path	\Sales Order Dimension\Estimated Goods Issue Date\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.EST_GOODS_ISSUE_DT
--------	------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Estimated Goods Issue Date-Year

Name	Estimated Goods Issue Date-Year
Description	to_char(DIM_SALES_ORDER.EST_GOODS_ISSUE_DT,'YYYY'): Estimated Goods Issue Date-Year
Cuid	OBJ_4190
Translation ID	OBJ_4190
Path	\Sales Order Dimension\Estimated Goods Issue Date\
State	Active
Data Type	String

SQL Definition

Select to_char(DIM_SALES_ORDER.EST_GOODS_ISSUE_DT,'YYYY')

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Estimated Goods Issue Date-Quarter

Name	Estimated Goods Issue Date-Quarter
Description	to_char(DIM_SALES_ORDER.EST_GOODS_ISSUE_DT,'Q'): Estimated Goods Issue Date-Quarter
Cuid	OBJ_4191
Translation ID	OBJ_4191
Path	\Sales Order Dimension\Estimated Goods Issue Date\
State	Active
Data Type	String

SQL Definition

Select to_char(DIM_SALES_ORDER.EST_GOODS_ISSUE_DT,'Q')

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Estimated Goods Issue Date-Month

Name	Estimated Goods Issue Date-Month
Description	to_char(DIM_SALES_ORDER.EST_GOODS_ISSUE_DT,'MM'): Estimated Goods Issue Date-Month
Cuid	OBJ_4192
Translation ID	OBJ_4192
Path	\Sales Order Dimension\Estimated Goods Issue Date\
State	Active
Data Type	String

SQL Definition

Select to_char(DIM_SALES_ORDER.EST_GOODS_ISSUE_DT,'MM')

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Estimated Goods Issue Date-WeekOfYear

Name	Estimated Goods Issue Date-WeekOfYear
Description	to_char(DIM_SALES_ORDER.EST_GOODS_ISSUE_DT,'ww'): Estimated Goods Issue Date-WeekOfYear
Cuid	OBJ_4193
Translation ID	OBJ_4193
Path	\Sales Order Dimension\Estimated Goods Issue Date\
State	Active
Data Type	String

SQL Definition

Select LPAD
(TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.EST_GOODS_ISSUE_DT))), 2, '0')

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable

Can be used in

Results, Filters, Sorts

Dimension: Estimated Goods Issue Date-WeekOfMonth

Name	Estimated Goods Issue Date-WeekOfMonth
Description	to_char(DIM_SALES_ORDER.EST_GOODS_ISSUE_DT,'w'): Estimated Goods Issue Date-WeekOfMonth
Cuid	OBJ_4194
Translation ID	OBJ_4194
Path	\Sales Order Dimension\Estimated Goods Issue Date\
State	Active
Data Type	String

SQL Definition

Select	CEIL(TO_CHAR(DIM_SALES_ORDER.EST_GOODS_ISSUE_DT, 'DD')/7)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Schedule Line Date Stamp

Name	Schedule Line Date Stamp
Description	Schedule Line Date Stamp:DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP
Cuid	OBJ_4290
Translation ID	OBJ_4290
Path	\Sales Order Dimension\Schedule Line Date Stamp\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Sched Line Datestamp-time concat

Name	Sched Line Datestamp-time concat
Description	Not a schedule line date or time. This field is concatenation of Datestamp when planner scheduled the order and related time:DIM_SALES_ORDER.FIRST_PROM_DATETIME_STAMP
Cuid	OBJ_4291
Translation ID	OBJ_4291
Path	\Sales Order Dimension\Schedule Line Date Stamp\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.FIRST_PROM_DATETIME_STAMP
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Schedule Line Date Stamp-Year

Name	Schedule Line Date Stamp-Year
Description	Year of Schedule Line Date Stamp: to_char(DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP,'YYYY')

Cuid	OBJ_4292
Translation ID	OBJ_4292
Path	\Sales Order Dimension\Schedule Line Date Stamp\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP,'YYYY')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Schedule Line Date Stamp-Quarter

Name	Schedule Line Date Stamp-Quarter
Description	Quarter of Schedule Line Date Stamp: to_char(DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP,'Q')
Cuid	OBJ_4293
Translation ID	OBJ_4293
Path	\Sales Order Dimension\Schedule Line Date Stamp\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP,'Q')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Schedule Line Date Stamp-Month

Name	Schedule Line Date Stamp-Month
Description	Month of Schedule Line Date Stamp: to_char(DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP,'MM')
Cuid	OBJ_4294
Translation ID	OBJ_4294
Path	\Sales Order Dimension\Schedule Line Date Stamp\
State	Active
Data Type	String

SQL Definition

Select	to_char(DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP,'MM')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Schedule Line Date Stamp-WeekOfYear

Name	Schedule Line Date Stamp-WeekOfYear
Description	Week number of the year for Schedule Line Date Stamp: to_char(DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP,'ww')
Cuid	OBJ_4295
Translation ID	OBJ_4295
Path	\Sales Order Dimension\Schedule Line Date Stamp\
State	Active
Data Type	String

SQL Definition

Select

LPAD

(TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.FIRST_PROM_D
7)), 2, '0'))

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Schedule Line Date Stamp-WeekOfMonth

Name

Schedule Line Date Stamp-WeekOfMonth

Description

Week number of the month for Schedule Line Date

Stamp:to_char(DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP,'w')

Cuid

OBJ_4288

Translation ID

OBJ_4288

Path

\Sales Order Dimension\Schedule Line Date Stamp\

State

Active

Data Type

String

SQL Definition

Select

CEIL(TO_CHAR(DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP,
'DD')/7)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Schedule Release Date

Name

Schedule Release Date

Description

The date when line item comes out of delivery

block:DIM_SALES_ORDER.SCHED_REL_DT

Cuid

OBJ_4539

Translation ID

OBJ_4539

Path

\Sales Order Dimension\Schedule Release Date\

State

Active

Data Type

DateTime

SQL Definition

Select

DIM_SALES_ORDER.SCHED_REL_DT

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Schedule Release Date-Year

Name

Schedule Release Date-Year

Description

Year of the date when line item comes out of delivery

block:TO_CHAR(DIM_SALES_ORDER.SCHED_REL_DT,'YYYY')

Cuid

OBJ_4540

Translation ID

OBJ_4540

Path

\Sales Order Dimension\Schedule Release Date\

State

Active

Data Type

String

SQL Definition

Select

TO_CHAR(DIM_SALES_ORDER.SCHED_REL_DT,'YYYY')

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Schedule Release Date-Quarter

Name	Schedule Release Date-Quarter
Description	Quarter of the date when line item comes out of delivery block:TO_CHAR(DIM_SALES_ORDER.SCHED_REL_DT,'Q')
Cuid	OBJ_4541
Translation ID	OBJ_4541
Path	\Sales Order Dimension\Schedule Release Date\
State	Active
Data Type	String

SQL Definition

Select	TO_CHAR(DIM_SALES_ORDER.SCHED_REL_DT,'Q')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Schedule Release Date-Month

Name	Schedule Release Date-Month
Description	Month of the date when line item comes out of delivery block:TO_CHAR(DIM_SALES_ORDER.SCHED_REL_DT,'MM')
Cuid	OBJ_4542
Translation ID	OBJ_4542
Path	\Sales Order Dimension\Schedule Release Date\
State	Active
Data Type	String

SQL Definition

Select	TO_CHAR(DIM_SALES_ORDER.SCHED_REL_DT,'MM')
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Schedule Release Date-WeekOfYear

Name	Schedule Release Date-WeekOfYear
Description	Week number of the year of the date when line item comes out of delivery block:TO_CHAR(DIM_SALES_ORDER.SCHED_REL_DT,'ww')
Cuid	OBJ_4543
Translation ID	OBJ_4543
Path	\Sales Order Dimension\Schedule Release Date\
State	Active
Data Type	String

SQL Definition

Select	LPAD (TO_NUMBER(CEIL(DayOfYear(DIM_SALES_ORDER.SCHED_REL_DT 7))), 2, '0')
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Schedule Release Date-WeekOfMonth

Name	Schedule Release Date-WeekOfMonth
------	-----------------------------------

Description	Week number of month of the date when line item comes out of delivery block:TO_CHAR(DIM_SALES_ORDER.SCHED_REL_DT,'w')
Cuid	OBJ_4544
Translation ID	OBJ_4544
Path	\Sales Order Dimension\Schedule Release Date\
State	Active
Data Type	String

SQL Definition

Select	CEIL(TO_CHAR(DIM_SALES_ORDER.SCHED_REL_DT,'DD')/7)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Schedule Release Date-Timestamp

Name	Schedule Release Date-Timestamp
Description	Schedule Release Date with Timestamp:DIM_SALES_ORDER.BLOCK_RELEASE_DT
Cuid	OBJ_4545
Translation ID	OBJ_4545
Path	\Sales Order Dimension\Schedule Release Date\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.BLOCK_RELEASE_DT
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Condition Group 1

Name	Condition Group 1
Description	Additional Data A - Condition Group 1:DIM_SALES_ORDER.CONDITION_GRP1_CODE
Cuid	OBJ_4418
Translation ID	OBJ_4418
Path	\Sales Order Dimension\Additional Data A\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.CONDITION_GRP1_CODE
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Condition Group 2

Name	Condition Group 2
Description	Additional Data A - Condition Group 2:DIM_SALES_ORDER.CONDITION_GRP2_CODE
Cuid	OBJ_4419
Translation ID	OBJ_4419
Path	\Sales Order Dimension\Additional Data A\
State	Active
Data Type	String

SQL Definition

Select

DIM_SALES_ORDER.CONDITION_GRP2_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Plate Number

Name
Description
Cuid
Translation ID
Path
State
Data Type

Plate Number
Plate Number: DIM_SALES_ORDER.PLATE_CODE
OBJ_4263
OBJ_4263
\Sales Order Dimension\Additional Data B\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.PLATE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Delay Reason Desc

Name
Description

Delay Reason Desc
Delay reason code (EECP0 code), coming from
additional data B screen of sales order item:
DIM_SALES_ORDER.DELAY_REASON_DESC
OBJ_4277
OBJ_4277
\Sales Order Dimension\Additional Data B\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.DELAY_REASON_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sched Line Datestamp

Name
Description

Sched Line Datestamp
Not a schedule line date. Datestamp when planner scheduled the
order: DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP
OBJ_4154
OBJ_4154
\Sales Order Dimension\Additional Data B\
Active
DateTime

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.FIRST_PROM_DATE_STAMP

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sched Line Datestamp-time

Name	Sched Line Datestamp-time
Description	Not a schedule line date or time. Time (from Datetime stamp) when planner scheduled the order: DIM_SALES_ORDER.FIRST_PROM_TIME_STAMP
Cuid	OBJ_4287
Translation ID	OBJ_4287
Path	\Sales Order Dimension\Additional Data B\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.FIRST_PROM_TIME_STAMP
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: End User Name – SO Header

Name	End User Name – SO Header
Description	End User Name – SO Header: DIM_SALES_ORDER.END_USER_NAME
Cuid	OBJ_4420
Translation ID	OBJ_4420
Path	\Sales Order Dimension\Additional Data B\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.END_USER_NAME
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: SO/PO ID

Name	SO/PO ID
Description	SO/PO ID: uniquely identifies the SO/PO header record. decode(DIM_SALES_ORDER.SALES_ORD_KEY,1,DIM_PO.PO_ID,DIM_PO.PO_ITEM_NBR)
Cuid	OBJ_4376
Translation ID	OBJ_4376
Path	\Sales Order Dimension\Combined SO/PO columns\
State	Active
Data Type	String

SQL Definition

Select	CASE WHEN DIM_SALES_ORDER.SALES_ORD_KEY=1 THEN DIM_PO.PO_ID ELSE DIM_SALES_ORDER.SALES_ORD_ID END
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: SO/PO Item

Name	SO/PO Item
Description	SO/PO Item: decode(DIM_SALES_ORDER.SALES_ORD_KEY,1,DIM_PO.PO_ITEM_NBR,DIM_SALES_ORDER.ORD_ITEM_NBR)

Cuid
Translation ID
Path
State
Data Type

OBJ_4377
OBJ_4377
\\Sales Order Dimension\\Combined SO/PO columns\\
Active
String

SQL Definition

Select

```
CASE WHEN DIM_SALES_ORDER.SALES_ORD_KEY=1  
THEN DIM_PO.PO_ITEM_NBR ELSE  
TO_CHAR(DIM_SALES_ORDER.ORD_ITEM_NBR) END
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SO/PO Type

Name
Description

SO/PO Type
SO/PO Type:
decode(DIM_SALES_ORDER.SALES_ORD_KEY,1,DIM_PO.PO_ORD_TYP
OBJ_4378
OBJ_4378
\\Sales Order Dimension\\Combined SO/PO columns\\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

```
CASE WHEN DIM_SALES_ORDER.SALES_ORD_KEY=1  
THEN DIM_PO.PO_ORD_TYPE ELSE  
DIM_SALES_ORDER.ORD_TYPE_CODE END
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SO/PO Create Date

Name
Description

SO/PO Create Date
SO/PO Create Date on Header
Level:decode(DIM_SALES_ORDER.SALES_ORD_KEY,1,DIM_PO.CREATE
OBJ_4379
OBJ_4379
\\Sales Order Dimension\\Combined SO/PO columns\\
Active
DateTime

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

```
CASE WHEN DIM_SALES_ORDER.SALES_ORD_KEY=1  
THEN DIM_PO.CREATE_DT ELSE  
DIM_SALES_ORDER.ORD_ENT_HDR_DT END
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SO/PO Cust Requested Date

Name
Description

SO/PO Cust Requested Date
SO/PO Cust Requested Date:
decode(DIM_SALES_ORDER.SALES_ORD_KEY,1,DIM_PO.REQ_DELIVER
OBJ_4383
OBJ_4383
\\Sales Order Dimension\\Combined SO/PO columns\\

Cuid
Translation ID
Path

State
Data Type

Active
DateTime

SQL Definition

Select

```
CASE WHEN DIM_SALES_ORDER.SALES_ORD_KEY=1  
THEN DIM_PO.REQ_DELIVERY_DT ELSE  
DIM_SALES_ORDER.CUST_REQ_DT END
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SO/PO Last Delivery Date

Name
Description

SO/PO Last Delivery Date
SO/PO Last Delivery Date:

Cuid
Translation ID
Path
State
Data Type

```
decode(DIM_SALES_ORDER.SALES_ORD_KEY,1,DIM_PO.LAST_DELIV  
OBJ_4380  
OBJ_4380  
\Sales Order Dimension\Combined SO/PO columns\  
Active  
DateTime
```

SQL Definition

Select

```
CASE WHEN DIM_SALES_ORDER.SALES_ORD_KEY=1  
THEN DIM_PO.LAST_DELIVERY_DT ELSE  
DIM_SALES_ORDER.DELIV_DT END
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SO/PO Last Ship Date

Name
Description

SO/PO Last Ship Date
SO/PO Last Ship Date:

Cuid
Translation ID
Path
State
Data Type

```
decode(DIM_SALES_ORDER.SALES_ORD_KEY,1,DIM_PO.LAST_SHIP_D  
OBJ_4381  
OBJ_4381  
\Sales Order Dimension\Combined SO/PO columns\  
Active  
DateTime
```

SQL Definition

Select

```
CASE WHEN DIM_SALES_ORDER.SALES_ORD_KEY=1 THEN  
DIM_PO.LAST_SHIP_DT ELSE DIM_SALES_ORDER.SHIP_DT  
END
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SO/PO Est Ship Date

Name
Description

SO/PO Est Ship Date
SO/PO Est Ship Date:

Cuid
Translation ID
Path
State
Data Type

```
decode(DIM_SALES_ORDER.SALES_ORD_KEY,1,DIM_PO.COMMIT_DT,I  
OBJ_4382  
OBJ_4382  
\Sales Order Dimension\Combined SO/PO columns\  
Active  
DateTime
```

SQL Definition

Select

```
CASE WHEN DIM_SALES_ORDER.SALES_ORD_KEY=1  
THEN DIM_PO.COMMIT_DT ELSE  
DIM_SALES_ORDER.EST_SHIP_DT END
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Number

Name
Description

SC Number
SC Number – Uniquely identifies the service contract header record:
DIM_SALES_ORDER.SALES_ORD_ID
OBJ_5041
OBJ_5041
\Service Contract Dimension\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

```
DIM_SALES_ORDER.SALES_ORD_ID
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Item Number

Name
Description

SC Item Number
SC Item Number – Unique identifier for service contract item record.:
DIM_SALES_ORDER.ORD_ITEM_NBR
OBJ_5042
OBJ_5042
\Service Contract Dimension\
Active
Numeric

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

```
DIM_SALES_ORDER.ORD_ITEM_NBR
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Ord Type Code

Name
Description

SC Ord Type Code
SC Ord Type Code.Ex.'ZSCC' :
DIM_SALES_ORDER.ORD_TYPE_CODE
OBJ_5043
OBJ_5043
\Service Contract Dimension\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

```
DIM_SALES_ORDER.ORD_TYPE_CODE
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts



Attribute: SC Ord Type Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

SC Ord Type Desc
SC Ord Type Desc Ex.'Service Contract':
DIM_SALES_ORDER.ORD_TYPE_DESC
OBJ_5044
OBJ_5044
Active
String
True

SQL Definition

Select

DIM_SALES_ORDER.ORD_TYPE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Ord Line Type Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

SC Ord Line Type Code
SC Ord Line Type Code Ex..Ex:'YSCN','ZS3H','ZS3L','ZSC1','ZSC2' :
DIM_SALES_ORDER.ORD_LINE_TYPE_CODE
OBJ_5045
OBJ_5045
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.ORD_LINE_TYPE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: SC Ord Line Type Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

SC Ord Line Type Desc
SC Ord Line Type Desc:
DIM_SALES_ORDER.ORD_LINE_TYPE_DESC
OBJ_5046
OBJ_5046
Active
String
True

SQL Definition

Select

DIM_SALES_ORDER.ORD_LINE_TYPE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Final Dest Country Code

Name
Description

Cuid
Translation ID

SC Final Dest Country Code
SC Final Dest Country Code:
DIM_SALES_ORDER.FINAL_DEST_COUNTRY_CODE
OBJ_5047
OBJ_5047

Path
State
Data Type

\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.FINAL_DEST_COUNTRY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Sold To Country Code

Name
Description

SC Sold To Country Code
SC Sold To Country Code:
DIM_SALES_ORDER.SOLD_CUST_COUNTRY_CODE

Cuid
Translation ID
Path
State
Data Type

OBJ_5048
OBJ_5048
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SOLD_CUST_COUNTRY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Ship To Country Code

Name
Description

SC Ship To Country Code
SC Ship To Country Code:
DIM_SALES_ORDER.SHIP_CUST_COUNTRY_CODE

Cuid
Translation ID
Path
State
Data Type

OBJ_5049
OBJ_5049
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SHIP_CUST_COUNTRY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Distributor Channel Number

Name
Description

SC Distributor Channel Number
SC Distributor Channel Number:
DIM_SALES_ORDER.DISTR_CHANNEL_ID

Cuid
Translation ID
Path
State
Data Type

OBJ_5050
OBJ_5050
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.DISTR_CHANNEL_ID

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Co Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC Co Id
SC Co Id: DIM_SALES_ORDER.CO_ID
OBJ_5051
OBJ_5051
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.CO_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Sales Org Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC Sales Org Id
SC Sales Org Id: DIM_SALES_ORDER.SALES_ORG_ID
OBJ_5052
OBJ_5052
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SALES_ORG_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Invoice Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC Invoice Date
SC Invoice Date: DIM_SALES_ORDER.INV_DT
OBJ_5053
OBJ_5053
\Service Contract Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.INV_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Ord Entry Date

Name
Description
Cuid
Translation ID
Path
State

SC Ord Entry Date
SC Ord Entry Date: DIM_SALES_ORDER.ORD_ENT_DT
OBJ_5054
OBJ_5054
\Service Contract Dimension\
Active

Data Type

DateTime

SQL Definition

Select

DIM_SALES_ORDER.ORD_ENT_DT

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: SC Stat Desc

Name

SC Stat Desc

Description

SC Stat Desc: DIM_SALES_ORDER.STAT_DESC

Cuid

OBJ_5055

Translation ID

OBJ_5055

Path

\Service Contract Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.STAT_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: SC Cust PO Number

Name

SC Cust PO Number

Description

SC Cust PO Number: DIM_SALES_ORDER.CUST_PO_NBR

Cuid

OBJ_5056

Translation ID

OBJ_5056

Path

\Service Contract Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_SALES_ORDER.CUST_PO_NBR

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: SC Cust PO Line Number

Name

SC Cust PO Line Number

Description

SC Cust PO Line

Cuid

Number :DIM_SALES_ORDER.SC_CUST_PO_LINE_NBR

Translation ID

OBJ_5148

Path

OBJ_5148

State

\Service Contract Dimension\

Data Type

Active

String

SQL Definition

Select

DIM_SALES_ORDER.SC_CUST_PO_LINE_NBR

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts

**Dimension: SC Sales Office Code**

Name	SC Sales Office Code
Description	SC Sales Office Code: DIM_SALES_ORDER.SALES_OFFICE_CODE
Cuid	OBJ_5057
Translation ID	OBJ_5057
Path	\Service Contract Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.SALES_OFFICE_CODE
--------	-----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: SC Reason for Rejection Code**

Name	SC Reason for Rejection Code
Description	SC Reason for Rejection Code: DIM_SALES_ORDER.REASON_FOR_REJ_CODE
Cuid	OBJ_5058
Translation ID	OBJ_5058
Path	\Service Contract Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.REASON_FOR_REJ_CODE
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Attribute: SC Reason for Rejection Desc**

Name	SC Reason for Rejection Desc
Description	SC Reason for Rejection Desc: DIM_SALES_ORDER.REASON_FOR_REJ_DESC
Cuid	OBJ_5059
Translation ID	OBJ_5059
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_SALES_ORDER.REASON_FOR_REJ_DESC
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: SC Sales Group Code**

Name	SC Sales Group Code
Description	SC Sales Group Code: DIM_SALES_ORDER.SALES_GRP_CODE
Cuid	OBJ_5060
Translation ID	OBJ_5060
Path	\Service Contract Dimension\
State	Active
Data Type	String

SQL Definition

Select

DIM_SALES_ORDER.SALES_GRP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Block Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC Block Code
SC Block Code : DIM_SALES_ORDER.BLOCK_CODE
OBJ_5061
OBJ_5061
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.BLOCK_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: SC Block Code Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

SC Block Code Desc
SC Block Code Desc : DIM_SALES_ORDER.BLOCK_DESC
OBJ_5062
OBJ_5062
Active
String
True

SQL Definition

Select

DIM_SALES_ORDER.BLOCK_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Inco Terms1

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC Inco Terms1
SC Inco Terms1: DIM_SALES_ORDER.INCO_TERMS1_CODE
OBJ_5063
OBJ_5063
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.INCO_TERMS1_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: SC Inco Terms1 Desc

Name

SC Inco Terms1 Desc

Description

Cuid

Translation ID

State

Data Type

Aggregatable

SQL Definition

Select

Advanced

Minimum Object Level Security

Data Sensitivity Category

Can be used in

SC Inco Terms1 Description:

DIM_SALES_ORDER.INCO_TERMS1_DESC

_5FCOQB6vEfCzdoKoCgoVPg

_uGIgB6vEfCzdoKoCgoVPg

Active

String

True

DIM_SALES_ORDER."INCO_TERMS1_DESC"

Public

Uncategorized data

Results, Filters, Sorts

Dimension: SC Inco Terms2

Name

Description

Cuid

Translation ID

Path

State

Data Type

SC Inco Terms2

SC Inco Terms2: DIM_SALES_ORDER.INCO_TERMS2_CODE

OBJ_5065

OBJ_5065

\Service Contract Dimension\

Active

String

SQL Definition

Select

DIM_SALES_ORDER.INCO_TERMS2_CODE

Advanced

Minimum Object Level Security

Data Sensitivity Category

List of Values

Can be used in

Public

Uncategorized data

Editable

Results, Filters, Sorts

Dimension: SC User Item Status Code

Name

Description

Cuid

Translation ID

Path

State

Data Type

SC User Item Status Code

SC User Item Status Code:

DIM_SALES_ORDER.USER_STATUS_ITEM_LEVEL_CODE

OBJ_5066

OBJ_5066

\Service Contract Dimension\

Active

String

SQL Definition

Select

DIM_SALES_ORDER.USER_STATUS_ITEM_LEVEL_CODE

Advanced

Minimum Object Level Security

Data Sensitivity Category

List of Values

Can be used in

Public

Uncategorized data

Editable

Results, Filters, Sorts

Dimension: SC User Hdr Status Code

Name

Description

Cuid

Translation ID

Path

State

Data Type

SC User Hdr Status Code

SC User Hdr Status Code:

DIM_SALES_ORDER.USER_STATUS_HEADER_CODE

OBJ_5067

OBJ_5067

\Service Contract Dimension\

Active

String

SQL Definition

Select

DIM_SALES_ORDER.USER_STATUS_HEADER_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Ord Entry Header Date

Name
Description

SC Ord Entry Header Date
SC Ord Entry Header Date:
DIM_SALES_ORDER.ORD_ENT_HDR_DT
OBJ_5068
OBJ_5068
\Service Contract Dimension\
Active
DateTime

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.ORD_ENT_HDR_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Cust PO Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC Cust PO Date
SC Cust PO Date: DIM_SALES_ORDER.CUST_PO_DT
OBJ_5069
OBJ_5069
\Service Contract Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.CUST_PO_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Ord Entry Datetime

Name
Description

SC Ord Entry Datetime
SC Ord Entry Datetime:
DIM_SALES_ORDER.ORD_ENT_DATETIME
OBJ_5070
OBJ_5070
\Service Contract Dimension\
Active
DateTime

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.ORD_ENT_DATETIME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Requested Delivery Header Date

Name
Description

SC Requested Delivery Header Date
SC Requested Delivery Header
Date: DIM_SALES_ORDER.REQ_DELIV_HEADER_DT

Cuid
Translation ID
Path
State
Data Type

OBJ_5071
OBJ_5071
\Service Contract Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.REQ_DELIV_HEADER_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Delivery Block

Name
Description

SC Delivery Block
SC Delivery Block:
DIM_SALES_ORDER.SCHED_DEL_BLOCK_CODE
OBJ_5072
OBJ_5072
\Service Contract Dimension\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_SALES_ORDER.SCHED_DEL_BLOCK_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Header Created By

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC Header Created By
SC Header Created By: DIM_SALES_ORDER.HDR_CREATED_BY
OBJ_5073
OBJ_5073
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.HDR_CREATED_BY

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Payment Terms

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC Payment Terms
SC Payment Terms : DIM_SALES_ORDER.PAYMENT_TERMS
OBJ_5074
OBJ_5074
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.PAYMENT_TERMS

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Attribute: SC Payment Terms Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

SC Payment Terms Desc
SC Payment Terms Desc:
DIM_SALES_ORDER.PAYMENT_TERMS_DESC
OBJ_5075
OBJ_5075
Active
String
True

SQL Definition

Select

DIM_SALES_ORDER.PAYMENT_TERMS_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Start Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC Start Date
SC Start Date: DIM_SALES_ORDER.CONTRACT_START_DT
OBJ_5076
OBJ_5076
\Service Contract Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.CONTRACT_START_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC End Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC End Date
SC End Date: DIM_SALES_ORDER.CONTRACT_END_DT
OBJ_5077
OBJ_5077
\Service Contract Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.CONTRACT_END_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC POB ID

Name
Description
Cuid
Translation ID
Path

SC POB ID
SC POB ID: DIM_SALES_ORDER.POB_ID
OBJ_5078
OBJ_5078
\Service Contract Dimension\

State
Data Type

Active
String

SQL Definition

Select

DIM_SALES_ORDER.POB_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC IVR Number

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC IVR Number
SC IVR Number: DIM_SALES_ORDER.IVR_NBR
OBJ_5079
OBJ_5079
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.IVR_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Contract Desc

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC Contract Desc
SC Contract Desc: DIM_SALES_ORDER.CONTRACT_DESC
OBJ_5080
OBJ_5080
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.CONTRACT_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Last Updated By

Name
Description
Cuid
Translation ID
Path
State
Data Type

SC Last Updated By
SC Last Updated By: DIM_SALES_ORDER.LAST_UPD_BY
OBJ_5081
OBJ_5081
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.LAST_UPD_BY

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Sales Employee Name

Name	SC Sales Employee Name
Description	SC Sales Employee Name : DIM_SALES_ORDER.SALES_EMPLOYEE_NAME
Cuid	OBJ_5132
Translation ID	OBJ_5132
Path	\Service Contract Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.SALES_EMPLOYEE_NAME
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: SC Settlement Start Date

Name	SC Settlement Start Date
Description	SC Settlement Start Date :DIM_SALES_ORDER.SC_SETTLEMENT_START_DT
Cuid	OBJ_5139
Translation ID	OBJ_5139
Path	\Service Contract Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.SC_SETTLEMENT_START_DT
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: SC Settlement End Date

Name	SC Settlement End Date
Description	SC Settlement End Date :DIM_SALES_ORDER.SC_SETTLEMENT_END_DT
Cuid	OBJ_5140
Translation ID	OBJ_5140
Path	\Service Contract Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.SC_SETTLEMENT_END_DT
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: SC Billing date

Name	SC Billing date
Description	SC Billing date :DIM_SALES_ORDER.SC_BILLING_DATE
Cuid	OBJ_5141
Translation ID	OBJ_5141
Path	\Service Contract Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select

DIM_SALES_ORDER.SC_BILLING_DATE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Entitled Party Number

Name
Description

Cuid
Translation ID
Path
State
Data Type

SC Entitled Party Number
SC Entitled Party
Number: DIM_SALES_ORDER.SC_ENTITLED_PARTY_NBR
OBJ_5142
OBJ_5142
\Service Contract Dimension\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SC_ENTITLED_PARTY_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: SC Entitled Party Name

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

SC Entitled Party Name
SC Entitled Party
Name: DIM_SALES_ORDER.SC_ENTITLED_PARTY_NAME
OBJ_5143
OBJ_5143
Active
String
True

SQL Definition

Select

DIM_SALES_ORDER.SC_ENTITLED_PARTY_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: SC Header Contract Start Date

Name
Description

Cuid
Translation ID
Path
State
Data Type

SC Header Contract Start Date
SC Header Contract Start Date:
DIM_SALES_ORDER.HDR_CONTRACT_START_DATE
OBJ_5144
OBJ_5144
\Service Contract Dimension\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.HDR_CONTRACT_START_DATE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SC Header Contract End Date

Name	SC Header Contract End Date
Description	SC Header Contract End Date: DIM_SALES_ORDER.HDR_CONTRACT_END_DATE
Cuid	OBJ_5145
Translation ID	OBJ_5145
Path	\Service Contract Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_SALES_ORDER.HDR_CONTRACT_END_DATE
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: SC Billing Status

Name	SC Billing Status
Description	SC Billing Status :DIM_SALES_ORDER.SC_BILLING_STATUS
Cuid	OBJ_5146
Translation ID	OBJ_5146
Path	\Service Contract Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.SC_BILLING_STATUS
--------	-----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: SC Header Employee Responsible

Name	SC Header Employee Responsible
Description	SC Header Employee Responsible: DIM_SALES_ORDER.HDR_EMPLOYEE_RESPONSIBLE
Cuid	OBJ_5147
Translation ID	OBJ_5147
Path	\Service Contract Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.HDR_EMPLOYEE_RESPONSIBLE
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Ship To Cust Id

Name	Ship To Cust Id
Description	Ship To Customer ID
Cuid	OBJ_613
Translation ID	OBJ_613
Path	\Ship To Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select

DIM_SHIP_CUST.CUST_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Ship To Cust Name

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Ship To Cust Name
Ship To Customer Name
OBJ_614
OBJ_614
Active
String
True

SQL Definition

Select

DIM_SHIP_CUST.CUST_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ship To Cust Type Code

Name
Description

Ship To Cust Type Code
Ship to Customer Class Code – Groups customers into classifications.
Ex. C8, 13,19. This is based on the customer's type of business. EX. C8 = 'Regional Distributor' ; 13 = 'Telephone Co.' ; 19 = 'Network Coax Cust.' : DIM_SHIP_CUST.CUST_CLS_CODE

Cuid
Translation ID
Path
State
Data Type

OBJ_3630
OBJ_3630
\Ship To Customer Dimension\
Hidden
String

SQL Definition

Select

DIM_SHIP_CUST.CUST_CLS_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Ship To Cust Type Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Ship To Cust Type Desc
Ship To Customer Type
Description :DIM_SHIP_CUST.CUST_CLS_DESC
OBJ_3631
OBJ_3631
Hidden
String
True

SQL Definition

Select

DIM_SHIP_CUST.CUST_CLS_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ship To ClsGrp

Name	Ship To ClsGrp
Description	Concatenation of Ship To Cust Cls Code and Ship To Cust Grp Code
Cuid	OBJ_2951
Translation ID	OBJ_2951
Path	\Ship To Customer Dimension\
State	Hidden
Data Type	String

SQL Definition

Select	@Select(Ship To Customer Dimension\Ship To Cust Cls Code) @Select(Ship To Customer Dimension\Ship To Cust Grp Code)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ship To Cust Cls Code

Name	Ship To Cust Cls Code
Description	Ship to Customer Class Code – Groups customers into classifications. Ex. C8, 13,19. This is based on the customer's type of business. EX. C8 = 'Regional Distributor' ; 13 = 'Telephone Co.' ; 19 = 'Network Coax Cust.'
Cuid	OBJ_615
Translation ID	OBJ_615
Path	\Ship To Customer Dimension\
State	Hidden
Data Type	String

SQL Definition

Select	DIM_SHIP_CUST.CUST_CLS_CODE
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Ship To Cust Cls Desc

Name	Ship To Cust Cls Desc
Description	Ship To Cust Class Code Desc
Cuid	OBJ_616
Translation ID	OBJ_616
State	Hidden
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_SHIP_CUST.CUST_CLS_DESC
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ship To Cust Grp Code

Name	Ship To Cust Grp Code
Description	Ship to Customer Group Code– Groups ship to customers which are part of the same company together. Ex. 'SW', 'YF', '7J'
Cuid	OBJ_617
Translation ID	OBJ_617
Path	\Ship To Customer Dimension\

State
Data Type

Hidden
String

SQL Definition

Select

DIM_SHIP_CUST.CUST_GRP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Ship To Cust Grp Desc

Name
Description

Ship To Cust Grp Desc
Ship to Custom Group Description – Ex. ‘SW’ = ‘SBC’ ; ‘YF’ = ‘Sprint’ ; ‘7J’ = ‘TELMEX’

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_618
OBJ_618
Hidden
String
True

SQL Definition

Select

DIM_SHIP_CUST.CUST_GRP_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ship To Customer Segmentation

Name
Description

Ship To Customer Segmentation
Ship To Customer Segmentation:
DIM_SHIP_CUST.CUST_FOCUS_DESC

Cuid
Translation ID
Path
State
Data Type

OBJ_4305
OBJ_4305
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_SHIP_CUST.CUST_FOCUS_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Addr Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Addr Id
Ship to Address Number
OBJ_227
OBJ_227
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.ADDR_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts

Dimension: Addr Name1

Name
Description
Cuid
Translation ID
Path
State
Data Type

Addr Name1
Ship To Address Name: DIM_ADDR. ADDR_NAME1
OBJ_228
OBJ_228
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.ADDR_NAME1

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Addr Name2

Name
Description
Cuid
Translation ID
Path
State
Data Type

Addr Name2
Ship To Address Name 2
OBJ_229
OBJ_229
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.ADDR_NAME2

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Street Addr Name1

Name
Description
Cuid
Translation ID
Path
State
Data Type

Street Addr Name1
Ship to street address name1
OBJ_230
OBJ_230
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.STREET_ADDR_NAME1

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Addr City Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Addr City Name
Ship To Address City Name
OBJ_232
OBJ_232
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.ADDR_CITY_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Addr State Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Addr State Code
Ship To Address State Code
OBJ_233
OBJ_233
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.ADDR_STATE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Addr Zip Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Addr Zip Code
Ship To Address Zip code
OBJ_234
OBJ_234
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.ADDR_ZIP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Addr Country Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Addr Country Code
Ship To Address Country Code
OBJ_235
OBJ_235
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.ADDR_COUNTRY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Addr Country Desc

Name
Description
Cuid

Addr Country Desc
Ship To Country Code Description
OBJ_236

Translation ID
State
Data Type
Aggregatable

OBJ_236
Active
String
True

SQL Definition

Select

DIM_ADDR.ADDR_COUNTRY_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Region Sales Mgr Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Region Sales Mgr Name
Name of field Sales Manager for Ship to Customer (SAP1 only)
OBJ_716
OBJ_716
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_SHIP_CUST.REGION_SALES_MGR_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Account Mgr Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Account Mgr Name
Name of CSR for Ship to Customer (SAP1 Only)
OBJ_2933
OBJ_2933
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_SHIP_CUST.ACCT_MGR_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sales Agent Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sales Agent Name
Name of sales person working on behalf of CommScope. (SAP1 Only)
OBJ_2963
OBJ_2963
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_SHIP_CUST.SALES_AGENT_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts

Dimension: Src Sys Id-Ship To Cust

Name
Description
Cuid
Translation ID
Path
State
Data Type

Src Sys Id-Ship To Cust
Source System for Ship to Customer
OBJ_2777
OBJ_2777
\Ship To Customer Dimension\
Active
String

SQL Definition

Select

DIM_SHIP_CUST.SRC_SYS_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Last Mod Dt-Ship Cust

Name
Description
Cuid
Translation ID
Path
State
Data Type

Last Mod Dt-Ship Cust
Last Modified Date Time for Ship Customer Record
OBJ_2778
OBJ_2778
\Ship To Customer Dimension\
Active
DateTime

SQL Definition

Select

DIM_SHIP_CUST.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ship To Cust View Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

Ship To Cust View Code
The highest level in the CommScope Customer Reporting Hierarchy:
PAYER_CUST.LEVEL2
OBJ_3694
OBJ_3694
\Ship To Customer Dimension\Ship To Hierarchy\
Active
String

SQL Definition

Select

PAYER_CUST.LEVEL2

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Ship To Cust View Desc

Name
Description

Ship To Cust View Desc
Description of the highest level in the CommScope Customer Reporting Hierarchy: CASE WHEN UPPER(@Select(Above Profit Center Hierarchy\Business Segment))='HOME NW' THEN 'SERVICE PROVIDER' WHEN UPPER(@Select(Above Profit Center Hierarchy\Business Segment))='OUTDOOR & WIRELESS NW' THEN 'SERVICE PROVIDER' WHEN UPPER(@Select(Above

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

```
Profit Center Hierarchy\Business Segment))='VENUE
& CAMPUS NW' AND UPPER(@Select(Above Profit
Center Hierarchy\Product Group))='DCCS' AND
UPPER(@Select(Above Profit Center Hierarchy\Product Sub
Group1))<>'Ruckus CBRs' THEN 'SERVICE PROVIDER'
WHEN UPPER(PAYER_CUST.LEVEL2_AS_IS_DESC)
IN ('ARRIS-INTERNATIONAL', 'ARRIS-US', 'SERVICE
PROVIDER') THEN 'SERVICE PROVIDER' WHEN
UPPER(PAYER_CUST.LEVEL2_AS_IS_DESC) = 'ENTERPRISE'
THEN 'ENTERPRISE' ELSE 'UNKNOWN' END
```

OBJ_3695
OBJ_3695
Active
String
True

```
GET_CUSTOMER_SEGMENT(@Select(Profit Center
Dimension\Above Profit Center Hierarchy\Business Segment),
DIM_PROD_LINE.PROD_LINE_PRODUCT_GRP,
DIM_PROD_LINE.PROD_LINE_SUBGROUP,
PAYER_CUST.LEVEL2_AS_IS_DESC,DIM_CRM_SALES_ORG.CRM_
```

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ship To Cust Level2

Name
Description

Cuid
Translation ID
Path
State
Data Type

Ship To Cust Level2
The second level in the CommScope Customer Reporting Hierarchy:
PAYER_CUST.LEVEL3
OBJ_3696
OBJ_3696
\Ship To Customer Dimension\Ship To Hierarchy\
Active
String

SQL Definition

Select

PAYER_CUST.LEVEL3

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: Ship To Cust Level2 Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Ship To Cust Level2 Desc
Description of the second level in the CommScope Customer
Reporting Hierarchy: PAYER_CUST.LEVEL3_DESC
OBJ_3697
OBJ_3697
Active
String
True

SQL Definition

Select

PAYER_CUST.LEVEL3_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ship To Cust Level3

Name	Ship To Cust Level3
Description	The third level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL5
Cuid	OBJ_3698
Translation ID	OBJ_3698
Path	\Ship To Customer Dimension\Ship To Hierarchy\
State	Active
Data Type	String

SQL Definition

Select	PAYER_CUST.LEVEL5
--------	-------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Ship To Cust Level3 Desc

Name	Ship To Cust Level3 Desc
Description	Description of the third level in the CommScope Customer Reporting Hierarchy: DIM_SHIP_CUST.LEVEL5_DESC
Cuid	OBJ_3699
Translation ID	OBJ_3699
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	PAYER_CUST.LEVEL5_DESC
--------	------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ship To Cust Level4

Name	Ship To Cust Level4
Description	The fourth level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL4
Cuid	OBJ_4027
Translation ID	OBJ_4027
Path	\Ship To Customer Dimension\Ship To Hierarchy\
State	Active
Data Type	String

SQL Definition

Select	PAYER_CUST.LEVEL4
--------	-------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Ship To Cust Level4 Desc

Name	Ship To Cust Level4 Desc
Description	Description of the fourth level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL4_DESC
Cuid	OBJ_4028
Translation ID	OBJ_4028
State	Active
Data Type	String

Aggregatable

True

SQL Definition

Select

PAYER_CUST.LEVEL4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sold To Parent Cust Id

Name

Sold To Parent Cust Id

Description

The fourth level in the CommScope Customer Reporting Hierarchy:
PAYER_CUST.LEVEL4

Cuid

OBJ_3700

Translation ID

OBJ_3700

Path

\Ship To Customer Dimension\Ship To Hierarchy\

State

Active

Data Type

String

SQL Definition

Select

PAYER_CUST.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: Sold ToParent Cust Name

Name

Sold ToParent Cust Name

Description

Description of the fourth level in the CommScope Customer
Reporting Hierarchy: PAYER_CUST.LEVEL4_DESC

Cuid

OBJ_3701

Translation ID

OBJ_3701

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

PAYER_CUST.LEVEL4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: ShipTo-Customer-Level5

Name

ShipTo-Customer-Level5

Description

The fifth level in the CommScope Customer Reporting Hierarchy:
DIM_SHIP_CUST.LEVEL5

Cuid

OBJ_3664

Translation ID

OBJ_3664

Path

\Ship To Customer Dimension\Ship To Hierarchy\

State

Hidden

Data Type

String

SQL Definition

Select

PAYER_CUST.LEVEL5

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts

 Attribute: ShipTo-Customer-Level5Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

ShipTo-Customer-Level5Desc
Description of the third level in the CommScope Customer Reporting
Hierarchy: DIM_SHIP_CUST.LEVEL5_DESC
OBJ_3665
OBJ_3665
Hidden
String
True

SQL Definition

Select

PAYER_CUST.LEVEL5_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Dimension: ShipTo-Customer-Level6

Name
Description

Cuid
Translation ID
Path
State
Data Type

ShipTo-Customer-Level6
The sixth level in the CommScope Customer Reporting Hierarchy:
DIM_SHIP_CUST.LEVEL6
OBJ_3666
OBJ_3666
\Ship To Customer Dimension\Ship To Hierarchy\
Hidden
String

SQL Definition

Select

PAYER_CUST.LEVEL6

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Attribute: ShipTo-Customer-Level6Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

ShipTo-Customer-Level6Desc
Description of the sixth level in the CommScope Customer Reporting
Hierarchy: DIM_SHIP_CUST.LEVEL6_DESC
OBJ_3667
OBJ_3667
Hidden
String
True

SQL Definition

Select

PAYER_CUST.LEVEL6_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Dimension: ShipTo-Customer-Level7

Name
Description

Cuid
Translation ID

ShipTo-Customer-Level7
The seventh level in the CommScope Customer Customer Reporting
Hierarchy: DIM_SHIP_CUST.LEVEL7
OBJ_3668
OBJ_3668

Path	\Ship To Customer Dimension\Ship To Hierarchy\
State	Hidden
Data Type	String

SQL Definition

Select	PAYER_CUST.LEVEL7
--------	-------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: ShipTo-Customer-Level7Desc

Name	ShipTo-Customer-Level7Desc
Description	Description of the seventh level in the CommScope Customer Reporting Hierarchy: DIM_SHIP_CUST.LEVEL7_DESC
Cuid	OBJ_3669
Translation ID	OBJ_3669
State	Hidden
Data Type	String
Aggregatable	True

SQL Definition

Select	PAYER_CUST.LEVEL7_DESC
--------	------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Sold To Cust Id

Name	Sold To Cust Id
Description	Sold To Customer ID
Cuid	OBJ_237
Translation ID	OBJ_237
Path	\Sold To Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUST.CUST_ID
--------	------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Sold To Cust Name

Name	Sold To Cust Name
Description	Sold To Customer Name
Cuid	OBJ_238
Translation ID	OBJ_238
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_CUST.CUST_NAME
--------	--------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable

Can be used in

Results, Filters, Sorts

Dimension: Sold To Cust Type Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Sold To Cust Type Code
Sold to Customer Class Code – Groups customers into classifications.
Ex. C8, 13,19. This is based on the customer's type of business. EX. C8 = 'Regional Distributor' ; 13 = 'Telephone Co.' ; 19 = 'Network Coax Cust.' : DIM_CUST.CUST_CLS_CODE
OBJ_3632
OBJ_3632
\Sold To Customer Dimension\
Hidden
String

DIM_CUST.CUST_CLS_CODE

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Sold To Cust Type Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Sold To Cust Type Desc
Sold To Customer Type Desc : DIM_CUST.CUST_CLS_DESC
OBJ_3633
OBJ_3633
Hidden
String
True

DIM_CUST.CUST_CLS_DESC

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sold To ClsGrp

Name
Description
Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Sold To ClsGrp
Concatenation of Ship To Cust Cls Code and Ship To Cust Grp Code
OBJ_2952
OBJ_2952
\Sold To Customer Dimension\
Hidden
String

@Select(Sold To Customer Dimension\Sold To Cust Cls Code) ||
@Select(Sold To Customer Dimension\Sold To Cust Grp Code)

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sold To Cust Cls Code

Name
Description

Sold To Cust Cls Code
Sold to Customer Class Code – Groups customers into classifications.
Ex. C8, 13,19. This is based on the customer's type of business. EX. C8

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

= 'Regional Distributor' ; 13 = 'Telephone Co.' ; 19 = 'Network Coax Cust.'
OBJ_239
OBJ_239
\Sold To Customer Dimension\
Hidden
String

DIM_CUST.CUST_CLS_CODE

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Sold To Cust Cls Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Sold To Cust Cls Desc
Sold To Customer CLS Desc
OBJ_240
OBJ_240
Hidden
String
True

SQL Definition

Select

DIM_CUST.CUST_CLS_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sold To Cust Grp Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

Sold To Cust Grp Code
Sold to Customer Group Code– Groups sold to customers which are part of the same company together. Ex. 'SW', 'YF', '7J'
OBJ_241
OBJ_241
\Sold To Customer Dimension\
Hidden
String

SQL Definition

Select

DIM_CUST.CUST_GRP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Sold To Cust Grp Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Sold To Cust Grp Desc
Sold to Customer Group Description - Ex. 'SW' = 'SBC' ; 'YF' = 'Sprint' ; '7J' = 'TELMEX'
OBJ_242
OBJ_242
Hidden
String
True

SQL Definition

Select

DIM_CUST.CUST_GRP_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sold To Cust_Group_or_ID

Name
Description

Sold To Cust_Group_or_ID
For use in grouping DBBquarterly sales reports, allows large customer to be listed by price group rather than customer id. If customer group description meets specified criteria the field will equal the customer id, otherwise it will equal the customer group code
OBJ_689
OBJ_689
\Sold To Customer Dimension\
Hidden
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

```
Case When DIM_CUST.CUST_GRP_DESC IN ('.', 'BELGIUM CUSTOMERS', 'WIRELESS CUSTOMERS', 'WIRELESS CUSTOMERS FOR EXPORT', 'Unassigned', 'NA Key Accts.', 'MISC. DISTRIBUTORS') OR DIM_CUST.CUST_GRP_DESC Like 'OTH %' OR DIM_CUST.CUST_GRP_DESC Like 'ALL OTH%' OR DIM_CUST.CUST_GRP_DESC is Null OR DIM_CUST.CUST_GRP_CODE = 'ZZ' OR DIM_CUST.CUST_GRP_CODE = '7A' OR DIM_CUST.CUST_GRP_CODE = 'ZG' OR DIM_CUST.CUST_GRP_CODE = 'Z2' OR DIM_CUST.CUST_GRP_CODE = 'N/A' Then DIM_CUST.CUST_ID Else DIM_CUST.CUST_GRP_CODE End
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sold To Cust_Group_or_Name

Name
Description

Sold To Cust_Group_or_Name
For use in grouping DBBquarterly sales reports, allows large customer to be listed by price group rather than customer id. If customer group description meets specified criteria the field will equal the customer customer name, otherwise it will equal the customer group description
OBJ_690
OBJ_690
\Sold To Customer Dimension\
Hidden
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

```
Case When DIM_CUST.CUST_GRP_DESC IN ('.', 'BELGIUM CUSTOMERS', 'WIRELESS CUSTOMERS', 'WIRELESS CUSTOMERS FOR EXPORT', 'Unassigned', 'NA Key Accts.', 'MISC. DISTRIBUTORS') OR DIM_CUST.CUST_GRP_DESC Like 'OTH %' OR DIM_CUST.CUST_GRP_DESC Like 'ALL OTH%' OR DIM_CUST.CUST_GRP_DESC is Null OR DIM_CUST.CUST_GRP_CODE = 'ZZ' OR DIM_CUST.CUST_GRP_CODE = '7A' OR DIM_CUST.CUST_GRP_CODE = 'ZG' OR DIM_CUST.CUST_GRP_CODE = 'Z2' OR DIM_CUST.CUST_GRP_CODE = 'N/A' Then DIM_CUST.CUST_NAME Else Coalesce(DIM_CUST.CUST_GRP_DESC, DIM_CUST.CUST_NAME) End
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sold To Cust Addr Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sold To Cust Addr Id
Sold To Customer Address ID
OBJ_245
OBJ_245
\Sold To Customer Dimension\
Active
String

SQL Definition

Select

DIM_CUST.CUST_ADDR_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sold To CustNameAddr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sold To CustNameAddr
Sold to customer name and address
OBJ_443
OBJ_443
\Sold To Customer Dimension\
Active
String

SQL Definition

Select

@Select(Sold To Customer Dimension\Sold To Cust Id\Sold To Cust Name) || @Select(Sold To Customer Dimension\Sold To Cust Street Addr1 Name) || @Select(Legacy JDE Objects\Sold To Cust Street Addr2 Name) || '@Select(Sold To Customer Dimension\Sold To Cust City Name) || ' ' || @Select(Sold To Customer Dimension\Sold To Cust State Code) || ' ' || @Select(Sold To Customer Dimension\Sold To Cust Zip Code)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sold to Industry Key Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sold to Industry Key Code
Sold to Industry Key Code : DIM_CUST.INDUSTRY_KEY_CODE
OBJ_4908
OBJ_4908
\Sold To Customer Dimension\
Active
String

SQL Definition

Select

DIM_CUST.INDUSTRY_KEY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

**Dimension: Sold to Industry Key Desc**

Name	Sold to Industry Key Desc
Description	Sold to Industry Key Desc : DIM_CUST.INDUSTRY_KEY_DESC
Cuid	OBJ_4909
Translation ID	OBJ_4909
Path	\Sold To Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUST.INDUSTRY_KEY_DESC
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Sold To Cust Street Addr1 Name**

Name	Sold To Cust Street Addr1 Name
Description	Sold To Customer Street Address1
Cuid	OBJ_246
Translation ID	OBJ_246
Path	\Sold To Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUST.CUST_STREET_ADDR1_NAME
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Sold To Cust City Name**

Name	Sold To Cust City Name
Description	Sold To Customer City Name
Cuid	OBJ_248
Translation ID	OBJ_248
Path	\Sold To Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUST.CUST_CITY_NAME
--------	-------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Sold To Cust State Code**

Name	Sold To Cust State Code
Description	Sold To Customer State Code
Cuid	OBJ_249
Translation ID	OBJ_249
Path	\Sold To Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUST.CUST_STATE_CODE
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Sold To Cust Zip Code

Name	Sold To Cust Zip Code
Description	Sold To Customer ZIP Code
Cuid	OBJ_250
Translation ID	OBJ_250
Path	\Sold To Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUST.CUST_ZIP_CODE
--------	------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Sold To Cust County Name

Name	Sold To Cust County Name
Description	Sold To Customer Country Name
Cuid	OBJ_251
Translation ID	OBJ_251
Path	\Sold To Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUST.CUST_COUNTY_NAME
--------	---------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Sold To Cust Country Code

Name	Sold To Cust Country Code
Description	Sold To Customer Country Code
Cuid	OBJ_252
Translation ID	OBJ_252
Path	\Sold To Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUST.CUST_COUNTRY_CODE
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: Sold To Cust Country Desc

Name	Sold To Cust Country Desc
Description	DIM_CUST.CUST_COUNTRY_DESC : Sold To Customer Country Description
Cuid	OBJ_253

Translation ID
State
Data Type
Aggregatable

OBJ_253
Active
String
True

SQL Definition

Select

DIM_CUST.CUST_COUNTRY_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sold To Customer Segmentation

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sold To Customer Segmentation
Sold To Customer Segmentation: DIM_CUST.CUST_FOCUS_DESC
OBJ_4304
OBJ_4304
\Sold To Customer Dimension\
Active
String

SQL Definition

Select

DIM_CUST.CUST_FOCUS_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Account Mgr Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Account Mgr Name
Name of CSR for Sold to Customer
OBJ_2934
OBJ_2934
\Sold To Customer Dimension\
Active
String

SQL Definition

Select

DIM_CUST.ACCT_MGR_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Src Sys Id-Sold To Cust

Name
Description
Cuid
Translation ID
Path
State
Data Type

Src Sys Id-Sold To Cust
DIM_CUST.SRC_SYS_ID : Sold To Cust
OBJ_2779
OBJ_2779
\Sold To Customer Dimension\
Active
String

SQL Definition

Select

DIM_CUST.SRC_SYS_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts

Dimension: Last Mod Dt-Sold To Cust

Name
Description

Cuid
Translation ID
Path
State
Data Type

Last Mod Dt-Sold To Cust
DIM_CUST.LAST_MOD_DT : Last Modified Date Time for Sold To Customer
OBJ_2780
OBJ_2780
\Sold To Customer Dimension\
Active
DateTime

SQL Definition

Select

DIM_CUST.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: ClsGrp

Name
Description
Cuid
Translation ID
Path
State
Data Type

ClsGrp
Concatenation of Ship To Cust Cls Code and Ship To Cust Grp Code
OBJ_444
OBJ_444
\Sold To Customer Dimension\
Hidden
String

SQL Definition

Select

@Select(Sold To Customer Dimension\Sold To Cust Cls Code) ||
@Select(Sold To Customer Dimension\Sold To Cust Grp Code)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ruckus SFDC Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ruckus SFDC Id
Ruckus SFDC Id : DIM_CUST.RUK_SFDC_ID
OBJ_4822
OBJ_4822
\Sold To Customer Dimension\
Active
String

SQL Definition

Select

DIM_CUST.RUK_SFDC_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sold To Cust View code

Name
Description

Cuid
Translation ID
Path

Sold To Cust View code
The highest level in the CommScope Customer Reporting Hierarchy:
PAYER_CUST.LEVEL2
OBJ_3670
OBJ_3670
\Sold To Customer Dimension\Sold To Customer Hierarchy\

- 290 -

State
Data Type

SQL Definition

Select

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Active
String

PAYER_CUST.LEVEL2

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Sold To Cust View Desc

Name
Description

Sold To Cust View Desc
Description of the highest level in the CommScope Customer Reporting Hierarchy: CASE WHEN UPPER(@Select(Above Profit Center Hierarchy\Business Segment))='HOME NW' THEN 'SERVICE PROVIDER' WHEN UPPER(@Select(Above Profit Center Hierarchy\Business Segment))='OUTDOOR & WIRELESS NW' THEN 'SERVICE PROVIDER' WHEN UPPER(@Select(Above Profit Center Hierarchy\Business Segment))='VENUE & CAMPUS NW' AND UPPER(@Select(Above Profit Center Hierarchy\Product Group))='DCCS' AND UPPER(@Select(Above Profit Center Hierarchy\Product Sub Group1))<>'Ruckus CBRs' THEN 'SERVICE PROVIDER' WHEN UPPER(PAYER_CUST.LEVEL2_AS_IS_DESC) IN ('ARRIS-INTERNATIONAL', 'ARRIS-US', 'SERVICE PROVIDER') THEN 'SERVICE PROVIDER' WHEN UPPER(PAYER_CUST.LEVEL2_AS_IS_DESC) = 'ENTERPRISE' THEN 'ENTERPRISE' ELSE 'UNKNOWN' END

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_3683
OBJ_3683
Active
String
True

SQL Definition

Select

GET_CUSTOMER_SEGMENT(@Select(Profit Center Dimension\Above Profit Center Hierarchy\Business Segment), DIM_PROD_LINE.PROD_LINE_PRODUCT_GRP, DIM_PROD_LINE.PROD_LINE_SUBGROUP, PAYER_CUST.LEVEL2_AS_IS_DESC, DIM_CRM_SALES_ORG.CRM_

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sold To Cust Level2

Name
Description

Cuid
Translation ID
Path
State
Data Type

Sold To Cust Level2
The second level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL3
OBJ_3671
OBJ_3671
\Sold To Customer Dimension\Sold To Customer Hierarchy\
Active
String

SQL Definition

Select

PAYER_CUST.LEVEL3

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts



Attribute: Sold To Cust Level2 Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Sold To Cust Level2 Desc
Description of the second level in the CommScope Customer
Reporting Hierarchy: PAYER_CUST.LEVEL3_DESC
OBJ_3672
OBJ_3672
Active
String
True

SQL Definition

Select

PAYER_CUST.LEVEL3_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sold To Cust Level3

Name
Description

Cuid
Translation ID
Path
State
Data Type

Sold To Cust Level3
The third level in the CommScope Customer Reporting Hierarchy:
PAYER_CUST.LEVEL5
OBJ_3673
OBJ_3673
\Sold To Customer Dimension\Sold To Customer Hierarchy\
Active
String

SQL Definition

Select

PAYER_CUST.LEVEL5

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Sold To Cust Level3 Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Sold To Cust Level3 Desc
Description of the third level in the CommScope Customer Reporting
Hierarchy: PAYER_CUST.LEVEL5_DESC
OBJ_3674
OBJ_3674
Active
String
True

SQL Definition

Select

PAYER_CUST.LEVEL5_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sold To Cust Level4

Name
Description

Cuid
Translation ID

Sold To Cust Level4
The fourth level in the CommScope Customer Reporting Hierarchy:
PAYER_CUST.LEVEL4
OBJ_4029
OBJ_4029

Path
State
Data Type

\\Sold To Customer Dimension\\Sold To Customer Hierarchy\\
Active
String

SQL Definition

Select

PAYER_CUST.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Sold To Cust Level4 Desc

Name
Description

Sold To Cust Level4 Desc
Description of the fourth level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL4_DESC

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_4030
OBJ_4030
Active
String
True

SQL Definition

Select

PAYER_CUST.LEVEL4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sold To Parent Cust Id

Name
Description

Sold To Parent Cust Id
The fourth level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL4

Cuid
Translation ID
Path
State
Data Type

OBJ_3675
OBJ_3675
\\Sold To Customer Dimension\\Sold To Customer Hierarchy\\
Active
String

SQL Definition

Select

PAYER_CUST.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Sold ToParent Cust Name

Name
Description

Sold ToParent Cust Name
Description of the fourth level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL4_DESC

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_3676
OBJ_3676
Active
String
True

SQL Definition

Select

PAYER_CUST.LEVEL4_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SoldTo-Customer-Level5

Name	SoldTo-Customer-Level5
Description	The fifth level in the CommScope Customer Reporting Hierarchy: DIM_CUST.LEVEL5
Cuid	OBJ_3677
Translation ID	OBJ_3677
Path	\Sold To Customer Dimension\Sold To Customer Hierarchy\
State	Hidden
Data Type	String

SQL Definition

Select	PAYER_CUST.LEVEL5
--------	-------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: SoldTo-Customer-Level5Desc

Name	SoldTo-Customer-Level5Desc
Description	Description of the third level in the CommScope Customer Reporting Hierarchy: DIM_CUST.LEVEL5_DESC
Cuid	OBJ_3678
Translation ID	OBJ_3678
State	Hidden
Data Type	String
Aggregatable	True

SQL Definition

Select	PAYER_CUST.LEVEL5_DESC
--------	------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: SoldTo-Customer-Level6

Name	SoldTo-Customer-Level6
Description	The sixth level in the CommScope Customer Reporting Hierarchy: DIM_CUST.LEVEL6
Cuid	OBJ_3679
Translation ID	OBJ_3679
Path	\Sold To Customer Dimension\Sold To Customer Hierarchy\
State	Hidden
Data Type	String

SQL Definition

Select	PAYER_CUST.LEVEL6
--------	-------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: SoldTo-Customer-Level6Desc

Name	SoldTo-Customer-Level6Desc
Description	Description of the sixth level in the CommScope Customer Reporting Hierarchy: DIM_CUST.LEVEL6_DESC

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_3680
OBJ_3680
Hidden
String
True

SQL Definition

Select

PAYER_CUST.LEVEL6_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: SoldTo-Customer-Level7

Name
Description

SoldTo-Customer-Level7
The seventh level in the CommScope Customer Reporting Hierarchy:
DIM_CUST.LEVEL7
OBJ_3681
OBJ_3681
\Sold To Customer Dimension\Sold To Customer Hierarchy\
Hidden
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

PAYER_CUST.LEVEL7

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: SoldTo-Customer-Level7Desc

Name
Description

SoldTo-Customer-Level7Desc
Description of the seventh level in the CommScope Customer Reporting Hierarchy: DIM_CUST.LEVEL7_DESC
OBJ_3682
OBJ_3682
Hidden
String
True

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

PAYER_CUST.LEVEL7_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Bill To Cust Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Bill To Cust Id
Bill To Customer ID
OBJ_5012
OBJ_5012
\Bill To Customer Dimension\
Active
String

SQL Definition

Select

DIM_BILL_TO_CUST.CUST_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Attribute: Bill To Cust Name

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Bill To Cust Name
DIM_BILL_TO_CUST.CUST_NAME : Bill To Cust Name
OBJ_5013
OBJ_5013
Active
String
True

SQL Definition

Select

DIM_BILL_TO_CUST.CUST_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Dimension: Bill To Cust Country Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Bill To Cust Country Code
Bill To Customer Country Code
OBJ_5014
OBJ_5014
\Bill To Customer Dimension\
Active
String

SQL Definition

Select

DIM_BILL_TO_CUST.CUST_COUNTRY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Attribute: Bill To Cust Country Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Bill To Cust Country Desc
DIM_BILL_TO_CUST.CUST_COUNTRY_DESC : Bill To
Customer Country Description
OBJ_5015
OBJ_5015
Active
String
True

SQL Definition

Select

DIM_BILL_TO_CUST.CUST_COUNTRY_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Dimension: Payer Cust Type Code

Name
Description

Payer Cust Type Code
Ship to Customer Class Code – Groups customers into classifications.
Ex. C8, 13,19. This is based on the customer's type of business. EX. C8

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

= 'Regional Distributor' ; 13 = 'Telephone Co.' ; 19 = 'Network Coax
Cust.' : PAYER_CUST.CUST_CLS_CODE
OBJ_3800
OBJ_3800
\Payer Customer Dimension\
Active
String

PAYER_CUST.CUST_CLS_CODE

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Payer Cust Type Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Payer Cust Type Desc
Payer Customer Type
Description :DIM_SHIP_CUST.CUST_CLS_DESC
OBJ_3801
OBJ_3801
Active
String
True

SQL Definition

Select

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

PAYER_CUST.CUST_CLS_DESC

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Payer ClsGrp

Name
Description
Cuid
Translation ID
Path
State
Data Type

Payer ClsGrp
Concatenation of Payer Cust Cls Code and Payer Cust Grp Code
OBJ_3802
OBJ_3802
\Payer Customer Dimension\
Active
String

SQL Definition

Select

@Select(Ship To Customer Dimension\Ship To Cust Cls Code) ||
@Select(Ship To Customer Dimension\Ship To Cust Grp Code)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Payer Cust Cls Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

Payer Cust Cls Code
Ship to Customer Class Code – Groups customers into classifications.
Ex. C8, 13,19. This is based on the customer's type of business. EX. C8
= 'Regional Distributor' ; 13 = 'Telephone Co.' ; 19 = 'Network Coax
Cust.'
OBJ_3803
OBJ_3803
\Payer Customer Dimension\
Active
String

SQL Definition

Select

PAYER_CUST.CUST_CLS_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: PayerCust Cls Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

PayerCust Cls Desc
Payer Cust Class Code Desc
OBJ_3804
OBJ_3804
Active
String
True

SQL Definition

Select

PAYER_CUST.CUST_CLS_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Payer Cust Grp Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

Payer Cust Grp Code
Payer Customer Group Code– Groups ship to customers which are part of the same company together. Ex. ‘SW’, ‘YF’, ‘7J’
OBJ_3805
OBJ_3805
\Payer Customer Dimension\
Active
String

SQL Definition

Select

PAYER_CUST.CUST_GRP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Payer Cust Grp Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Payer Cust Grp Desc
Payer Custom Group Description – Ex. ‘SW’ = ‘SBC’ ; ‘YF’ = ‘Sprint’ ; ‘7J’ = ‘TELMEX’
OBJ_3806
OBJ_3806
Active
String
True

SQL Definition

Select

PAYER_CUST.CUST_GRP_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Payer Customer Segmentation

Name	Payer Customer Segmentation
Description	Payer Customer Segmentation: PAYER_CUST.CUST_FOCUS_DESC
Cuid	OBJ_4306
Translation ID	OBJ_4306
Path	\Payer Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	PAYER_CUST.CUST_FOCUS_DESC
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Addr Id

Name	Addr Id
Description	Payer Address Number
Cuid	OBJ_3807
Translation ID	OBJ_3807
Path	\Payer Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_ADDR.ADDR_ID
--------	------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Addr Name1

Name	Addr Name1
Description	Payer Address Name: DIM_ADDR.ADDR_NAME1
Cuid	OBJ_3808
Translation ID	OBJ_3808
Path	\Payer Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_ADDR.ADDR_NAME1
--------	---------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Addr Name2

Name	Addr Name2
Description	Ship To Address Name 2
Cuid	OBJ_3809
Translation ID	OBJ_3809
Path	\Payer Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_ADDR.ADDR_NAME2
--------	---------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Street Addr Name1

Name
Description
Cuid
Translation ID
Path
State
Data Type

Street Addr Name1
Ship to street address name1
OBJ_3810
OBJ_3810
\Payer Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.STREET_ADDR_NAME1

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Addr City Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Addr City Name
Ship To Address City Name
OBJ_3811
OBJ_3811
\Payer Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.ADDR_CITY_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Addr State Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Addr State Code
Ship To Address State Code
OBJ_3812
OBJ_3812
\Payer Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.ADDR_STATE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Addr Zip Code

Name
Description
Cuid
Translation ID
Path

Addr Zip Code
Ship To Address Zip code
OBJ_3813
OBJ_3813
\Payer Customer Dimension\
Active
String

State
Data Type

Active
String

SQL Definition

Select

DIM_ADDR.ADDR_ZIP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Addr Country Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Addr Country Code
Ship To Address Country Code
OBJ_3814
OBJ_3814
\Payer Customer Dimension\
Active
String

SQL Definition

Select

DIM_ADDR.ADDR_COUNTRY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Addr Country Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Addr Country Desc
Ship To Country Code Description
OBJ_3815
OBJ_3815
Active
String
True

SQL Definition

Select

DIM_ADDR.ADDR_COUNTRY_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Region Sales Mgr Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Region Sales Mgr Name
Name of field Sales Manager for Payer to Customer (SAP1 only)
OBJ_3816
OBJ_3816
\Payer Customer Dimension\
Active
String

SQL Definition

Select

PAYER_CUST.REGION_SALES_MGR_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

**Dimension: Account Mgr Name**

Name	Account Mgr Name
Description	Name of CSR for Payer Customer (SAP1 Only)
Cuid	OBJ_3817
Translation ID	OBJ_3817
Path	\Payer Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	PAYER_CUST.ACCT_MGR_NAME
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Sales Agent Name**

Name	Sales Agent Name
Description	Name of sales person working on behalf of CommScope. (SAP1 Only)
Cuid	OBJ_3818
Translation ID	OBJ_3818
Path	\Payer Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	PAYER_CUST.SALES_AGENT_NAME
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Src Sys Id-Ship To Cust**

Name	Src Sys Id-Ship To Cust
Description	Source System for Payer Customer
Cuid	OBJ_3819
Translation ID	OBJ_3819
Path	\Payer Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	PAYER_CUST.SRC_SYS_ID
--------	-----------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Last Mod Dt-Ship Cust**

Name	Last Mod Dt-Ship Cust
Description	Last Modified Date Time for Payer Customer Record
Cuid	OBJ_3820
Translation ID	OBJ_3820
Path	\Payer Customer Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	PAYER_CUST.LAST_MOD_DT
--------	------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Payer Cust View Code

Name
Description

Payer Cust View Code
The highest level in the CommScope Customer Reporting Hierarchy:
PAYER_CUST.LEVEL2
OBJ_3821
OBJ_3821
\Payer Customer Dimension\Payer Hierarchy\
Active
String

SQL Definition

Select

PAYER_CUST.LEVEL2

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Payer Cust View Desc

Name
Description

Payer Cust View Desc
Description of the highest level in the CommScope Customer Reporting Hierarchy: CASE WHEN UPPER(@Select(Above Profit Center Hierarchy\Business Segment))='HOME NW' THEN 'SERVICE PROVIDER' WHEN UPPER(@Select(Above Profit Center Hierarchy\Business Segment))='OUTDOOR & WIRELESS NW' THEN 'SERVICE PROVIDER' WHEN UPPER(@Select(Above Profit Center Hierarchy\Business Segment))='VENUE & CAMPUS NW' AND @Select(Above Profit Center Hierarchy\Product Group)='DCCS' AND @Select(Above Profit Center Hierarchy \Product Sub Group1)<>'Ruckus CBRS' THEN 'SERVICE PROVIDER' WHEN PAYER_CUST.LEVEL2_AS_IS_DESC IN ('ARRIS-INTERNATIONAL', 'ARRIS-US', 'SERVICE PROVIDER') THEN 'SERVICE PROVIDER' WHEN PAYER_CUST.LEVEL2_AS_IS_DESC = 'ENTERPRISE' THEN 'ENTERPRISE' ELSE 'UNKNOWN' END

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_3822
OBJ_3822
Active
String
True

SQL Definition

Select

GET_CUSTOMER_SEGMENT(@Select(Profit Center Dimension\Above Profit Center Hierarchy\Business Segment), DIM_PROD_LINE.PROD_LINE_PRODUCT_GRP, DIM_PROD_LINE.PROD_LINE_SUBGROUP, PAYER_CUST.LEVEL2_AS_IS_DESC, DIM_CRM_SALES_ORG.CRM_

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Payer Cust Level2

Name
Description

Payer Cust Level2
The second level in the CommScope Customer Reporting Hierarchy:
PAYER_CUST.LEVEL2

Cuid
Translation ID
Path
State
Data Type

OBJ_3823
OBJ_3823
\Payer Customer Dimension\Payer Hierarchy\
Active
String

SQL Definition

Select PAYER_CUST.LEVEL3

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts



Attribute: Ship To Cust Level2 Desc

Name Ship To Cust Level2 Desc
Description Description of the second level in the CommScope Customer Reporting Hierarchy: DIM_SHIP_CUST.LEVEL2_DESC
Cuid OBJ_3824
Translation ID OBJ_3824
State Active
Data Type String
Aggregatable True

SQL Definition

Select PAYER_CUST.LEVEL3_DESC

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts



Dimension: PayerCust Level3

Name PayerCust Level3
Description The third level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL5
Cuid OBJ_3825
Translation ID OBJ_3825
Path \Payer Customer Dimension\Payer Hierarchy\
State Active
Data Type String

SQL Definition

Select PAYER_CUST.LEVEL5

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts



Attribute: Payer Cust Level3 Desc

Name Payer Cust Level3 Desc
Description Description of the third level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL5_DESC
Cuid OBJ_3826
Translation ID OBJ_3826
State Active
Data Type String
Aggregatable True

SQL Definition

Select PAYER_CUST.LEVEL5_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: PayerCust Level4

Name
Description

Cuid
Translation ID
Path
State
Data Type

PayerCust Level4
The forth level in the CommScope Customer Reporting Hierarchy:
PAYER_CUST.LEVEL4
OBJ_4199
OBJ_4199
\Payer Customer Dimension\Payer Hierarchy\
Active
String

SQL Definition

Select

PAYER_CUST.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Payer Cust Level4 Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Payer Cust Level4 Desc
Description of the forth level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL4_DESC
OBJ_4200
OBJ_4200
Active
String
True

SQL Definition

Select

PAYER_CUST.LEVEL4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: PayerParent Cust Id

Name
Description

Cuid
Translation ID
Path
State
Data Type

PayerParent Cust Id
The fourth level in the CommScope Customer Reporting Hierarchy:
PAYER_CUST.LEVEL4
OBJ_3827
OBJ_3827
\Payer Customer Dimension\Payer Hierarchy\
Active
String

SQL Definition

Select

PAYER_CUST.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Payer Parent Cust Name

Name

Payer Parent Cust Name

Description

Cuid

Translation ID

State

Data Type

Aggregatable

SQL Definition

Select

Advanced

Minimum Object Level Security

Data Sensitivity Category

List of Values

Can be used in

Description of the fourth level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL4_DESC

OBJ_3830

OBJ_3830

Active

String

True

PAYER_CUST.LEVEL4_DESC

Public

Uncategorized data

Editable

Results, Filters, Sorts

Dimension: Payer Cust Id

Name

Description

Cuid

Translation ID

Path

State

Data Type

Payer Cust Id

Payer Customer ID : PAYER_CUST.CUST_ID

OBJ_3828

OBJ_3828

\Payer Customer Dimension\Payer Hierarchy\

Active

String

SQL Definition

Select

PAYER_CUST.CUST_ID

Advanced

Minimum Object Level Security

Data Sensitivity Category

List of Values

Can be used in

Public

Uncategorized data

Editable

Results, Filters, Sorts

Attribute: PayerCust Name

Name

Description

Cuid

Translation ID

State

Data Type

Aggregatable

PayerCust Name

Payer Customer Name

OBJ_3829

OBJ_3829

Active

String

True

SQL Definition

Select

PAYER_CUST.CUST_NAME

Advanced

Minimum Object Level Security

Data Sensitivity Category

List of Values

Can be used in

Public

Uncategorized data

Editable

Results, Filters, Sorts

Dimension: Payer Customer-Level5

Name

Description

Cuid

Translation ID

Path

State

Data Type

Payer Customer-Level5

The fifth level in the CommScope Customer Reporting Hierarchy:

PAYER_CUST.LEVEL5

OBJ_3831

OBJ_3831

\Payer Customer Dimension\Payer Hierarchy\

Hidden

String

SQL Definition

Select

PAYER_CUST.LEVEL5

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Attribute: Payer Customer-Level5Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Payer Customer-Level5Desc
Description of the third level in the CommScope Customer Reporting
Hierarchy: PAYER_CUST.LEVEL5_DESC
OBJ_3832
OBJ_3832
Hidden
String
True

SQL Definition

Select

PAYER_CUST.LEVEL5_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Dimension: Payer Customer-Level6

Name
Description

Cuid
Translation ID
Path
State
Data Type

Payer Customer-Level6
The sixth level in the CommScope Customer Reporting Hierarchy:
PAYER_CUST.LEVEL6
OBJ_3833
OBJ_3833
\\Payer Customer Dimension\Payer Hierarchy\
Hidden
String

SQL Definition

Select

PAYER_CUST.LEVEL6

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Attribute: Payer Customer-Level6Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Payer Customer-Level6Desc
Description of the sixth level in the CommScope Customer Reporting
Hierarchy: PAYER_CUST.LEVEL6_DESC
OBJ_3834
OBJ_3834
Hidden
String
True

SQL Definition

Select

PAYER_CUST.LEVEL6_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Dimension: Payer Customer-Level7

Name

Payer Customer-Level7

Description	The seventh level in the CommScope Customer Customer Reporting Hierarchy: PAYER_CUST.LEVEL7
Cuid	OBJ_3835
Translation ID	OBJ_3835
Path	\Payer Customer Dimension\Payer Hierarchy\
State	Hidden
Data Type	String
SQL Definition	
Select	PAYER_CUST.LEVEL7
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Attribute: Payer Customer-Level7Desc	
Name	Payer Customer-Level7Desc
Description	Description of the seventh level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL7_DESC
Cuid	OBJ_3836
Translation ID	OBJ_3836
State	Hidden
Data Type	String
Aggregatable	True
SQL Definition	
Select	PAYER_CUST.LEVEL7_DESC
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Dimension: Ultimate Cust Id	
Name	Ultimate Cust Id
Description	Ultimate Customer ID
Cuid	OBJ_3790
Translation ID	OBJ_3790
Path	\Ultimate Customer Dimension\
State	Active
Data Type	String
SQL Definition	
Select	ULTIMATE_CUSTOMER.CUST_ID
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Attribute: Ultimate Cust Name	
Name	Ultimate Cust Name
Description	Ultimate Customer Name
Cuid	OBJ_3793
Translation ID	OBJ_3793
State	Active
Data Type	String
Aggregatable	True
SQL Definition	
Select	ULTIMATE_CUSTOMER.CUST_NAME
Advanced	

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Ultimate Customer Cust Type Code

Name	Ultimate Customer Cust Type Code
Description	Ultimate Customer Class Code – Groups customers into classifications. Ex. C8, 13,19. This is based on the customer's type of business. EX. C8 = 'Regional Distributor' ; 13 = 'Telephone Co.' ; 19 = 'Network Coax Cust.' ; DIM_CUST.CUST_CLS_CODE
Cuid	OBJ_3761
Translation ID	OBJ_3761
Path	\Ultimate Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	ULTIMATE_CUSTOMER.CUST_CLS_CODE
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: Ultimate Cust Type Desc

Name	Ultimate Cust Type Desc
Description	Ultimate Customer Type Desc : DIM_CUST.CUST_CLS_DESC
Cuid	OBJ_3762
Translation ID	OBJ_3762
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	ULTIMATE_CUSTOMER.CUST_CLS_DESC
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Ultimate ClsGrp

Name	Ultimate ClsGrp
Description	Concatenation of Ultimate Cust Cls Code and Ultimate Cust Grp Code
Cuid	OBJ_3763
Translation ID	OBJ_3763
Path	\Ultimate Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	@Select(Ultimate Customer Dimension\Ultimate Cust Cls Code) @Select(Ultimate Customer Dimension\Ultimate Cust Grp Code)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Ultimate Cust Cls Code

Name	Ultimate Cust Cls Code
------	------------------------

Description

Ultimate Customer Class Code – Groups customers into classifications. Ex. C8, 13,19. This is based on the customer's type of business. EX. C8 = 'Regional Distributor' ; 13 = 'Telephone Co.' ; 19 = 'Network Coax Cust.'

Cuid

OBJ_3764

Translation ID

OBJ_3764

Path

\Ultimate Customer Dimension\

State

Active

Data Type

String

SQL Definition

Select

ULTIMATE_CUSTOMER.CUST_CLS_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Attribute: Ultimate Cust Cls Desc

Name

Ultimate Cust Cls Desc

Description

Ultimate Customer CLS Desc

Cuid

OBJ_3768

Translation ID

OBJ_3768

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

ULTIMATE_CUSTOMER.CUST_CLS_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Ultimate Cust Grp Code

Name

Ultimate Cust Grp Code

Description

Ultimate Customer Group Code– Groups sold to customers which are part of the same company together. Ex. 'SW', 'YF', '7J'

Cuid

OBJ_3765

Translation ID

OBJ_3765

Path

\Ultimate Customer Dimension\

State

Active

Data Type

String

SQL Definition

Select

ULTIMATE_CUSTOMER.CUST_GRP_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Attribute: Ulitimate Cust Grp Desc

Name

Ultimate Cust Grp Desc

Description

Ultimae Customer Group Description - Ex. 'SW' = 'SBC' ; 'YF' = 'Sprint' ; '7J' = 'TELMEX'

Cuid

OBJ_3769

Translation ID

OBJ_3769

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

ULTIMATE_CUSTOMER.CUST_GRP_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ultimate Cust_Group_or_ID

Name

Ultimate Cust_Group_or_ID

Description

For use in grouping DBBquarterly sales reports, allows large customer to be listed by price group rather than customer id. If customer group description meets specified criteria the field will equal the customer id, otherwise it will equal the customer group code

Cuid

OBJ_3766

Translation ID

OBJ_3766

Path

\Ultimate Customer Dimension\

State

Active

Data Type

String

SQL Definition

Select

Case When ULTIMATE_CUSTOMER.CUST_GRP_DESC
IN ('.', 'BELGIUM CUSTOMERS', 'WIRELESS
CUSTOMERS', 'WIRELESS CUSTOMERS FOR EXPORT',
'Unassigned', 'NA Key Accts.', 'MISC. DISTRIBUTORS') OR
ULTIMATE_CUSTOMER.CUST_GRP_DESC Like 'OTH %'
OR ULTIMATE_CUSTOMER.CUST_GRP_DESC Like 'ALL
OTH%' OR ULTIMATE_CUSTOMER.CUST_GRP_DESC
is Null OR ULTIMATE_CUSTOMER.CUST_GRP_CODE
= 'ZZ' OR ULTIMATE_CUSTOMER.CUST_GRP_CODE
= '7A' OR ULTIMATE_CUSTOMER.CUST_GRP_CODE
= 'ZG' OR ULTIMATE_CUSTOMER.CUST_GRP_CODE
= 'Z2' OR ULTIMATE_CUSTOMER.CUST_GRP_CODE
= 'N/A' Then ULTIMATE_CUSTOMER.CUST_ID Else
ULTIMATE_CUSTOMER.CUST_GRP_CODE End

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ultimate Cust_Group_or_Name

Name

Ultimate Cust_Group_or_Name

Description

For use in grouping DBBquarterly sales reports, allows large customer to be listed by price group rather than customer id. If customer group description meets specified criteria the field will equal the customer customer name, otherwise it will equal the customer group description

Cuid

OBJ_3767

Translation ID

OBJ_3767

Path

\Ultimate Customer Dimension\

State

Active

Data Type

String

SQL Definition

Select

Case When ULTIMATE_CUSTOMER.CUST_GRP_DESC
IN ('.', 'BELGIUM CUSTOMERS', 'WIRELESS
CUSTOMERS', 'WIRELESS CUSTOMERS FOR EXPORT',
'Unassigned', 'NA Key Accts.', 'MISC. DISTRIBUTORS') OR
ULTIMATE_CUSTOMER.CUST_GRP_DESC Like 'OTH %'
OR ULTIMATE_CUSTOMER.CUST_GRP_DESC Like 'ALL
OTH%' OR ULTIMATE_CUSTOMER.CUST_GRP_DESC
is Null OR ULTIMATE_CUSTOMER.CUST_GRP_CODE
= 'ZZ' OR ULTIMATE_CUSTOMER.CUST_GRP_CODE

```

= '7A' OR ULTIMATE_CUSTOMER.CUST_GRP_CODE
= 'ZG' OR ULTIMATE_CUSTOMER.CUST_GRP_CODE
= 'Z2' OR ULTIMATE_CUSTOMER.CUST_GRP_CODE =
'N/A' Then ULTIMATE_CUSTOMER.CUST_NAME Else
Coalesce(ULTIMATE_CUSTOMER.CUST_GRP_DESC,ULTIMATE_CUST
End

```

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ultimate Cust Addr Id

Name	Ultimate Cust Addr Id
Description	Ultimate Customer Address ID
Cuid	OBJ_3770
Translation ID	OBJ_3770
Path	\Ultimate Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	ULTIMATE_CUSTOMER.CUST_ADDR_ID
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ultimate CustNameAddr

Name	Ultimate CustNameAddr
Description	Ultimate customer name and address
Cuid	OBJ_3771
Translation ID	OBJ_3771
Path	\Ultimate Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	@Select(Ultimate Customer Dimension\Ultimate Cust Id\Ultimate Cust Name) @Select(Ultimate Customer Dimension\Ultimate Cust Street Addr1 Name) ULTIMATE_CUSTOMER.CUST_STREET_ADDR2_NAME ' ' @Select(Ultimate Customer Dimension\Ultimate Cust City Name) ' ' @Select(Ultimate Customer Dimension\Ultimate Cust State Code) ' ' @Select(Ultimate Customer Dimension\Ultimate Cust Zip Code)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ultimate Cust Street Addr1 Name

Name	Ultimate Cust Street Addr1 Name
Description	Ultimate Customer Street Address1
Cuid	OBJ_3772
Translation ID	OBJ_3772
Path	\Ultimate Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select

ULTIMATE_CUSTOMER.CUST_STREET_ADDR1_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ultimate Cust City Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ultimate Cust City Name
Ultimate Customer City Name
OBJ_3773
OBJ_3773
\\Ultimate Customer Dimension\
Active
String

SQL Definition

Select

ULTIMATE_CUSTOMER.CUST_CITY_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ultimate Cust State Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ultimate Cust State Code
Ultimate Customer State Code
OBJ_3774
OBJ_3774
\\Ultimate Customer Dimension\
Active
String

SQL Definition

Select

ULTIMATE_CUSTOMER.CUST_STATE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ultimate Cust Zip Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ultimate Cust Zip Code
Ultimate Customer ZIP Code
OBJ_3775
OBJ_3775
\\Ultimate Customer Dimension\
Active
String

SQL Definition

Select

ULTIMATE_CUSTOMER.CUST_ZIP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ultimate Cust County Name

Name
Description
Cuid

Ultimate Cust County Name
Ultimate Customer Country Name
OBJ_3776

Translation ID	OBJ_3776
Path	\Ultimate Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	ULTIMATE_CUSTOMER.CUST_COUNTY_NAME
--------	------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ultimate Cust Country Code

Name	Ultimate Cust Country Code
Description	Ultimate Customer Country Code
Cuid	OBJ_3777
Translation ID	OBJ_3777
Path	\Ultimate Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	ULTIMATE_CUSTOMER.CUST_COUNTRY_CODE
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Ultimate Cust Country Desc

Name	Ultimate Cust Country Desc
Description	DIM_CUST.CUST_COUNTRY_DESC : Ultimate Customer Country Description
Cuid	OBJ_3778
Translation ID	OBJ_3778
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	ULTIMATE_CUSTOMER.CUST_COUNTRY_DESC
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ultimate Customer Segmentation

Name	Ultimate Customer Segmentation
Description	Ultimate Customer Segmentation: UTLIMATE_CUSTOMER.CUST_FOCUS_DESC
Cuid	OBJ_4307
Translation ID	OBJ_4307
Path	\Ultimate Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	ULTIMATE_CUSTOMER.CUST_FOCUS_DESC
--------	-----------------------------------

Advanced

Minimum Object Level Security	Public
-------------------------------	--------

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Account Mgr Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Account Mgr Name
Name of CSR for Ultimate Customer
OBJ_3779
OBJ_3779
\\Ultimate Customer Dimension\
Active
String

SQL Definition

Select

ULTIMATE_CUSTOMER.ACCT_MGR_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Src Sys Id-Ultimate Cust

Name
Description
Cuid
Translation ID
Path
State
Data Type

Src Sys Id-Ultimate Cust
DIM_CUST.SRC_SYS_ID : Ultimate Cust
OBJ_3780
OBJ_3780
\\Ultimate Customer Dimension\
Active
String

SQL Definition

Select

ULTIMATE_CUSTOMER.SRC_SYS_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Last Mod Dt-Ultimate Cust

Name
Description

Cuid
Translation ID
Path
State
Data Type

Last Mod Dt-Ultimate Cust
DIM_CUST.LAST_MOD_DT : Last Modified Date Time for Ultimate Customer
OBJ_3781
OBJ_3781
\\Ultimate Customer Dimension\
Active
DateTime

SQL Definition

Select

ULTIMATE_CUSTOMER.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: ClsGrp

Name
Description
Cuid
Translation ID
Path

ClsGrp
Concatenation of Ultimate Cust Cls Code and Ultimate Cust Grp Code
OBJ_3782
OBJ_3782
\\Ultimate Customer Dimension\

State
Data Type

Active
String

SQL Definition

Select

@Select(Ultimate Customer Dimension\Ultimate Cust Cls Code) ||
@Select(Ultimate Customer Dimension\Ultimate Cust Grp Code)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ultimate Customer View Sales-Mgmt

Name
Description

Ultimate Customer View Sales-Mgmt
The customer view based on the sales team hierarchy (Enterprise ,
SP) :FCTV_INVOICE.CUSTOMER_VIEW

Cuid
Translation ID
Path
State
Data Type

OBJ_4736
OBJ_4736
\Ultimate Customer Dimension\Ultimate Customer Hierarchy\
Active
String

SQL Definition

Select

FCTV_INVOICE.CUSTOMER_VIEW

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ultimate Cust View Code

Name
Description

Ultimate Cust View Code
The highest level in the CommScope Customer Reporting Hierarchy:
UTLIMATE_CUSTOMER.LEVEL2

Cuid
Translation ID
Path
State
Data Type

OBJ_3783
OBJ_3783
\Ultimate Customer Dimension\Ultimate Customer Hierarchy\
Active
String

SQL Definition

Select

UTLIMATE_CUSTOMER.LEVEL2

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Ultimate Cust View Desc

Name
Description

Ultimate Cust View Desc
The customer view based on the sales team hierarchy (Enterprise ,
SP) :FCTV_INVOICE.CUSTOMER_VIEW

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_3798
OBJ_3798
Active
String
True

SQL Definition

Select

FCTV_INVOICE.CUSTOMER_VIEW

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ultimate Cust Level2

Name
Description

Cuid
Translation ID
Path
State
Data Type

Ultimate Cust Level2
The second level in the CommScope Customer Reporting Hierarchy:
UTLIIMATE_CUSTOMER.LEVEL3
OBJ_3784
OBJ_3784
\Ultimate Customer Dimension\Ultimate Customer Hierarchy\
Active
String

SQL Definition

Select

ULTIMATE_CUSTOMER.LEVEL3

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Ultimate Cust Level2 Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Ultimate Cust Level2 Desc
Description of the second level in the CommScope Customer Reporting Hierarchy: UTLIIMATE_CUSTOMER.LEVEL3_DESC
OBJ_3785
OBJ_3785
Active
String
True

SQL Definition

Select

ULTIMATE_CUSTOMER.LEVEL3_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ultimate Cust Level3

Name
Description

Cuid
Translation ID
Path
State
Data Type

Ultimate Cust Level3
The third level in the CommScope Customer Reporting Hierarchy:
UTLIIMATE_CUSTOMER.LEVEL5
OBJ_3786
OBJ_3786
\Ultimate Customer Dimension\Ultimate Customer Hierarchy\
Active
String

SQL Definition

Select

ULTIMATE_CUSTOMER.LEVEL5

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Ultimate Cust Level3 Desc

Name
Description

Ultimate Cust Level3 Desc
Description of the third level in the CommScope Customer Reporting Hierarchy: UTLIIMATE_CUSTOMER.LEVEL5_DESC

Cuid
Translation ID
State
Data Type
Aggregatable

OBJ_3787
OBJ_3787
Active
String
True

SQL Definition

Select

ULTIMATE_CUSTOMER.LEVEL5_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ultimate Cust Level4

Name
Description

Ultimate Cust Level4
The fourth level in the CommScope Customer Reporting Hierarchy:
UTLIIMATE_CUSTOMER.LEVEL4
OBJ_4031
OBJ_4031
\Ultimate Customer Dimension\Ultimate Customer Hierarchy\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

ULTIMATE_CUSTOMER.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: Ultimate Cust Level4 Desc

Name
Description

Ultimate Cust Level4 Desc
Description of the fourth level in the CommScope Customer Reporting Hierarchy: UTLIIMATE_CUSTOMER.LEVEL4_DESC
OBJ_4032
OBJ_4032
Active
String
True

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

ULTIMATE_CUSTOMER.LEVEL4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ultimate Parent Cust Id

Name
Description

Ultimate Parent Cust Id
The fourth level in the CommScope Customer Reporting Hierarchy:
UTLIIMATE_CUSTOMER.LEVEL4
OBJ_3788
OBJ_3788
\Ultimate Customer Dimension\Ultimate Customer Hierarchy\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

ULTIMATE_CUSTOMER.LEVEL4

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Description	The sixth level in the CommScope Customer Reporting Hierarchy: UTLIIMATE_CUSTOMER.LEVEL6
Cuid	OBJ_3794
Translation ID	OBJ_3794
Path	\Ultimate Customer Dimension\Ultimate Customer Hierarchy\
State	Hidden
Data Type	String

SQL Definition

Select	ULTIMATE_CUSTOMER.LEVEL6
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Ultimate-Customer-Level6Desc

Name	Ultimate-Customer-Level6Desc
Description	Description of the sixth level in the CommScope Customer Reporting Hierarchy: UTLIIMATE_CUSTOMER.LEVEL6_DESC
Cuid	OBJ_3795
Translation ID	OBJ_3795
State	Hidden
Data Type	String
Aggregatable	True

SQL Definition

Select	ULTIMATE_CUSTOMER.LEVEL6_DESC
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ultimate-Customer-Level7

Name	Ultimate-Customer-Level7
Description	The seventh level in the CommScope Customer Reporting Hierarchy: UTLIIMATE_CUSTOMER.LEVEL7
Cuid	OBJ_3796
Translation ID	OBJ_3796
Path	\Ultimate Customer Dimension\Ultimate Customer Hierarchy\
State	Hidden
Data Type	String

SQL Definition

Select	ULTIMATE_CUSTOMER.LEVEL7
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Ultimate-Customer-Level7Desc

Name	Ultimate-Customer-Level7Desc
Description	Description of the seventh level in the CommScope Customer Reporting Hierarchy: UTLIIMATE_CUSTOMER.LEVEL7_DESC
Cuid	OBJ_3797
Translation ID	OBJ_3797
State	Hidden
Data Type	String
Aggregatable	True

SQL Definition

Select

ULTIMATE_CUSTOMER.LEVEL7_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Channel Cust Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Channel Cust Id
Channel Customer ID
OBJ_4566
OBJ_4566
\Channel Customer Dimension\
Active
String

SQL Definition

Select

CHANNEL_CUSTOMER.CUST_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: Channel Cust Name

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Channel Cust Name
Channel To Customer Name
OBJ_4567
OBJ_4567
Active
String
True

SQL Definition

Select

CHANNEL_CUSTOMER.CUST_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Channel Cust Addr Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Channel Cust Addr Id
Channel Customer Address ID
OBJ_4577
OBJ_4577
\Channel Customer Dimension\
Active
String

SQL Definition

Select

CHANNEL_CUSTOMER.CUST_ADDR_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Channel CustNameAddr

Name
Description
Cuid

Channel CustNameAddr
Channel customer name and address
OBJ_4578

Translation ID
Path
State
Data Type

OBJ_4578
\Channel Customer Dimension\
Active
String

SQL Definition

Select

```
@Select(Channel Customer Dimension\Channel Cust  
Id\Channel Cust Name) || @Select(Channel Customer  
Dimension\Channel Cust Street Addr1 Name) ||  
CHANNEL_CUSTOMER.CUST_STREET_ADDR2_NAME || '' ||  
@Select(Channel Customer Dimension\Channel Cust City Name) || ''  
|| @Select(Channel Customer Dimension\Channel Cust State Code) ||  
'' || @Select(Channel Customer Dimension\Channel Cust Zip Code)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Channel Cust Street Addr1 Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Channel Cust Street Addr1 Name
Channel Customer Street Address1
OBJ_4579
OBJ_4579
\Channel Customer Dimension\
Active
String

SQL Definition

Select

CHANNEL_CUSTOMER.CUST_STREET_ADDR1_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Channel Cust City Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Channel Cust City Name
Channel Customer City Name
OBJ_4580
OBJ_4580
\Channel Customer Dimension\
Active
String

SQL Definition

Select

CHANNEL_CUSTOMER.CUST_CITY_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Channel Cust State Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Channel Cust State Code
Channel Customer State Code
OBJ_4581
OBJ_4581
\Channel Customer Dimension\
Active
String

SQL Definition

Select

CHANNEL_CUSTOMER.CUST_STATE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Channel Cust Zip Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Channel Cust Zip Code
Channel Customer ZIP Code
OBJ_4582
OBJ_4582
\Channel Customer Dimension\
Active
String

SQL Definition

Select

CHANNEL_CUSTOMER.CUST_ZIP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Channel Cust County Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Channel Cust County Name
Channel Customer Country Name
OBJ_4583
OBJ_4583
\Channel Customer Dimension\
Active
String

SQL Definition

Select

CHANNEL_CUSTOMER.CUST_COUNTY_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Channel Cust Country Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Channel Cust Country Code
Channel Customer Country Code
OBJ_4584
OBJ_4584
\Channel Customer Dimension\
Active
String

SQL Definition

Select

CHANNEL_CUSTOMER.CUST_COUNTRY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Channel Cust Country Desc

Name
Description

Channel Cust Country Desc
Channel Customer Country Description:
DIM_CUST.CUST_COUNTRY_DESC

Cuid	OBJ_4586
Translation ID	OBJ_4586
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	CHANNEL_CUSTOMER.CUST_COUNTRY_DESC
--------	------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Channel Customer Segmentation

Name	Channel Customer Segmentation
Description	Channel Customer Segmentation: DIM_CUST.CUST_FOCUS_DESC
Cuid	OBJ_4585
Translation ID	OBJ_4585
Path	\Channel Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	CHANNEL_CUSTOMER.CUST_FOCUS_DESC
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Channel Cust Account Mgr Name

Name	Channel Cust Account Mgr Name
Description	Name of CSR for Channel Customer
Cuid	OBJ_4587
Translation ID	OBJ_4587
Path	\Channel Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	CHANNEL_CUSTOMER.ACCT_MGR_NAME
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Src Sys Id-Channel Cust

Name	Src Sys Id-Channel Cust
Description	CHANNEL_CUSTOMER.SRC_SYS_ID : Channel Cust
Cuid	OBJ_4588
Translation ID	OBJ_4588
Path	\Channel Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	CHANNEL_CUSTOMER.SRC_SYS_ID
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data

List of Values
Can be used in

Editable
Results, Filters, Sorts

Dimension: Last Mod Dt-Channel Cust

Name
Description

Cuid
Translation ID
Path
State
Data Type

Last Mod Dt-Channel Cust
CHANNEL_CUSTOMER.LAST_MOD_DT : Last Modified Date Time
for Channel Customer
OBJ_4589
OBJ_4589
\Channel Customer Dimension\
Active
DateTime

SQL Definition

Select

CHANNEL_CUSTOMER.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Channel Cust View code

Name
Description

Cuid
Translation ID
Path
State
Data Type

Channel Cust View code
The highest level in the CommScope Customer Reporting Hierarchy:
CHANNEL_CUSTOMER.LEVEL2
OBJ_4591
OBJ_4591
\Channel Customer Dimension\Channel Customer Hierarchy\
Active
String

SQL Definition

Select

CHANNEL_CUSTOMER.LEVEL2

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Channel Cust View Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Channel Cust View Desc
Description of the highest level in the CommScope Customer
Reporting Hierarchy: CASE WHEN @Select(Above Profit Center
Hierarchy\Business Segment)='CMS' THEN 'SERVICE PROVIDER'
ELSE CHANNEL_CUST.LEVEL2_DESC END
OBJ_4606
OBJ_4606
Active
String
True

SQL Definition

Select

CASE WHEN @Select(Profit Center Dimension\Above Profit
Center Hierarchy\Business Segment)='CMS' THEN 'SERVICE
PROVIDER' ELSE CHANNEL_CUSTOMER.LEVEL2_DESC
END

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Channel Cust Level2

Name	Channel Cust Level2
Description	The second level in the CommScope Customer Reporting Hierarchy: CHANNEL_CUSTOMER.LEVEL3
Cuid	OBJ_4592
Translation ID	OBJ_4592
Path	\Channel Customer Dimension\Channel Customer Hierarchy\
State	Active
Data Type	String

SQL Definition

Select	CHANNEL_CUSTOMER.LEVEL3
--------	-------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Channel Cust Level2 Desc

Name	Channel Cust Level2 Desc
Description	Description of the second level in the CommScope Customer Reporting Hierarchy: CHANNEL_CUSTOMER.LEVEL3_DESC
Cuid	OBJ_4593
Translation ID	OBJ_4593
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	CHANNEL_CUSTOMER.LEVEL3_DESC
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Channel Cust Level3

Name	Channel Cust Level3
Description	The third level in the CommScope Customer Reporting Hierarchy: CHANNEL_CUSTOMER.LEVEL5
Cuid	OBJ_4594
Translation ID	OBJ_4594
Path	\Channel Customer Dimension\Channel Customer Hierarchy\
State	Active
Data Type	String

SQL Definition

Select	CHANNEL_CUSTOMER.LEVEL5
--------	-------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Channel Cust Level3 Desc

Name	Channel Cust Level3 Desc
Description	Description of the third level in the CommScope Customer Reporting Hierarchy: CHANNEL_CUSTOMER.LEVEL5_DESC
Cuid	OBJ_4597
Translation ID	OBJ_4597
State	Active
Data Type	String

Aggregatable

True

SQL Definition

Select

CHANNEL_CUSTOMER.LEVEL5_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Channel Cust Level4

Name

Channel Cust Level4

Description

The fourth level in the CommScope Customer Reporting Hierarchy:
CHANNEL_CUSTOMER.LEVEL4

Cuid

OBJ_4595

Translation ID

OBJ_4595

Path

\Channel Customer Dimension\Channel Customer Hierarchy\

State

Active

Data Type

String

SQL Definition

Select

CHANNEL_CUSTOMER.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Channel Cust Level4 Desc

Name

Channel Cust Level4 Desc

Description

Description of the fourth level in the CommScope Customer
Reporting Hierarchy: PAYER_CUST.LEVEL4_DESC

Cuid

OBJ_4596

Translation ID

OBJ_4596

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

PAYER_CUST.LEVEL4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Channel Parent Cust Id

Name

Channel Parent Cust Id

Description

The fourth level in the CommScope Customer Reporting Hierarchy:
CHANNEL_CUSTOMER.LEVEL4

Cuid

OBJ_4598

Translation ID

OBJ_4598

Path

\Channel Customer Dimension\Channel Customer Hierarchy\

State

Active

Data Type

String

SQL Definition

Select

CHANNEL_CUSTOMER.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts

 Attribute: Channel Parent Cust Name

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Channel Parent Cust Name
Description of the fourth level in the CommScope Customer
Reporting Hierarchy: CHANNEL_CUSTOMER.LEVEL4_DESC
OBJ_4599
OBJ_4599
Active
String
True

SQL Definition

Select

CHANNEL_CUSTOMER.LEVEL4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Dimension: Channel-Customer-Level5

Name
Description

Cuid
Translation ID
Path
State
Data Type

Channel-Customer-Level5
The fifth level in the CommScope Customer Reporting Hierarchy:
CHANNEL_CUSTOMER.LEVEL5
OBJ_4600
OBJ_4600
\Channel Customer Dimension\Channel Customer Hierarchy\
Hidden
String

SQL Definition

Select

CHANNEL_CUSTOMER.LEVEL5

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Attribute: Channel-Customer-Level5Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Channel-Customer-Level5Desc
Description of the third level in the CommScope Customer Reporting
Hierarchy: DIM_CUST.LEVEL5_DESC
OBJ_4601
OBJ_4601
Hidden
String
True

SQL Definition

Select

PAYER_CUST.LEVEL5_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

 Dimension: Channel -Customer-Level6

Name
Description

Cuid
Translation ID

Channel -Customer-Level6
The sixth level in the CommScope Customer Reporting Hierarchy:
CHANNEL_CUSTOMER.LEVEL6
OBJ_4602
OBJ_4602

Path	\Channel Customer Dimension\Channel Customer Hierarchy\
State	Hidden
Data Type	String
SQL Definition	
Select	CHANNEL_CUSTOMER.LEVEL6
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Attribute: Channel -Customer-Level6Desc	
Name	Channel -Customer-Level6Desc
Description	Description of the sixth level in the CommScope Customer Reporting Hierarchy: CHANNEL_CUSTOMER.LEVEL6_DESC
Cuid	OBJ_4603
Translation ID	OBJ_4603
State	Hidden
Data Type	String
Aggregatable	True
SQL Definition	
Select	CHANNEL_CUSTOMER.LEVEL6_DESC
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Dimension: Channel-Customer-Level7	
Name	Channel-Customer-Level7
Description	The seventh level in the CommScope Customer Reporting Hierarchy: CHANNEL_CUSTOMER.LEVEL7
Cuid	OBJ_4604
Translation ID	OBJ_4604
Path	\Channel Customer Dimension\Channel Customer Hierarchy\
State	Hidden
Data Type	String
SQL Definition	
Select	CHANNEL_CUSTOMER.LEVEL7
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Attribute: Channel-Customer-Level7Desc	
Name	Channel-Customer-Level7Desc
Description	Description of the seventh level in the CommScope Customer Reporting Hierarchy: CHANNEL_CUSTOMER.LEVEL7_DESC
Cuid	OBJ_4605
Translation ID	OBJ_4605
State	Hidden
Data Type	String
Aggregatable	True
SQL Definition	
Select	CHANNEL_CUSTOMER.LEVEL7_DESC
Advanced	
Minimum Object Level Security	Public

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts



Dimension: EndUser Cust Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

EndUser Cust Id
EndUser Customer ID
OBJ_4794
OBJ_4794
\EndUser Customer Dimension\
Active
String

SQL Definition

Select

ENDUSER_CUSTOMER.CUST_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: EndUser Cust Name

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

EndUser Cust Name
EndUser Customer Name
OBJ_4795
OBJ_4795
Active
String
True

SQL Definition

Select

ENDUSER_CUSTOMER.CUST_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: EndUser Cust Addr Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

EndUser Cust Addr Id
Channel Customer Address ID
OBJ_4796
OBJ_4796
\EndUser Customer Dimension\
Active
String

SQL Definition

Select

ENDUSER_CUSTOMER.CUST_ADDR_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: EndUser CustNameAddr

Name
Description
Cuid
Translation ID
Path
State

EndUser CustNameAddr
EndUser customer name and address
OBJ_4797
OBJ_4797
\EndUser Customer Dimension\
Active

Data Type

String

SQL Definition

Select

```
@Select(EndUser Customer Dimension\EndUser Cust  
Id\EndUser Cust Name) || @Select(EndUser Customer  
Dimension\EndUser Cust Street Addr1 Name) ||  
ENDUSER_CUSTOMER.CUST_STREET_ADDR2_NAME || '' ||  
@Select(EndUser Customer Dimension\EndUser Cust City Name)  
|| '' || @Select(EndUser Customer Dimension\EndUser Cust State  
Code) || '' || @Select(EndUser Customer Dimension\EndUser Cust  
Zip Code)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: EndUser Cust Street Addr1 Name

Name	EndUser Cust Street Addr1 Name
Description	EndUser Customer Street Address1
Cuid	OBJ_4798
Translation ID	OBJ_4798
Path	\EndUser Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select

```
ENDUSER_CUSTOMER.CUST_STREET_ADDR1_NAME
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: EndUser Cust City Name

Name	EndUser Cust City Name
Description	EndUser Customer City Name
Cuid	OBJ_4799
Translation ID	OBJ_4799
Path	\EndUser Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select

```
ENDUSER_CUSTOMER.CUST_CITY_NAME
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: EndUser Cust State Code

Name	EndUser Cust State Code
Description	EndUser Customer State Code: ENDUSER_CUSTOMER.CUST_STATE_CODE
Cuid	OBJ_4800
Translation ID	OBJ_4800
Path	\EndUser Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select

```
ENDUSER_CUSTOMER.CUST_STATE_CODE
```

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: EndUser Cust Zip Code

Name	EndUser Cust Zip Code
Description	EndUser Customer ZIP Code
Cuid	OBJ_4801
Translation ID	OBJ_4801
Path	\EndUser Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	ENDUSER_CUSTOMER.CUST_ZIP_CODE
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: EndUser Cust County Name

Name	EndUser Cust County Name
Description	EndUser Customer Country Name
Cuid	OBJ_4802
Translation ID	OBJ_4802
Path	\EndUser Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	ENDUSER_CUSTOMER.CUST_COUNTY_NAME
--------	-----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: EndUser Cust Country Code

Name	EndUser Cust Country Code
Description	EndUser Customer Country Code
Cuid	OBJ_4803
Translation ID	OBJ_4803
Path	\EndUser Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	ENDUSER_CUSTOMER.CUST_COUNTRY_CODE
--------	------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: EndUser Cust Country Desc

Name	EndUser Cust Country Desc
Description	EndUser Customer Country Description: DIM_CUST.CUST_COUNTRY_DESC
Cuid	OBJ_4804

Translation ID	OBJ_4804
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	ENDUSER_CUSTOMER.CUST_COUNTRY_DESC
--------	------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: EndUser Customer Segmentation

Name	EndUser Customer Segmentation
Description	EndUser Customer Segmentation: DIM_CUST.CUST_FOCUS_DESC
Cuid	OBJ_4805
Translation ID	OBJ_4805
Path	\EndUser Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	ENDUSER_CUSTOMER.CUST_FOCUS_DESC
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: EndUser Cust Account Mgr Name

Name	EndUser Cust Account Mgr Name
Description	Name of CSR for EndUser Customer
Cuid	OBJ_4806
Translation ID	OBJ_4806
Path	\EndUser Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	ENDUSER_CUSTOMER.ACCT_MGR_NAME
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Src Sys Id-EndUser Cust

Name	Src Sys Id-EndUser Cust
Description	Channel Cust : ENDUSER_CUSTOMER.SRC_SYS_ID
Cuid	OBJ_4807
Translation ID	OBJ_4807
Path	\EndUser Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	ENDUSER_CUSTOMER.SRC_SYS_ID
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable

Can be used in

Results, Filters, Sorts

Dimension: Last Mod Dt-EndUser Cust

Name
Description

Cuid
Translation ID
Path
State
Data Type

Last Mod Dt-EndUser Cust
Last Modified Date Time for EndUser Customer :
ENDUSER_CUSTOMER.LAST_MOD_DT
OBJ_4808
OBJ_4808
\EndUser Customer Dimension\
Active
DateTime

SQL Definition

Select

ENDUSER_CUSTOMER.LAST_MOD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: EndUser Cust View code

Name
Description

Cuid
Translation ID
Path
State
Data Type

EndUser Cust View code
The highest level in the CommScope Customer Reporting Hierarchy:
ENDUSER_CUSTOMER.LEVEL2
OBJ_4809
OBJ_4809
\EndUser Customer Dimension\EndUser Customer Hierarchy\
Active
String

SQL Definition

Select

ENDUSER_CUSTOMER.LEVEL2

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: EndUser Cust View Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

EndUser Cust View Desc
Description of the highest level in the CommScope Customer Reporting Hierarchy: CASE WHEN @Select(Above Profit Center Hierarchy\Business Segment)='CMS' THEN 'SERVICE PROVIDER' ELSE ENDUSER_CUST.LEVEL2_DESC END
OBJ_4810
OBJ_4810
Active
String
True

SQL Definition

Select

CASE WHEN @Select(Profit Center Dimension\Above Profit Center Hierarchy\Business Segment)='CMS' THEN 'SERVICE PROVIDER' ELSE ENDUSER_CUSTOMER.LEVEL2_DESC END

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: EndUser Cust Level2

Name	EndUser Cust Level2
Description	The second level in the CommScope Customer Reporting Hierarchy: ENDUSER_CUSTOMER.LEVEL3
Cuid	OBJ_4811
Translation ID	OBJ_4811
Path	\EndUser Customer Dimension\EndUser Customer Hierarchy\
State	Active
Data Type	String

SQL Definition

Select	ENDUSER_CUSTOMER.LEVEL3
--------	-------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: EndUser Cust Level2 Desc

Name	EndUser Cust Level2 Desc
Description	Description of the second level in the CommScope Customer Reporting Hierarchy: ENDUSER_CUSTOMER.LEVEL3_DESC
Cuid	OBJ_4812
Translation ID	OBJ_4812
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	ENDUSER_CUSTOMER.LEVEL3_DESC
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: EndUser Cust Level3

Name	EndUser Cust Level3
Description	The third level in the CommScope Customer Reporting Hierarchy: ENDUSER_CUSTOMER.LEVEL5
Cuid	OBJ_4813
Translation ID	OBJ_4813
Path	\EndUser Customer Dimension\EndUser Customer Hierarchy\
State	Active
Data Type	String

SQL Definition

Select	ENDUSER_CUSTOMER.LEVEL5
--------	-------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: EndUser Cust Level3 Desc

Name	EndUser Cust Level3 Desc
Description	Description of the third level in the CommScope Customer Reporting Hierarchy: ENDUSER_CUSTOMER.LEVEL5_DESC
Cuid	OBJ_4814
Translation ID	OBJ_4814
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select

ENDUSER_CUSTOMER.LEVEL5_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: EndUser Cust Level4

Name

EndUser Cust Level4

Description

The fourth level in the CommScope Customer Reporting Hierarchy:
ENDUSER_CUSTOMER.LEVEL4

Cuid

OBJ_4815

Translation ID

OBJ_4815

Path

\EndUser Customer Dimension\EndUser Customer Hierarchy\

State

Active

Data Type

String

SQL Definition

Select

ENDUSER_CUSTOMER.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: EndUser Cust Level4 Desc

Name

EndUser Cust Level4 Desc

Description

Description of the fourth level in the CommScope Customer
Reporting Hierarchy: PAYER_CUST.LEVEL4_DESC

Cuid

OBJ_4816

Translation ID

OBJ_4816

State

Active

Data Type

String

Aggregatable

True

SQL Definition

Select

PAYER_CUST.LEVEL4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: EndUser Parent Cust Id

Name

EndUser Parent Cust Id

Description

The fourth level in the CommScope Customer Reporting Hierarchy:
ENDUSER_CUSTOMER.LEVEL4

Cuid

OBJ_4817

Translation ID

OBJ_4817

Path

\EndUser Customer Dimension\EndUser Customer Hierarchy\

State

Active

Data Type

String

SQL Definition

Select

ENDUSER_CUSTOMER.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

**Attribute: EndUser Parent Cust Name**

Name	EndUser Parent Cust Name
Description	Description of the fourth level in the CommScope Customer Reporting Hierarchy: ENDUSER_CUSTOMER.LEVEL4_DESC
Cuid	OBJ_4818
Translation ID	OBJ_4818
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	ENDUSER_CUSTOMER.LEVEL4_DESC
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: VAR Cust Id**

Name	VAR Cust Id
Description	VAR Customer ID:VAR_CUSTOMER.CUST_ID
Cuid	OBJ_4848
Translation ID	OBJ_4848
Path	\VAR Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	VAR_CUSTOMER.CUST_ID
--------	----------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Attribute: VAR Cust Name**

Name	VAR Cust Name
Description	VAR Customer Name
Cuid	OBJ_4849
Translation ID	OBJ_4849
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	VAR_CUSTOMER.CUST_NAME
--------	------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: VAR Cust Addr Id**

Name	VAR Cust Addr Id
Description	VAR Customer Address ID : VAR_CUSTOMER.CUST_ADDR_ID
Cuid	OBJ_4850
Translation ID	OBJ_4850
Path	\VAR Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select

VAR_CUSTOMER.CUST_ADDR_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: VAR CustNameAddr

Name
Description
Cuid
Translation ID
Path
State
Data Type

VAR CustNameAddr
VAR customer name and address
OBJ_4851
OBJ_4851
\VAR Customer Dimension\
Active
String

SQL Definition

Select

```
@Select(VAR Customer Dimension\VAR Cust Id\VAR Cust Name)
|| @Select(VAR Customer Dimension\VAR Cust Street Addr1 Name)
|| VAR_CUSTOMER.CUST_STREET_ADDR2_NAME || ' ' ||
@Select(VAR Customer Dimension\VAR Cust City Name) || ' ' ||
@Select(VAR Customer Dimension\VAR Cust State Code) || ' ' ||
@Select(VAR Customer Dimension\VAR Cust Zip Code)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: VAR Cust Street Addr1 Name

Name
Description

Cuid
Translation ID
Path
State
Data Type

VAR Cust Street Addr1 Name
VAR Customer Street Address1 :
VAR_CUSTOMER.CUST_STREET_ADDR1_NAME
OBJ_4852
OBJ_4852
\VAR Customer Dimension\
Active
String

SQL Definition

Select

VAR_CUSTOMER.CUST_STREET_ADDR1_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: VAR Cust City Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

VAR Cust City Name
VAR Customer City Name : VAR_CUSTOMER.CUST_CITY_NAME
OBJ_4853
OBJ_4853
\VAR Customer Dimension\
Active
String

SQL Definition

Select

VAR_CUSTOMER.CUST_CITY_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts



Dimension: VAR Cust State Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

VAR Cust State Code
VAR Customer State Code :
VAR_CUSTOMER.CUST_STATE_CODE
OBJ_4854
OBJ_4854
\\VAR Customer Dimension\
Active
String

SQL Definition

Select

VAR_CUSTOMER.CUST_STATE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: VAR Cust Zip Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

VAR Cust Zip Code
VAR Customer ZIP Code
OBJ_4855
OBJ_4855
\\VAR Customer Dimension\
Active
String

SQL Definition

Select

VAR_CUSTOMER.CUST_ZIP_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: VAR Cust County Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

VAR Cust County Name
VAR Customer Country Name
OBJ_4856
OBJ_4856
\\VAR Customer Dimension\
Active
String

SQL Definition

Select

VAR_CUSTOMER.CUST_COUNTY_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: VAR Cust Country Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

VAR Cust Country Code
VAR Customer Country Code
OBJ_4857
OBJ_4857
\\VAR Customer Dimension\
Active
String

SQL Definition

Select

VAR_CUSTOMER.CUST_COUNTRY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: VAR Cust Country Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

VAR Cust Country Desc
VAR Customer Country Description:
VAR_CUSTOMER.CUST_COUNTRY_DESC
OBJ_4858
OBJ_4858
Active
String
True

SQL Definition

Select

VAR_CUSTOMER.CUST_COUNTRY_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: VAR Customer Segmentation

Name
Description

VAR Customer Segmentation
VAR Customer Segmentation:
VAR_CUSTOMER.CUST_FOCUS_DESC
OBJ_4859
OBJ_4859
\VAR Customer Dimension\
Active
String

SQL Definition

Select

VAR_CUSTOMER.CUST_FOCUS_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: VAR Cust Account Mgr Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

VAR Cust Account Mgr Name
Name of CSR for VAR Customer
OBJ_4860
OBJ_4860
\VAR Customer Dimension\
Active
String

SQL Definition

Select

VAR_CUSTOMER.ACCT_MGR_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Src Sys Id-VAR Cust

Name	Src Sys Id-VAR Cust
Description	Channel Cust :VAR_CUSTOMER.SRC_SYS_ID
Cuid	OBJ_4861
Translation ID	OBJ_4861
Path	\VAR Customer Dimension\
State	Active
Data Type	String

SQL Definition

Select	VAR_CUSTOMER.SRC_SYS_ID
--------	-------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Last Mod Dt-VAR Cust

Name	Last Mod Dt-VAR Cust
Description	Last Modified Date Time for VAR Customer :
	VAR_CUSTOMER.LAST_MOD_DT
Cuid	OBJ_4862
Translation ID	OBJ_4862
Path	\VAR Customer Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	VAR_CUSTOMER.LAST_MOD_DT
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: VAR Cust View code

Name	VAR Cust View code
Description	The highest level in the CommScope Customer Reporting Hierarchy:
	VAR_CUSTOMER.LEVEL2
Cuid	OBJ_4863
Translation ID	OBJ_4863
Path	\VAR Customer Dimension\VAR Customer Hierarchy\
State	Active
Data Type	String

SQL Definition

Select	VAR_CUSTOMER.LEVEL2
--------	---------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: VAR Cust View Desc

Name	VAR Cust View Desc
Description	Description of the highest level in the CommScope Customer Reporting Hierarchy: CASE WHEN @Select(Above Profit Center Hierarchy\Business Segment)='CMS' THEN 'SERVICE PROVIDER' ELSE VAR_CUST.LEVEL2_DESC END
Cuid	OBJ_4864
Translation ID	OBJ_4864
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select

```
CASE WHEN @Select(Profit Center Dimension\Above Profit  
Center Hierarchy\Business Segment)='CMS' THEN 'SERVICE  
PROVIDER' ELSE VAR_CUSTOMER.LEVEL2_DESC END
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: VAR Cust Level2

Name
Description

VAR Cust Level2
The second level in the CommScope Customer Reporting Hierarchy:
VAR_CUSTOMER.LEVEL3
OBJ_4865
OBJ_4865
\VAR Customer Dimension\VAR Customer Hierarchy\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

VAR_CUSTOMER.LEVEL3

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

* Attribute: VAR Cust Level2 Desc

Name
Description

VAR Cust Level2 Desc
Description of the second level in the CommScope Customer
Reporting Hierarchy: VAR_CUSTOMER.LEVEL3_DESC
OBJ_4866
OBJ_4866
Active
String
True

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

VAR_CUSTOMER.LEVEL3_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: VAR Cust Level3

Name
Description

VAR Cust Level3
The third level in the CommScope Customer Reporting Hierarchy:
VAR_CUSTOMER.LEVEL5
OBJ_4867
OBJ_4867
\VAR Customer Dimension\VAR Customer Hierarchy\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

VAR_CUSTOMER.LEVEL5

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts



Attribute: VAR Cust Level3 Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

VAR Cust Level3 Desc
Description of the third level in the CommScope Customer Reporting Hierarchy: VAR_CUSTOMER.LEVEL5_DESC
OBJ_4868
OBJ_4868
Active
String
True

SQL Definition

Select

VAR_CUSTOMER.LEVEL5_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: VAR Cust Level4

Name
Description

Cuid
Translation ID
Path
State
Data Type

VAR Cust Level4
The fourth level in the CommScope Customer Reporting Hierarchy: VAR_CUSTOMER.LEVEL4
OBJ_4869
OBJ_4869
\\VAR Customer Dimension\\VAR Customer Hierarchy\\
Active
String

SQL Definition

Select

VAR_CUSTOMER.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: VAR Cust Level4 Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

VAR Cust Level4 Desc
Description of the fourth level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL4_DESC
OBJ_4870
OBJ_4870
Active
String
True

SQL Definition

Select

PAYER_CUST.LEVEL4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: VAR Parent Cust Id

Name
Description

Cuid
Translation ID

VAR Parent Cust Id
The fourth level in the CommScope Customer Reporting Hierarchy: VAR_CUSTOMER.LEVEL4
OBJ_4871
OBJ_4871

Path
State
Data Type

\\VAR Customer Dimension\\VAR Customer Hierarchy\\
Active
String

SQL Definition

Select

VAR_CUSTOMER.LEVEL4

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: VAR Parent Cust Name

Name
Description

VAR Parent Cust Name
Description of the fourth level in the CommScope Customer Reporting Hierarchy: VAR_CUSTOMER.LEVEL4_DESC
OBJ_4872
OBJ_4872
Active
String
True

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

VAR_CUSTOMER.LEVEL4_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Delivery Order ID

Name
Description

Delivery Order ID
Delivery Order ID – uniquely identifies the delivery order header record: DIM_INVOICE.DEL_DOC_ID
OBJ_4314
OBJ_4314
\\Invoice Dimension\\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_INVOICE.DEL_DOC_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Delivery Item Nbr

Name
Description

Delivery Item Nbr
Delivery Item Nbr – Unique identifier for specific delivery item record: DIM_INVOICE.DEL_DOC_NBR
OBJ_4315
OBJ_4315
\\Invoice Dimension\\
Active
Numeric

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_INVOICE.DEL_DOC_NBR

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
List of Values
Can be used in
Display format

Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Invoice ID

Name
Description
Cuid
Translation ID
Path
State
Data Type

Invoice ID
Invoice Number
OBJ_274
OBJ_274
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.INV_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Invoice Line Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Invoice Line Nbr
Invoice Line Number
OBJ_275
OBJ_275
\Invoice Dimension\
Active
Numeric

SQL Definition

Select

DIM_INVOICE.INV_LINE_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Invoice Date Time

Name
Description
Cuid
Translation ID
Path
State
Data Type

Invoice Date Time
Date Invoice Created
OBJ_276
OBJ_276
\Invoice Dimension\
Active
DateTime

SQL Definition

Select

DIM_INVOICE.INV_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Date Time

Name
Description
Cuid
Translation ID
Path

GL Date Time
Date Invoice Posted to General Ledger
OBJ_277
OBJ_277
\Invoice Dimension\

State
Data Type

Active
DateTime

SQL Definition

Select

DIM_INVOICE.GL_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sales Order ID

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sales Order ID
Sales Order ID to which the invoice is associated
OBJ_278
OBJ_278
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.SALES_ORD_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sales Ord Line Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sales Ord Line Nbr
Sales Order Line Number to which the invoice item is associated
OBJ_279
OBJ_279
\Invoice Dimension\
Active
Numeric

SQL Definition

Select

DIM_INVOICE.SALES_ORD_LINE_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: CompanyID

Name
Description
Cuid
Translation ID
Path
State
Data Type

CompanyID
Company Code of the Invoice
OBJ_2910
OBJ_2910
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.CO_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

**Dimension: Inv Bill Type Code**

Name	Inv Bill Type Code
Description	Invoice Billing Type: Ex. 'ZFIV', 'ZF20'
Cuid	OBJ_280
Translation ID	OBJ_280
Path	\Invoice Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_INVOICE.INV_BILL_TYPE_CODE
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Attribute: Inv Bill Type Desc**

Name	Inv Bill Type Desc
Description	Invoice Bill Type Description
Cuid	OBJ_281
Translation ID	OBJ_281
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_INVOICE.INV_BILL_TYPE_DESC
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Inv Category Code**

Name	Inv Category Code
Description	SD Document Category: Ex. '5', 'M'
Cuid	OBJ_282
Translation ID	OBJ_282
Path	\Invoice Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_INVOICE.INV_CAT_CODE
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Attribute: Inv Category Desc**

Name	Inv Category Desc
Description	Invoice Category Description
Cuid	OBJ_283
Translation ID	OBJ_283
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_INVOICE.INV_CAT_DESC
--------	--------------------------

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

Dimension: Fin Doc Nbr

Name
 Description
 Cuid
 Translation ID
 Path
 State
 Data Type

Fin Doc Nbr
 GL Reference Document Number
 OBJ_284
 OBJ_284
 \Invoice Dimension\
 Active
 Numeric

SQL Definition

Select

DIM_INVOICE.FIN_DOC_NBR

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

Dimension: Inv Remark Desc

Name
 Description
 Cuid
 Translation ID
 Path
 State
 Data Type

Inv Remark Desc
 Inventory Remark Description
 OBJ_285
 OBJ_285
 \Invoice Dimension\
 Active
 String

SQL Definition

Select

DIM_INVOICE.INV_REMARK_DESC

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

Dimension: Ord Type Code

Name
 Description
 Cuid
 Translation ID
 Path
 State
 Data Type

Ord Type Code
 DIM_INVOICE.ORD_TYPE_CODE:Order Type Code
 OBJ_286
 OBJ_286
 \Invoice Dimension\
 Hidden
 String

SQL Definition

Select

DIM_INVOICE.ORD_TYPE_CODE

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

*** Attribute: Ord Type Desc**

Name
 Description
 Cuid
 Translation ID

Ord Type Desc
 DIM_INVOICE.ORD_TYPE_DESC:Order Type Description
 OBJ_287
 OBJ_287

State
Data Type
Aggregatable

Hidden
String
True

SQL Definition

Select

DIM_INVOICE.ORD_TYPE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Final Dest Country Code

Name
Description

Final Dest Country Code
DIM_INVOICE.FINAL_DEST_COUNTRY_CODE:Final Destination
Country Code
OBJ_288
OBJ_288
\Invoice Dimension\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_INVOICE.FINAL_DEST_COUNTRY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Final Dest Country Name

Name
Description

Final Dest Country Name
Final Dest Country Name:
DIM_REGION_COUNTRY_INV.COUNTRY_NAME
OBJ_2997
OBJ_2997
Active
String
True

Cuid
Translation ID
State
Data Type
Aggregatable

SQL Definition

Select

DIM_REGION_COUNTRY_INV.COUNTRY_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Trans Ind

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Trans Ind
Status for transfer to accounting ('Y' or 'N')
OBJ_289
OBJ_289
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.GL_TRANS_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category

Public
Uncategorized data

List of Values
Can be used in

Editable
Results, Filters, Sorts

Dimension: Ship Loc Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ship Loc Code
Shipping Location Point (Plant) Code
OBJ_2953
OBJ_2953
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.SHIP_LOC_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Ship Loc Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Ship Loc Desc
Shipping Location (Plant) Description
OBJ_2954
OBJ_2954
Active
String
True

SQL Definition

Select

DIM_INVOICE.SHIP_LOC_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: WBS Element – Invoice Item

Name
Description
Cuid
Translation ID
Path
State
Data Type

WBS Element – Invoice Item
WBS Element (From invoice item VBRP.WBS_ELEMT)
OBJ_2982
OBJ_2982
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.WBS_ELEMT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sales Group

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sales Group
DIM_INVOICE.SALES_GRP: Sales Group
OBJ_2983
OBJ_2983
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.SALES_GRP

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: End Use

Name
Description
Cuid
Translation ID
Path
State
Data Type

End Use
DIM_INVOICE.END_USE: End Use
OBJ_2984
OBJ_2984
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.END_USE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Act Prod Grp

Name
Description
Cuid
Translation ID
Path
State
Data Type

Act Prod Grp
DIM_INVOICE.ACT_PROD_GRP: Active Product Group
OBJ_2985
OBJ_2985
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.ACT_PROD_GRP

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Src Sys Id-Invoice

Name
Description
Cuid
Translation ID
Path
State
Data Type

Src Sys Id-Invoice
DIM_INVOICE.SRC_SYS_ID : Invoice
OBJ_2864
OBJ_2864
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.SRC_SYS_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Last Mod Dt-Invoice

Name

Last Mod Dt-Invoice

Description

Cuid

Translation ID

Path

State

Data Type

DIM_INVOICE.LAST_MOD_DT : Last Modified Date Time for Invoice

OBJ_2865

OBJ_2865

\Invoice Dimension\

Active

DateTime

SQL Definition

Select

DIM_INVOICE.LAST_MOD_DT

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Invoice Header Comments

Name

Invoice Header Comments

Description

DIM_INVOICE.INV_HEAD_DESC: Invoice Header Comments

Cuid

OBJ_4118

Translation ID

OBJ_4118

Path

\Invoice Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_INVOICE.INV_HEAD_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Doc Currency To Dollars Rate

Name

Doc Currency To Dollars Rate

Description

FCTV_INVOICE.DOC_CUR_TO_DOL_RATE: The Exchange Rate for Document Currency to Dollars.

Cuid

OBJ_4119

Translation ID

OBJ_4119

Path

\Invoice Dimension\

State

Active

Data Type

Numeric

SQL Definition

Select

FCTV_INVOICE.DOC_CUR_TO_DOL_RATE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Accounting Refrence Doc Nbr

Name

Accounting Refrence Doc Nbr

Description

Accounting Reference Doc

Nbr:DIM_INVOICE.ACCT_REF_DOC_NBR

Cuid

OBJ_4284

Translation ID

OBJ_4284

Path

\Invoice Dimension\

State

Active

Data Type

String

SQL Definition

Select

DIM_INVOICE.ACCT_REF_DOC_NBR

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Create Date – Invoice item

Name	Create Date – Invoice item
Description	Create Date – Invoice item:DIM_INVOICE.SRC_REC_UPD_DT
Cuid	OBJ_4316
Translation ID	OBJ_4316
Path	\Invoice Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_INVOICE.SRC_REC_UPD_DT
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: L-Arris Revenue LOB Code

Name	L-Arris Revenue LOB Code
Description	Legacy ARRIS revenue Line Of Business code:FCTV_INVOICE.ARS_REV_LOB_CODE
Cuid	OBJ_4911
Translation ID	OBJ_4911
Path	\Invoice Dimension\
State	Active
Data Type	String

SQL Definition

Select	FCTV_INVOICE.ARS_REV_LOB_CODE
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Shipment_Start_Date

Name	Shipment_Start_Date
Description	Shipment Start Date
Cuid	OBJ_5001
Translation ID	OBJ_5001
Path	\Invoice Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_INVOICE.IA_SHIPMENT_START_DT
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Shipment_End_Date

Name	Shipment_End_Date
Description	Shipment End Date
Cuid	OBJ_5002

Translation ID
Path
State
Data Type

OBJ_5002
\Invoice Dimension\
Active
DateTime

SQL Definition

Select

DIM_INVOICE.IA_SHIPMENT_POD_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Shipment_Trailer_Number

Name
Description
Cuid
Translation ID
Path
State
Data Type

Shipment_Trailer_Number
Shipment Trailer Number
OBJ_5003
OBJ_5003
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.IA_SHIPMENT_TRAILER_NO

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Goods Issue Date

Name
Description

Cuid
Translation ID
Path
State
Data Type

Goods Issue Date
It gives the date on which the product has been shipped :
DIM_INVOICE.GOODS_ISSUE_DT
OBJ_5030
OBJ_5030
\Invoice Dimension\
Active
DateTime

SQL Definition

Select

DIM_INVOICE.GOODS_ISSUE_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Shipment Tracking Id

Name
Description

Cuid
Translation ID
Path
State
Data Type

Shipment Tracking Id
It provides Tracking Id so that the product shipped from CS can be traced : DIM_INVOICE.SHIPMENT_TRACKING_ID
OBJ_5031
OBJ_5031
\Invoice Dimension\
Active
String

SQL Definition

Select

DIM_INVOICE.SHIPMENT_TRACKING_ID

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Material Account Assignment Group

Name	Material Account Assignment Group
Description	DIM_INVOICE.MAT_ACCT_ASSIGN_GRP:Account Assignment Group for Material
Cuid	OBJ_5126
Translation ID	OBJ_5126
Path	\Invoice Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_INVOICE.MAT_ACCT_ASSIGN_GRP
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: Material Account Assignment Group Desc

Name	Material Account Assignment Group Desc
Description	DIM_INVOICE.MAT_ACCT_ASSIGN_GRP_DESC:Account Assignment Group Discription for Material.
Cuid	OBJ_5127
Translation ID	OBJ_5127
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_INVOICE.MAT_ACCT_ASSIGN_GRP_DESC
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Item Category Code

Name	Item Category Code
Description	Sales Document Item Category :DIM_INVOICE.ITEM_CAT_CODE
Cuid	OBJ_5130
Translation ID	OBJ_5130
Path	\Invoice Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_INVOICE.ITEM_CAT_CODE
--------	---------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Attribute: Item Category Desc

Name	Item Category Desc
Description	Sales Document Item Category Desc : DIM_INVOICE.ITEM_CAT_DESC
Cuid	OBJ_5131

Translation ID
State
Data Type
Aggregatable

OBJ_5131
Active
String
True

SQL Definition

Select

DIM_INVOICE.ITEM_CAT_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: PO ID

Name
Description
Cuid
Translation ID
Path
State
Data Type

PO ID
PO ID:It is STO(Stock Transfer Order) ID.DIM_PO.PO_ID
OBJ_4317
OBJ_4317
\PO Dimension\
Active
String

SQL Definition

Select

DIM_PO.PO_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: PO Item Nbr

Name
Description

Cuid
Translation ID
Path
State
Data Type

PO Item Nbr
PO Item Nbr: It is STO(Stock Transfer Order) item
number:DIM_PO.PO_ITEM_NBR
OBJ_4318
OBJ_4318
\PO Dimension\
Active
String

SQL Definition

Select

DIM_PO.PO_ITEM_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: PO Last Delivery Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

PO Last Delivery Date
PO Last Delivery Date:DIM_PO.LAST_DELIVERY_DT
OBJ_4369
OBJ_4369
\PO Dimension\
Active
DateTime

SQL Definition

Select

DIM_PO.LAST_DELIVERY_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category

Public
Uncategorized data

List of Values
Can be used in

Editable
Results, Filters, Sorts

Dimension: PO Last Ship Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

PO Last Ship Date
PO Last Ship Date:DIM_PO.LAST_SHIP_DT
OBJ_4370
OBJ_4370
\PO Dimension\
Active
DateTime

SQL Definition

Select

DIM_PO.LAST_SHIP_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: PO Request Delivery Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

PO Request Delivery Date
PO Request Delivery Date:DIM_PO.REQ_DELIVERY_DT
OBJ_4371
OBJ_4371
\PO Dimension\
Active
DateTime

SQL Definition

Select

DIM_PO.REQ_DELIVERY_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: PO Create Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

PO Create Date
PO Create Date:DIM_PO.CREATE_DT
OBJ_4372
OBJ_4372
\PO Dimension\
Active
DateTime

SQL Definition

Select

DIM_PO.CREATE_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: STO Backlog Status Desc

Name
Description
Cuid
Translation ID
Path
State
Data Type

STO Backlog Status Desc
STO Backlog Status Desc:DIM_PO.STO_BACKLOG_STAT_DESC
OBJ_4373
OBJ_4373
\PO Dimension\
Active
String

SQL Definition

Select

DIM_PO.STO_BACKLOG_STAT_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: PO Commit Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

PO Commit Date
PO Commit Date:DIM_PO.COMMIT_DT
OBJ_4374
OBJ_4374
\PO Dimension\
Active
DateTime

SQL Definition

Select

DIM_PO.COMMIT_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: PO Order Type

Name
Description
Cuid
Translation ID
Path
State
Data Type

PO Order Type
PO Order Type:DIM_PO.PO_ORD_TYPE
OBJ_4375
OBJ_4375
\PO Dimension\
Active
String

SQL Definition

Select

DIM_PO.PO_ORD_TYPE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: GL Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Id
GL Id: DIM_GL_ENTRY_NONBILL.GLPCA_ID
OBJ_4319
OBJ_4319
\GL Entry (Non-Billing External) Dimension\
Active
Numeric

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.GLPCA_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: GL Posting Date

Name

GL Posting Date

Description
Cuid
Translation ID
Path
State
Data Type

GL Posting Date: DIM_GL_ENTRY_NONBILL.POSTING_DT
OBJ_4320
OBJ_4320
\GL Entry (Non-Billing External) Dimension\
Active
DateTime

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.POSTING_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Doc Entry Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Doc Entry Date
GL Doc Entry Date: DIM_GL_ENTRY_NONBILL.ENTRY_DT
OBJ_4321
OBJ_4321
\GL Entry (Non-Billing External) Dimension\
Active
DateTime

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ENTRY_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Company Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Company Id
GL Company Id: DIM_GL_ENTRY_NONBILL.CO_ID
OBJ_4322
OBJ_4322
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.CO_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Cost Center

Name
Description

Cuid
Translation ID
Path
State
Data Type

GL Cost Center
GL Cost Center:
DIM_GL_ENTRY_NONBILL.COST_CENTER_CODE
OBJ_4323
OBJ_4323
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.COST_CENTER_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Sales Org

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Sales Org
GL Sales Org: DIM_GL_ENTRY_NONBILL.SALES_ORG_ID
OBJ_4324
OBJ_4324
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.SALES_ORG_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Doc Type

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Doc Type
GL Doc Type: DIM_GL_ENTRY_NONBILL.DOC_TYPE
OBJ_4325
OBJ_4325
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.DOC_TYPE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Ref Transaction

Name
Description

Cuid
Translation ID
Path
State
Data Type

GL Ref Transaction
GL Ref Transaction:
DIM_GL_ENTRY_NONBILL.REF_TRANSACTION_ID
OBJ_4326
OBJ_4326
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.REF_TRANSACTION_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Ref Doc Nbr

Name
Description
Cuid
Translation ID

GL Ref Doc Nbr
GL Ref Doc Nbr: DIM_GL_ENTRY_NONBILL.REF_DOC_NBR
OBJ_4327
OBJ_4327

Path
State
Data Type

\GL Entry (Non-Billing External) Dimension\
Active
Numeric

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.REF_DOC_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Ref Doc Line

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Ref Doc Line
GL Ref Doc Line: DIM_GL_ENTRY_NONBILL.REF_DOC_LINE_ID
OBJ_4328
OBJ_4328
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.REF_DOC_LINE_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Ref Doc Year

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Ref Doc Year
GL Ref Doc Year: DIM_GL_ENTRY_NONBILL.REF_YEAR_NBR
OBJ_4329
OBJ_4329
\GL Entry (Non-Billing External) Dimension\
Active
Numeric

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.REF_YEAR_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Ref Doc Type

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Ref Doc Type
GL Ref Doc Type: DIM_GL_ENTRY_NONBILL.REF_DOC_TYPE
OBJ_4330
OBJ_4330
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.REF_DOC_TYPE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: GL Ref Doc Activity

Name	GL Ref Doc Activity
Description	GL Ref Doc Activity:
Cuid	DIM_GL_ENTRY_NONBILL.REF_ACTIVITY_ID
Translation ID	OBJ_4331
Path	OBJ_4331
State	\GL Entry (Non-Billing External) Dimension\
Data Type	Active
	String

SQL Definition

Select	DIM_GL_ENTRY_NONBILL.REF_ACTIVITY_ID
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: GL Ref Org

Name	GL Ref Org
Description	GL Ref Org: DIM_GL_ENTRY_NONBILL.REF_ORG_ID
Cuid	OBJ_4332
Translation ID	OBJ_4332
Path	\GL Entry (Non-Billing External) Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_GL_ENTRY_NONBILL.REF_ORG_ID
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: GL Account

Name	GL Account
Description	GL Account: DIM_GL_ENTRY_NONBILL.GL_ACCOUNT_NBR
Cuid	OBJ_4333
Translation ID	OBJ_4333
Path	\GL Entry (Non-Billing External) Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select	DIM_GL_ENTRY_NONBILL.GL_ACCOUNT_NBR
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: GL Functional Area

Name	GL Functional Area
Description	GL Functional Area:
Cuid	DIM_GL_ENTRY_NONBILL.GL_FUNC_AREA_DESC
Translation ID	OBJ_4334
Path	OBJ_4334
State	\GL Entry (Non-Billing External) Dimension\
Data Type	Active
	String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.GL_FUNC_AREA_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL HFM Group

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL HFM Group
GL HFM Group: DIM_GL_ENTRY_NONBILL.HFM_GROUP_ID
OBJ_4335
OBJ_4335
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.HFM_GROUP_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL HFM Group Description

Name
Description

Cuid
Translation ID
Path
State
Data Type

GL HFM Group Description
GL HFM Group Description:
DIM_GL_ENTRY_NONBILL.HFM_DESC
OBJ_4336
OBJ_4336
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.HFM_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Debit/Credit Indicator

Name
Description

Cuid
Translation ID
Path
State
Data Type

GL Debit/Credit Indicator
GL Debit/Credit Indicator:
DIM_GL_ENTRY_NONBILL.DEBIT_CREDIT_IND
OBJ_4337
OBJ_4337
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.DEBIT_CREDIT_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: GL Doc Currency

Name	GL Doc Currency
Description	GL Doc Currency: DIM_GL_ENTRY_NONBILL.DOC_CURRENCY_CODE
Cuid	OBJ_4338
Translation ID	OBJ_4338
Path	\GL Entry (Non-Billing External) Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_GL_ENTRY_NONBILL.DOC_CURRENCY_CODE
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: GL Company Currency

Name	GL Company Currency
Description	GL Company Currency: DIM_GL_ENTRY_NONBILL.COMPANY_CURRENCY_CODE
Cuid	OBJ_4339
Translation ID	OBJ_4339
Path	\GL Entry (Non-Billing External) Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_GL_ENTRY_NONBILL.COMPANY_CURRENCY_CODE
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: GL Doc Reversed Indicator

Name	GL Doc Reversed Indicator
Description	GL Doc Reversed Indicator: DIM_GL_ENTRY_NONBILL.DOC_REVERSED_IND
Cuid	OBJ_4340
Translation ID	OBJ_4340
Path	\GL Entry (Non-Billing External) Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_GL_ENTRY_NONBILL.DOC_REVERSED_IND
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: GL Sales Ord 1 Id

Name	GL Sales Ord 1 Id
Description	GL Sales Ord 1 Id: DIM_GL_ENTRY_NONBILL.SO1_NBR
Cuid	OBJ_4341
Translation ID	OBJ_4341
Path	\GL Entry (Non-Billing External) Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.SO1_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: GL Sales Ord 1 Line

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Sales Ord 1 Line
GL Sales Ord 1 Line: DIM_GL_ENTRY_NONBILL.SO1_LINE_NBR
OBJ_4342
OBJ_4342
\GL Entry (Non-Billing External) Dimension\
Active
Numeric

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.SO1_LINE_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: GL Sales Ord 2 Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Sales Ord 2 Id
GL Sales Ord 2 Id: DIM_GL_ENTRY_NONBILL.SO_NBR
OBJ_4343
OBJ_4343
\GL Entry (Non-Billing External) Dimension\
Active
Numeric

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.SO_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: GL Sales Ord 2 Line

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Sales Ord 2 Line
GL Sales Ord 2 Line: DIM_GL_ENTRY_NONBILL.SO_LINE_NBR
OBJ_4344
OBJ_4344
\GL Entry (Non-Billing External) Dimension\
Active
Numeric

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.SO_LINE_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: GL Bill Type

Name
Description
Cuid

GL Bill Type
GL Bill Type: DIM_GL_ENTRY_NONBILL.BILL_TYPE
OBJ_4345

Translation ID
Path
State
Data Type

OBJ_4345
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select DIM_GL_ENTRY_NONBILL.BILL_TYPE

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: GL Invoice Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Invoice Nbr
GL Invoice Nbr: DIM_GL_ENTRY_NONBILL.INV_ID
OBJ_4346
OBJ_4346
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select DIM_GL_ENTRY_NONBILL.INV_ID

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: GL Invoice Line

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Invoice Line
GL Invoice Line: DIM_GL_ENTRY_NONBILL.INV_LINE_NBR
OBJ_4347
OBJ_4347
\GL Entry (Non-Billing External) Dimension\
Active
Numeric

SQL Definition

Select DIM_GL_ENTRY_NONBILL.INV_LINE_NBR

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Dimension: GL Customer

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Customer
GL Customer: DIM_GL_ENTRY_NONBILL.CUST_ID
OBJ_4348
OBJ_4348
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select DIM_GL_ENTRY_NONBILL.CUST_ID

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable

Can be used in

Results, Filters, Sorts

Dimension: GL Vendor

Name	GL Vendor
Description	GL Vendor: DIM_GL_ENTRY_NONBILL.VENDOR_ID
Cuid	OBJ_4349
Translation ID	OBJ_4349
Path	\GL Entry (Non-Billing External) Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_GL_ENTRY_NONBILL.VENDOR_ID
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: GL PO Nbr

Name	GL PO Nbr
Description	GL PO Nbr: DIM_GL_ENTRY_NONBILL.PO_NBR
Cuid	OBJ_4350
Translation ID	OBJ_4350
Path	\GL Entry (Non-Billing External) Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select	DIM_GL_ENTRY_NONBILL.PO_NBR
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: GL PO Line

Name	GL PO Line
Description	GL PO Line: DIM_GL_ENTRY_NONBILL.PO_LINE_NBR
Cuid	OBJ_4351
Translation ID	OBJ_4351
Path	\GL Entry (Non-Billing External) Dimension\
State	Active
Data Type	Numeric

SQL Definition

Select	DIM_GL_ENTRY_NONBILL.PO_LINE_NBR
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: GL Plant Id

Name	GL Plant Id
Description	GL Plant Id: DIM_GL_ENTRY_NONBILL.PLANT_ID
Cuid	OBJ_4352
Translation ID	OBJ_4352
Path	\GL Entry (Non-Billing External) Dimension\
State	Active
Data Type	String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.PLANT_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: GL Material Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

GL Material Id
GL Material Id: DIM_GL_ENTRY_NONBILL.MATERIAL_ID
OBJ_4353
OBJ_4353
\GL Entry (Non-Billing External) Dimension\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.MATERIAL_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Acctg Doc Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Acctg Doc Nbr
Acctg Doc Nbr: DIM_GL_ENTRY_NONBILL.ACCTG_DOC_NBR
OBJ_4354
OBJ_4354
\GL Entry (Non-Billing External) Dimension\Accounting Document\
Active
Numeric

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_DOC_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Acctg Line Nbr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Acctg Line Nbr
Acctg Line Nbr: DIM_GL_ENTRY_NONBILL.ACCTG_LINE_NBR
OBJ_4355
OBJ_4355
\GL Entry (Non-Billing External) Dimension\Accounting Document\
Active
Numeric

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_LINE_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Acctg Doc User Id

Name
Description
Cuid

Acctg Doc User Id
Acctg Doc User Id: DIM_GL_ENTRY_NONBILL.ACCTG_USER_ID
OBJ_4356

Translation ID
Path
State
Data Type

OBJ_4356
\GL Entry (Non-Billing External) Dimension\Accounting Document\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_USER_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Acctg Doc Transaction

Name
Description

Cuid
Translation ID
Path
State
Data Type

Acctg Doc Transaction
Acctg Doc Transaction:
DIM_GL_ENTRY_NONBILL.ACCTG_TRANS_CODE
OBJ_4357
OBJ_4357
\GL Entry (Non-Billing External) Dimension\Accounting Document\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_TRANS_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Acctg Doc Header Text

Name
Description

Cuid
Translation ID
Path
State
Data Type

Acctg Doc Header Text
Acctg Doc Header Text:
DIM_GL_ENTRY_NONBILL.ACCTG_DOC_HDR_TXT_DESC
OBJ_4358
OBJ_4358
\GL Entry (Non-Billing External) Dimension\Accounting Document\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_DOC_HDR_TXT_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Acctg Doc Ref Key

Name
Description

Cuid
Translation ID
Path
State
Data Type

Acctg Doc Ref Key
Acctg Doc Ref Key:
DIM_GL_ENTRY_NONBILL.ACCTG_DOC_REF_KEY_DESC
OBJ_4359
OBJ_4359
\GL Entry (Non-Billing External) Dimension\Accounting Document\
Active
String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_DOC_REF_KEY_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Acctg Doc Header Xref 1

Name
Description

Acctg Doc Header Xref 1
Acctg Doc Header Xref 1:
DIM_GL_ENTRY_NONBILL.ACCTG_DOC_XREF1_HD_DESC
OBJ_4360
OBJ_4360
\GL Entry (Non-Billing External) Dimension\Accounting Document\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_DOC_XREF1_HD_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Acctg Doc Header Xref 2

Name
Description

Acctg Doc Header Xref 2
Acctg Doc Header Xref 2:
DIM_GL_ENTRY_NONBILL.ACCTG_DOC_XREF2_HD_DESC
OBJ_4361
OBJ_4361
\GL Entry (Non-Billing External) Dimension\Accounting Document\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_DOC_XREF2_HD_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Acctg Line Item Text

Name
Description

Acctg Line Item Text
Acctg Line Item Text:
DIM_GL_ENTRY_NONBILL.ACCTG_LINE_SGTXT_DESC
OBJ_4362
OBJ_4362
\GL Entry (Non-Billing External) Dimension\Accounting Document\
Active
String

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_LINE_SGTXT_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Acctg Line Item Xref 1

Name

Acctg Line Item Xref 1

Description

Cuid

Translation ID

Path

State

Data Type

Acctg Line Item Xref 1:

DIM_GL_ENTRY_NONBILL.ACCTG_LINE_XREF1_DESC

OBJ_4363

OBJ_4363

\GL Entry (Non-Billing External) Dimension\Accounting Document\

Active

String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_LINE_XREF1_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Acctg Line Item Xref 2

Name

Acctg Line Item Xref 2

Description

Acctg Line Item Xref 2:

DIM_GL_ENTRY_NONBILL.ACCTG_LINE_XREF2_DESC

Cuid

OBJ_4364

Translation ID

OBJ_4364

Path

\GL Entry (Non-Billing External) Dimension\Accounting Document\

State

Active

Data Type

String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_LINE_XREF2_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Acctg Line Item Xref 3

Name

Acctg Line Item Xref 3

Description

Acctg Line Item Xref 3:

DIM_GL_ENTRY_NONBILL.ACCTG_LINE_XREF3_DESC

Cuid

OBJ_4365

Translation ID

OBJ_4365

Path

\GL Entry (Non-Billing External) Dimension\Accounting Document\

State

Active

Data Type

String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_LINE_XREF3_DESC

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Acctg Line Business Area

Name

Acctg Line Business Area

Description

Acctg Line Business Area:

DIM_GL_ENTRY_NONBILL.ACCTG_LINE_BUS_AREA_DESC

Cuid

OBJ_4366

Translation ID

OBJ_4366

Path

\GL Entry (Non-Billing External) Dimension\Accounting Document\

State

Active

Data Type

String

SQL Definition

Select

DIM_GL_ENTRY_NONBILL.ACCTG_LINE_BUS_AREA_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Company Group ID

Name
Description
Cuid
Translation ID
Path
State
Data Type

Company Group ID
Group Company Code ID
OBJ_4437
OBJ_4437
\Company Dimension\
Active
String

SQL Definition

Select

DIM_COMPANY.CC_GROUP_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Company Group ID Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Company Group ID Name
Company Group Name
OBJ_4438
OBJ_4438
\Company Dimension\
Active
String

SQL Definition

Select

DIM_COMPANY.CC_GROUP_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Company ID Short Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Company ID Short Name
Company Short Name
OBJ_4439
OBJ_4439
\Company Dimension\
Active
String

SQL Definition

Select

DIM_COMPANY.CO_SHORT_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Company Loc Curr Code

Name
Description
Cuid

Company Loc Curr Code
Company Local Currency Code
OBJ_4440

Translation ID
Path
State
Data Type

OBJ_4440
\Company Dimension\
Active
String

SQL Definition

Select

DIM_COMPANY.LOC_CURR_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Company Region Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Company Region Name
Company Region Name
OBJ_4442
OBJ_4442
\Company Dimension\
Active
String

SQL Definition

Select

DIM_COMPANY.REGION_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Company Country Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Company Country Code
Company Country Code
OBJ_4441
OBJ_4441
\Company Dimension\
Active
String

SQL Definition

Select

DIM_COMPANY.COUNTRY_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Company Concat

Name
Description
Cuid
Translation ID
Path
State
Data Type

Company Concat
Company concat
OBJ_4444
OBJ_4444
\Company Dimension\
Active
String

SQL Definition

Select

DIM_COMPANY.COMPANY_CONCAT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts

Dimension: Company Chart Of Account Name

Name	Company Chart Of Account Name
Description	Company Chart Of Account Name
Cuid	OBJ_4443
Translation ID	OBJ_4443
Path	\Company Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_COMPANY.CHART_OF_ACCOUNT_NAME
--------	-----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Company SRC SYS ID

Name	Company SRC SYS ID
Description	Company Source System ID
Cuid	OBJ_4448
Translation ID	OBJ_4448
Path	\Company Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_COMPANY.SRC_SYS_ID
--------	------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Company Last Mod Dt

Name	Company Last Mod Dt
Description	Company Last Modified Date
Cuid	OBJ_4449
Translation ID	OBJ_4449
Path	\Company Dimension\
State	Active
Data Type	DateTime

SQL Definition

Select	DIM_COMPANY.LAST_MOD_DT
--------	-------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Opportunity As of Year Month Nbr

Name	Opportunity As of Year Month Nbr
Description	Open opportunity snapshots are kept for each month. To view past snapshots use this object. FCTV_INVOICE.OPPTY_YEAR_MONTH_NBR
Cuid	OBJ_5173
Translation ID	OBJ_5173
Path	\Opportunity Dimension\
State	Active

Data Type	String
SQL Definition	
Select	FCTV_INVOICE.OPPTY_YEAR_MONTH_NBR
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Dimension: High Quality Opportunity Ind	
Name	High Quality Opportunity Ind
Description	Opportunities stated in CRM systems as high value.
Cuid	DIM_OPPORTUNITY.OPPTY_HIGH_QUALITY_IND
Translation ID	OBJ_5176
Path	OBJ_5176
State	\Opportunity Dimension\
Data Type	Active
	String
SQL Definition	
Select	DIM_OPPORTUNITY.OPPTY_HIGH_QUALITY_IND
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Dimension: Opportunity Name	
Name	Opportunity Name
Description	Opportunity Name. DIM_OPPORTUNITY.OPPTY_NAME
Cuid	OBJ_5177
Translation ID	OBJ_5177
Path	\Opportunity Dimension\
State	Active
Data Type	String
SQL Definition	
Select	DIM_OPPORTUNITY.OPPTY_NAME
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
 Dimension: Opportunity Probability	
Name	Opportunity Probability
Description	Probability of winning the opportunity.
Cuid	DIM_OPPORTUNITY.SALES_PROBABILITY
Translation ID	OBJ_5178
Path	OBJ_5178
State	\Opportunity Dimension\
Data Type	Active
	Numeric
SQL Definition	
Select	DIM_OPPORTUNITY.SALES_PROBABILITY
Advanced	
Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Opportunity Id

Name	Opportunity Id
Description	Opportunity Id. DIM_OPPORTUNITY.OPPTY_ID
Cuid	OBJ_5179
Translation ID	OBJ_5179
Path	\Opportunity Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_OPPORTUNITY.OPPTY_ID
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Opportunity Number

Name	Opportunity Number
Description	Opportunity Number. DIM_OPPORTUNITY.OPPTY_NBR
Cuid	_pPLjMZx2Ee-k8-qwKrNQyg
Translation ID	_pPLjMpx2Ee-k8-qwKrNQyg
Path	\Opportunity Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_OPPORTUNITY.OPPTY_NBR
--------	---------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Opportunity Stage

Name	Opportunity Stage
Description	Opportunity Stage. DIM_OPPORTUNITY.OPPTY_STAGE
Cuid	_tueZA5x2Ee-k8-qwKrNQyg
Translation ID	_tueZBJx2Ee-k8-qwKrNQyg
Path	\Opportunity Dimension\
State	Active
Data Type	String

SQL Definition

Select	DIM_OPPORTUNITY.OPPTY_STAGE
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Place Holder Opportunity Ind

Name	Place Holder Opportunity Ind
Description	Place Holder Opportunity Ind. DIM_OPPORTUNITY.PLACE_HOLDER_IND
Cuid	_yHg105x2Ee-k8-qwKrNQyg
Translation ID	_yHg11Jx2Ee-k8-qwKrNQyg
Path	\Opportunity Dimension\
State	Active
Data Type	String

SQL Definition

Select

DIM_OPPORTUNITY.PLACE HOLDER_IND

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Company ID

Name
Description
Cuid
Translation ID
Path
State
Data Type

Company ID
Company Code from the invoice document ('CS1B','ATW')
OBJ_2924
OBJ_2924
\Company\
Hidden
String

SQL Definition

Select

DIM_INVOICE.CO_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: CLT (Calendar Days)

Name
Description

CLT (Calendar Days)
Contractual lead time in days including weekends . It is defined as 0 for sales order for which contractual lead time is not defined.It is blank for unscheduled sales order CLT (Calendar Days):

Cuid
Translation ID
Path
State
Data Type

DIM_SALES_ORDER.CLTDAYS
OBJ_4514
OBJ_4514
\Contractual Lead Time\
Active
Numeric

SQL Definition

Select

DIM_SALES_ORDER.CLTDAYS

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: CLT Material Availability Date (MAD)

Name
Description

Cuid
Translation ID
Path
State
Data Type

CLT Material Availability Date (MAD)
CLT Material Availability Date (MAD) :
DIM_SALES_ORDER.CLT_MATERIAL_AVAILABILITYY_DATE
OBJ_4516
OBJ_4516
\Contractual Lead Time\
Active
DateTime

SQL Definition

Select

DIM_SALES_ORDER.CLT_MATERIAL_AVAILABILITY_DATE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: CLT Violation Status

Name	CLT Violation Status
Description	This will hold below values 1.CLT Violation :- Current Promise Date > Order entry + CLT days and Current Promise Date > Customer Requested Date 2.Meets CLT :- (Current Promise Date <= Order entry + CLT (Calendar Days) OR (Current Promise Date > Order entry + CLT (Calendar Days) and Current Promise Date <= Customer Requested Date)) 3.No CLT :- Sales Order for which CLT (Calendar Days) is not defined 4.Blank :- Unscheduled Sales Order CLT Violation Status : DIM_SALES_ORDER.CLT_VIOLATION_STATUS
Cuid	OBJ_4517
Translation ID	OBJ_4517
Path	\Contractual Lead Time\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.CLT_VIOLATION_STATUS
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Source System

Name	Source System
Description	Indicates the transactoin data source system such as ERP, SAP1, SAP2, ARGUS
Cuid	OBJ_4187
Translation ID	OBJ_4187
Path	\Measures\
State	Active
Data Type	String

SQL Definition

Select	FCTV_INVOICE.SRC_SYS_ID
--------	-------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Record Type

Name	Record Type
Description	Indicates whether record in Invoice or Order Input or Backlog
Cuid	OBJ_3624
Translation ID	OBJ_3624
Path	\Measures\
State	Active
Data Type	String

SQL Definition

Select	FCTV_INVOICE.SRC_ID
--------	---------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Ord Cur Code

Name	Ord Cur Code
Description	Order Currency Code

Cuid	OBJ_4222
Translation ID	OBJ_4222
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Active
Data Type	String

SQL Definition

Select	FCTV_INVOICE.ORD_CUR_CODE
--------	---------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Local Currency Code - Revenue

Name	Local Currency Code - Revenue
Description	Local Currency Code - Revenue: DIM_COMPANY.LOC_CURR_CODE
Cuid	OBJ_4722
Translation ID	OBJ_4722
Path	\Measures\Invoice\Revenues\Revenue-LocalCurrency\
State	Active
Data Type	String

SQL Definition

Select	DIM_COMPANY.LOC_CURR_CODE
--------	---------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: GL Cost - Document Type

Name	GL Cost - Document Type
Description	GL Cost - Document Type : CASE WHEN FCTV_INVOICE.REC_TYPE_KEY = 141 THEN SUBSTR(FCTV_INVOICE.INV_LKUP_ID,12,2) ELSE NULL END
Cuid	OBJ_4782
Translation ID	OBJ_4782
Path	\Measures\Invoice\Costs\
State	Active
Data Type	String

SQL Definition

Select	CASE WHEN FCTV_INVOICE.REC_TYPE_KEY = 141 THEN SUBSTR(FCTV_INVOICE.INV_LKUP_ID,12,2) ELSE NULL END
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: GL Cost - Doc Currency

Name	GL Cost - Doc Currency
Description	GL Cost - Doc Currency : FCTV_INVOICE.ORD_CUR_CODE
Cuid	OBJ_4783
Translation ID	OBJ_4783
Path	\Measures\Invoice\Costs\Cost-Document Currency-Doc\GL Cost-DocCurrency\
State	Active
Data Type	String

SQL Definition

Select

FCTV_INVOICE.ORD_CUR_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Local Currency Code - Cost

Name
Description

Cuid
Translation ID
Path
State
Data Type

Local Currency Code - Cost
Local Currency Code - Revenue:
DIM_COMPANY.LOC_CURR_CODE
OBJ_4755
OBJ_4755
\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\
Active
String

SQL Definition

Select

DIM_COMPANY.LOC_CURR_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Cost Cur Code

Name
Description

Cuid
Translation ID
Path

State
Data Type

Cost Cur Code
DIM_PROD_COST_TODAY.COST_CUR_CODE - Currency Code for
Costs
OBJ_663
OBJ_663
\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in
Company Code Currency (Current Matrial & Std Labor)\
Active
String

SQL Definition

Select

DIM_PROD_COST_TODAY.COST_CUR_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Base Uom Code

Name
Description
Cuid
Translation ID
Path

State
Data Type

Base Uom Code
FCTV_INVOICE.BASE_UOM_CODE - Base Unit Of Measure Code
OBJ_662
OBJ_662
\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in
Company Code Currency (Current Matrial & Std Labor)\
Active
String

SQL Definition

Select

FCTV_INVOICE.BASE_UOM_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

**Dimension: Qty Uom Code**

Name	Qty Uom Code
Description	Quantity Unit Of Measure Code
Cuid	OBJ_3622
Translation ID	OBJ_3622
Path	\Measures\Invoice\Quantities\
State	Active
Data Type	String

SQL Definition

Select	FCTV_INVOICE.QTY_UOM_CODE
--------	---------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Ord Cur Code**

Name	Ord Cur Code
Description	Order Currency Code
Cuid	OBJ_3597
Translation ID	OBJ_3597
Path	\Measures\Order Input\Amount\Document Currency-Doc\
State	Active
Data Type	String

SQL Definition

Select	FCTV_INVOICE.ORD_CUR_CODE
--------	---------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Qty Uom Code**

Name	Qty Uom Code
Description	Quantity Unit Of Measure Code
Cuid	OBJ_3598
Translation ID	OBJ_3598
Path	\Measures\Order Input\Quantity\
State	Active
Data Type	String

SQL Definition

Select	FCTV_INVOICE.QTY_UOM_CODE
--------	---------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Dimension: Doc Cur Code**

Name	Doc Cur Code
Description	Order Document Currency Code
Cuid	OBJ_4096
Translation ID	OBJ_4096
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	String

SQL Definition

Select	FCTV_INVOICE.ORD_CUR_CODE
--------	---------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Local Cur Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Local Cur Code
Order Local Currency (Company Code Currency) Code
OBJ_4107
OBJ_4107
\Measures\Backlog\Backlog Amount\Local Currency\
Active
String

SQL Definition

Select

FCTV_INVOICE.LOC_CUR_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Qty Uom Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Qty Uom Code
Quantity Unit Of Measure Code
OBJ_3619
OBJ_3619
\Measures\Backlog\Backlog Quantity\
Active
String

SQL Definition

Select

FCTV_INVOICE.QTY_UOM_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Base Uom Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Base Uom Code
Base Unit Of Measure Code
OBJ_621
OBJ_621
\Measures\Unit Of Measures\
Active
String

SQL Definition

Select

FCTV_INVOICE.BASE_UOM_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Qty Uom Code

Name
Description
Cuid
Translation ID

Qty Uom Code
Quantity Unit Of Measure Code
OBJ_620
OBJ_620

Path
State
Data Type

\Measures\Unit Of Measures\
Active
String

SQL Definition

Select

FCTV_INVOICE.QTY_UOM_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Price Uom Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Price Uom Code
Price Unit Of Measure Code
OBJ_619
OBJ_619
\Measures\Unit Of Measures\
Active
String

SQL Definition

Select

FCTV_INVOICE.PRICE_UOM_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ord Cur Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ord Cur Code
Order Currency Code
OBJ_622
OBJ_622
\Measures\Unit Of Measures\
Active
String

SQL Definition

Select

FCTV_INVOICE.ORD_CUR_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Rec Type Key

Name
Description
Cuid
Translation ID
Path
State
Data Type

Rec Type Key
Rec type key for the record :DIM_REC_TYPE.REC_TYPE_KEY
OBJ_4666
OBJ_4666
\Measures\Debug\
Active
Numeric

SQL Definition

Select

DIM_REC_TYPE.REC_TYPE_KEY

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Rec Type Desc

Name	Rec Type Desc
Description	Rec type desc for inv record :DIM_REC_TYPE.REC_TYPE_DESC
Cuid	OBJ_4667
Translation ID	OBJ_4667
Path	\Measures\Debug\
State	Active
Data Type	String

SQL Definition

Select	DIM_REC_TYPE.REC_TYPE_DESC
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Fct Invoice Clndr Year Qtr

Name	Fct Invoice Clndr Year Qtr
Description	FCTV_INVOICE.CLNDR_YEAR_QTR_NBR
Cuid	OBJ_4208
Translation ID	OBJ_4208
Path	\Measures\Debug\
State	Active
Data Type	Numeric

SQL Definition

Select	FCTV_INVOICE.CLNDR_YEAR_QTR_NBR
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Cur From Code

Name	Cur From Code
Cuid	OBJ_625
Translation ID	OBJ_625
Path	\Measures\Debug\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUR_RATE.CUR_FROM_CODE
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Cur To Code

Name	Cur To Code
Cuid	OBJ_626
Translation ID	OBJ_626
Path	\Measures\Debug\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUR_RATE.CUR_TO_CODE
--------	--------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Cur Year Month Nbr

Name
Cuid
Translation ID
Path
State
Data Type

Cur Year Month Nbr
OBJ_627
OBJ_627
\\Measures\\Debug\\
Active
Numeric

SQL Definition

Select

DIM_CUR_RATE.CUR_YEAR_MONTH_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Cur Rate

Name
Cuid
Translation ID
Path
State
Data Type

Cur Rate
OBJ_628
OBJ_628
\\Measures\\Debug\\
Active
Numeric

SQL Definition

Select

DIM_CUR_RATE.CUR_RATE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Price Uom Conv Rate

Name
Cuid
Translation ID
Path
State
Data Type

Price Uom Conv Rate
OBJ_624
OBJ_624
\\Measures\\Debug\\
Active
Numeric

SQL Definition

Select

FCTV_INVOICE.PRICE_UOM_CONV_RATE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Cost Multiplier Qty

Name
Cuid
Translation ID
Path
State
Data Type

Cost Multiplier Qty
OBJ_623
OBJ_623
\\Measures\\Debug\\
Active
Numeric

SQL Definition

Select

FCTV_INVOICE.COST_MULTIPLIER_QTY

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sales Ord Lkup Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sales Ord Lkup Id
FCTV_INVOICE.SALES_ORD_LKUP_ID : Sales Ord Lkup Id
OBJ_667
OBJ_667
\Measures\Debug\
Active
String

SQL Definition

Select

FCTV_INVOICE.SALES_ORD_LKUP_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Inv Lkup Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Inv Lkup Id
FCTV_INVOICE.INV_LKUP_ID : Inv Lkup Id
OBJ_668
OBJ_668
\Measures\Debug\
Active
String

SQL Definition

Select

FCTV_INVOICE.INV_LKUP_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Src Sys Id-Fact Table

Name
Description

Cuid
Translation ID
Path
State
Data Type

Src Sys Id-Fact Table
FCTV_INVOICE.SRC_SYS_ID : Source Sys ID from
FCTV_INVOICE
OBJ_2923
OBJ_2923
\Measures\Debug\
Active
String

SQL Definition

Select

FCTV_INVOICE.SRC_SYS_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Src Id-Fact Table

Name
Cuid
Translation ID

Src Id-Fact Table
OBJ_3623
OBJ_3623

Path
State
Data Type

\Measures\Debug\
Active
String

SQL Definition

Select

FCTV_INVOICE.SRC_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: DatePrompt

Name
Description
Cuid
Translation ID
Path
State
Data Type

DatePrompt
Prompts user to enter a date when running a report.
OBJ_2838
OBJ_2838
\Prompts\
Active
String

SQL Definition

Select

to_date(@Prompt(Enter End Date §(MM/DD/YYYY§:))

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: DateType

Name
Description

Cuid
Translation ID
Path
State
Data Type

DateType
Asks user if they would like to run the report based on the date of the previous day.
OBJ_2837
OBJ_2837
\Prompts\
Active
String

SQL Definition

Select

@Prompt(Run For Yesterday)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ending Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ending Date
Selects yesterday or user entered date based on the prompt values.
OBJ_368
OBJ_368
\Prompts\
Active
DateTime

SQL Definition

Select

Case when @Select(Prompts\DateType) = 'N' Then
@Select(Prompts\DatePrompt) When Rtrim(to_char(current_date,
'DAY'))= 'MONDAY' Then add_days(current_date, -3) Else
add_days(current_date, -1) end

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Begin Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Begin Date
Prompt user to enter a beginning date.
OBJ_359
OBJ_359
\Prompts\
Active
DateTime

SQL Definition

Select

to_date(@Prompt(Enter Begin Date \$(MM/DD/YYYY\$):))

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ending Week

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ending Week
Returns finance week of user entered date.
OBJ_380
OBJ_380
\Prompts\DerivedValues\
Active
Numeric

SQL Definition

Select

ceil(to_varchar(@Select(Prompts\Ending Date), 'DD')/7)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ending Year Month

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ending Year Month
Returns year month (YYYYMM) of user entered date.
OBJ_372
OBJ_372
\Prompts\DerivedValues\
Active
Numeric

SQL Definition

Select

(to_char(@Select(Prompts\Ending Date), 'YYYYMM'))

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ending Month

Name
Description
Cuid
Translation ID
Path

Ending Month
Returns month number of user entered date.
OBJ_370
OBJ_370
\Prompts\DerivedValues\

State
Data Type

Active
Numeric

SQL Definition

Select

(to_char(@Select(Prompts\Ending Date), 'MM'))

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ending YearQuarter

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ending YearQuarter
Returns year quarter of user entered date (YYYYQ).
OBJ_696
OBJ_696
\Prompts\DerivedValues\
Active
Numeric

SQL Definition

Select

(to_char(@Select(Prompts\Ending Date), 'YYYYQ'))

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ending Date First Qtr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ending Date First Qtr
Returns year quarter of user entered date (YYYYQ).
OBJ_4219
OBJ_4219
\Prompts\DerivedValues\
Active
Numeric

SQL Definition

Select

to_char(@Select(Prompts\Ending Date), 'YYYYQ')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Ending Year

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ending Year
Returns Year of user entered date.
OBJ_369
OBJ_369
\Prompts\DerivedValues\
Active
Numeric

SQL Definition

Select

(to_char(@Select(Prompts\Ending Date), 'YYYY'))

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Begining YearQuarter

Name	Begining YearQuarter
Description	Returns year quarter of user entered date (YYYYQ).
Cuid	OBJ_4220
Translation ID	OBJ_4220
Path	\Prompts\DerivedValues\
State	Active
Data Type	Numeric

SQL Definition

Select	(to_char(@Select(Prompts\Begin Date), 'YYYYQ'))
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Prior Ending Year

Name	Prior Ending Year
Description	Returns prior year of user entered date.
Cuid	OBJ_371
Translation ID	OBJ_371
Path	\Prompts\DerivedValues\
State	Active
Data Type	Numeric

SQL Definition

Select	(to_char(@Select(Prompts\Ending Date), 'YYYY')) - 1
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Prior Year Month

Name	Prior Year Month
Description	Returns prior year month of user entered date (YYYYMM)
Cuid	OBJ_2908
Translation ID	OBJ_2908
Path	\Prompts\DerivedValues\
State	Active
Data Type	Numeric

SQL Definition

Select	(to_char(add_months(@Select(Prompts\Ending Date),-1), 'YYYYMM'))
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Year Month Before Last

Name	Year Month Before Last
Description	Returns year month value of two month prior to the user entered date. If users enters '08/01/2010', this object will return '201006'
Cuid	OBJ_2973
Translation ID	OBJ_2973
Path	\Prompts\DerivedValues\
State	Active
Data Type	Numeric

SQL Definition

Select (to_char(add_months(@Select(Prompts\Ending Date),-2), 'YYYYMM'))

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Fcst as of Year Month Nbr prompt

Name	Fcst as of Year Month Nbr prompt
Description	Prompts user to enter required forecast year month nbr when running a report : to_date(@Prompt('Enter date to select Forecast year month nbr (MM/DD/YYYY):','D',,,))
Cuid	OBJ_4904
Translation ID	OBJ_4904
Path	\Prompts\Forecast Prompts\
State	Active
Data Type	String

SQL Definition

Select to_date(@Prompt(Enter date to select Forecast year month nbr \$(MM/DD/YYYY\$):))

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Current Fcst

Name	Current Fcst
Description	Asks user if they would like to run the reportfor forecast as of current month : @Prompt('Run for forecast as of current month','A', {'Y','N'},MONO,)
Cuid	OBJ_4905
Translation ID	OBJ_4905
Path	\Prompts\Forecast Prompts\
State	Active
Data Type	String

SQL Definition

Select @Prompt(Run for forecast as of current month)

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Dimension: Forecast year Month Nbr for Filter

Name	Forecast year Month Nbr for Filter
Description	Selects yesterday or user entered date based on the prompt values.
Cuid	OBJ_4906
Translation ID	OBJ_4906
Path	\Prompts\Forecast Prompts\
State	Active
Data Type	DateTime

SQL Definition

Select TO_CHAR (Case when @Select(Prompts\Forecast Prompts \Current Fcst)= 'N' Then @Select(Prompts\Forecast Prompts\Fcst as of Year Month Nbr prompt) Else add_days(current_date, -1) end,'YYYYMM')

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sales Org Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sales Org Id
DIM_SALES_ORG.SALES_ORG_ID:Sales Org ID
OBJ_455
OBJ_455
\Filters\
Hidden
String

SQL Definition

Select
Where expression

DIM_SALES_ORG.SALES_ORG_ID
DIM_SALES_ORG.FCT_IND='Y'

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Div Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Div Name
DIM_DIVISION.DIV_NAME:Division Name
OBJ_456
OBJ_456
\Filters\
Hidden
String

SQL Definition

Select

(Case when DIM_PROD_LINE.PROD_LINE_BUS_SEGMENT
= 'BROADBAND' Then 'DIGITAL BROADBAND' Else
DIM_PROD_LINE.PROD_LINE_BUS_SEGMENT End)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Rec Type Key

Name
Cuid
Translation ID
Path
State
Data Type

Rec Type Key
OBJ_2932
OBJ_2932
\Filters\
Hidden
Numeric

SQL Definition

Select

FCTV_INVOICE.REC_TYPE_KEY

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Currency Rate Key

Name
Description

Currency Rate Key
Currency Rate Key: DIM_CUR_RATE.CUR_RATE_KEY

Cuid
Translation ID
Path
State
Data Type

OBJ_4233
OBJ_4233
\Currency Rates\
Active
Numeric

SQL Definition

Select

DIM_CUR_RATE.CUR_RATE_KEY

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: From Currency Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

From Currency Code
From Currency Code: DIM_CUR_RATE.CUR_FROM_CODE
OBJ_4234
OBJ_4234
\Currency Rates\
Active
String

SQL Definition

Select

DIM_CUR_RATE.CUR_FROM_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: To Currency Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

To Currency Code
To Currency Code: DIM_CUR_RATE.CUR_TO_CODE
OBJ_4235
OBJ_4235
\Currency Rates\
Active
String

SQL Definition

Select

DIM_CUR_RATE.CUR_TO_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Currency Type Code

Name
Description

Cuid
Translation ID
Path
State
Data Type

Currency Type Code
Exchange Rate Type Code (M: Month End Rate; 2000: Month Average Rate); DIM_CUR_RATE.CUR_TYPE_CODE
OBJ_4237
OBJ_4237
\Currency Rates\
Active
String

SQL Definition

Select

DIM_CUR_RATE.CUR_TYPE_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Currency Type Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Currency Type Desc
Exchange Rate Type Description, eg: Monthly Average, Month End:
DIM_CUR_RATE.CUR_TYPE_DESC
OBJ_4238
OBJ_4238
Active
String
True

SQL Definition

Select

DIM_CUR_RATE.CUR_TYPE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Currency Date

Name
Description

Currency Date
Date from which the Exchange Rate is valid:
DIM_CUR_RATE.CUR_DT
OBJ_4239
OBJ_4239
\Currency Rates\
Active
DateTime

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_CUR_RATE.CUR_DT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Currency Date-YearMonth Nbr

Name
Description

Currency Date-YearMonth Nbr
Currency Date-YearMonth Nbr:
DIM_CUR_RATE.CUR_YEAR_MONTH_NBR
OBJ_4240
OBJ_4240
\Currency Rates\
Active
Numeric

Cuid
Translation ID
Path
State
Data Type

SQL Definition

Select

DIM_CUR_RATE.CUR_YEAR_MONTH_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

Dimension: Currency Id

Name

Currency Id

Description

Currency Id, its format is Source System Id + Currency Type Code + From Currency Code + To Currency Code + Currency Date YearMonth Nbr, eg, ERP-M-EUR-USD-200102, SAP-M-CAD-USD-200210, etc.:
DIM_CUR_RATE.CUR_LKUP_CODE

Cuid

OBJ_4241

Translation ID

OBJ_4241

Path

\Currency Rates\

State

Active

Data Type

String

SQL Definition

Select

DIM_CUR_RATE.CUR_LKUP_CODE

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Source System Id

Name

Source System Id

Description

Source System where the Currency Rate from:

DIM_CUR_RATE.SRC_SYS_ID

Cuid

OBJ_4242

Translation ID

OBJ_4242

Path

\Currency Rates\

State

Active

Data Type

String

SQL Definition

Select

DIM_CUR_RATE.SRC_SYS_ID

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Last Modify Date

Name

Last Modify Date

Description

Last Modify Date: DIM_CUR_RATE.LAST_MOD_DT

Cuid

OBJ_4243

Translation ID

OBJ_4243

Path

\Currency Rates\

State

Active

Data Type

DateTime

SQL Definition

Select

DIM_CUR_RATE.LAST_MOD_DT

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Dimension: Previous Prod Line Code

Name

Previous Prod Line Code

Description

This has JDE product line code that is mapped to a SAP profit center. This is available only for the products that are migrated from JDE to SAP

Cuid

OBJ_639

Translation ID

OBJ_639

Path

\Legacy JDE Objects\

State

Active

Data Type

String

SQL Definition

Select

DIM_PROD_MASTER.PREV_PROD_LINE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Prod Gl Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Prod Gl Code
DIM_PROD_MASTER.PROD_GL_CODE:Product GL Code
OBJ_205
OBJ_205
\Legacy JDE Objects\
Active
String

SQL Definition

Select

DIM_PROD_MASTER.PROD_GL_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Prod Gl Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Prod Gl Desc
DIM_PROD_MASTER.PROD_GL_DESC:Product GL Description
OBJ_206
OBJ_206
Active
String
True

SQL Definition

Select

DIM_PROD_MASTER.PROD_GL_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Inter Co Sales Ord Id

Name
Description

Cuid
Translation ID
Path
State
Data Type

Inter Co Sales Ord Id
DIM_SALES_ORDER.INTER_CO_SALES_ORD_ID : Intercompany
Sales Order ID
OBJ_642
OBJ_642
\Legacy JDE Objects\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.INTER_CO_SALES_ORD_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Next Stat Code

Name	Next Stat Code
Description	IM_SALES_ORDER.NEXT_STAT_CODE:Next Stat Code
Cuid	OBJ_269
Translation ID	OBJ_269
Path	\Legacy JDE Objects\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.NEXT_STAT_CODE
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Next Stat Desc

Name	Next Stat Desc
Description	DIM_SALES_ORDER.NEXT_STAT_DESC:Next Stat Description
Cuid	OBJ_270
Translation ID	OBJ_270
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_SALES_ORDER.NEXT_STAT_DESC
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Last Stat Code

Name	Last Stat Code
Description	DIM_SALES_ORDER.LAST_STAT_CODE:Last Stat Code
Cuid	OBJ_271
Translation ID	OBJ_271
Path	\Legacy JDE Objects\
State	Active
Data Type	String

SQL Definition

Select	DIM_SALES_ORDER.LAST_STAT_CODE
--------	--------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Last Stat Desc

Name	Last Stat Desc
Description	DIM_SALES_ORDER.LAST_STAT_DESC:Last Stat Description
Cuid	OBJ_272
Translation ID	OBJ_272
State	Active
Data Type	String
Aggregatable	True

SQL Definition

Select	DIM_SALES_ORDER.LAST_STAT_DESC
--------	--------------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sales Rep Id

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sales Rep Id
DIM_SALES_ORDER.SALES_REP_ID : Sales Rep Id
OBJ_653
OBJ_653
\Legacy JDE Objects\
Active
String

SQL Definition

Select

DIM_SALES_ORDER.SALES_REP_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Street Addr Name2

Name
Description
Cuid
Translation ID
Path
State
Data Type

Street Addr Name2
DIM_ADDR.STREET_ADDR_NAME2:Address Name2
OBJ_231
OBJ_231
\Legacy JDE Objects\
Active
String

SQL Definition

Select

DIM_ADDR.STREET_ADDR_NAME2

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Previous Ship To Cust Id

Name
Description

Cuid
Translation ID
Path
State
Data Type

Previous Ship To Cust Id
This has JDE customer id when JDE customers are merged into the existing customer id in SAP.This is available only for the customers that are migrated from JDE to SAP
OBJ_638
OBJ_638
\Legacy JDE Objects\
Active
String

SQL Definition

Select

DIM_SHIP_CUST.PREV_CUST_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sales Mgr Id

Name
Description
Cuid

Sales Mgr Id
DIM_SHIP_CUST.SALES_MGR_ID : Sales Mgr ID
OBJ_645

Translation ID
Path
State
Data Type

OBJ_645
\Legacy JDE Objects\
Active
String

SQL Definition

Select

DIM_SHIP_CUST.SALES_MGR_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sales Mgr Name

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sales Mgr Name
DIM_SHIP_CUST.SALES_MGR_NAME : Sales Mgr Name
OBJ_646
OBJ_646
\Legacy JDE Objects\
Active
String

SQL Definition

Select

DIM_SHIP_CUST.SALES_MGR_NAME

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Dimension: Sold To Cust Sic Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sold To Cust Sic Code
DIM_CUST.CUST_SIC_CODE : Sold To Customer SIC Code
OBJ_243
OBJ_243
\Legacy JDE Objects\
Active
String

SQL Definition

Select

DIM_CUST.CUST_SIC_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Attribute: Sold To Cust Sic Desc

Name
Description
Cuid
Translation ID
State
Data Type
Aggregatable

Sold To Cust Sic Desc
DIM_CUST.CUST_SIC_DESC : Sold To Customer SIC Desc
OBJ_244
OBJ_244
Active
String
True

SQL Definition

Select

DIM_CUST.CUST_SIC_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts



Dimension: Sold To Cust Street Addr2 Name

Name	Sold To Cust Street Addr2 Name
Description	DIM_CUST.CUST_STREET_ADDR2_NAME : Sold To Customer Street Address 2
Cuid	OBJ_247
Translation ID	OBJ_247
Path	\Legacy JDE Objects\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUST.CUST_STREET_ADDR2_NAME
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Sold To Cust Affil Code

Name	Sold To Cust Affil Code
Description	DIM_CUST.CUST_AFFIL_CODE : Sold To Customer Affiliation Code
Cuid	OBJ_256
Translation ID	OBJ_256
Path	\Legacy JDE Objects\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUST.CUST_AFFIL_CODE
--------	--------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Dimension: Sold To Cust Forecast Code

Name	Sold To Cust Forecast Code
Description	DIM_CUST.CUST_FORECAST_CODE : Sold To Customer Forecast Code
Cuid	OBJ_257
Translation ID	OBJ_257
Path	\Legacy JDE Objects\
State	Active
Data Type	String

SQL Definition

Select	DIM_CUST.CUST_FORECAST_CODE
--------	-----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Attribute: Sold To Cust Forecast Desc

Name	Sold To Cust Forecast Desc
Description	DIM_CUST.CUST_FORECAST_DESC : Sold To Customer Forecast Description
Cuid	OBJ_258
Translation ID	OBJ_258
State	Active

Data Type
Aggregatable

String
True

SQL Definition

Select

DIM_CUST.CUST_FORECAST_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Sold To Cust Type Code

Name
Description
Cuid
Translation ID
Path
State
Data Type

Sold To Cust Type Code
DIM_CUST.CUST_TYPE_CODE : Sold To Customer Type Code
OBJ_254
OBJ_254
\Legacy JDE Objects\
Active
String

SQL Definition

Select

DIM_CUST.CUST_TYPE_CODE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Attribute: Sold To Cust Type Desc

Name
Description

Cuid
Translation ID
State
Data Type
Aggregatable

Sold To Cust Type Desc
DIM_CUST.CUST_TYPE_DESC : Sold To Customer Type
Description
OBJ_255
OBJ_255
Active
String
True

SQL Definition

Select

DIM_CUST.CUST_TYPE_DESC

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Previous Sold To Customer Id

Name
Description

Cuid
Translation ID
Path
State
Data Type

Previous Sold To Customer Id
This has JDE customer id when JDE customers are merged into the existing customer id in SAP. This is available only for the customers that are migrated from JDE to SAP
OBJ_637
OBJ_637
\Legacy JDE Objects\
Active
String

SQL Definition

Select

DIM_CUST.PREV_CUST_ID

Advanced

Minimum Object Level Security
Data Sensitivity Category

Public
Uncategorized data

List of Values
Can be used in

Editable
Results, Filters, Sorts

Dimension: Derived Date

Name
Cuid
Translation ID
Path
State
Data Type

Derived Date
OBJ_654
OBJ_654
\Corporate Report Use Only\Date\
Active
String

SQL Definition

Select

```
(case (@Prompt(DtType)) when 'by Year' then  
DIM_DATE.FIN_YEAR_NBR when 'by Qtr' then  
DIM_DATE.FIN_YEAR_QTR_NAME when 'by Month' then  
DIM_DATE.FIN_YEAR_MONTH_NAME when 'by Week' then  
DIM_DATE.FIN_YEAR_MONTH_WEEK_NAME when 'by Day'  
then to_char(DIM_DATE.CLNDR_DT,'mm-dd-yyyy') end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Ending Date

Name
Description
Cuid
Translation ID
Path
State
Data Type

Ending Date
Ending Date
OBJ_2905
OBJ_2905
\Corporate Report Use Only\Date\
Active
DateTime

SQL Definition

Select
Where expression

```
"DATE_PERCENTAGE"."CLNDR_DT"  
"DATE_PERCENTAGE"."CLNDR_DT"=(SELECT  
MAX(D.CLNDR_DT) FROM DIM_DATE1  
D WHERE D.SRC_SYS_ID='JDEDOM' AND  
D.ORD_INPUT_DT=@Select(Prompts\Ending Date))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Current Week Nbr

Name
Description

Cuid
Translation ID
Path
State
Data Type

Current Week Nbr
DATE_PERCENTAGE.ORD_INPUT_WEEK_IN_MONTH_NBR:
Current Week In Month Number
OBJ_2938
OBJ_2938
\Corporate Report Use Only\Date\
Active
Numeric

SQL Definition

Select
Where expression

```
"DATE_PERCENTAGE"."ORD_INPUT_WEEK_IN_MONTH_NBR"  
"DATE_PERCENTAGE"."CLNDR_DT"=(SELECT  
MAX(D.CLNDR_DT) FROM DIM_DATE1  
D WHERE D.SRC_SYS_ID='JDEDOM' AND  
D.ORD_INPUT_DT=@Select(Prompts\Ending Date))
```

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Pct Comp Month

Name
Description
Cuid
Translation ID
Path
State
Data Type

Pct Comp Month
Month to Date Percentage
OBJ_2881
OBJ_2881
\Corporate Report Use Only\Date\
Active
Numeric

SQL Definition

Select
Where expression

```
"DATE_PERCENTAGE"."PCT_COMP_MONTH"  
"DATE_PERCENTAGE"."CLNDR_DT"=(SELECT  
MAX(D.CLNDR_DT) FROM DIM_DATE1  
D WHERE D.SRC_SYS_ID='JDEDOM' AND  
D.ORD_INPUT_DT=@Select(Prompts\Ending Date))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: Pct Comp Qtr

Name
Description
Cuid
Translation ID
Path
State
Data Type

Pct Comp Qtr
Quarter to Date Percentage
OBJ_2882
OBJ_2882
\Corporate Report Use Only\Date\
Active
Numeric

SQL Definition

Select
Where expression

```
"DATE_PERCENTAGE"."PCT_COMP_QTR"  
"DATE_PERCENTAGE"."CLNDR_DT"=(SELECT  
MAX(D.CLNDR_DT) FROM DIM_DATE1  
D WHERE D.SRC_SYS_ID='JDEDOM' AND  
D.ORD_INPUT_DT=@Select(Prompts\Ending Date))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts

Dimension: PriorMonth-Days

Name
Description
Cuid
Translation ID
Path
State
Data Type

PriorMonth-Days
Working days of prior month
OBJ_2978
OBJ_2978
\Corporate Report Use Only\Date\
Active
Numeric

SQL Definition

Select
Where expression

```
"DATE_PERCENTAGE"."WEEKDAYS_IN_MONTH_NBR"  
"DATE_PERCENTAGE"."CLNDR_DT"=(SELECT  
MAX(D.CLNDR_DT) FROM DIM_DATE1  
D WHERE D.SRC_SYS_ID='JDEDOM' AND  
D.ORD_INPUT_DT=@Select(Prompts\Ending Date))
```

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
List of Values
Can be used in

Uncategorized data
Editable
Results, Filters, Sorts



Filter: ExternalSales

Name	ExternalSales
Description	Filters Report for External Sales : DIM_REC_TYPE.GROSS_SALE_IND = 'Y'
Cuid	FIL_1
Translation ID	FIL_1
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.GROSS_SALE_IND = 'Y'



Filter: RAR Relevant

Name	RAR Relevant
Description	RAR Relevant : DIM_SALES_ORDER.RAR_RELEVANT_IND = 'X'
Cuid	FIL_524
Translation ID	FIL_524
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_SALES_ORDER.RAR_RELEVANT_IND = 'X'



Filter: ExternalOrderInput

Name	ExternalOrderInput
Description	Filters Report for Externals Order Input: DIM_REC_TYPE.ORDER_INPUT_IND = 'Y'
Cuid	FIL_480
Translation ID	FIL_480
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.ORDER_INPUT_IND = 'Y'



Filter: ExternalSales+OrderInput

Name	ExternalSales+OrderInput
Description	Filters Report for External Sales plus Order Input: DIM_REC_TYPE.GROSS_SALE_IND = 'Y' OR DIM_REC_TYPE.ORDER_INPUT_IND = 'Y'
Cuid	FIL_483
Translation ID	FIL_483
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.GROSS_SALE_IND = 'Y' OR DIM_REC_TYPE.ORDER_INPUT_IND = 'Y'



Filter: ExternalBacklog

Name	ExternalBacklog
Description	Backlog includes all COMMITTED external sales orders that are NOT Invoiced
Cuid	FIL_481
Translation ID	FIL_481
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.BACKLOG_IND = 'Y' and FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR = @Select(Prompts \DerivedValues\Ending Year Month)



Filter: ExternalPendingOrders

Name	ExternalPendingOrders
Description	ExternalPendingOrders:1. Filter Report for Pending Backlog Orders; 2. Backlog Year Month based on the ending date.DIM_REC_TYPE.PENDING_IND = 'Y' and FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR = @Select(DerivedValues\Ending Year Month)
Cuid	FIL_488
Translation ID	FIL_488
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.PENDING_IND = 'Y' and FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR = @Select(Prompts\DerivedValues\Ending Year Month)

Filter: ExternalBacklog+PendingOrders

Name	ExternalBacklog+PendingOrders
Description	1. Filter Report for Unshipped Backlog Orders - Open Backlog and Pending Backlog; 2. Backlog Year Month based on the ending date.
Cuid	FIL_487
Translation ID	FIL_487
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	(DIM_REC_TYPE.BACKLOG_IND = 'Y' or DIM_REC_TYPE.PENDING_IND = 'Y') and FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR = @Select(Prompts\DerivedValues\Ending Year Month)

Filter: InterCompSalesInd

Name	InterCompSalesInd
Description	Report will only return inter-company sales : DIM_REC_TYPE.INTERCO_SALE_IND = 'Y'
Cuid	FIL_13
Translation ID	FIL_13
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.INTERCO_SALE_IND = 'Y'

Filter: InterEntityBacklog

Name	InterEntityBacklog
Description	InterEntityBacklog: 1. Filter Report for IE Unshipped Backlog Orders – IE Open Backlog and IE Pending Backlog; 2. Backlog Year Month based on the ending date.(DIM_REC_TYPE.INTERNAL_BACKLOG_IND = 'Y' or DIM_REC_TYPE.INTERNAL_PENDING_IND = 'Y') and FCTV_INVOICE.BACKLOG_QTY<>0 and FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR = @Select(DerivedValues\Ending Year Month)
Cuid	FIL_503
Translation ID	FIL_503
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	(DIM_REC_TYPE.INTERNAL_BACKLOG_IND = 'Y' or DIM_REC_TYPE.INTERNAL_PENDING_IND = 'Y') and FCTV_INVOICE.BACKLOG_QTY<>0 and FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR = @Select(Prompts\DerivedValues\Ending Year Month)

Filter: TotalBacklog (External+InterEntity)

Name	TotalBacklog (External+InterEntity)
------	-------------------------------------

Description	TotalBacklog (External+InterEntity):1. Filter Report for All Unshipped Backlog Orders – All Open Backlog and All Pending Backlog no matter it is external SO or IE order; 2. Backlog Year Month based on the ending date.(((DIM_REC_TYPE.INTERNAL_BACKLOG_IND = 'Y' or DIM_REC_TYPE.INTERNAL_PENDING_IND = 'Y') and FCTV_INVOICE.BACKLOG_QTY<>0) or DIM_REC_TYPE.BACKLOG_IND = 'Y' or DIM_REC_TYPE.PENDING_IND = 'Y') and FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR = @Select(DerivedValues\Ending Year Month)
Cuid	FIL_505
Translation ID	FIL_505
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	((((DIM_REC_TYPE.INTERNAL_BACKLOG_IND = 'Y' or DIM_REC_TYPE.INTERNAL_PENDING_IND = 'Y') and FCTV_INVOICE.BACKLOG_QTY<>0) or DIM_REC_TYPE.BACKLOG_IND = 'Y' or DIM_REC_TYPE.PENDING_IND = 'Y') and FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR = @Select(Prompts\DerivedValues\Ending Year Month)



Filter: ExternalOrderInput (Excluding BNS Prior to Acquisition)

Name	ExternalOrderInput (Excluding BNS Prior to Acquisition)
Description	ExternalOrderInput (Including Prior BNS Acquisition): DIM_REC_TYPE.COMMSCOPE_ONLY_ORDER_INPUT_IND = 'Y'
Cuid	FIL_517
Translation ID	FIL_517
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.COMMSCOPE_ONLY_ORDER_INPUT_IND = 'Y'



Filter: ExternalSales (Excluding BNS Prior to Acquisition)

Name	ExternalSales (Excluding BNS Prior to Acquisition)
Description	ExternalSales (Including Prior BNS Acquisition): DIM_REC_TYPE.COMMSCOPE_ONLY_SALES_IND = 'Y'
Cuid	FIL_516
Translation ID	FIL_516
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.COMMSCOPE_ONLY_SALES_IND = 'Y'



Filter: LastWeekSales

Name	LastWeekSales
Description	Returns results for the previous seven days
Cuid	FIL_12
Translation ID	FIL_12
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	@Select(Date Dimension\CalendarDate) BETWEEN ADD_DAYS (CURRENT_DATE,(WEEKDAY(add_days(CURRENT_DATE,1)) * -1) - 7) AND ADD_DAYS (CURRENT_DATE, (WEEKDAY(add_days(CURRENT_DATE,1)) * -1) - 1)



Filter: YesterdaySales

Name	YesterdaySales
Description	On Monday report runs for Friday, Saturday, and Sunday. For other days, report runs for yesterday. Saturday and Sunday data is bundled as Friday data.

Cuid	FIL_10
Translation ID	FIL_10
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	@Select(Date Dimension\Order Input Date) = @Select(Prompts\Ending Date) and @Select(Measures\Debug\Fct Invoice Clndr Year Qtr) = @Select(Prompts\DerivedValues\Ending YearQuarter)



Filter: Finance MTD

Name	Finance MTD
Description	This filter returns all the transactions that are posted to GL in the month of the date and prior to the date entered by the user:@Select(Date Dimension\FinanceYearMonth) = @Select(DerivedValues\Ending Year Month) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date)
Cuid	FIL_6
Translation ID	FIL_6
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	@Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date)



Filter: Finance Year Qtr

Name	Finance Year Qtr
Description	@Select(Date Dimension\FinanceYearQuarter) = @Select(DerivedValues\Ending Year Qtr): Order Input Year Quarter
Cuid	FIL_484
Translation ID	FIL_484
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	@Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date) and @Select(Measures\Debug\Fct Invoice Clndr Year Qtr) = @Select(Prompts\DerivedValues\Ending YearQuarter)



Filter: Finance YTD

Name	Finance YTD
Description	This filter returns all the transactions that are posted to GL in the year of the date and prior to the date entered by the user:@Select(Date Dimension\FinanceYear) = @Select(DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date)
Cuid	FIL_5
Translation ID	FIL_5
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	@Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date)



Filter: Finance PriorYTD To YTD

Name	Finance PriorYTD To YTD
Description	Returns YTD results for the previous and current year up to the specified date
Cuid	FIL_4
Translation ID	FIL_4
Path	\Filters\

State
Filter type
Where expression

Active
NATIVE
@Select(Date Dimension\FinanceYear) IN (@Select(Prompts
\DerivedValues\Prior Ending Year), @Select(Prompts\DerivedValues
\Ending Year)) AND @Select(Date Dimension\Order Input Date) <=
@Select(Prompts\Ending Date)



Filter: Date Range

Name
Description

Cuid
Translation ID
Path
State
Filter type
Where expression

Date Range
Returns records invoiced or order input records entered between the
desired dates.
FIL_9
FIL_9
\Filters\
Active
NATIVE
@Select(Date Dimension\Order Input Date)>= @Select(Prompts
\Begin Date) and @Select(Date Dimension\Order Input Date)<=
@Select(Prompts\Ending Date)



Filter: ScheduleLineAgreementsOnly

Name
Description

Cuid
Translation ID
Path
State
Filter type
Where expression

ScheduleLineAgreementsOnly
ScheduleLineAgreementsOnly :
DIM_SALES_ORDER.ORD_CAT_CODE='E'
FIL_466
FIL_466
\Filters\
Active
NATIVE
DIM_SALES_ORDER.ORD_CAT_CODE='E'



Filter: Prior(?UserPrompt)Days

Name
Description

Cuid
Translation ID
Path
State
Filter type
Where expression

Prior(?UserPrompt)Days
Prior(?UserPrompt)Days:eg. if user enters 7 days, then last 7 days' data
will come up; if user enters 14 days, then the last 14 days' data will
come up.
FIL_499
FIL_499
\Filters\
Active
NATIVE
@Select(Date Dimension\CalendarDate) BETWEEN
add_days(current_date, -@Prompt(Enter Days)) AND
add_days(current_date, -1) and @Select(Measures
\Debug\Fct Invoice Clndr Year Qtr) Between
(to_char(add_days(current_date, -@Prompt(Enter Days)), 'YYYYQ'))
And to_char(add_days(current_date, -1), 'YYYYQ')



Filter: Project Orders

Name
Description

Cuid
Translation ID
Path
State
Filter type
Where expression

Project Orders
Filter for Project Orders: DIM_SALES_ORDER.PROJ_DESC IS NOT
NULL
FIL_518
FIL_518
\Filters\
Active
NATIVE
DIM_SALES_ORDER.PROJ_DESC IS NOT NULL



Filter: POP POS Adjustment

Name
Description

POP POS Adjustment
Filter Records of POP POS Adjustment on Revenue and COGS:
DIM_REC_TYPE.REC_TYPE_KEY IN (134,135,136,137)

Cuid	FIL_521
Translation ID	FIL_521
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.POP_ADJ_IND='Y' OR DIM_REC_TYPE.POS_ADJ_IND='Y'

Filter: ExternalSales+POP POS Adjustment

Name	ExternalSales+POP POS Adjustment
Description	This is to support both normal External Sales and POP/POS Revenue&COGS Adjustment
Cuid	FIL_522
Translation ID	FIL_522
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.GROSS_SALE_IND='Y' OR DIM_REC_TYPE.POP_ADJ_IND='Y' OR DIM_REC_TYPE.POS_ADJ_IND='Y'

Filter: ShipNotInvoiced Backlog

Name	ShipNotInvoiced Backlog
Description	Backlog includes the sales orders which are shipped but not invoiced.i.e Ship qty>invoice qty : DIM_REC_TYPE.BACKLOG_IND = 'Y' and DIM_REC_TYPE.SHIPPED_UNINVOICE_IND = 'Y'
Cuid	FIL_525
Translation ID	FIL_525
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.BACKLOG_IND = 'Y' and DIM_REC_TYPE.SHIPPED_UNINVOICE_IND = 'Y' and FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR = @Select(Prompts \DerivedValues\Ending Year Month)

Filter: ShipNotInvoiced-POD Backlog

Name	ShipNotInvoiced-POD Backlog
Description	Backlog includes the sales orders which are shipped but not invoiced due to POD block.i.e Ship quantity>Invoice quantity and POD block quantity>0 .To get the POD block related quantity/amount , refer to POD Block related objects: DIM_REC_TYPE.BACKLOG_IND = 'Y' and DIM_REC_TYPE.POD_BLOCK_IND='Y' and DIM_REC_TYPE.SHIPPED_UNINVOICE_IND = 'Y'
Cuid	FIL_526
Translation ID	FIL_526
Path	\Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.BACKLOG_IND = 'Y' and DIM_REC_TYPE.POD_BLOCK_IND='Y' and DIM_REC_TYPE.SHIPPED_UNINVOICE_IND = 'Y' and FCTV_INVOICE.BCKLG_YEAR_MONTH_NBR = @Select(Prompts \DerivedValues\Ending Year Month)

Filter: Open Opportunities

Name	Open Opportunities
Description	Open Opportunities. DIM_REC_TYPE.OPPTY_IND='Y' AND FCTV_INVOICE.OPPTY_YEAR_MONTH_NBR=TO_CHAR(sysdate,'YYYYMMDD')
Cuid	FIL_528
Translation ID	FIL_528
Path	\Filters\
State	Active

Filter type
Where expression

NATIVE
DIM_REC_TYPE.OPPTY_IND='Y' AND
FCTV_INVOICE.OPPTY_YEAR_MONTH_NBR=TO_CHAR(current_date,'Y



Filter: POD Block Relevant Indicator

Name
Description

POD Block Relevant Indicator
This filter provides all the sales order which are
POD block relevant based on the incoterms :
DIM_SALES_ORDER.POD_BLOCK_RELEVANT_IND='Y'
FIL_527
FIL_527
\Filters\
Active
NATIVE
DIM_SALES_ORDER.POD_BLOCK_RELEVANT_IND='Y'

Cuid
Translation ID
Path
State
Filter type
Where expression



Filter: EPBCS Reclass Adjustments

Name
Description

EPBCS Reclass Adjustments
Customer/Region reclass adjustments for Revenue/COGS made in
EPBCS
_HnOxB6eEfC3o9sBOS0Lrg
_HnPYoB6eEfC3o9sBOS0Lrg
\Filters\
Active
NATIVE
DIM_REC_TYPE."EPBCS_RECLASS_ADJ_IND" = 'Y'

Cuid
Translation ID
Path
State
Filter type
Where expression



Filter: DistributionChannel-NAR

Name
Description

DistributionChannel-NAR
VBAK.VTWEG in ('Z1', 'Z5'): Distribution Channel - North America
External US and Canada
FIL_450
FIL_450
\Filters\DistributionChannels\
Active
NATIVE
@Select(Distribution Channel Dimension\Distr Channel Id) IN
('10','30','Z1', 'Z5', 'CL')

Cuid
Translation ID
Path
State
Filter type
Where expression



Filter: DistributionChannel-EMEA

Name
Description
Cuid
Translation ID
Path
State
Filter type
Where expression

DistributionChannel-EMEA
VBAK.VTWEG in ('Z2'): Distribution Channel - EMEA
FIL_444
FIL_444
\Filters\DistributionChannels\
Active
NATIVE
@Select(Distribution Channel Dimension\Distr Channel Id) IN
('Z2','15')



Filter: DistributionChannel-APAC

Name
Description
Cuid
Translation ID
Path
State
Filter type
Where expression

DistributionChannel-APAC
VBAK.VTWEG in ('Z3'): Distribution Channel - APAC
FIL_445
FIL_445
\Filters\DistributionChannels\
Active
NATIVE
@Select(Distribution Channel Dimension\Distr Channel Id) IN
('Z3','20')



Filter: DistributionChannel-CALA

Name	DistributionChannel-CALA
Description	VBAK.VTWEG in ('Z4'): Distribution Channel - CALA
Cuid	FIL_446
Translation ID	FIL_446
Path	\Filters\DistributionChannels\
State	Active
Filter type	NATIVE
Where expression	@Select(Distribution Channel Dimension\Distr Channel Id) IN ('Z4','25')



Filter: DistributionChannel-US

Name	DistributionChannel-US
Description	VBAK.VTWEG in ('Z1'): Distribution Channel - External US
Cuid	FIL_443
Translation ID	FIL_443
Path	\Filters\DistributionChannels\
State	Active
Filter type	NATIVE
Where expression	@Select(Distribution Channel Dimension\Distr Channel Id) IN ('Z1','10')



Filter: DistributionChannel-Canada

Name	DistributionChannel-Canada
Description	VBAK.VTWEG in ('Z5'): Distribution Channel - Canada
Cuid	FIL_447
Translation ID	FIL_447
Path	\Filters\DistributionChannels\
State	Active
Filter type	NATIVE
Where expression	@Select(Distribution Channel Dimension\Distr Channel Id) IN ('Z5')



Filter: DistributionChannel-InterEntity

Name	DistributionChannel-InterEntity
Description	VBAK.VTWEG in ('IS'): Distribution Channel - Inter Entity
Cuid	FIL_448
Translation ID	FIL_448
Path	\Filters\DistributionChannels\
State	Active
Filter type	NATIVE
Where expression	@Select(Distribution Channel Dimension\Distr Channel Id) IN ('IS')



Filter: Forecast - All Revisions

Name	Forecast - All Revisions
Description	Forecast - All Revisions. Note : To be used with Forecast Year Month Nbr dimension to view the forecast received as of all months : (FCTV_INVOICE.REC_TYPE_KEY in (51,52) or DIM_REC_TYPE.MTH_R2Q_IND ='Y' OR DIM_REC_TYPE.QTR_R2Q_IND ='Y') .
Cuid	FIL_523
Translation ID	FIL_523
Path	\Filters\Forecast Filters\
State	Active
Filter type	NATIVE
Where expression	(FCTV_INVOICE.REC_TYPE_KEY in (51,52) or DIM_REC_TYPE.MTH_R2Q_IND ='Y' OR DIM_REC_TYPE.QTR_R2Q_IND ='Y')



Filter: Plan Revenue

Name	Plan Revenue
Description	This filter includes only the plan amount by region and customer: FCTV_INVOICE.REC_TYPE_KEY IN (50) OR DIM_REC_TYPE.PLAN_IND ='Y'
Cuid	FIL_506

Translation ID
Path
State
Filter type
Where expression

FIL_506
\Filters\Forecast Filters\
Active
NATIVE
FCTV_INVOICE.REC_TYPE_KEY IN (50) OR
DIM_REC_TYPE.PLAN_IND ='Y'



Filter: Plan Revenue+External Sales

Name
Description

Plan Revenue+External Sales
Filter will include only Plan and External Sales
data :DIM_REC_TYPE.REC_TYPE_KEY=50 OR
DIM_REC_TYPE.GROSS_SALE_IND = 'Y' OR
DIM_REC_TYPE.PLAN_IND = 'Y'

Cuid
Translation ID
Path
State
Filter type
Where expression

FIL_507
FIL_507
\Filters\Forecast Filters\
Active
NATIVE
DIM_REC_TYPE.REC_TYPE_KEY=50 OR
DIM_REC_TYPE.GROSS_SALE_IND = 'Y' OR
DIM_REC_TYPE.PLAN_IND = 'Y'



Filter: Forecast

Name
Description

Forecast
This filter shows the data for the forecast Year Month of
the input date else displays data for the forecast received in
current year month :(FCTV_INVOICE.REC_TYPE_KEY
in (51,52) or DIM_REC_TYPE.MTH_R2Q_IND ='Y'
OR DIM_REC_TYPE.QTR_R2Q_IND ='Y') and
FCTV_INVOICE.FCST_AS_OF_YEAR_MONTH_NBR
=@Select(Forecast Prompts\Forecast year Month Nbr for Filter)

Cuid
Translation ID
Path
State
Filter type
Where expression

FIL_508
FIL_508
\Filters\Forecast Filters\
Active
NATIVE
(FCTV_INVOICE.REC_TYPE_KEY in (51,52)
or DIM_REC_TYPE.MTH_R2Q_IND ='Y' OR
DIM_REC_TYPE.QTR_R2Q_IND ='Y') and
FCTV_INVOICE.FCST_AS_OF_YEAR_MONTH_NBR
=@Select(Prompts\Forecast Prompts\Forecast year Month Nbr for
Filter)



Filter: Forecast + External Sales

Name
Description

Forecast + External Sales
This filter shows the data for the forecast Year Month of the input
date else displays data for the forecast received in current year month
and External sales amount : DIM_REC_TYPE.GROSS_SALE_IND
= 'Y' or ((FCTV_INVOICE.REC_TYPE_KEY in
(51,52) or DIM_REC_TYPE.MTH_R2Q_IND ='Y'
OR DIM_REC_TYPE.QTR_R2Q_IND ='Y') AND
FCTV_INVOICE.FCST_AS_OF_YEAR_MONTH_NBR
=@Select(Forecast Prompts\Forecast year Month Nbr for Filter)

Cuid
Translation ID
Path
State
Filter type
Where expression

FIL_510
FIL_510
\Filters\Forecast Filters\
Active
NATIVE
DIM_REC_TYPE.GROSS_SALE_IND = 'Y'
or ((FCTV_INVOICE.REC_TYPE_KEY in (51,52)
or DIM_REC_TYPE.MTH_R2Q_IND ='Y' OR
DIM_REC_TYPE.QTR_R2Q_IND ='Y') AND
FCTV_INVOICE.FCST_AS_OF_YEAR_MONTH_NBR

=@Select(Prompts\Forecast Prompts\Forecast year Month Nbr for Filter))



Filter: Plan+Forecast+External Sales

Name	Plan+Forecast+External Sales
Description	This filter includes only the Forecast, Plan and External sales amount : FCTV_INVOICE.REC_TYPE_KEY=50 OR FCTV_INVOICE.REC_TYPE_KEY in (51,52) OR DIM_REC_TYPE.GROSS_SALE_IND = 'Y' OR DIM_REC_TYPE.PLAN_IND = 'Y' or DIM_REC_TYPE.MTH_R2Q_IND ='Y' OR DIM_REC_TYPE.QTR_R2Q_IND ='Y'
Cuid	FIL_512
Translation ID	FIL_512
Path	\Filters\Forecast Filters\
State	Active
Filter type	NATIVE
Where expression	FCTV_INVOICE.REC_TYPE_KEY=50 OR FCTV_INVOICE.REC_TYPE_KEY in (51,52) OR DIM_REC_TYPE.GROSS_SALE_IND = 'Y' OR DIM_REC_TYPE.PLAN_IND = 'Y' or DIM_REC_TYPE.MTH_R2Q_IND ='Y' OR DIM_REC_TYPE.QTR_R2Q_IND ='Y'



Filter: Anchor

Name	Anchor
Description	This filter shows the data for the forecast that is written in the first month of the latest quarter
Cuid	_yH7EsWR_Ee-ftr1rUiF_Ug
Translation ID	_yH7EsmR_Ee-ftr1rUiF_Ug
Path	\Filters\Forecast Filters\
State	Active
Filter type	NATIVE
Where expression	DIM_REC_TYPE.ANCHOR_IND = 'Y'



Filter: Catawba

Name	Catawba
Description	Catawba: Plant Identifier = 'US02'
Cuid	FIL_452
Translation ID	FIL_452
Path	\Filters\Plant\
State	Active
Filter type	NATIVE
Where expression	@Select(Source Plant Dimension\History Reporting - Source Plant \Plant Id) = 'US02'



Filter: Claremont

Name	Claremont
Description	Claremont: Plant Identifier = 'US03'
Cuid	FIL_453
Translation ID	FIL_453
Path	\Filters\Plant\
State	Active
Filter type	NATIVE
Where expression	@Select(Source Plant Dimension\History Reporting - Source Plant \Plant Id) = 'US03'



Filter: Reno

Name	Reno
Description	Reno: Plant Identifier = 'US06'
Cuid	FIL_455
Translation ID	FIL_455
Path	\Filters\Plant\

State
Filter type
Where expression

Active
NATIVE
@Select(Source Plant Dimension\History Reporting - Source Plant
\Plant Id) = 'US06'

Filter: Statesville

Name
Description
Cuid
Translation ID
Path
State
Filter type
Where expression

Statesville
Statesville: Plant Identifier = 'US05'
FIL_454
FIL_454
\Filters\Plant\
Active
NATIVE
@Select(Source Plant Dimension\History Reporting - Source Plant
\Plant Id) = 'US05'

Filter: Vextra

Name
Description
Cuid
Translation ID
Path
State
Filter type
Where expression

Vextra
Vextra: Plant Identifier = 'US07'
FIL_456
FIL_456
\Filters\Plant\
Active
NATIVE
@Select(Source Plant Dimension\History Reporting - Source Plant
\Plant Id) = 'US07'

Filter: Distr Channel Name

Name
Description
Cuid
Translation ID
Path
State
Filter type
Where expression

Distr Channel Name
Prompts user for a Distribution Channel name as a report filter
FIL_15
FIL_15
\Filters\Dashboard Filters\
Active
NATIVE
(DIM_DISTR_CHANNEL.DISTR_CHANNEL_NAME
= @Prompt(DistrChannelName) OR 'ALL' =
@Prompt(DistrChannelName))

Filter: Business Segment

Name
Description
Cuid
Translation ID
Path
State
Filter type
Where expression

Business Segment
Prompts user for a Business Segment as a report filter
FIL_486
FIL_486
\Filters\Dashboard Filters\
Active
NATIVE
(DIM_PROD_LINE.PROD_LINE_BUS_SEGMENT
= @Prompt(BusinessSegment) OR '-ALL-' =
@Prompt(BusinessSegment))

Filter: Sales Org Name

Name
Description
Cuid
Translation ID
Path
State
Filter type
Where expression

Sales Org Name
Prompts user for a Sales Organization Name as a report filter
FIL_19
FIL_19
\Filters\Dashboard Filters\
Active
NATIVE
(DIM_SALES_ORG.SALES_ORG_NAME =
@Prompt(SalesOrgName) OR 'ALL' = @Prompt(SalesOrgName))

Filter: Product Group

Name	Product Group
Description	Prompts user to enter a Product Group to filter a report : (DIM_PROD_LINE.PROD_LINE_PRODUCT_GRP_RPT_DESC IN @Prompt('ProductGroup','A',,MULTI,FREE) OR '-ALL-' IN @Prompt('ProductGroup','A',,MULTI,FREE))
Cuid	FIL_489
Translation ID	FIL_489
Path	\Filters\Dashboard Filters\
State	Active
Filter type	NATIVE
Where expression	(DIM_PROD_LINE.PROD_LINE_PRODUCT_GRP_RPT_DESC IN @Prompt(ProductGroup) OR '-ALL-' IN @Prompt(ProductGroup))



Filter: YTD

Name	YTD
Description	This filter returns all the transactions that are posted to GL in the year of the date and prior to the date entered by the user : @Select(Date Dimension\FinanceYear) = @Select(DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date): Year to Date
Cuid	FIL_495
Translation ID	FIL_495
Path	\Corporate Report Use Only\Filter\
State	Active
Filter type	NATIVE
Where expression	@Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date) and @Select(Measures\Debug\Fct Invoice Clnr Year Qtr) Between @Select(Prompts\DerivedValues\Ending Date First Qtr) And @Select(Prompts\DerivedValues\Ending YearQuarter)



Filter: QTD

Name	QTD
Description	This filter returns all the transactions that are posted to GL in the quarter of the date and prior to the date entered by the user : @Select(Date Dimension\FinanceYearQuarter) = @Select(DerivedValues\Ending Year Qtr) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date): Quarter to Date
Cuid	FIL_496
Translation ID	FIL_496
Path	\Corporate Report Use Only\Filter\
State	Active
Filter type	NATIVE
Where expression	@Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date) and @Select(Measures\Debug\Fct Invoice Clnr Year Qtr) = @Select(Prompts\DerivedValues\Ending YearQuarter)



Filter: MTD

Name	MTD
Description	This filter returns all the transactions that are posted to GL in the month of the date and prior to the date entered by the user : @Select(Date Dimension\FinanceYearMonth) = @Select(DerivedValues\Ending Year Month) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date)
Cuid	FIL_497
Translation ID	FIL_497
Path	\Corporate Report Use Only\Filter\
State	Active
Filter type	NATIVE
Where expression	@Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension

\Order Input Date) <= @Select(Prompts\Ending Date) and
 @Select(Measures\Debug\Fct Invoice Clndr Year Qtr) =
 @Select(Prompts\DerivedValues\Ending YearQuarter)



Filter: WTD

Name

Description

Cuid

Translation ID

Path

State

Filter type

Where expression

WTD

This filter returns all the transactions that are posted to GL in the week of the date and prior to the date entered by the user : @Select(Date Dimension\Ord Input Week In Month Nbr) = @Select(DerivedValues\Ending Week) and @Select(Date Dimension\FinanceYearMonth) = @Select(DerivedValues\Ending Year Month) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date): Week To Date

FIL_498

FIL_498

\Corporate Report Use Only\Filter\

Active

NATIVE

@Select(Date Dimension\Ord Input Week In Month Nbr) = @Select(Prompts\DerivedValues\Ending Week) and @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date) and @Select(Measures\Debug\Fct Invoice Clndr Year Qtr) = @Select(Prompts\DerivedValues\Ending YearQuarter)



Filter: CurrentMonth

Name

Description

Cuid

Translation ID

Path

State

Filter type

Where expression

CurrentMonth

This filter returns all the transactions in the month of the date entered by the user : @Select(Date Dimension\FinanceYearMonth) = @Select(DerivedValues\Ending Year Month)

FIL_501

FIL_501

\Corporate Report Use Only\Filter\

Active

NATIVE

@Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month)



Filter: CurrentQuarter

Name

Description

Cuid

Translation ID

Path

State

Filter type

Where expression

CurrentQuarter

This filter returns all the transactions in the quarter of the date entered by the user : @Select(Date Dimension\FinanceYearQuarter) = @Select(DerivedValues\Ending YearQuarter)

FIL_502

FIL_502

\Corporate Report Use Only\Filter\

Active

NATIVE

@Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter)



Filter: PriorMonth

Name

Description

Cuid

Translation ID

Path

State

Filter type

Where expression

PriorMonth

@Select(Date Dimension\FinanceYearMonth) = @Select(DerivedValues\Prior Year Month): Prior Month

FIL_465

FIL_465

\Corporate Report Use Only\Filter\

Active

NATIVE

@Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Prior Year Month)

**Filter: PriorYear**

Name	PriorYear
Description	@Select(Date Dimension\FinanceYear) >= @Select(DerivedValues \Prior Ending Year): Previous Year
Cuid	FIL_467
Translation ID	FIL_467
Path	\Corporate Report Use Only\Filter\
State	Active
Filter type	NATIVE
Where expression	@Select(Date Dimension\FinanceYear) >= @Select(Prompts \DerivedValues\Prior Ending Year) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date)

**Filter: Plan&Forecast**

Name	Plan&Forecast
Description	Plan and Forecast by Ship to Region for Corporate reports using : FCTV_INVOICE.REC_TYPE_KEY = 56 OR DIM_REC_TYPE.PLAN_IND = 'Y'
Cuid	FIL_500
Translation ID	FIL_500
Path	\Corporate Report Use Only\Filter\
State	Active
Filter type	NATIVE
Where expression	FCTV_INVOICE.REC_TYPE_KEY = 56 OR DIM_REC_TYPE.PLAN_IND = 'Y'

Measure: Std Cost-USD

Name	Std Cost-USD
Description	Unit cost in USD for the base unit of measure: DIM_PROD_MASTER.STD_COST_USD
Cuid	OBJ_4255
Translation ID	OBJ_4255
Path	\Product Master Dimension\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_PROD_MASTER.STD_COST_USD
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: Sales Order Counter

Name	Sales Order Counter
Description	Returns count of the number of sales orders in report.
Cuid	OBJ_2870
Translation ID	OBJ_2870
Path	\Sales Order Dimension\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	count(@Select(Sales Order Dimension\Sales Ord Id))
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Delivery Qty

Name	Delivery Qty
Description	Total delivery quantity: DIM_SALES_ORDER.DELIVERY_QTY
Cuid	OBJ_4273
Translation ID	OBJ_4273
Path	\Sales Order Dimension\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_SALES_ORDER.DELIVERY_QTY
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: PO Qty

Name	PO Qty
Description	PO total quantity: DIM_SALES_ORDER.PO_QTY

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_4271
OBJ_4271
\Sales Order Dimension\
Active
Numeric
None
False

SQL Definition

Select

DIM_SALES_ORDER.PO_QTY

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Order Qty

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Order Qty
OrderQuantity : DIM_SALES_ORDER.ORD_QTY
OBJ_5128
OBJ_5128
\Sales Order Dimension\
Active
Numeric
None
False

SQL Definition

Select

DIM_SALES_ORDER.ORD_QTY

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Commercial Invoice Qty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Commercial Invoice Qty
Total commercial invoice quantity:
DIM_SALES_ORDER.COMM_INV_QTY
OBJ_4275
OBJ_4275
\Sales Order Dimension\
Active
Numeric
None
False

SQL Definition

Select

DIM_SALES_ORDER.COMM_INV_QTY

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Goods Issued Qty

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Goods Issued Qty
Goods issued quantity: DIM_SALES_ORDER.GOODS_ISSUED_QTY
OBJ_4276
OBJ_4276
\Sales Order Dimension\
Active
Numeric
None
False

SQL Definition

Select

DIM_SALES_ORDER.GOODS_ISSUED_QTY

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Total Lines - CLT Violated

Name
Description

Total Lines - CLT Violated
Count of Sales Order which has Violated CLT : SUM(case when
DIM_SALES_ORDER.CLT_VIOLATION_STATUS='CLT Violation'
then 1 else 0 end)
OBJ_4518
OBJ_4518
\Contractual Lead Time\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(case when
DIM_SALES_ORDER.CLT_VIOLATION_STATUS='CLT Violation'
then 1 else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Total Lines - Meets CLT

Name
Description

Total Lines - Meets CLT
Count of Sales Order which Meets CLT : SUM(case when
DIM_SALES_ORDER.CLT_VIOLATION_STATUS='Meets CLT' then
1 else 0 end)
OBJ_4519
OBJ_4519
\Contractual Lead Time\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(case when
DIM_SALES_ORDER.CLT_VIOLATION_STATUS='Meets CLT'
then 1 else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Total Lines - CLT Relevant

Name
Description

Total Lines - CLT Relevant
Count of Sales Order for which CLT is defined : SUM(case when
(DIM_SALES_ORDER.CLT_VIOLATION_STATUS='Meets CLT' OR
DIM_SALES_ORDER.CLT_VIOLATION_STATUS='CLT Violation')
then 1 else 0 end)
OBJ_4520
OBJ_4520
\Contractual Lead Time\
Active
Numeric

Cuid
Translation ID
Path
State
Data Type

Projection Function
High Precision

Sum
False

SQL Definition

Select

SUM(case when
(DIM_SALES_ORDER.CLT_VIOLATION_STATUS='Meets CLT'
OR DIM_SALES_ORDER.CLT_VIOLATION_STATUS='CLT
Violation') then 1 else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: CLT Meets % (CLT Relevant)

Name
Description

CLT Meets % (CLT Relevant)
Percentage of Total Lines Meeting CLT to Total Lines CLT
Relevant : (@Select(Contractual Lead Time\Total Lines Meets CLT) /
@Select(Contractual Lead Time\Total Lines CLT Relevant))*100
OBJ_4521
OBJ_4521
\Contractual Lead Time\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

Case when @Select(Contractual Lead Time\Total Lines - CLT
Relevant)=0 then 0 else (@Select(Contractual Lead Time\Total Lines
- Meets CLT) / @Select(Contractual Lead Time\Total Lines - CLT
Relevant))*100 end

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: CLT Violation % (CLT Relevant)

Name
Description

CLT Violation % (CLT Relevant)
Percentage of Total Lines Violating CLT to Total Lines CLT Relevant :
(@Select(Contractual Lead Time\Total Lines CLT Violated) /
@Select(Contractual Lead Time\Total Lines CLT Relevant))*100
OBJ_4522
OBJ_4522
\Contractual Lead Time\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

case when @Select(Contractual Lead Time\Total Lines - CLT
Relevant)=0 then 0 else (@Select(Contractual Lead Time\Total Lines
- CLT Violated)/@Select(Contractual Lead Time\Total Lines - CLT
Relevant))*100 end

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: GrossPrice-Doc

Name
Description

GrossPrice-Doc
If JDE and SAP2 this is net price amount in local currency. If
SAP1 this is gross price amount in local currency. For SAP1,
- 422 -

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

gross price does not include returns, discounts, and freight.
SUM(FCTV_INVOICE.GROSS_PRICE_LC_AMT)
OBJ_4223
OBJ_4223
\Measures\Invoice\Revenues\Revenue-DocCurrency\
Active
Numeric
Sum
False

SQL Definition

Select SUM(FCTV_INVOICE.GROSS_PRICE_LC_AMT)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Measure: AdjustedGrossPrice-Doc

Name
Description

AdjustedGrossPrice-Doc
If JDE and SAP2 this is net price amount in local currency.
If SAP1 this is gross price amount in Document currency.
SUM(FCTV_INVOICE.NET_PRICE_LC_AMT)

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_4224
OBJ_4224
\Measures\Invoice\Revenues\Revenue-DocCurrency\
Hidden
Numeric
Sum
False

SQL Definition

Select SUM(FCTV_INVOICE.NET_PRICE_LC_AMT)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Measure: NetPrice-Doc

Name
Description

NetPrice-Doc
For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.

SUM(FCTV_INVOICE.NET_PRICE_LC_AMT)

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_4225
OBJ_4225
\Measures\Invoice\Revenues\Revenue-DocCurrency\
Active
Numeric
Sum
False

SQL Definition

Select SUM(FCTV_INVOICE.NET_PRICE_LC_AMT)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
List of Values Editable
Can be used in Results, Filters, Sorts

Measure: Net-ProductUnit-Price-Doc

Name	Net-ProductUnit-Price-Doc
Description	The net unit price in Document Currency after the customer freight has been subtracted from the Net Price: case when @Select(Quantities\InvQty) <> 0 then (@Select(Revenue-DocCurrency\NetPrice-Doc) - @Select(Revenue-DocCurrency\CustomerFreight-Doc)) / @Select(Quantities\InvQty) else 0 end
Cuid	OBJ_4457
Translation ID	OBJ_4457
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	case when @Select(Measures\Invoice\Quantities\InvQty) <> 0 then (@Select(Measures\Invoice\Revenues\Revenue-DocCurrency\NetPrice-Doc) - @Select(Measures\Invoice\Revenues\Revenue-DocCurrency\CustomerFreight-Doc)) / @Select(Measures\Invoice\Quantities\InvQty) else 0 end
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts
Display format	NUMERIC



Measure: Freight-Doc

Name	Freight-Doc
Description	Freight Charges Document Currency: FCTV_INVOICE.FREIGHT_LC_AMT
Cuid	OBJ_4226
Translation ID	OBJ_4226
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.FREIGHT_LC_AMT)
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: CustomerFreight-Doc

Name	CustomerFreight-Doc
Description	Customer Freight in document currency posted to freight GL accounts: SUM(FCTV_INVOICE.CUSTOMER_FREIGHT_LC_AMT)
Cuid	OBJ_4453
Translation ID	OBJ_4453
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.CUSTOMER_FREIGHT_LC_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: ExtendedPrice-Doc

Name	ExtendedPrice-Doc
Description	Extended Price, Document Currency: FCTV_INVOICE.EXT_PRICE_LC_AMT
Cuid	OBJ_4227
Translation ID	OBJ_4227
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.EXT_PRICE_LC_AMT)
--------	------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: Unit Price Qtyuom Doc

Name	Unit Price Qtyuom Doc
Description	Unit Price Qty UOM DOC Amt: FCTV_INVOICE.UNIT_QTYUOM_LC_AMT
Cuid	OBJ_4228
Translation ID	OBJ_4228
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.UNIT_QTYUOM_LC_AMT)
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: List Unit Price UOM Doc AMT

Name	List Unit Price UOM Doc AMT
Description	List Unit Price UOM DOC AMT: FCTV_INVOICE.LIST_UNIT_PRICEUOM_LC_AMT
Cuid	OBJ_4229
Translation ID	OBJ_4229
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.LIST_UNIT_PRICEUOM_LC_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: Net Unit Price UOM Doc AMT

Name	Net Unit Price UOM Doc AMT
Description	NetUnit Price UOM DOC AMT: FCTV_INVOICE.NET_UNIT_PRICEUOM_LC_AMT
Cuid	OBJ_4230
Translation ID	OBJ_4230
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.NET_UNIT_PRICEUOM_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: Tax-Doc

Name	Tax-Doc
Description	For JDE this is 0.SUM(FCTV_INVOICE.TAX_LC_AMT)
Cuid	OBJ_4231
Translation ID	OBJ_4231
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.TAX_LC_AMT)
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: Invoice-Doc

Name	Invoice-Doc
Description	For SAP2 and JDE, this is invoice amount. For SAP1, this is invoice amount excluding freight billed to customers. SUM(FCTV_INVOICE.INV_LC_AMT)
Cuid	OBJ_4232
Translation ID	OBJ_4232
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.INV_LC_AMT)
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: FreightSurcharge-Doc

Name	FreightSurcharge-Doc
	- 426 -

Description	Freight Surcharge (pricing condition ZFSR) in document currency.
Cuid	OBJ_5004
Translation ID	OBJ_5004
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	sum(FCTV_INVOICE.SLS_FREIGHT_SURCHARGE_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: DAR GL-Doc

Name	DAR GL-Doc
Description	DAR GL-Doc: It is saving all of the Document Currency of Discount, Allowance and Rebates based on GL Account that belong to HFM Group of #60 : SUM(FCTV_INVOICE.DAR_GL_LC_AMT)
Cuid	OBJ_4668
Translation ID	OBJ_4668
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.DAR_GL_LC_AMT)
--------	---------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: AdjustedGrossPrice GL-Doc

Name	AdjustedGrossPrice GL-Doc
Description	AdjustedGrossPrice GL-Doc: It is saving all of the Document Currency of Adjusted Gross Sales based on GL Accounts excluding DAR : SUM(FCTV_INVOICE.ADJ_GROSS_GL_LC_AMT)
Cuid	OBJ_4670
Translation ID	OBJ_4670
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.ADJ_GROSS_GL_LC_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: NetPrice GL-Doc

Name	NetPrice GL-Doc
Description	NetPrice GL-Doc: It is saving all of the Document Currency of NetPrice(Including DAR) based on GL Accounts : SUM(FCTV_INVOICE.NET_PRICE_GL_LC_AMT)
Cuid	OBJ_4671
Translation ID	OBJ_4671

Path	\\Measures\\Invoice\\Revenues\\Revenue-DocCurrency\\GL-DocCurrency\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.NET_PRICE_GL_LC_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Sales - Product GL-Doc

Name	Sales - Product GL-Doc
Description	Sales - Product GL-Doc: It is saving all of the Document Currency of Sales - Product based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.SLS_PROD_GL_LC_AMT)
Cuid	OBJ_4683
Translation ID	OBJ_4683
Path	\\Measures\\Invoice\\Revenues\\Revenue-DocCurrency\\GL-DocCurrency\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_PROD_GL_LC_AMT)
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Sales - Returns - Product GL-Doc

Name	Sales - Returns - Product GL-Doc
Description	Sales - Returns - Product GL-Doc: It is saving all of the Document Currency of Sales - Returns - Product based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.SLS_RET_PROD_GL_LC_AMT)
Cuid	OBJ_4686
Translation ID	OBJ_4686
Path	\\Measures\\Invoice\\Revenues\\Revenue-DocCurrency\\GL-DocCurrency\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_RET_PROD_GL_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Sales - Service GL-Doc

Name	Sales - Service GL-Doc
Description	Sales - Service -Doc: It is saving all of the Document Currency of Sales - Service based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.SLS_SERVICE_GL_LC_AMT)
Cuid	OBJ_4687
Translation ID	OBJ_4687
Path	\\Measures\\Invoice\\Revenues\\Revenue-DocCurrency\\GL-DocCurrency\\
State	Active

Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_SERVICE_GL_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Sales - Software GL-Doc

Name
Description

Sales - Software GL-Doc
Sales - Software GL-Doc: It is saving all of the Document Currency of Sales - Software based on GL Account with EPBCS Account Group :
SUM(FCTV_INVOICE.SLS_SOFTWARE_GL_LC_AMT)

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_4688
OBJ_4688
\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_SOFTWARE_GL_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Sales - Project Revenue GL-Doc

Name
Description

Sales - Project Revenue GL-Doc
Sales - Project Revenue GL-Doc: It is saving all of the Document Currency of Sales - Project Revenue based on GL Account with EPBCS Account Group:
SUM(FCTV_INVOICE.SLS_PROJREV_GL_LC_AMT)

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_4684
OBJ_4684
\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_PROJREV_GL_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Sales - PCS GL-Doc

Name
Description

Sales - PCS GL-Doc
Sales - PCS GL-Doc: It is saving all of the Document Currency of Sales - PCS based on GL Account with EPBCS Account Group :
SUM(FCTV_INVOICE.SLS_PCS_GL_LC_AMT)

Cuid
Translation ID
Path
State
Data Type
Projection Function

OBJ_4685
OBJ_4685
\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\
Active
Numeric
Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_PCS_GL_LC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Sales - External Royalties GL-Doc

Name

Sales - External Royalties GL-Doc

Description

Sales - External Royalties GL-Doc: It is saving all of the Document Currency of Sales - External Royalties based on GL Account with EPBCS Account Group :
SUM(FCTV_INVOICE.SLS_EXT_ROYLT_GL_LC_AMT)

Cuid

OBJ_4689

Translation ID

OBJ_4689

Path

\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_EXT_ROYLT_GL_LC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Freight Revenue Billed to Customers GL-Doc

Name

Freight Revenue Billed to Customers GL-Doc

Description

Freight Revenue Billed to Customers GL-Doc: It is saving all of the Document Currency of Freight Revenue Billed to Customers based on GL Account with EPBCS Account Group :
SUM(FCTV_INVOICE.SLS_FREIGHT_REV_GL_LC_AMT)

Cuid

OBJ_4690

Translation ID

OBJ_4690

Path

\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_FREIGHT_REV_GL_LC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Deferred Revenue GL-Doc

Name

Deferred Revenue GL-Doc

Description

Deferred Revenue GL-Doc: It is saving all of the Document Currency of Deferred Revenue based on GL Account with EPBCS Account Group:
SUM(FCTV_INVOICE.SLS_DEF_REV_GL_LC_AMT)

Cuid

OBJ_4691

Translation ID

OBJ_4691

Path

\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_DEF_REV_GL_LC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts

**Measure: Sales - Tech Services GL-Doc**

Name

Sales - Tech Services GL-Doc

Description

Sales - Tech Services GL-Doc: It is saving all of the Document Currency of Sales - Tech Services based on GL Account with EPBCS Account Group :

SUM(FCTV_INVOICE.SLS_TECH_SERV_GL_LC_AMT)

Cuid

OBJ_5099

Translation ID

OBJ_5099

Path

\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_TECH_SERV_GL_LC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts

**Measure: Discount - Tech Services GL-Doc**

Name

Discount - Tech Services GL-Doc

Description

Discount - Tech Services GL-Doc: It is saving all of the Document Currency of Discount - Tech Services based on GL Account with EPBCS Account Group :

SUM(FCTV_INVOICE.DAR_TECH_SERV_GL_LC_AMT)

Cuid

OBJ_5106

Translation ID

OBJ_5106

Path

\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.DAR_TECH_SERV_GL_LC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts

**Measure: Sales - Pro Services GL-Doc**

Name

Sales - Pro Services GL-Doc

Description

Sales - Pro Services GL-Doc: It is saving all of the Document Currency of Sales - Pro Services based on GL Account with EPBCS Account Group :

SUM(FCTV_INVOICE.SLS_PRO_SERV_GL_LC_AMT)

Cuid

OBJ_5101

Translation ID

OBJ_5101

Path

\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_PRO_SERV_GL_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Discount - Pro Services GL -Doc

Name
Description

Discount - Pro Services GL -Doc
Discount - Pro Services GL-Doc: It is saving all of the Document Currency of Discount - Pro Services based on GL Account with EPBCS Account Group :
SUM(FCTV_INVOICE.DAR_PRO_SERV_GL_LC_AMT)
OBJ_5104
OBJ_5104
\\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(FCTV_INVOICE.DAR_PRO_SERV_GL_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Sales - Repair Services GL-Doc

Name
Description

Sales - Repair Services GL-Doc
Sales - Repair Services GL-Doc: It is saving all of the Document Currency of Sales - Repair Services based on GL Account with EPBCS Account Group :
SUM(FCTV_INVOICE.SLS_REP_SERV_GL_LC_AMT)
OBJ_5102
OBJ_5102
\\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_REP_SERV_GL_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Discount - Repair Services GL-Doc

Name
Description

Discount - Repair Services GL-Doc
Discount - Repair Services GL-Doc: It is saving all of the Document Currency of Discount - Repair Services based on GL Account with EPBCS Account Group :
SUM(FCTV_INVOICE.DAR_REP_SERV_GL_LC_AMT)
OBJ_5105
OBJ_5105
\\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select	SUM(FCTV_INVOICE.DAR_REP_SERV_GL_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

 Measure: Tariff Revenue Billed to Customer GL-Doc

Name	Tariff Revenue Billed to Customer GL-Doc
Description	Tariff Revenue Billed to Customer GL-Doc : It includes the Document Currency of Tariff Revenue Billed to Customer based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE."SLS_TARIFF_REV_GL_LC_AMT") _gYcB0BbRefCdaK68k8v0jw
Cuid	_gYdP8BbRefCdaK68k8v0jw
Translation ID	
Path	\Measures\Invoice\Revenues\Revenue-DocCurrency\GL-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE."SLS_TARIFF_REV_GL_LC_AMT")
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

 Measure: GrossPrice-USD

Name	GrossPrice-USD
Description	If JDE and SAP2 this is net price USD amount. If SAP1 this is gross price USD amount. For SAP1, gross price does not include returns, discounts, and freight.
Cuid	OBJ_2902
Translation ID	OBJ_2902
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GROSS_PRICE_USD_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

 Measure: AdjustedGrossPrice-USD

Name	AdjustedGrossPrice-USD
Description	If JDE and SAP2 this is net price USD amount. If SAP1 this is adjusted gross price USD amount (External Sales + Returns): FCTV_INVOICE.ADJ_GROSS_USD_AMT OBJ_2957
Cuid	OBJ_2957
Translation ID	
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.ADJ_GROSS_USD_AMT)
--------	-------------------------------------

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: NetPrice-USD

Name
Description

NetPrice-USD
For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.
OBJ_336
OBJ_336
\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.NET_PRICE_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Net-ProductUnit-Price-USD

Name
Description

Net-ProductUnit-Price-USD
The net unit price in USD after the customer freight has been subtracted from the Net Price: case when @Select(Quantities\InvQty) <> 0 then (@Select(Revenue-US Dollars-USD\NetPrice-USD) - @Select(Revenue-US Dollars-USD\CustomerFreight-USD)) / @Select(Quantities\InvQty) else 0 end
OBJ_4456
OBJ_4456
\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
Active
Numeric
Sum
False

SQL Definition

Select

case when @Select(Measures\Invoice\Quantities\InvQty) <> 0 then (@Select(Measures\Invoice\Revenues\Revenue-US Dollars-USD\NetPrice-USD) - @Select(Measures\Invoice\Revenues\Revenue-US Dollars-USD\CustomerFreight-USD)) / @Select(Measures\Invoice\Quantities\InvQty) else 0 end

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in
Display format

Public
Uncategorized data
Results, Filters, Sorts
NUMERIC



Measure: Freight-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Freight-USD
FCTV_INVOICE.FREIGHT_USD_AMT : Freight Charges-US Dollars
OBJ_2930
OBJ_2930
\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.FREIGHT_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

**Measure: CustomerFreight-USD**

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

CustomerFreight-USD
Customer Freight in USD posted to freight GL accounts:
SUM(FCTV_INVOICE.CUSTOMER_FREIGHT_USD_AMT)
OBJ_4455
OBJ_4455
\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.CUSTOMER_FREIGHT_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

**Measure: AIMRevenue-USD**

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

AIMRevenue-USD
AIMRevenue-USD
OBJ_2909
OBJ_2909
\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(CASE WHEN DIM_SALES_ORDER.ORD_CAT_CODE='E'
THEN FCTV_INVOICE.NET_PRICE_USD_AMT END)**Advanced**

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

**Measure: ExtendedPrice-USD**

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

ExtendedPrice-USD
FCTV_INVOICE.EXT_PRICE_USD_AMT:Extended Price, USD
OBJ_331
OBJ_331
\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
Hidden
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.EXT_PRICE_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: Unit Price Qtyuom USD

Name	Unit Price Qtyuom USD
Description	FCTV_INVOICE.UNIT_QTYUOM_USD_AMT : Unit Price QTYUOM USD Amount
Cuid	OBJ_648
Translation ID	OBJ_648
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.UNIT_QTYUOM_USD_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: List Unit Price UOM USD AMT

Name	List Unit Price UOM USD AMT
Description	FCTV_INVOICE.LIST_UNIT_PRICEUOM_USD_AMT : List Unit Price UOM USD AMT
Cuid	OBJ_666
Translation ID	OBJ_666
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.LIST_UNIT_PRICEUOM_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Net Unit Priceuom USD AMT

Name	Net Unit Priceuom USD AMT
Description	FCTV_INVOICE.NET_UNIT_PRICEUOM_USD_AMT : Net Unit Priceuom Usd Amt
Cuid	OBJ_650
Translation ID	OBJ_650
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.NET_UNIT_PRICEUOM_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Tax-USD

Name	Tax-USD
Description	For JDE this is 0.
Cuid	OBJ_337
Translation ID	OBJ_337

Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.TAX_USD_AMT)
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Invoice-USD

Name	Invoice-USD
Description	For SAP2 and JDE, this is invoice amount. For SAP1, this is invoice amount excluding freight billed to customers. SUM(FCTV_INVOICE.INV_USD_AMT)
Cuid	OBJ_2958
Translation ID	OBJ_2958
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.INV_USD_AMT)
--------	-------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: FreightSurcharge-USD

Name	FreightSurcharge-USD
Description	Freight Surcharge (pricing condition ZFSR) in USD currency.
Cuid	OBJ_5005
Translation ID	OBJ_5005
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	sum(FCTV_INVOICE.SLS_FREIGHT_SURCHARGE_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: DAR GL-USD

Name	DAR GL-USD
Description	DAR GL-USD: It is saving all of the USD Amount of Discount, Allowance and Rebates based on GL Accounts that belong to HFM Group of #60 : SUM(FCTV_INVOICE.DAR_GL_USD_AMT)
Cuid	OBJ_4669
Translation ID	OBJ_4669
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

SUM(FCTV_INVOICE.DAR_GL_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: AdjustedGrossPrice GL-USD

Name

AdjustedGrossPrice GL-USD

Description

AdjustedGrossPrice GL-USD: It is saving all of the USD Amount of AdjustedGross Sales based on GL Accounts Excluding DAR:

SUM(FCTV_INVOICE.ADJ_GROSS_GL_USD_AMT)

Cuid

OBJ_4672

Translation ID

OBJ_4672

Path

\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.ADJ_GROSS_GL_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: NetPrice GL-USD

Name

NetPrice GL-USD

Description

NetPrice GL-USD: It is saving all of the USD Amount of NetPrice(Including DAR) based on GL Accounts :

SUM(FCTV_INVOICE.NET_PRICE_GL_USD_AMT)

Cuid

OBJ_4673

Translation ID

OBJ_4673

Path

\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.NET_PRICE_GL_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Sales - Product GL-USD

Name

Sales - Product GL-USD

Description

Sales - Product GL-USD: It is saving all of the USD Currency of Sales - Product based on GL Account with EPBCS Account Group :

SUM(FCTV_INVOICE.SLS_PROD_GL_USD_AMT)

Cuid

OBJ_4701

Translation ID

OBJ_4701

Path

\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_PROD_GL_USD_AMT)

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 Can be used in

Public
 Uncategorized data
 Results, Filters, Sorts

**Measure: Sales - Returns - Product GL-USD**

Name

Sales - Returns - Product GL-USD

Description

Sales - Returns - Product GL-USD: It is saving all of the USD Currency of Sales - Returns - Product based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.SLS_RET_PROD_GL_USD_AMT)

Cuid

OBJ_4702

Translation ID

OBJ_4702

Path

\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_RET_PROD_GL_USD_AMT)

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 Can be used in

Public
 Uncategorized data
 Results, Filters, Sorts

**Measure: Sales - Service GL-USD**

Name

Sales - Service GL-USD

Description

Sales - Service -USD: It is saving all of the USD Currency of Sales - Service based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.SLS_SERVICE_GL_USD_AMT)

Cuid

OBJ_4703

Translation ID

OBJ_4703

Path

\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_SERVICE_GL_USD_AMT)

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 Can be used in

Public
 Uncategorized data
 Results, Filters, Sorts

**Measure: Sales - Software GL-USD**

Name

Sales - Software GL-USD

Description

Sales - Software GL-USD: It is saving all of the USD Currency of Sales - Software based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.SLS_SOFTWARE_GL_USD_AMT)

Cuid

OBJ_4704

Translation ID

OBJ_4704

Path

\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_SOFTWARE_GL_USD_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
Can be used in

Uncategorized data
Results, Filters, Sorts



Measure: Sales - Project Revenue GL-USD

Name	Sales - Project Revenue GL-USD
Description	Sales - Project Revenue GL-USD: It is saving all of the USD Currency of Sales - Project Revenue based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.SLS_PROJREV_GL_USD_AMT)
Cuid	OBJ_4705
Translation ID	OBJ_4705
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_PROJREV_GL_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Sales - PCS GL-USD

Name	Sales - PCS GL-USD
Description	Sales - PCS GL-USD: It is saving all of the USDCurrency of Sales - PCS based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.SLS_PCS_GL_USD_AMT)
Cuid	OBJ_4706
Translation ID	OBJ_4706
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_PCS_GL_USD_AMT)
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Sales - External Royalties GL-USD

Name	Sales - External Royalties GL-USD
Description	Sales - External Royalties GL-USD: It is saving all of the USD Currency of Sales - External Royalties based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.SLS_EXT_ROYLT_GL_USD_AMT)
Cuid	OBJ_4707
Translation ID	OBJ_4707
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_EXT_ROYLT_GL_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Freight Revenue Billed to Customers GL-USD

Name	Freight Revenue Billed to Customers GL-USD
Description	Freight Revenue Billed to Customers GL-USD: It is saving all of the USDCurrency of Freight Revenue Billed to Customers based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.SLS_FREIGHT_REV_GL_USD_AMT)
Cuid	OBJ_4708
Translation ID	OBJ_4708
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_FREIGHT_REV_GL_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Deferred Revenue GL-USD

Name	Deferred Revenue GL-USD
Description	Deferred Revenue GL-USD: It is saving all of the USD Currency of Deferred Revenue based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.SLS_DEF_REV_GL_USD_AMT)
Cuid	OBJ_4709
Translation ID	OBJ_4709
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_DEF_REV_GL_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: POP Sales Adjustment - USD

Name	POP Sales Adjustment - USD
Description	POP Sales Adjustment - USD, this is to support POP Sales Adjustment on Region/Ultimate Cust: SUM(FCTV_INVOICE.POP_SLS_GL_USD_AMT)
Cuid	OBJ_4784
Translation ID	OBJ_4784
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.POP_SLS_GL_USD_AMT)
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: POS Sales Adjustment - USD

Name	POS Sales Adjustment - USD
Description	POS Sales Adjustment - USD, this is to support POS Sales Adjustment on Region/Ultimate Cust: SUM(FCTV_INVOICE.POS_SLS_GL_USD_AMT)
Cuid	OBJ_4785
Translation ID	OBJ_4785
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.POS_SLS_GL_USD_AMT)
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Sales - Tech Services GL-USD

Name	Sales - Tech Services GL-USD
Description	Sales - Tech Services GL-USD: It is saving all of the USD Currency of Sales - Tech Services based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.SLS_TECH_SERV_GL_USD_AMT)
Cuid	OBJ_5109
Translation ID	OBJ_5109
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_TECH_SERV_GL_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Discount - Tech Services GL-USD

Name	Discount - Tech Services GL-USD
Description	Discount - Tech Services GL-USD: It is saving all of the USD Currency of Discount - Tech Services based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.DAR_TECH_SERV_GL_USD_AMT)
Cuid	OBJ_5115
Translation ID	OBJ_5115
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.DAR_TECH_SERV_GL_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Sales - Pro Services GL-USD

Name	Sales - Pro Services GL-USD
------	-----------------------------

Description	Sales - Pro Services GL-USD: It is saving all of the USD Currency of Sales - Pro Services based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.SLS_PRO_SERV_GL_USD_AMT)
Cuid	OBJ_5110
Translation ID	OBJ_5110
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_PRO_SERV_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Discount - Pro Services GL-USD

Name	Discount - Pro Services GL-USD
Description	Discount - Pro Services GL-USD: It is saving all of the USD Currency of Discount - Pro Services based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.DAR_PRO_SERV_GL_USD_AMT)
Cuid	OBJ_5114
Translation ID	OBJ_5114
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.DAR_PRO_SERV_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Sales - Repair Services GL-USD

Name	Sales - Repair Services GL-USD
Description	Sales - Repair Services GL-USD: It is saving all of the USD Currency of Sales - Repair Services based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.SLS_REP_SERV_GL_USD_AMT)
Cuid	OBJ_5112
Translation ID	OBJ_5112
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_REP_SERV_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Discount - Repair Services GL-USD

Name	Discount - Repair Services GL-USD
Description	Discount - Repair Services GL-USD: It is saving all of the USD Currency of Discount - Repair Services

Cuid	based on GL Account with EPBCS Account Group:
Translation ID	SUM(FCTV_INVOICE.DAR_REP_SERV_GL_USD_AMT)
Path	OBJ_5113
State	OBJ_5113
Data Type	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
Projection Function	Active
High Precision	Numeric
	Sum
	False

SQL Definition

Select	SUM(FCTV_INVOICE.DAR_REP_SERV_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: DAR GL-USD - DO-NOT-USE

Name	DAR GL-USD - DO-NOT-USE
Description	DAR GL-USD - DO-NOT-USE: It is saving all of the pure USD Amount of Discount, Allowance and Rebates based on GL Accounts that belong to HFM Group of #60 : SUM(FCTV_INVOICE.GL_DAR_GL_USD_AMT)
Cuid	OBJ_4710
Translation ID	OBJ_4710
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_DAR_GL_USD_AMT)
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: AdjustedGrossPrice GL-USD - DO-NOT-USE

Name	AdjustedGrossPrice GL-USD - DO-NOT-USE
Description	AdjustedGrossPrice GL-USD - DO-NOT-USE: It is saving all of the pure USD Amount of AdjustedGross Sales based on GL Accounts : SUM(FCTV_INVOICE.GL_ADJ_GROSS_GL_USD_AMT)
Cuid	OBJ_4711
Translation ID	OBJ_4711
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_ADJ_GROSS_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: NetPrice GL-USD - DO-NOT-USE

Name	NetPrice GL-USD - DO-NOT-USE
------	------------------------------

Description	NetPrice GL-USD - DO-NOT-USE: It is saving all of the pure USD Amount of NetPrice based on GL Accounts : SUM(FCTV_INVOICE.GL_NET_PRICE_GL_USD_AMT)
Cuid	OBJ_4712
Translation ID	OBJ_4712
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_NET_PRICE_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Sales - Product GL-USD - DO-NOT-USE

Name	Sales - Product GL-USD - DO-NOT-USE
Description	Sales - Product GL-USD - DO-NOT-USE: It is saving all of the pure USD Currency of Sales - Product based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.GL_SLS_PROD_GL_USD_AMT)
Cuid	OBJ_4713
Translation ID	OBJ_4713
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_SLS_PROD_GL_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Sales - Returns - Product GL-USD - DO-NOT-USE

Name	Sales - Returns - Product GL-USD - DO-NOT-USE
Description	Sales - Returns - Product GL-USD - DO-NOT-USE: It is saving all of the pure USD Currency of Sales - Returns - Product based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.GL_SLS_RET_PROD_GL_USD_AMT)
Cuid	OBJ_4714
Translation ID	OBJ_4714
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_SLS_RET_PROD_GL_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Sales - Service GL-USD - DO-NOT-USE

Name	Sales - Service GL-USD - DO-NOT-USE
Description	Sales - Service -USD - DO-NOT-USE: It is saving all of the pure USD Currency of Sales - Service based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.GL_SLS_SERVICE_GL_USD_AMT)
Cuid	OBJ_4715
Translation ID	OBJ_4715
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_SLS_SERVICE_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Sales - Software GL-USD - DO-NOT-USE

Name	Sales - Software GL-USD - DO-NOT-USE
Description	Sales - Software GL-USD - DO-NOT-USE: It is saving all of the pure USD Currency of Sales - Software based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.GL_SLS_SOFTWARE_GL_USD_AMT)
Cuid	OBJ_4716
Translation ID	OBJ_4716
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_SLS_SOFTWARE_GL_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Sales - Project Revenue GL-USD - DO-NOT-USE

Name	Sales - Project Revenue GL-USD - DO-NOT-USE
Description	Sales - Project Revenue GL-USD - DO-NOT-USE: It is saving all of the pure USD Currency of Sales - Project Revenue based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.GL_SLS_PROJREV_GL_USD_AMT)
Cuid	OBJ_4717
Translation ID	OBJ_4717
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_SLS_PROJREV_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
-------------------------------	--------

Data Sensitivity Category
Can be used in

Uncategorized data
Results, Filters, Sorts



Measure: Sales - PCS GL-USD - DO-NOT-USE

Name	Sales - PCS GL-USD - DO-NOT-USE
Description	Sales - PCS GL-USD - DO-NOT-USE: It is saving all of the pure USD Currency of Sales - PCS based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.GL_SLS_PCS_GL_USD_AMT)
Cuid	OBJ_4718
Translation ID	OBJ_4718
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_SLS_PCS_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Sales - External Royalties GL-USD - DO-NOT-USE

Name	Sales - External Royalties GL-USD - DO-NOT-USE
Description	Sales - External Royalties GL-USD - DO-NOT-USE: It is saving all of the pure USD Currency of Sales - External Royalties based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.GL_SLS_EXT_ROYLT_GL_USD_AMT)
Cuid	OBJ_4719
Translation ID	OBJ_4719
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_SLS_EXT_ROYLT_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Freight Revenue Billed to Customers GL-USD - DO-NOT-USE

Name	Freight Revenue Billed to Customers GL-USD - DO-NOT-USE
Description	Freight Revenue Billed to Customers GL-USD - DO-NOT-USE: It is saving all of the pure USD Currency of Freight Revenue Billed to Customers based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.GL_SLS_FREIGHT_REV_GL_USD_AMT)
Cuid	OBJ_4720
Translation ID	OBJ_4720
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_SLS_FREIGHT_REV_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: Deferred Revenue GL-USD - DO-NOT-USE**

Name	Deferred Revenue GL-USD - DO-NOT-USE
Description	Deferred Revenue GL-USD - DO-NOT-USE: It is saving all of the pure USD Currency of Deferred Revenue based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.GL_SLS_DEF_REV_GL_USD_AMT)
Cuid	OBJ_4721
Translation ID	OBJ_4721
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\GL-USD - DO-NOT-USE\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.GL_SLS_DEF_REV_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: Tariff Revenue Billed to Customer GL-USD**

Name	Tariff Revenue Billed to Customer GL-USD
Description	Tariff Revenue Billed to Customer GL-USD : It includes the USD Currency of Tariff Revenue Billed to Customer based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE."SLS_TARIFF_REV_GL_USD_AMT")
Cuid	_2y6FgBnLEfCVCsdBbfCUaA
Translation ID	_2y6FgRnLEfCVCsdBbfCUaA
Path	\Measures\Invoice\Revenues\Revenue-US Dollars-USD\GL-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE."SLS_TARIFF_REV_GL_USD_AMT")
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: DAR G-LC**

Name	DAR G-LC
Description	DAR GL-LC: It is saving all of the Comapany Code Amount of Discount, Allowance and Rebates based on GL Accounts that belong to HFM Group of #60 : SUM(FCTV_INVOICE.DAR_GL_DOC_AMT)
Cuid	OBJ_4674
Translation ID	OBJ_4674
Path	\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

SUM(FCTV_INVOICE.DAR_GL_DOC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: AdjustedGrossPrice GL-LC

Name

AdjustedGrossPrice GL-LC

Description

AdjustedGrossPrice GL-LC: It is saving all of the
CompanyCodeCurrency Amount of AdjustedGross
Sales(Excluding DAR) based on GL Accounts :
SUM(FCTV_INVOICE.ADJ_GROSS_GL_DOC_AMT)

Cuid

OBJ_4681

Translation ID

OBJ_4681

Path

\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-
LocalCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.ADJ_GROSS_GL_DOC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: NetPrice GL-LC

Name

NetPrice GL-LC

Description

NetPrice GL-LC: It is saving all of the CompanyCodeCurrency
Amount of NetPrice(Including DAR) based on GL Accounts :
SUM(FCTV_INVOICE.NET_PRICE_GL_USD_AMT)

Cuid

OBJ_4682

Translation ID

OBJ_4682

Path

\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-
LocalCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.NET_PRICE_GL_DOC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Sales - Product GL-LC

Name

Sales - Product GL-LC

Description

Sales - Product GL-LC: It is saving all of the CompanyCodeCurrency
of Sales - Product based on GL Account with EPBCS Account Group :
SUM(FCTV_INVOICE.SLS_PROD_GL_DOC_AMT)

Cuid

OBJ_4692

Translation ID

OBJ_4692

Path

\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-
LocalCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_PROD_GL_DOC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Sales - Returns - Product GL-LC

Name

Sales - Returns - Product GL-LC

Description

Sales - Returns - Product GL-LC: It is saving all of the CompanyCodeCurrency of Sales - Returns - Product based on GL Account with EPBCS Account Group:

Cuid

SUM(FCTV_INVOICE.SLS_RET_PROD_GL_DOC_AMT)

Translation ID

OBJ_4693

Path

OBJ_4693
\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_RET_PROD_GL_DOC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Sales - Service GL-LC

Name

Sales - Service GL-LC

Description

Sales - Service -LC: It is saving all of the CompanyCodeCurrency of Sales - Service based on GL Account with EPBCS Account Group :

Cuid

SUM(FCTV_INVOICE.SLS_SERVICE_GL_DOC_AMT)

Translation ID

OBJ_4694

Path

OBJ_4694
\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_SERVICE_GL_DOC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Sales - Software GL-LC

Name

Sales - Software GL-LC

Description

Sales - Software GL-LC: It is saving all of the CompanyCodeCurrency of Sales - Software based on GL Account with EPBCS Account Group :

Cuid

SUM(FCTV_INVOICE.SLS_SOFTWARE_GL_DOC_AMT)

Translation ID

OBJ_4695

Path

OBJ_4695
\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_SOFTWARE_GL_DOC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Sales - Project Revenue GL-LC

Name

Sales - Project Revenue GL-LC

Description

Sales - Project Revenue GL-LC: It is saving all of the CompanyCodeCurrency of Sales - Project Revenue based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.SLS_PROJREV_GL_DOC_AMT)

Cuid

OBJ_4696

Translation ID

OBJ_4696

Path

\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_PROJREV_GL_DOC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Sales - PCS GL-LC

Name

Sales - PCS GL-LC

Description

Sales - PCS GL-LC: It is saving all of the CompanyCodeCurrency of Sales - PCS based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.SLS_PCS_GL_DOC_AMT)

Cuid

OBJ_4697

Translation ID

OBJ_4697

Path

\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_PCS_GL_DOC_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Sales - External Royalties GL-LC

Name

Sales - External Royalties GL-LC

Description

Sales - External Royalties GL-LC: It is saving all of the CompanyCodeCurrency of Sales - External Royalties based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE.SLS_EXT_ROYLT_GL_DOC_AMT)

Cuid

OBJ_4698

Translation ID

OBJ_4698

Path

\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\

State

Active

Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_EXT_ROYLT_GL_DOC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Freight Revenue Billed to Customers GL-LC

Name
Description

Freight Revenue Billed to Customers GL-LC
Freight Revenue Billed to Customers GL-LC: It is saving all of the CompanyCodeCurrency of Freight Revenue Billed to Customers based on GL Account with EPBCS Account Group :
SUM(FCTV_INVOICE.SLS_FREIGHT_REV_GL_DOC_AMT)

Cuid
Translation ID
Path

OBJ_4699
OBJ_4699
\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_FREIGHT_REV_GL_DOC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Deferred Revenue GL-LC

Name
Description

Deferred Revenue GL-LC
Deferred Revenue GL-LC: It is saving all of the CompanyCodeCurrency of Deferred Revenue based on GL Account with EPBCS Account Group:
SUM(FCTV_INVOICE.SLS_DEF_REV_GL_DOC_AMT)

Cuid
Translation ID
Path

OBJ_4700
OBJ_4700
\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SLS_DEF_REV_GL_DOC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Sales - Tech Services GL-LC

Name
Description

Sales - Tech Services GL-LC
Sales - Tech Services GL-LC: It is saving all of the CompanyCodeCurrency of Sales - Tech Services based on GL Account with EPBCS Account Group:
SUM(FCTV_INVOICE.SLS_TECH_SERV_GL_DOC_AMT)

Cuid
Translation ID

OBJ_5117
OBJ_5117

Path	\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_TECH_SERV_GL_DOC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Discount - Tech Services GL-LC

Name	Discount - Tech Services GL-LC
Description	Discount - Tech Services GL-LC: It is saving all of the CompanyCodeCurrency of Discount - Tech Services based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.DAR_TECH_SERV_GL_DOC_AMT)
Cuid	OBJ_5123
Translation ID	OBJ_5123
Path	\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.DAR_TECH_SERV_GL_DOC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Sales - Pro Services GL-LC

Name	Sales - Pro Services GL-LC
Description	Sales - Pro Services GL-LC: It is saving all of the CompanyCodeCurrency of Sales - Pro Services based on GL Account with EPBCS Account Group: SUM(FCTV_INVOICE.SLS_PRO_SERV_GL_DOC_AMT)
Cuid	OBJ_5119
Translation ID	OBJ_5119
Path	\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SLS_PRO_SERV_GL_DOC_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Discount - Pro Services GL-LC

Name	Discount - Pro Services GL-LC
Description	Discount - Pro Services GL-LC: It is saving all of the CompanyCodeCurrency of Discount - Pro Services

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

based on GL Account with EPBCS Account Group:
SUM(FCTV_INVOICE.DAR_PRO_SERV_GL_DOC_AMT)
OBJ_5124
OBJ_5124
\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-
LocalCurrency\
Active
Numeric
Sum
False

SQL Definition

Select SUM(FCTV_INVOICE.DAR_PRO_SERV_GL_DOC_AMT)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
Can be used in Results, Filters, Sorts

Measure: Sales - Repair Services GL-LC

Name
Description

Sales - Repair Services GL-LC
Sales - Repair Services GL-LC: It is saving all of the
CompanyCodeCurrency of Sales - Repair Services
based on GL Account with EPBCS Account Group:
SUM(FCTV_INVOICE.SLS_REP_SERV_GL_DOC_AMT)

Cuid
Translation ID
Path

OBJ_5120
OBJ_5120
\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-
LocalCurrency\
Active

State
Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select SUM(FCTV_INVOICE.SLS_REP_SERV_GL_DOC_AMT)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
Can be used in Results, Filters, Sorts

Measure: Discount - Repair Services GL-LC

Name
Description

Discount - Repair Services GL-LC
Discount - Repair Services GL-LC: It is saving all of the
CompanyCodeCurrency of Discount - Repair Services
based on GL Account with EPBCS Account Group:
SUM(FCTV_INVOICE.DAR_REP_SERV_GL_DOC_AMT)

Cuid
Translation ID
Path

OBJ_5121
OBJ_5121
\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-
LocalCurrency\
Active

State
Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select SUM(FCTV_INVOICE.DAR_REP_SERV_GL_DOC_AMT)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
Can be used in Results, Filters, Sorts

Measure: Tariff Revenue Billed to Customer GL-LC

Name	Tariff Revenue Billed to Customer GL-LC
Description	Tariff Revenue Billed to Customer GL-LC : It includes the Local Currency of Tariff Revenue Billed to Customer based on GL Account with EPBCS Account Group : SUM(FCTV_INVOICE."SLS_TARIFF_REV_GL_DOC_AMT")
Cuid	_itpRUBnUEfCVCsdBbfCUaA
Translation ID	_itpRURnUEfCVCsdBbfCUaA
Path	\Measures\Invoice\Revenues\Revenue-LocalCurrency\GL-LocalCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE."SLS_TARIFF_REV_GL_DOC_AMT")
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: StandardCOGS-Doc-ShipDoc

Name	StandardCOGS-Doc-ShipDoc
Description	Standard Cost Of Goods Sold, Document Currency, Shipping Location: FCTV_INVOICE.SHIP_STD_COGS_LC_AMT
Cuid	OBJ_300
Translation ID	OBJ_300
Path	\Measures\Invoice\Costs\Cost-Document Currency-Doc\Standard Cost-Doc\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SHIP_STD_COGS_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: StandardMaterialCost-Doc

Name	StandardMaterialCost-Doc
Description	Standard Material Cost, Document Currency : SUM((DIM_PROD_COST.STD_MAT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
Cuid	OBJ_302
Translation ID	OBJ_302
Path	\Measures\Invoice\Costs\Cost-Document Currency-Doc\Standard Cost-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM((DIM_PROD_COST.STD_MAT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
--------	--

WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StandardFreightCost-Doc

Name
Description

StandardFreightCost-Doc
Standard Freight Cost Document Currency:
SUM((DIM_PROD_COST.STD_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE
* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3049
OBJ_3049
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Standard Cost-
Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM((DIM_PROD_COST.STD_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE
* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StandardDutyCost-Doc

Name
Description

StandardDutyCost-Doc
Standard Duty Cost Document Currency:
SUM((DIM_PROD_COST.STD_DUTY_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE
* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3051
OBJ_3051
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Standard Cost-
Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM((DIM_PROD_COST.STD_DUTY_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE
* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StandardScrapCost-Doc

Name	StandardScrapCost-Doc
Description	Standard Scrap Cost, Document Currency : SUM((DIM_PROD_COST.STD_SCRAP_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
Cuid	OBJ_305
Translation ID	OBJ_305
Path	\Measures\Invoice\Costs\Cost-Document Currency-Doc\Standard Cost-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM((DIM_PROD_COST.STD_SCRAP_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: StandardDirectLaborCost-Doc

Name	StandardDirectLaborCost-Doc
Description	Standard Direct Labor Cost, Document Currency : SUM((DIM_PROD_COST.STD_DL_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
Cuid	OBJ_301
Translation ID	OBJ_301
Path	\Measures\Invoice\Costs\Cost-Document Currency-Doc\Standard Cost-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM((DIM_PROD_COST.STD_DL_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: StandardVOHCost-Doc

Name	StandardVOHCost-Doc
Description	Standard Variable Overhead Cost, Document Currency :SUM((DIM_PROD_COST.STD_VOH_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_304
OBJ_304
\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Standard Cost-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM((DIM_PROD_COST.STD_VOH_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE  
* FCTV_INVOICE.COST_MULTIPLIER_QTY) / (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StandardFOHCost-Doc

Name
Description

StandardFOHCost-Doc
Standard Fixed Overhead, Document
Currency :SUM((DIM_PROD_COST.STD_FOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE
* FCTV_INVOICE.cost_multiplier_qty) / (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_303
OBJ_303
\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Standard Cost-Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM((DIM_PROD_COST.STD_FOH_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE  
* FCTV_INVOICE.COST_MULTIPLIER_QTY) / (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StandardSubcontractCost-Doc

Name
Description

StandardSubcontractCost-Doc
Standard Subcontracting Cost Document Currency:
SUM((DIM_PROD_COST.STD_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE
* FCTV_INVOICE.cost_multiplier_qty) / (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3050
OBJ_3050
\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Standard Cost-Doc\
Active

Cuid
Translation ID
Path

State

Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select

```
SUM((DIM_PROD_COST.STD_SUB_CONTRACT_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE  
* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StandardContributionCost-Doc

Name
Description

StandardContributionCost-Doc
Direct Labor + Material Cost + Variable Overhead Cost +
Scrap: SUM((DIM_PROD_COST.STD_CONTR_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE
* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_306
OBJ_306
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Standard Cost-
Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM((DIM_PROD_COST.STD_CONTR_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE  
* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StandardGrossCost-Doc

Name
Description

StandardGrossCost-Doc
Direct Labor + Material Cost + Variable Overhead Cost +
Scrap + Fixed Overhead + Freight + Duty + Subcontract:
SUM(Case When FCTV_INVOICE.SRC_ID = 'Invoice' Then
FCTV_INVOICE.SHIP_STD_GROSS_COST_LC_AMT Else 0 End)
OBJ_307
OBJ_307
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Standard Cost-
Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(Case When FCTV_INVOICE.SRC_ID = 'Invoice' Then  
FCTV_INVOICE.SHIP_STD_GROSS_COST_LC_AMT Else 0  
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdGrossCost-Master-Doc

Name

Description

Cuid

Translation ID

Path

State

Data Type

Projection Function

High Precision

StdGrossCost-Master-Doc

Direct Labor + Material Cost + Variable Overhead Cost +
Scrap + Fixed Overhead + Freight + Duty + Subcontract:
SUM(Case When FCTV_INVOICE.SRC_ID = 'Invoice' and
(upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARGUS', 'LXS')
OR upper(FCTV_INVOICE.SRC_SYS_ID) LIKE 'TED%') OR
upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARS-RUK','ARS-
HYP','ARS-BRZ') OR upper(FCTV_INVOICE.SRC_SYS_ID)
in ('ARS-EDW') and DIM_DATE.FIN_YEAR_NBR < '2022'
Then FCTV_INVOICE.SHIP_STD_GROSS_COST_LC_AMT
Else (DIM_PROD_COST.STD_GROSS_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE
* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END) End)

OBJ_5022

OBJ_5022

\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Standard Cost-
Doc\

Active

Numeric

Sum

False

SQL Definition

Select

SUM(Case When FCTV_INVOICE.SRC_ID = 'Invoice' and
(upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARGUS', 'LXS')
OR upper(FCTV_INVOICE.SRC_SYS_ID) LIKE 'TED%') OR
upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARS-RUK','ARS-
HYP','ARS-BRZ') OR upper(FCTV_INVOICE.SRC_SYS_ID)
in ('ARS-EDW') and DIM_DATE.FIN_YEAR_NBR < '2022'
Then FCTV_INVOICE.SHIP_STD_GROSS_COST_LC_AMT
Else (DIM_PROD_COST.STD_GROSS_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE
* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END) End)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: CurrentCOGS-Doc-ShipDoc

Name

Description

Cuid

Translation ID

Path

State

Data Type

Projection Function

High Precision

CurrentCOGS-Doc-ShipDoc

Current Cost of Goods Sold, Document Currency, Shipping Location :
FCTV_INVOICE.SHIP_CUR_COGS_LC_AMT

OBJ_291

OBJ_291

\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current
Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc\

Hidden

Numeric

Sum

False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_COGS_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: CurrentMaterialCost-Doc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentMaterialCost-Doc
Current Material Cost, Document Currency :
FCTV_INVOICE.SHIP_CUR_MAT_COST_LC_AMT
OBJ_293
OBJ_293
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_MAT_COST_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: CurrentFreightCost-Doc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentFreightCost-Doc
Current Freight Cost Document Currency :
FCTV_INVOICE.SHIP_CUR_FREIGHT_COST_LC_AMT
OBJ_3043
OBJ_3043
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_FREIGHT_COST_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: CurrentDutyCost-Doc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentDutyCost-Doc
Current Duty Cost Local Currency :
FCTV_INVOICE.SHIP_CUR_DUTY_COST_LC_AMT
OBJ_3045
OBJ_3045
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_DUTY_COST_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: CurrentScrapCost-Doc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentScrapCost-Doc
Current Scrap Cost Document Currency :
FCTV_INVOICE.SHIP_CUR_SCRAP_COST_LC_AMT
OBJ_296
OBJ_296
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_SCRAP_COST_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: CurrentDirectLaborCost-Doc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentDirectLaborCost-Doc
Current Direct Labor Cost, Document Currency :
FCTV_INVOICE.SHIP_CUR_DL_COST_LC_AMT
OBJ_292
OBJ_292
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_DL_COST_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: CurrentVOHCost-Doc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentVOHCost-Doc
Current Variable Overhead Cost, Document Currency :
FCTV_INVOICE.SHIP_CUR_VOH_COST_LC_AMT
OBJ_295
OBJ_295
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_VOH_COST_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: CurrentFOHCost-Doc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentFOHCost-Doc
Current Fixed Overhead Cost, Document Currency :
FCTV_INVOICE.SHIP_CUR_FOH_COST_LC_AMT
OBJ_294
OBJ_294
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_FOH_COST_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: CurrentSubcontract-Doc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentSubcontract-Doc
Current Subcontracting Cost Document Currency :
FCTV_INVOICE.SHIP_CUR_SUB_CONTR_COST_LC_AMT
OBJ_3044
OBJ_3044
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_SUB_CONTR_COST_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: CurrentContribution-Doc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentContribution-Doc
Direct Labor + Material Cost + Variable Overhead Cost + Scrap:
SUM(FCTV_INVOICE.SHIP_CUR_CONTR_COST_LC_AMT)
OBJ_297
OBJ_297
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_CONTR_COST_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: CurrentGross-Doc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentGross-Doc
Direct Labor + Material Cost + Variable Overhead Cost +
Scrap + Fixed Overhead + Freight + Duty + Subcontract:
SUM(FCTV_INVOICE.SHIP_CUR_GROSS_COST_LC_AMT)
OBJ_298
OBJ_298
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(CP1-Current Material & Std Labor at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_GROSS_COST_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: PP2-MaterialCost-Doc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-MaterialCost-Doc
PP2 Material Cost, Document Currency:
SUM((DIM_PROD_COST.PP2_MAT_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE
* FCTV_INVOICE.cost_multiplier_qty) / (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3070
OBJ_3070
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-
Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM((DIM_PROD_COST.PP2_MAT_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY) / (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-FreightCost-Doc

Name
Description

PP2-FreightCost-Doc
PP2 Freight Cost Document Currency:
SUM((DIM_PROD_COST.PP2_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty) / (CASE WHEN

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3076
OBJ_3076
\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-
Doc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM((DIM_PROD_COST.PP2_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY) / (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-DutyCost-Doc

Name
Description

PP2-DutyCost-Doc
PP2 Duty Cost Document Currency:
SUM((DIM_PROD_COST.PP2_DUTY_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty) / (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3078
OBJ_3078
\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-
Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM((DIM_PROD_COST.PP2_DUTY_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY) / (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-ScrapCost-Doc

Name
Description

PP2-ScrapCost-Doc
PP2 Scrap Cost, Document Currency:
SUM((DIM_PROD_COST.PP2_SCRAP_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty) / (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3073
OBJ_3073

Cuid
Translation ID

Path	\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM((DIM_PROD_COST.PP2_SCRAP_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-DirectLaborCost-Doc

Name	PP2-DirectLaborCost-Doc
Description	PP2 Direct Labor Cost, Document Currency: SUM((DIM_PROD_COST.PP2_DL_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
Cuid	OBJ_3069
Translation ID	OBJ_3069
Path	\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM((DIM_PROD_COST.PP2_DL_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-VOHCost-Doc

Name	PP2-VOHCost-Doc
Description	PP2 Variable Overhead Cost, Document Currency: SUM((DIM_PROD_COST.PP2_VOH_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
Cuid	OBJ_3072
Translation ID	OBJ_3072
Path	\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-Doc\
State	Active
Data Type	Numeric

Projection Function
High Precision

Sum
False

SQL Definition

Select

```
SUM((DIM_PROD_COST.PP2_VOH_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*  
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END) )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-FOHCost-Doc

Name
Description

PP2-FOHCost-Doc
PP2 Fixed Overhead, Document Currency, Shipping Location:
SUM((DIM_PROD_COST.PP2_FOH_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3071
OBJ_3071
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-
Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM((DIM_PROD_COST.PP2_FOH_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*  
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END) )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-SubcontractCost-Doc

Name
Description

PP2-SubcontractCost-Doc
PP2 Subcontracting Cost Document Currency:
SUM((DIM_PROD_COST.PP2_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3077
OBJ_3077
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-
Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM((DIM_PROD_COST.PP2_SUB_CONTRACT_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
```

FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-ContributionCost-Doc

Name
Description

PP2-ContributionCost-Doc
Direct Labor + Material Cost + Variable Overhead Cost + Scrap: SUM((DIM_PROD_COST.PP2_CONTR_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
OBJ_3074
OBJ_3074
\Measures\Invoice\Costs\Cost-Doc\Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM((DIM_PROD_COST.PP2_CONTR_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-GrossCost-Doc

Name
Description

PP2-GrossCost-Doc
Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead + Freight + Duty + Subcontract: SUM((DIM_PROD_COST.PP2_GROSS_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
OBJ_3075
OBJ_3075
\Measures\Invoice\Costs\Cost-Doc\Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)-Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM((DIM_PROD_COST.PP2_GROSS_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-MaterialCost-Doc

Name
Description

PP3-MaterialCost-Doc
PP3 Material Cost, Document Currency:
SUM((DIM_PROD_COST.PP3_MAT_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3060
OBJ_3060
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(PP3-Factory Spec at Invoice Time)-Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM((DIM_PROD_COST.PP3_MAT_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-FreightCost-Doc

Name
Description

PP3-FreightCost-Doc
PP3 Freight Cost Document Currency:
SUM((DIM_PROD_COST.PP3_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3066
OBJ_3066
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(PP3-Factory Spec at Invoice Time)-Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM((DIM_PROD_COST.PP3_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-DutyCost-Doc

Name

PP3-DutyCost-Doc

Description

PP3 Duty Cost Document Currency:

SUM((DIM_PROD_COST.PP3_DUTY_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_3068

Translation ID

OBJ_3068

Path

\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(PP3-Factory Spec at Invoice Time)-Doc\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM((DIM_PROD_COST.PP3_DUTY_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: PP3-ScrapCost-Doc

Name

PP3-ScrapCost-Doc

Description

PP3 Scrap Cost, Document Currency:

SUM((DIM_PROD_COST.PP3_SCRAP_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_3063

Translation ID

OBJ_3063

Path

\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(PP3-Factory Spec at Invoice Time)-Doc\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM((DIM_PROD_COST.PP3_SCRAP_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: PP3-DirectLaborCost-Doc

Name

PP3-DirectLaborCost-Doc

Description

PP3 Direct Labor Cost, Document Currency:

SUM((DIM_PROD_COST.PP3_DL_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_3059

Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_3059
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(PP3-Factory Spec at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM((DIM_PROD_COST.PP3_DL_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*  
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END) )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-VOHCost-Doc

Name
Description

PP3-VOHCost-Doc
PP3 Variable Overhead Cost, Document Currency:
SUM((DIM_PROD_COST.PP3_VOH_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3062
OBJ_3062
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(PP3-Factory Spec at Invoice Time)-Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM((DIM_PROD_COST.PP3_VOH_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*  
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END) )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-FOHCost-Doc

Name
Description

PP3-FOHCost-Doc
PP3 Fixed Overhead, Document Currency:
SUM((DIM_PROD_COST.PP3_FOH_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/
DIM_CUR_RATE.CUR_RATE)
OBJ_3061
OBJ_3061
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(PP3-Factory Spec at Invoice Time)-Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM((DIM_PROD_COST.PP3_FOH_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*  
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END) )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-SubcontractCost-Doc

Name
Description

PP3-SubcontractCost-Doc
PP3 Subcontracting Cost Document Currency:
SUM((DIM_PROD_COST.PP3_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_3067
OBJ_3067
\Measures\Invoice\Costs\Cost-Documents-Currency-Doc\Current
Cost(PP3-Factory Spec at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM((DIM_PROD_COST.PP3_SUB_CONTRACT_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*  
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END) )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-ContributionCost-Doc

Name
Description

PP3-ContributionCost-Doc
Direct Labor + Material Cost + Variable Overhead Cost +
Scrap: SUM((DIM_PROD_COST.PP3_CONTR_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_3064
OBJ_3064
\Measures\Invoice\Costs\Cost-Documents-Currency-Doc\Current
Cost(PP3-Factory Spec at Invoice Time)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM((DIM_PROD_COST.PP3_CONTR_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*  
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END) )
```

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
Can be used in

Uncategorized data
Results, Filters, Sorts



Measure: PP3-GrossCost-Doc

Name

Description

Cuid

Translation ID

Path

State

Data Type

Projection Function

High Precision

SQL Definition

Select

PP3-GrossCost-Doc

Direct Labor + Material Cost + Variable Overhead Cost +
Scrap + Fixed Overhead + Freight + Duty + Subcontract:
SUM((DIM_PROD_COST.PP3_GROSS_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_3065
OBJ_3065
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(PP3-Factory Spec at Invoice Time)-Doc\
Active
Numeric
Sum
False

SUM((DIM_PROD_COST.PP3_GROSS_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-MaterialCost-Doc

Name

Description

Cuid

Translation ID

Path

State

Data Type

Projection Function

High Precision

SQL Definition

Select

PP2-Today-MaterialCost-Doc

Today's PP2 Material Cost, Document
Currency:SUM((DIM_PROD_COST_TODAY.PP2_MAT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_4954
OBJ_4954
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(Todays PP2-Current Material-Current Labour/Overhead)-Doc\
Active
Numeric
Sum
False

SUM((DIM_PROD_COST_TODAY.PP2_MAT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-FreightCost-Doc

Name

PP2-Today-FreightCost-Doc

Description

Today's PP2 Freight Cost Document

Currency:SUM((DIM_PROD_COST_TODAY.PP2_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_4955

Translation ID

OBJ_4955

Path

\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current
Cost(Today's PP2-Current Material-Current Labour/Overhead)-Doc\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM((DIM_PROD_COST_TODAY.PP2_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: PP2-Today-DutyCost-Doc

Name

PP2-Today-DutyCost-Doc

Description

Today's PP2 Duty Cost Document

Currency:SUM((DIM_PROD_COST_TODAY.PP2_DUTY_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_4956

Translation ID

OBJ_4956

Path

\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current
Cost(Today's PP2-Current Material-Current Labour/Overhead)-Doc\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM((DIM_PROD_COST_TODAY.PP2_DUTY_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: PP2-Today-ScrapCost-Doc

Name

PP2-Today-ScrapCost-Doc

Description

Today's PP2 Scrap Cost, Document Currency:

SUM((DIM_PROD_COST_TODAY.PP2_SCRAP_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_4957

Translation ID	OBJ_4957
Path	\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current Cost(Today's PP2-Current Material-Current Labour/Overhead)-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM((DIM_PROD_COST_TODAY.PP2_SCRAP_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-Today-DirectLaborCost-Doc

Name	PP2-Today-DirectLaborCost-Doc
Description	Today's PP2 Direct Labor Cost, Document Currency: SUM((DIM_PROD_COST_TODAY.PP2_DL_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
Cuid	OBJ_4958
Translation ID	OBJ_4958
Path	\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current Cost(Today's PP2-Current Material-Current Labour/Overhead)-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM((DIM_PROD_COST_TODAY.PP2_DL_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-Today-VOHCost-Doc

Name	PP2-Today-VOHCost-Doc
Description	Today's PP2 Variable Overhead Cost, Document Currency:SUM((DIM_PROD_COST_TODAY.PP2_VOH_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
Cuid	OBJ_4959
Translation ID	OBJ_4959
Path	\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current Cost(Today's PP2-Current Material-Current Labour/Overhead)-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM((DIM_PROD_COST_TODAY.PP2_VOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END) )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-FOHCost-Doc

Name
Description

PP2-Today-FOHCost-Doc
Today's PP2 Fixed Overhead, Document Currency, Shipping Location:
SUM((DIM_PROD_COST_TODAY.PP2_FOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_4960
OBJ_4960
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(Todays PP2-Current Material-Current Labour/Overhead)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM((DIM_PROD_COST_TODAY.PP2_FOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END) )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-SubcontractCost-Doc

Name
Description

PP2-Today-SubcontractCost-Doc
Today's PP2 Subcontracting Cost Document Currency:
SUM((DIM_PROD_COST_TODAY.PP2_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_4961
OBJ_4961
\Measures\Invoice\Costs\Cost-Doc\Current
Cost(Todays PP2-Current Material-Current Labour/Overhead)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM((DIM_PROD_COST_TODAY.PP2_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END) )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-ContributionCost-Doc

Name PP2-Today-ContributionCost-Doc
Description Today's Direct Labor + Material Cost + Variable Overhead Cost + Scrap:SUM((DIM_PROD_COST_TODAY.PP2_CONTR_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
Cuid OBJ_4962
Translation ID OBJ_4962
Path \Measures\Invoice\Costs\Cost-Document Currency-Doc\Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Doc\
State Active
Data Type Numeric
Projection Function Sum
High Precision False

SQL Definition

Select SUM((DIM_PROD_COST_TODAY.PP2_CONTR_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
Can be used in Results, Filters, Sorts



Measure: PP2-Today-GrossCost-Doc

Name PP2-Today-GrossCost-Doc
Description Today's Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead + Freight + Duty + Subcontract:SUM((DIM_PROD_COST_TODAY.PP2_GROSS_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))
Cuid OBJ_4963
Translation ID OBJ_4963
Path \Measures\Invoice\Costs\Cost-Document Currency-Doc\Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Doc\
State Active
Data Type Numeric
Projection Function Sum
High Precision False

SQL Definition

Select SUM((DIM_PROD_COST_TODAY.PP2_GROSS_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
Can be used in Results, Filters, Sorts



Measure: PP3-Today-MaterialCost-Doc

Name PP3-Today-MaterialCost-Doc

Description

Today's PP3 Material Cost, Document

Currency:SUM((DIM_PROD_COST_TODAY.PP3_MAT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_4964

Translation ID

OBJ_4964

Path

\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current Cost(Today's PP3-Factory Spec)-Doc\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM((DIM_PROD_COST_TODAY.PP3_MAT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: PP3-Today-FreightCost-Doc

Name

PP3-Today-FreightCost-Doc

Description

Today's PP3 Freight Cost Document Currency:

SUM((DIM_PROD_COST_TODAY.PP3_FREIGHT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_4965

Translation ID

OBJ_4965

Path

\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current Cost(Today's PP3-Factory Spec)-Doc\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM((DIM_PROD_COST_TODAY.PP3_FREIGHT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: PP3-Today-DutyCost-Doc

Name

PP3-Today-DutyCost-Doc

Description

Today's PP3 Duty Cost Document Currency:

SUM((DIM_PROD_COST_TODAY.PP3_DUTY_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE* FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_4966

Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_4966
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(Todays PP3-Factory Spec)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM((DIM_PROD_COST_TODAY.PP3_DUTY_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*  
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-ScrapCost-Doc

Name
Description

PP3-Today-ScrapCost-Doc
Today's PP3 Scrap Cost, Document Currency:
SUM((DIM_PROD_COST_TODAY.PP3_SCRAP_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_4967
OBJ_4967
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(Todays PP3-Factory Spec)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM((DIM_PROD_COST_TODAY.PP3_SCRAP_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*  
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE  
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE  
DIM_CUR_RATE.CUR_RATE END))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-DirectLaborCost-Doc

Name
Description

PP3-Today-DirectLaborCost-Doc
Today's PP3 Direct Labor Cost, Document Currency:
SUM((DIM_PROD_COST_TODAY.PP3_DL_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_4968
OBJ_4968
\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(Todays PP3-Factory Spec)-Doc\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM((DIM_PROD_COST_TODAY.PP3_DL_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-VOHCost-Doc

Name

PP3-Today-VOHCost-Doc

Description

Today's PP3 Variable Overhead Cost, Document Currency:
SUM((DIM_PROD_COST_TODAY.PP3_VOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_4969

Translation ID

OBJ_4969

Path

\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(Todays PP3-Factory Spec)-Doc\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

```
SUM((DIM_PROD_COST_TODAY.PP3_VOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-FOHCost-Doc

Name

PP3-Today-FOHCost-Doc

Description

Today's PP3 Fixed Overhead, Document Currency:
SUM((DIM_PROD_COST_TODAY.PP3_FOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_4970

Translation ID

OBJ_4970

Path

\Measures\Invoice\Costs\Cost-Document Currency-Doc\Current
Cost(Todays PP3-Factory Spec)-Doc\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

```
SUM((DIM_PROD_COST_TODAY.PP3_FOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-SubcontractCost-Doc

Name
Description

PP3-Today-SubcontractCost-Doc
Today's PP3 Subcontracting Cost Document Currency:
SUM((DIM_PROD_COST_TODAY.PP3_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_4971
OBJ_4971
\Measures\Invoice\Costs\Cost-Doc Currency-Doc\Current
Cost(Todays PP3-Factory Spec)-Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM((DIM_PROD_COST_TODAY.PP3_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-ContributionCost-Doc

Name
Description

PP3-Today-ContributionCost-Doc
Today's Direct Labor + Material Cost + Variable Overhead Cost +
Scrap: SUM((DIM_PROD_COST_TODAY.PP3_CONTR_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))
OBJ_4972
OBJ_4972
\Measures\Invoice\Costs\Cost-Doc Currency-Doc\Current
Cost(Todays PP3-Factory Spec)-Doc\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM((DIM_PROD_COST_TODAY.PP3_CONTR_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-GrossCost-Doc

Name

PP3-Today-GrossCost-Doc

Description

Today's Direct Labor + Material Cost + Variable Overhead Cost
+ Scrap + Fixed Overhead + Freight + Duty + Subcontract:
SUM((DIM_PROD_COST_TODAY.PP3_GROSS_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.cost_multiplier_qty)/ (CASE WHEN
DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Cuid

OBJ_4973

Translation ID

OBJ_4973

Path

\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\Current
Cost(Today's PP3-Factory Spec)-Doc\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM((DIM_PROD_COST_TODAY.PP3_GROSS_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE*
FCTV_INVOICE.COST_MULTIPLIER_QTY)/ (CASE
WHEN DIM_CUR_RATE.CUR_RATE = 0 THEN 1 ELSE
DIM_CUR_RATE.CUR_RATE END))

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Cost - Total CGS GL-Doc

Name

Cost - Total CGS GL-Doc

Description

Cost - Total CGS GL-Doc: Sum of cost posted to all (Std Cost
+ Packaging + Project Expenses) GL accounts in Document
Currency :SUM(FCTV_INVOICE.STD_COST_GL_LC_AMT
+ FCTV_INVOICE.PACK_COST_GL_LC_AMT +
FCTV_INVOICE.PRJ_EXP_COST_GL_LC_AMT
+ FCTV_INVOICE.POP_COGS_GL_USD_AMT +
FCTV_INVOICE.POS_COGS_GL_USD_AMT)

Cuid

OBJ_4788

Translation ID

OBJ_4788

Path

\Measures\Invoice\Costs\Cost-Documents\Currency-Doc\GL Cost-
DocCurrency\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.STD_COST_GL_LC_AMT
+ FCTV_INVOICE.PACK_COST_GL_LC_AMT +
FCTV_INVOICE.PRJ_EXP_COST_GL_LC_AMT
+ FCTV_INVOICE.POP_COGS_GL_USD_AMT +
FCTV_INVOICE.POS_COGS_GL_USD_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Cost - Standard Cost GL-Doc

Name

Cost - Standard Cost GL-Doc

Description

Standard Cost GL-Doc: Sum of cost posted to all
Std Cost GL accounts in Document Currency :
SUM(FCTV_INVOICE.STD_COST_GL_LC_AMT)

Cuid

OBJ_4743

Translation ID

OBJ_4743

Path	\Measures\Invoice\Costs\Cost-Document Currency-Doc\GL Cost-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.STD_COST_GL_LC_AMT)
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cost - Packaging GL-Doc

Name	Cost - Packaging GL-Doc
Description	Packaging Cost GL-Doc: Sum of cost posted to all Packaging GL accounts in Document Currency : SUM(FCTV_INVOICE.PACK_COST_GL_LC_AMT)
Cuid	OBJ_4744
Translation ID	OBJ_4744
Path	\Measures\Invoice\Costs\Cost-Document Currency-Doc\GL Cost-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.PACK_COST_GL_LC_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cost - Project Expenses GL-Doc

Name	Cost - Project Expenses GL-Doc
Description	Project Expenses GL-Doc: Sum of cost posted to all Project Expenses GL accounts in Document Currency : SUM(FCTV_INVOICE.PRJ_EXP_COST_GL_LC_AMT)
Cuid	OBJ_4746
Translation ID	OBJ_4746
Path	\Measures\Invoice\Costs\Cost-Document Currency-Doc\GL Cost-DocCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.PRJ_EXP_COST_GL_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cost - Royalty Product GL-Doc

Name	Cost - Royalty Product GL-Doc
Description	Royalty Product Cost GL-Doc: Sum of cost posted to all Royalty Product Cost GL accounts in Document Currency : SUM(FCTV_INVOICE.ROYLTY_PROD_COST_GL_LC_AMT)
Cuid	OBJ_4747
Translation ID	OBJ_4747

Path	\\Measures\\Invoice\\Costs\\Cost-Documents\\Currency-Doc\\GL Cost-DocCurrency\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.ROYLTY_PROD_COST_GL_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cost - Freight Outbound to Customer GL-Doc

Name	Cost - Freight Outbound to Customer GL-Doc
Description	Freight Outbound to Customer Cost GL-Doc: Sum of cost posted to all Freight Outbound to Customer GL accounts in Document Currency : SUM(FCTV_INVOICE.FREIGHT_OUTB_COST_GL_LC_AMT)
Cuid	OBJ_4748
Translation ID	OBJ_4748
Path	\\Measures\\Invoice\\Costs\\Cost-Documents\\Currency-Doc\\GL Cost-DocCurrency\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.FREIGHT_OUTB_COST_GL_LC_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: StandardCOGS-USD-ShipLoc

Name	StandardCOGS-USD-ShipLoc
Description	FCTV_INVOICE.SHIP_STD_COGS_USD_AMT : Standard COGS,USD,ShipLoc
Cuid	OBJ_316
Translation ID	OBJ_316
Path	\\Measures\\Invoice\\Costs\\Cost-US Dollars-USD\\USD-Standard Cost\\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SHIP_STD_COGS_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: StdMaterialCost-USD

Name	StdMaterialCost-USD
Description	Standard Material Cost, US Dollars : SUM(DIM_PROD_COST.STD_MAT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_318
Translation ID	OBJ_318
Path	\\Measures\\Invoice\\Costs\\Cost-US Dollars-USD\\USD-Standard Cost\\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_MAT_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdFreightCost-USD

Name
Description

StdFreightCost-USD
Standard Freight Cost USD:
SUM(DIM_PROD_COST.STD_FREIGHT_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_3052
OBJ_3052
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD-Standard Cost\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.STD_FREIGHT_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdDutyCost-USD

Name
Description

StdDutyCost-USD
Standard Duty Cost USD:
SUM(DIM_PROD_COST.STD_DUTY_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_3054
OBJ_3054
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD-Standard Cost\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.STD_DUTY_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdScrapCost-USD

Name

StdScrapCost-USD

Description

Standard Scrap, US Dollars :

SUM(DIM_PROD_COST.STD_SCRAP_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid

OBJ_321

Translation ID

OBJ_321

Path

\Measures\Invoice\Costs\Cost-US Dollars-USD\USD-Standard Cost\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_SCRAP_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: StdLaborCost-USD

Name

StdLaborCost-USD

Description

Standard Direct Labor,US

Dollars :SUM(DIM_PROD_COST.STD_DL_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid

OBJ_317

Translation ID

OBJ_317

Path

\Measures\Invoice\Costs\Cost-US Dollars-USD\USD-Standard Cost\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_DL_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: StdVOHCost-USD

Name

StdVOHCost-USD

Description

Standard Variable Overhead, US Dollars :

SUM(DIM_PROD_COST.STD_VOH_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid

OBJ_320

Translation ID

OBJ_320

Path

\Measures\Invoice\Costs\Cost-US Dollars-USD\USD-Standard Cost\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_VOH_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdFOHCost-USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

StdFOHCost-USD
Standard Fixed Overhead, US Dollars :
SUM(DIM_PROD_COST.STD_FOH_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_319
OBJ_319
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD-Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_FOH_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdSubcontractCost-USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

StdSubcontractCost-USD
Standard Subcontracting Cost USD :
SUM(DIM_PROD_COST.STD_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_3053
OBJ_3053
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD-Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdContributionCost-USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

StdContributionCost-USD
Direct Labor + Material Cost + Variable Overhead Cost +
Scrap: SUM(DIM_PROD_COST.STD_CONTR_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_322
OBJ_322
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD-Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.STD_CONTR_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdGrossCost-USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

StdGrossCost-USD
Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed
Overhead + Freight + Duty + Subcontract
OBJ_323
OBJ_323
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD-Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When FCTV_INVOICE.SRC_ID = 'Invoice' Then  
FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT Else 0  
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdGrossCost–Master-USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

StdGrossCost–Master-USD
Direct Labor + Material Cost + Variable Overhead Cost +
Scrap + Fixed Overhead + Freight + Duty + Subcontract:
SUM(Case When FCTV_INVOICE.SRC_ID = 'Invoice' and
(upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARGUS', 'LXS')
OR upper(FCTV_INVOICE.SRC_SYS_ID) LIKE 'TED%' OR
upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARS-RUK','ARS-
HYP','ARS-BRZ') Or upper (FCTV_INVOICE.SRC_SYS_ID)
in ('ARS-EDW') and DIM_DATE.FIN_YEAR_NBR < '2022')
Then FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT
Else (DIM_PROD_COST.STD_GROSS_COST_AMT
* FCTV_INVOICE.COST_MULTIPLIER_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE) End)
OBJ_4985
OBJ_4985
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD-Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When FCTV_INVOICE.SRC_ID = 'Invoice' and  
(upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARGUS', 'LXS')  
OR upper(FCTV_INVOICE.SRC_SYS_ID) LIKE 'TED%' OR  
upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARS-RUK','ARS-  
HYP','ARS-BRZ') Or upper (FCTV_INVOICE.SRC_SYS_ID)  
in ('ARS-EDW') and DIM_DATE.FIN_YEAR_NBR < '2022')  
Then FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT  
Else (DIM_PROD_COST.STD_GROSS_COST_AMT  
* FCTV_INVOICE.COST_MULTIPLIER_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE ) End)
```


Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: CurrentCOGS-USD-ShipLoc

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentCOGS-USD-ShipLoc
FCTV_INVOICE.SHIP_CUR_COGS_USD_AMT : Current COGS, US Dollars, Shipping Location
OBJ_308
OBJ_308
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)\
Hidden
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_COGS_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: CurrentMaterialCost-USD

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentMaterialCost-USD
Current Material Cost, US Dollars :
FCTV_INVOICE.SHIP_CUR_MAT_COST_USD_AMT
OBJ_310
OBJ_310
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_MAT_COST_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: CurrentFreightCost-USD

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

CurrentFreightCost-USD
Current Freight Cost USD Shipping
Location :FCTV_INVOICE.SHIP_CUR_FREIGHT_COST_USD_AMT
OBJ_3046
OBJ_3046
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_CUR_FREIGHT_COST_USD_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
Can be used in

Uncategorized data
Results, Filters, Sorts



Measure: CurrentDutyCost-USD

Name	CurrentDutyCost-USD
Description	Current Duty Cost USD : FCTV_INVOICE.SHIP_CUR_DUTY_COST_USD_AMT OBJ_3048
Cuid	OBJ_3048
Translation ID	
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SHIP_CUR_DUTY_COST_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: CurrentScrap-USD

Name	CurrentScrap-USD
Description	Current Scrap,USD : FCTV_INVOICE.SHIP_CUR_SCRAP_COST_USD_AMT OBJ_312
Cuid	OBJ_312
Translation ID	
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SHIP_CUR_SCRAP_COST_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: CurrentDirectLabor-USD

Name	CurrentDirectLabor-USD
Description	Current Direct Labor,US Dollars : FCTV_INVOICE.SHIP_CUR_DL_COST_USD_AMT OBJ_309
Cuid	OBJ_309
Translation ID	
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SHIP_CUR_DL_COST_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: CurrentVOH-USD

Name	CurrentVOH-USD
Description	Current Variable Overhead,US Dollars : FCTV_INVOICE.SHIP_CUR_VOH_COST_USD_AMT
Cuid	OBJ_314
Translation ID	OBJ_314
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SHIP_CUR_VOH_COST_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: CurrentFOH-USD

Name	CurrentFOH-USD
Description	Current Fixed Overhead, US Dollars : FCTV_INVOICE.SHIP_CUR_FOH_COST_USD_AMT
Cuid	OBJ_311
Translation ID	OBJ_311
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SHIP_CUR_FOH_COST_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: CurrentSubcontract-USD

Name	CurrentSubcontract-USD
Description	Current Subcontracting Cost USD : FCTV_INVOICE.SHIP_CUR_SUBCONTR_COST_USD_AMT
Cuid	OBJ_3047
Translation ID	OBJ_3047
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SHIP_CUR_SUBCONTR_COST_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: CurrentContribution-USD

Name	CurrentContribution-USD
------	-------------------------

Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap
Cuid	OBJ_313
Translation ID	OBJ_313
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SHIP_CUR_CONTR_COST_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: CurrentGross-USD

Name	CurrentGross-USD
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead + Freight + Duty + Subcontract
Cuid	OBJ_315
Translation ID	OBJ_315
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(CP1-Current Material & Std Labor at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SHIP_CUR_GROSS_COST_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-Material-USD

Name	PP2-Material-USD
Description	PP2 Material Cost,USD : SUM(DIM_PROD_COST.PP2_MAT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_3090
Translation ID	OBJ_3090
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_MAT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-Freight-USD

Name	PP2-Freight-USD
------	-----------------

Description

PP2 Freight Cost USD :

SUM(DIM_PROD_COST.PP2_FREIGHT_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid

OBJ_3096

Translation ID

OBJ_3096

Path

\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.PP2_FREIGHT_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: PP2-Duty-USD

Name

PP2-Duty-USD

Description

PP2 Duty Cost USD :

SUM(DIM_PROD_COST.PP2_DUTY_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid

OBJ_3098

Translation ID

OBJ_3098

Path

\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.PP2_DUTY_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: PP2-Scrap-USD

Name

PP2-Scrap-USD

Description

PP2 Scrap Cost,USD :

SUM(DIM_PROD_COST.PP2_SCRAP_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid

OBJ_3093

Translation ID

OBJ_3093

Path

\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.PP2_SCRAP_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-DirectLabor-USD

Name

PP2-DirectLabor-USD

Description

PP2 Direct Labor Cost, USD :
SUM(DIM_PROD_COST.PP2_DL_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_3089
OBJ_3089
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\

Cuid

OBJ_3089

Translation ID

OBJ_3089

Path

\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.PP2_DL_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-VOH-USD

Name

PP2-VOH-USD

Description

PP2 Variable Overhead Cost, USD :
SUM(DIM_PROD_COST.PP2_VOH_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_3092
OBJ_3092
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\

Cuid

OBJ_3092

Translation ID

OBJ_3092

Path

\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.PP2_VOH_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-FOH-USD

Name

PP2-FOH-USD

Description

PP2 Fixed Overhead,USD :
SUM(DIM_PROD_COST.PP2_FOH_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_3091
OBJ_3091
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_FOH_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Subcontract-USD

Name
Description

PP2-Subcontract-USD
PP2 Subcontracting Cost USD :
SUM(DIM_PROD_COST.PP2_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

OBJ_3097
OBJ_3097
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_SUB_CONTRACT_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Contribution-USD

Name
Description

PP2-Contribution-USD
Direct Labor + Material Cost + Variable Overhead Cost +
Scrap : SUM(DIM_PROD_COST.PP2_CONTR_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

OBJ_3094
OBJ_3094
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_CONTR_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
Can be used in

Uncategorized data
Results, Filters, Sorts



Measure: PP2-Gross-USD

Name	PP2-Gross-USD
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead + Freight + Duty + Subcontract: SUM(DIM_PROD_COST.PP2_GROSS_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty) OBJ_3095
Cuid	OBJ_3095
Translation ID	OBJ_3095
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(PP2-Current Material-Current Labour/Overhead at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_GROSS_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-Material-USD

Name	PP3-Material-USD
Description	PP3 Material Cost,USD : SUM(DIM_PROD_COST.PP3_MAT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty) OBJ_3080
Cuid	OBJ_3080
Translation ID	OBJ_3080
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(PP3-Factory Spec at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_MAT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-Freight-USD

Name	PP3-Freight-USD
Description	PP3 Freight Cost USD : SUM(DIM_PROD_COST.PP3_FREIGHT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty) OBJ_3086
Cuid	OBJ_3086
Translation ID	OBJ_3086
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(PP3-Factory Spec at Invoice Time)\
State	Active

Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP3_FREIGHT_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Duty-USD

Name
Description

PP3-Duty-USD
PP3 Duty Cost USD :
SUM(DIM_PROD_COST.PP3_DUTY_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_3088
OBJ_3088
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP3-Factory Spec at Invoice Time)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP3_DUTY_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Scrap-USD

Name
Description

PP3-Scrap-USD
PP3 Scrap Cost,USD :
SUM(DIM_PROD_COST.PP3_SCRAP_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_3083
OBJ_3083
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP3-Factory Spec at Invoice Time)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP3_SCRAP_COST_AMT *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-DirectLabor-USD

Name

PP3-DirectLabor-USD

Description	PP3 Direct Labor Cost, USD : SUM(DIM_PROD_COST.PP3_DL_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_3079
Translation ID	OBJ_3079
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(PP3-Factory Spec at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_DL_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-VOH-USD

Name	PP3-VOH-USD
Description	PP3 Variable Overhead Cost, USD : SUM(DIM_PROD_COST.PP3_VOH_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_3082
Translation ID	OBJ_3082
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(PP3-Factory Spec at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_VOH_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-FOH-USD

Name	PP3-FOH-USD
Description	PP3 Fixed Overhead,USD : SUM(DIM_PROD_COST.PP3_FOH_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_3081
Translation ID	OBJ_3081
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(PP3-Factory Spec at Invoice Time)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_FOH_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Subcontract-USD

Name
Description

PP3-Subcontract-USD
PP3 Subcontracting Cost USD :
SUM(DIM_PROD_COST.PP3_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

OBJ_3087
OBJ_3087
\\Measures\\Invoice\\Costs\\Cost-US Dollars-USD\\USD- Current
Cost(PP3-Factory Spec at Invoice Time)\\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Contribution-USD

Name
Description

PP3-Contribution-USD
Direct Labor + Material Cost + Variable Overhead Cost +
Scrap : SUM(DIM_PROD_COST.PP3_CONTR_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

OBJ_3084
OBJ_3084
\\Measures\\Invoice\\Costs\\Cost-US Dollars-USD\\USD- Current
Cost(PP3-Factory Spec at Invoice Time)\\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_CONTR_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Gross-USD

Name
Description

PP3-Gross-USD
Direct Labor + Material Cost + Variable Overhead Cost +
Scrap + Fixed Overhead + Freight + Duty + Subcontract:
SUM(DIM_PROD_COST.PP3_GROSS_COST_AMT *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_3085
OBJ_3085
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(PP3-Factory Spec at Invoice Time)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_GROSS_COST_AMT *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-Material-USD

Name
Description

PP2-Today-Material-USD
Today's PP2 Material Cost,USD using FX rate at document creation
time : SUM(DIM_PROD_COST_TODAY.PP2_MAT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

OBJ_4934
OBJ_4934
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP2-Current Material-Current Labour/Overhead)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP2_MAT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-Freight-USD

Name
Description

PP2-Today-Freight-USD
Today's PP2 Freight Cost USD :
SUM(DIM_PROD_COST_TODAY.PP2_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

OBJ_4935
OBJ_4935
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP2-Current Material-Current Labour/Overhead)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP2_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-Duty-USD

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-Today-Duty-USD
Today's PP2 Duty Cost USD :
SUM(DIM_PROD_COST_TODAY.PP2_DUTY_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4936
OBJ_4936
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP2-Current Material-Current Labour/Overhead)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP2_DUTY_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-Scrap-USD

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-Today-Scrap-USD
Today's PP2 Scrap Cost,USD :
SUM(DIM_PROD_COST_TODAY.PP2_SCRAP_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4937
OBJ_4937
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP2-Current Material-Current Labour/Overhead)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP2_SCRAP_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-DirectLabor-USD

Name
Description

Cuid
Translation ID
Path

PP2-Today-DirectLabor-USD
Today's PP2 Direct Labor Cost, USD :
SUM(DIM_PROD_COST_TODAY.PP2_DL_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4938
OBJ_4938
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP2-Current Material-Current Labour/Overhead)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST_TODAY.PP2_DL_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-VOH-USD

Name
Description

PP2-Today-VOH-USD
Today's PP2 Variable Overhead Cost, USD :
SUM(DIM_PROD_COST_TODAY.PP2_VOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4939
OBJ_4939
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP2-Current Material-Current Labour/Overhead)\

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST_TODAY.PP2_VOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-FOH-USD

Name
Description

PP2-Today-FOH-USD
Today's PP2 Fixed
Overhead,USD :SUM(DIM_PROD_COST_TODAY.PP2_FOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4940
OBJ_4940
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP2-Current Material-Current Labour/Overhead)\

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST_TODAY.PP2_FOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-Subcontract-USD

Name	PP2-Today-Subcontract-USD
Description	Today's PP2 Subcontracting Cost USD : SUM(DIM_PROD_COST_TODAY.PP2_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4941
Translation ID	OBJ_4941
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(Todays PP2-Current Material-Current Labour/Overhead)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP2_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: PP2-Today-Contribution-USD

Name	PP2-Today-Contribution-USD
Description	Today's Direct Labor + Material Cost + Variable Overhead Cost + Scrap : SUM(DIM_PROD_COST_TODAY.PP2_CONTR_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4942
Translation ID	OBJ_4942
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(Todays PP2-Current Material-Current Labour/Overhead)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP2_CONTR_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: PP2-Today-Gross-USD

Name	PP2-Today-Gross-USD
Description	Today's Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead + Freight + Duty + Subcontract: SUM(DIM_PROD_COST_TODAY.PP2_GROSS_COST_AMT * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4943
Translation ID	OBJ_4943
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current Cost(Todays PP2-Current Material-Current Labour/Overhead)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP2_GROSS_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-Material-USD

Name
Description

PP3-Today-Material-USD
Today's PP3 Material Cost,USD :
SUM(DIM_PROD_COST_TODAY.PP3_MAT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4944
OBJ_4944
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP3-Factory Spec)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP3_MAT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-Freight-USD

Name
Description

PP3-Today-Freight-USD
Today's PP3 Freight Cost USD :
SUM(DIM_PROD_COST_TODAY.PP3_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4945
OBJ_4945
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP3-Factory Spec)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP3_FREIGHT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-Duty-USD

Name
Description

PP3-Today-Duty-USD
Today's PP3 Duty Cost USD :
SUM(DIM_PROD_COST_TODAY.PP3_DUTY_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_4946
OBJ_4946
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP3-Factory Spec)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST_TODAY.PP3_DUTY_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-Scrap-USD

Name
Description

PP3-Today-Scrap-USD
Today's PP3 Scrap Cost,USD :
SUM(DIM_PROD_COST_TODAY.PP3_SCRAP_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

OBJ_4947
OBJ_4947
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP3-Factory Spec)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST_TODAY.PP3_SCRAP_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-DirectLabor-USD

Name
Description

PP3-Today-DirectLabor-USD
Today's PP3 Direct Labor Cost, USD :
SUM(DIM_PROD_COST_TODAY.PP3_DL_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

OBJ_4948
OBJ_4948
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP3-Factory Spec)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST_TODAY.PP3_DL_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
Can be used in

Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-VOH-USD

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP3-Today-VOH-USD
Today's PP3 Variable Overhead Cost, USD :
SUM(DIM_PROD_COST_TODAY.PP3_VOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4949
OBJ_4949
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP3-Factory Spec)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP3_VOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-FOH-USD

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP3-Today-FOH-USD
Today's PP3 Fixed Overhead,USD :
SUM(DIM_PROD_COST_TODAY.PP3_FOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4950
OBJ_4950
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP3-Factory Spec)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP3_FOH_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-Subcontract-USD

Name
Description

Cuid
Translation ID
Path

State
Data Type

PP3-Today-Subcontract-USD
Today's PP3 Subcontracting Cost
USD :SUM(DIM_PROD_COST_TODAY.PP3_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4951
OBJ_4951
\Measures\Invoice\Costs\Cost-US Dollars-USD\USD- Current
Cost(Todays PP3-Factory Spec)\
Active
Numeric

Projection Function
High Precision

Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST_TODAY.PP3_SUB_CONTRACT_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-Contribution-USD

Name
Description

PP3-Today-Contribution-USD
Today's Direct Labor + Material Cost + Variable Overhead Cost +
Scrap : SUM(DIM_PROD_COST_TODAY.PP3_CONTR_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

OBJ_4952
OBJ_4952
\\Measures\\Invoice\\Costs\\Cost-US Dollars-USD\\USD- Current
Cost(Todays PP3-Factory Spec)\\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST_TODAY.PP3_CONTR_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-Gross-USD

Name
Description

PP3-Today-Gross-USD
Today's Direct Labor + Material Cost + Variable Overhead Cost
+ Scrap + Fixed Overhead + Freight + Duty + Subcontract:
SUM(DIM_PROD_COST_TODAY.PP3_GROSS_COST_AMT
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.cost_multiplier_qty)

Cuid
Translation ID
Path

OBJ_4953
OBJ_4953
\\Measures\\Invoice\\Costs\\Cost-US Dollars-USD\\USD- Current
Cost(Todays PP3-Factory Spec)\\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST_TODAY.PP3_GROSS_COST_AMT  
* FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cost - Total CGS GL-USD

Name

Cost - Total CGS GL-USD

Description

Cost - Total CGS GL-USD: Sum of cost posted to all (Std Cost + Packaging + Project Expenses) GL accounts in USD
Currency:SUM(FCTV_INVOICE.STD_COST_GL_USD_AMT + FCTV_INVOICE.PACK_COST_GL_USD_AMT + FCTV_INVOICE.PRJ_EXP_COST_GL_USD_AMT + FCTV_INVOICE.POP_COGS_GL_USD_AMT + FCTV_INVOICE.POS_COGS_GL_USD_AMT)

Cuid

OBJ_4789

Translation ID

OBJ_4789

Path

\Measures\Invoice\Costs\Cost-US Dollars-USD\GL Cost-USD\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.STD_COST_GL_USD_AMT + FCTV_INVOICE.PACK_COST_GL_USD_AMT + FCTV_INVOICE.PRJ_EXP_COST_GL_USD_AMT + FCTV_INVOICE.POP_COGS_GL_USD_AMT + FCTV_INVOICE.POS_COGS_GL_USD_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Cost - Standard Cost GL-USD

Name

Cost - Standard Cost GL-USD

Description

Standard Cost GL-USD: Sum of cost posted to all Std Cost GL accounts in USD : SUM(FCTV_INVOICE.STD_COST_GL_USD_AMT)

Cuid

OBJ_4780

Translation ID

OBJ_4780

Path

\Measures\Invoice\Costs\Cost-US Dollars-USD\GL Cost-USD\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.STD_COST_GL_USD_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Cost - Packaging GL-USD

Name

Cost - Packaging GL-USD

Description

Packaging Cost GL-USD: Sum of cost posted to all Packaging GL accounts in USD :

SUM(FCTV_INVOICE.PACK_COST_GL_USD_AMT)

Cuid

OBJ_4781

Translation ID

OBJ_4781

Path

\Measures\Invoice\Costs\Cost-US Dollars-USD\GL Cost-USD\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.PACK_COST_GL_USD_AMT)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Cost - Project Expenses GL-USD

Name	Cost - Project Expenses GL-USD
Description	Project Expenses GL-USD: Sum of cost posted to all Project Expenses GL accounts in USD : SUM(FCTV_INVOICE.PRJ_EXP_COST_GL_USD_AMT)
Cuid	OBJ_4740
Translation ID	OBJ_4740
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\GL Cost-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.PRJ_EXP_COST_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: POP CGS Adjustment - USD

Name	POP CGS Adjustment - USD
Description	POP CGS Adjustment - USD, this is to support POP CGS Adjustment on Region/Ultimate Cust: SUM(FCTV_INVOICE.POP_COGS_GL_USD_AMT)
Cuid	OBJ_4786
Translation ID	OBJ_4786
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\GL Cost-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.POP_COGS_GL_USD_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: POS CGS Adjustment - USD

Name	POS CGS Adjustment - USD
Description	POS CGS Adjustment - USD, this is to support POS CGS Adjustment on Region/Ultimate Cust: SUM(FCTV_INVOICE.POS_COGS_GL_USD_AMT)
Cuid	OBJ_4787
Translation ID	OBJ_4787
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\GL Cost-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.POS_COGS_GL_USD_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Cost - Royalty Product GL-USD

Name	Cost - Royalty Product GL-USD
Description	Royalty Product Cost GL-USD: Sum of cost posted to all Royalty Product Cost GL accounts in USD : SUM(FCTV_INVOICE.ROYLTY_PROD_COST_GL_USD_AMT)
Cuid	OBJ_4741
Translation ID	OBJ_4741
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\GL Cost-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.ROYLTY_PROD_COST_GL_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Cost - Freight Outbound to Customer GL-USD

Name	Cost - Freight Outbound to Customer GL-USD
Description	Freight Outbound to Customer Cost GL-Doc: Sum of cost posted to all Freight Outbound to Customer GL accounts in USD : SUM(FCTV_INVOICE.FREIGHT_OUTB_COST_GL_USD_AMT)
Cuid	OBJ_4742
Translation ID	OBJ_4742
Path	\Measures\Invoice\Costs\Cost-US Dollars-USD\GL Cost-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.FREIGHT_OUTB_COST_GL_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: TodaysMaterialCost

Name	TodaysMaterialCost
Description	Today's Material Cost- USD : DIM_PROD_COST_TODAY.CUR_MAT_COST_AMT
Cuid	OBJ_656
Translation ID	OBJ_656
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in Company Code Currency (Current Matrial & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_PROD_COST_TODAY.CUR_MAT_COST_AMT
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: TodaysFreightCost

Name	TodaysFreightCost
Description	Today's Freight Cost :
	DIM_PROD_COST_TODAY.CUR_FREIGHT_COST_AMT
Cuid	OBJ_3055
Translation ID	OBJ_3055
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in Company Code Currency (Current Matrial & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_PROD_COST_TODAY.CUR_FREIGHT_COST_AMT
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: TodaysDutyCost-ShipLoc

Name	TodaysDutyCost-ShipLoc
Description	DIM_PROD_COST_TODAY.CUR_DUTY_COST_AMT : Today's Duty Cost
	OBJ_3057
Cuid	OBJ_3057
Translation ID	OBJ_3057
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in Company Code Currency (Current Matrial & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_PROD_COST_TODAY.CUR_DUTY_COST_AMT
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: TodaysScrapCost

Name	TodaysScrapCost
Description	Today's Scrap Cost :
	DIM_PROD_COST_TODAY.CUR_SCRAP_COST_AMT
Cuid	OBJ_659
Translation ID	OBJ_659
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in Company Code Currency (Current Matrial & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_PROD_COST_TODAY.CUR_SCRAP_COST_AMT
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: TodaysDirectLaborCost

Name	TodaysDirectLaborCost
Description	Today's Cost Direct Labor - Cost in terms of Base Unit Of Measure and in Company Code Currency : DIM_PROD_COST_TODAY.CUR_DL_COST_AMT
Cuid	OBJ_655
Translation ID	OBJ_655
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in Company Code Currency (Current Matrial & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_PROD_COST_TODAY.CUR_DL_COST_AMT
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: TodaysVOHCost

Name	TodaysVOHCost
Description	Today's Cost VOH :DIM_PROD_COST_TODAY.CUR_VOH_COST_AMT
Cuid	OBJ_658
Translation ID	OBJ_658
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in Company Code Currency (Current Matrial & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_PROD_COST_TODAY.CUR_VOH_COST_AMT
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: TodaysFOHCost

Name	TodaysFOHCost
Description	Today's Cost FOH : DIM_PROD_COST_TODAY.CUR_FOH_COST_AMT
Cuid	OBJ_657
Translation ID	OBJ_657
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in Company Code Currency (Current Matrial & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_PROD_COST_TODAY.CUR_FOH_COST_AMT
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: TodaysSubcontractCost

Name	TodaysSubcontractCost
Description	Today's Subcontracting Cost : DIM_PROD_COST_TODAY.CUR_SUB_CONTRACT_COST_AMT OBJ_3056
Cuid	OBJ_3056
Translation ID	OBJ_3056
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in Company Code Currency (Current Matrial & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_PROD_COST_TODAY.CUR_SUB_CONTRACT_COST_AMT
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: TodaysContributionCost

Name	TodaysContributionCost
Description	Today's Contribution Cost : DIM_PROD_COST_TODAY.CUR_CONTR_COST_AMT OBJ_660
Cuid	OBJ_660
Translation ID	OBJ_660
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in Company Code Currency (Current Matrial & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_PROD_COST_TODAY.CUR_CONTR_COST_AMT
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: TodaysGrossCost

Name	TodaysGrossCost
Description	Today's Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead + Freight + Duty + Subcontract : DIM_PROD_COST_TODAY.CUR_GROSS_COST_AMT OBJ_661
Cuid	OBJ_661
Translation ID	OBJ_661
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Todays Cost in Company Code Currency (Current Matrial & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	DIM_PROD_COST_TODAY.CUR_GROSS_COST_AMT
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable

Can be used in

Results, Filters, Sorts



Measure: PP2-Today-MaterialCost-Loc

Name	PP2-Today-MaterialCost-Loc
Description	Today's PP2 Material Cost, Document Currency:SUM(DIM_PROD_COST_TODAY.PP2_MAT_COST_AMT* FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4924
Translation ID	OBJ_4924
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP2_MAT_COST_AMT* FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-Today-FreightCost-Loc

Name	PP2-Today-FreightCost-Loc
Description	Today's PP2 Freight Cost Document Currency: SUM(DIM_PROD_COST_TODAY.PP2_FREIGHT_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4925
Translation ID	OBJ_4925
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP2_FREIGHT_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-Today-DutyCost-Loc

Name	PP2-Today-DutyCost-Loc
Description	Today's PP2 Duty Cost Document Currency: SUM(DIM_PROD_COST_TODAY.PP2_DUTY_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4926
Translation ID	OBJ_4926
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP2_DUTY_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	--

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-ScrapCost-Loc

Name	PP2-Today-ScrapCost-Loc
Description	Today's PP2 Scrap Cost, Document Currency: SUM(DIM_PROD_COST_TODAY.PP2_SCRAP_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4927
Translation ID	OBJ_4927
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP2_SCRAP_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	---

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-DirectLaborCost-Loc

Name	PP2-Today-DirectLaborCost-Loc
Description	Today's PP2 Direct Labor Cost, Document Currency: SUM(DIM_PROD_COST_TODAY.PP2_DL_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4928
Translation ID	OBJ_4928
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP2_DL_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	--

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-VOHCost-Loc

Name	PP2-Today-VOHCost-Loc
Description	Today's PP2 Variable Overhead Cost, Document Currency: SUM(DIM_PROD_COST_TODAY.PP2_VOH_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4929
Translation ID	OBJ_4929
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP2-Current Material-Current Labour/Overhead)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP2_VOH_COST_AMT *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-FOHCost-Loc

Name

PP2-Today-FOHCost-Loc

Description

Today's PP2 Fixed Overhead, Document Currency,Shipping Location:
SUM(DIM_PROD_COST_TODAY.PP2_FOH_COST_AMT *
FCTV_INVOICE.cost_multiplier_qty)

Cuid

OBJ_4930

Translation ID

OBJ_4930

Path

\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays
PP2-Current Material-Current Labour/Overhead)-Loc\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP2_FOH_COST_AMT *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-SubcontractCost-Loc

Name

PP2-Today-SubcontractCost-Loc

Description

Today's PP2 Subcontracting Cost Document Currency:
SUM(DIM_PROD_COST_TODAY.PP2_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.cost_multiplier_qty)

Cuid

OBJ_4931

Translation ID

OBJ_4931

Path

\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays
PP2-Current Material-Current Labour/Overhead)-Loc\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP2_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-ContributionCost-Loc

Name

PP2-Today-ContributionCost-Loc

Description

Direct Labor + Material Cost + Variable Overhead Cost + Scrap:
SUM(DIM_PROD_COST_TODAY.PP2_CONTR_COST_AMT *
FCTV_INVOICE.cost_multiplier_qty)

Cuid

OBJ_4932

Translation ID

OBJ_4932

Path

\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays
PP2-Current Material-Current Labour/Overhead)-Loc\

State

Active

Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP2_CONTR_COST_AMT *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-Today-GrossCost-Loc

Name
Description

PP2-Today-GrossCost-Loc
Direct Labor + Material Cost + Variable Overhead Cost +
Scrap + Fixed Overhead + Freight + Duty + Subcontract:
SUM(DIM_PROD_COST_TODAY.PP2_GROSS_COST_AMT *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4933
OBJ_4933
\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays
PP2-Current Material-Current Labour/Overhead)-Loc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP2_GROSS_COST_AMT *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-MaterialCost-Loc

Name
Description

PP3-Today-MaterialCost-Loc
Today's PP3 Material Cost, Document Currency:
SUM(DIM_PROD_COST_TODAY.PP3_MAT_COST_AMT *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4974
OBJ_4974
\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays
PP3-Factory Spec)-Loc\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST_TODAY.PP3_MAT_COST_AMT *
FCTV_INVOICE.COST_MULTIPLIER_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-Today-FreightCost-Loc

Name
Description

PP3-Today-FreightCost-Loc
Today's PP3 Freight Cost Document Currency:
SUM(DIM_PROD_COST_TODAY.PP3_FREIGHT_COST_AMT *
FCTV_INVOICE.cost_multiplier_qty)
OBJ_4975

Translation ID	OBJ_4975
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP3-Factory Spec)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP3_FREIGHT_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-Today-DutyCost-Loc

Name	PP3-Today-DutyCost-Loc
Description	Today's PP3 Duty Cost Document Currency: SUM(DIM_PROD_COST_TODAY.PP3_DUTY_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4976
Translation ID	OBJ_4976
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP3-Factory Spec)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP3_DUTY_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-Today-ScrapCost-Loc

Name	PP3-Today-ScrapCost-Loc
Description	Today's PP3 Scrap Cost, Document Currency: SUM(DIM_PROD_COST_TODAY.PP3_SCRAP_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4977
Translation ID	OBJ_4977
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP3-Factory Spec)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP3_SCRAP_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-Today-DirectLaborCost-Loc

Name	PP3-Today-DirectLaborCost-Loc
------	-------------------------------

Description	Today's PP3 Direct Labor Cost, Document Currency: SUM(DIM_PROD_COST_TODAY.PP3_DL_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4978
Translation ID	OBJ_4978
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP3-Factory Spec)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP3_DL_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: PP3-Today-VOHCost-Loc

Name	PP3-Today-VOHCost-Loc
Description	Today's PP3 Variable Overhead Cost, Document Currency: SUM(DIM_PROD_COST_TODAY.PP3_VOH_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4979
Translation ID	OBJ_4979
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP3-Factory Spec)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP3_VOH_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: PP3-Today-FOHCost-Loc

Name	PP3-Today-FOHCost-Loc
Description	Today's PP3 Fixed Overhead, Document Currency,Shipping Location:SUM(DIM_PROD_COST_TODAY.PP3_FOH_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4980
Translation ID	OBJ_4980
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP3-Factory Spec)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP3_FOH_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: PP3-Today-SubcontractCost-Loc

Name	PP3-Today-SubcontractCost-Loc
Description	Today's PP3 Subcontracting Cost Document Currency: SUM(DIM_PROD_COST_TODAY.PP3_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4981
Translation ID	OBJ_4981
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP3-Factory Spec)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP3_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: PP3-Today-ContributionCost-Loc

Name	PP3-Today-ContributionCost-Loc
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap: SUM(DIM_PROD_COST_TODAY.PP3_CONTR_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4982
Translation ID	OBJ_4982
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP3-Factory Spec)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP3_CONTR_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: PP3-Today-GrossCost-Loc

Name	PP3-Today-GrossCost-Loc
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead + Freight + Duty + Subcontract: SUM(DIM_PROD_COST_TODAY.PP3_GROSS_COST_AMT * FCTV_INVOICE.cost_multiplier_qty)
Cuid	OBJ_4983
Translation ID	OBJ_4983
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\Current Cost(Todays PP3-Factory Spec)-Loc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST_TODAY.PP3_GROSS_COST_AMT * FCTV_INVOICE.COST_MULTIPLIER_QTY)
--------	---

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 Can be used in

Public
 Uncategorized data
 Results, Filters, Sorts

**Measure: Cost - Total CGS GL-LC**

Name
 Description

Cost - Total CGS GL-LC
 Cost - Total CGS GL-LC: Sum of cost posted to all (Std Cost + Packaging + Project Expenses) GL accounts in Local Currency: SUM(FCTV_INVOICE.STD_COST_GL_DOC_AMT + FCTV_INVOICE.PACK_COST_GL_DOC_AMT + FCTV_INVOICE.PRJ_EXP_COST_GL_DOC_AMT + FCTV_INVOICE.POP_COGS_GL_USD_AMT + FCTV_INVOICE.POS_COGS_GL_USD_AMT)
 OBJ_4790
 OBJ_4790
 \Measures\Invoice\Costs\Cost-LocalCurrency-Loc\GL Cost-LocalCurrency\
 Active
 Numeric
 Sum
 False

Cuid
 Translation ID
 Path

 State
 Data Type
 Projection Function
 High Precision

SQL Definition

Select

SUM(FCTV_INVOICE.STD_COST_GL_DOC_AMT + FCTV_INVOICE.PACK_COST_GL_DOC_AMT + FCTV_INVOICE.PRJ_EXP_COST_GL_DOC_AMT + FCTV_INVOICE.POP_COGS_GL_USD_AMT + FCTV_INVOICE.POS_COGS_GL_USD_AMT)

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 Can be used in

Public
 Uncategorized data
 Results, Filters, Sorts

**Measure: Cost - Standard Cost GL-LC**

Name
 Description

Cost - Standard Cost GL-LC
 Standard Cost GL-LC: Sum of cost posted to all Std Cost GL accounts in Local Currency : SUM(FCTV_INVOICE.STD_COST_GL_DOC_AMT)
 OBJ_4749
 OBJ_4749
 \Measures\Invoice\Costs\Cost-LocalCurrency-Loc\GL Cost-LocalCurrency\
 Active
 Numeric
 Sum
 False

Cuid
 Translation ID
 Path

 State
 Data Type
 Projection Function
 High Precision

SQL Definition

Select

SUM(FCTV_INVOICE.STD_COST_GL_DOC_AMT)

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 Can be used in

Public
 Uncategorized data
 Results, Filters, Sorts

**Measure: Cost - Packaging GL-LC**

Name
 Description

Cost - Packaging GL-LC
 Packaging Cost GL-LC: Sum of cost posted to all Packaging GL accounts in Local Currency : SUM(FCTV_INVOICE.PACK_COST_GL_DOC_AMT)
 OBJ_4750
 OBJ_4750

Cuid
 Translation ID

Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\GL Cost-LocalCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.PACK_COST_GL_DOC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cost - Project Expenses GL-LC

Name	Cost - Project Expenses GL-LC
Description	Project Expenses GL-LC: Sum of cost posted to all Project Expenses GL accounts in Local Currency : SUM(FCTV_INVOICE.PRJ_EXP_COST_GL_DOC_AMT)
Cuid	OBJ_4752
Translation ID	OBJ_4752
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\GL Cost-LocalCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.PRJ_EXP_COST_GL_DOC_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cost - Royalty Product GL-LC

Name	Cost - Royalty Product GL-LC
Description	Royalty Product Cost GL-LC: Sum of cost posted to all Royalty Product Cost GL accounts in Local Currency : SUM(FCTV_INVOICE.ROYLTY_PROD_COST_GL_DOC_AMT)
Cuid	OBJ_4753
Translation ID	OBJ_4753
Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\GL Cost-LocalCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.ROYLTY_PROD_COST_GL_DOC_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cost - Freight Outbound to Customer GL-LC

Name	Cost - Freight Outbound to Customer GL-LC
Description	Freight Outbound to Customer Cost GL-LC: Sum of cost posted to all Freight Outbound to Customer GL accounts in Local Currency : SUM(FCTV_INVOICE.FREIGHT_OUTB_COST_GL_DOC_AMT)
Cuid	OBJ_4754
Translation ID	OBJ_4754

Path	\Measures\Invoice\Costs\Cost-LocalCurrency-Loc\GL Cost-LocalCurrency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.FREIGHT_OUTB_COST_GL_DOC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: InvQty

Name	InvQty
Description	Invoice Qty : FCTV_INVOICE.SHIP_QTY
Cuid	OBJ_338
Translation ID	OBJ_338
Path	\Measures\Invoice\Quantities\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SHIP_QTY)
--------	----------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: OrderQty

Name	OrderQty
Description	FCTV_INVOICE.ORD_QTY:Order Quantity
Cuid	OBJ_339
Translation ID	OBJ_339
Path	\Measures\Invoice\Quantities\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.ORD_QTY)
--------	---------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: InvMetersOrEachQty

Name	InvMetersOrEachQty
Description	Invoice Meters or Each Quantity : FCTV_INVOICE.SHIP_MT_OR_EACH_QTY
Cuid	OBJ_343
Translation ID	OBJ_343
Path	\Measures\Invoice\Quantities\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_MT_OR_EACH_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: InvFeetOrEachQty

Name
Description

InvFeetOrEachQty
Invoice Feet Or Each Quantity :
FCTV_INVOICE.SHIP_FT_OR_EACH_QTY
OBJ_344
OBJ_344
\Measures\Invoice\Quantities\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_FT_OR_EACH_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Ship1000ftOrEachQty

Name
Description

Ship1000ftOrEachQty
Invoice 1000 Feet Or Each Quantity :
FCTV_INVOICE.SHIP_1000FT_OR_EACH_QTY
OBJ_345
OBJ_345
\Measures\Invoice\Quantities\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_1000FT_OR_EACH_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: InvQty_Base_UOM

Name
Description

InvQty_Base_UOM
Invoice Quantity in Base
UOM :Sum(FCTV_INVOICE.SHIP_BASE_UOM_QTY)
OBJ_4308
OBJ_4308
\Measures\Invoice\Quantities\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

Sum(FCTV_INVOICE.SHIP_BASE_UOM_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: WTD- InvQty

Name	WTD- InvQty
Description	Week To Date Invoice Qty based on User Entered Date or System Date - 1
Cuid	OBJ_2844
Translation ID	OBJ_2844
Path	\Measures\Invoice\Quantities\To-Date Quantities\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension\Ord Input Week In Month Nbr) = @Select(Prompts\DerivedValues\Ending Week) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.SHIP_QTY else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: MTD- InvQty

Name	MTD- InvQty
Description	Month To Date Invoice Qty based on User Entered Date or System Date - 1
Cuid	OBJ_2845
Translation ID	OBJ_2845
Path	\Measures\Invoice\Quantities\To-Date Quantities\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.SHIP_QTY else 0 end)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: QTD- InvQty

Name	QTD- InvQty
Description	Quarter To Date Invoice qty based on User Entered Date or System Date - 1
Cuid	OBJ_2846
Translation ID	OBJ_2846
Path	\Measures\Invoice\Quantities\To-Date Quantities\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) and
--------	--

@Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.SHIP_QTY else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: YTD- InvQty

Name
Description

YTD- InvQty
Year To Date Invoice Qty based on User Entered Date or System Date - 1

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2847
OBJ_2847
\Measures\Invoice\Quantities\To-Date Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(case when @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.SHIP_QTY else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: WTD-OrderQty

Name
Description

WTD-OrderQty
For SAP: Week To Date based on User Entered Date or System Date - 1: SAP1 - KZWI6 from the Sales Order. SAP2 - Invoiced amount from BW record

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2848
OBJ_2848
\Measures\Invoice\Quantities\To-Date Quantities\
Hidden
Numeric
Sum
False

SQL Definition

Select

SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension\Ord Input Week In Month Nbr) = @Select(Prompts\DerivedValues\Ending Week) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.ORD_QTY else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: MTD-OrderQty

Name
Description

MTD-OrderQty
For SAP: Month To Date based on User Entered Date or System Date - 1: SAP1 - KZWI6 from the Sales Order. SAP2 - Invoiced amount from BW record

Cuid

OBJ_2849

Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2849
\Measures\Invoice\Quantities\To-Date Quantities\
Hidden
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearMonth)
= @Select(Prompts\DerivedValues\Ending Year Month) and
@Select(Date Dimension\Order Input Date)<=@Select(Prompts
\Ending Date) then FCTV_INVOICE.ORD_QTY else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: QTD-OrderQty

Name
Description

QTD-OrderQty
For SAP: Quarter To Date based on User Entered Date or System Date -
1: SAP1 - KZWI6 from the Sales Order. SAP2 - Invoiced amount from
BW record

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2850
OBJ_2850
\Measures\Invoice\Quantities\To-Date Quantities\
Hidden
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearQuarter)
= @Select(Prompts\DerivedValues\Ending YearQuarter) and
@Select(Date Dimension\Order Input Date)<=@Select(Prompts
\Ending Date) then FCTV_INVOICE.ORD_QTY else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: YTD-OrderQty

Name
Description

YTD-OrderQty
For SAP: Year To Date based on User Entered Date or System Date -
1: SAP1 - KZWI6 from the Sales Order. SAP2 - Invoiced amount from
BW record

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2851
OBJ_2851
\Measures\Invoice\Quantities\To-Date Quantities\
Hidden
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYear) =
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then
FCTV_INVOICE.ORD_QTY else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category

Public
Uncategorized data

List of Values
Can be used in

Editable
Results, Filters, Sorts



Measure: WTD- InvMetersOrEachQty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

WTD- InvMetersOrEachQty
Week To Date Invoice quantity in meters or each based on User Entered
Date or System Date - 1
OBJ_2852
OBJ_2852
\Measures\Invoice\Quantities\To-Date Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearMonth)
= @Select(Prompts\DerivedValues\Ending Year Month) and
@Select(Date Dimension\Ord Input Week In Month Nbr) =
@Select(Prompts\DerivedValues\Ending Week) and @Select(Date
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then
FCTV_INVOICE.SHIP_MT_OR_EACH_QTY else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: MTD- InvMetersOrEachQty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

MTD- InvMetersOrEachQty
Month To Date Invoice quantity in meters or each based on User
Entered Date or System Date - 1
OBJ_2853
OBJ_2853
\Measures\Invoice\Quantities\To-Date Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearMonth)
= @Select(Prompts\DerivedValues\Ending Year Month) and
@Select(Date Dimension\Order Input Date)<=@Select(Prompts
\Ending Date) then FCTV_INVOICE.SHIP_MT_OR_EACH_QTY
else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: QTD- InvMetersOrEachQty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

QTD- InvMetersOrEachQty
Quarter To Date Invoice quantity in meters or each based on User
Entered Date or System Date - 1
OBJ_2854
OBJ_2854
\Measures\Invoice\Quantities\To-Date Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearQuarter)
= @Select(Prompts\DerivedValues\Ending YearQuarter) and
@Select(Date Dimension\Order Input Date)<=@Select(Prompts
\Ending Date) then FCTV_INVOICE.SHIP_MT_OR_EACH_QTY
else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: YTD-InvMetersOrEachQty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

YTD-InvMetersOrEachQty
Year To Date Invoice quantity in meters or each based on User Entered
Date or System Date - 1
OBJ_2855
OBJ_2855
\Measures\Invoice\Quantities\To-Date Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYear) =
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then
FCTV_INVOICE.SHIP_MT_OR_EACH_QTY else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: WTD-InvFeetOrEachQty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

WTD-InvFeetOrEachQty
Week To Date Invoice quantity in feet or each based on User Entered
Date or System Date - 1
OBJ_2856
OBJ_2856
\Measures\Invoice\Quantities\To-Date Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearMonth)
= @Select(Prompts\DerivedValues\Ending Year Month) and
@Select(Date Dimension\Ord Input Week In Month Nbr) =
@Select(Prompts\DerivedValues\Ending Week) and @Select(Date
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then
FCTV_INVOICE.SHIP_FT_OR_EACH_QTY else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: MTD-InvFeetOrEachQty

Name

MTD-InvFeetOrEachQty

Description	Month To Date invoice quantity in feet or each based on User Entered Date or System Date - 1
Cuid	OBJ_2857
Translation ID	OBJ_2857
Path	\Measures\Invoice\Quantities\To-Date Quantities\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.SHIP_FT_OR_EACH_QTY else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: QTD-InvFeetOrEachQty

Name	QTD-InvFeetOrEachQty
Description	Quarter To Date invoice quantity in feet or each based on User Entered Date or System Date - 1
Cuid	OBJ_2858
Translation ID	OBJ_2858
Path	\Measures\Invoice\Quantities\To-Date Quantities\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.SHIP_FT_OR_EACH_QTY else 0 end)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: YTD-InvFeetOrEachQty

Name	YTD-InvFeetOrEachQty
Description	Year To Date invoice quantity in feet or each based on User Entered Date or System Date - 1
Cuid	OBJ_2859
Translation ID	OBJ_2859
Path	\Measures\Invoice\Quantities\To-Date Quantities\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.SHIP_FT_OR_EACH_QTY else 0 end)
--------	---

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: WTD-Inv1000FtOrEachQty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

WTD-Inv1000FtOrEachQty
Week To Date invoice quantity in 1000 feet or each based on User
Entered Date or System Date - 1
OBJ_2860
OBJ_2860
\Measures\Invoice\Quantities\To-Date Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearMonth)
= @Select(Prompts\DerivedValues\Ending Year Month) and
@Select(Date Dimension\Ord Input Week In Month Nbr) =
@Select(Prompts\DerivedValues\Ending Week) and @Select(Date
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then
FCTV_INVOICE.SHIP_1000FT_OR_EACH_QTY else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: MTD-Inv1000FtOrEachQty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

MTD-Inv1000FtOrEachQty
Month To Date invoice quantity in 1000 feet or each based on User
Entered Date or System Date - 1
OBJ_2861
OBJ_2861
\Measures\Invoice\Quantities\To-Date Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearMonth)
= @Select(Prompts\DerivedValues\Ending Year
Month) and @Select(Date Dimension\Order Input
Date)<=@Select(Prompts\Ending Date) then
FCTV_INVOICE.SHIP_1000FT_OR_EACH_QTY else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: QTD-Inv1000FtOrEachQty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function

QTD-Inv1000FtOrEachQty
Quarter To Date invoice quantity in 1000 feet or each based on User
Entered Date or System Date - 1
OBJ_2862
OBJ_2862
\Measures\Invoice\Quantities\To-Date Quantities\
Active
Numeric
Sum

High Precision

False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension
\FinanceYearQuarter) = @Select(Prompts\DerivedValues
\Ending YearQuarter) and @Select(Date Dimension
\Order Input Date)<=@Select(Prompts\Ending Date) then
FCTV_INVOICE.SHIP_1000FT_OR_EACH_QTY else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: YTD-Inv1000FtOrEachQty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

YTD-Inv1000FtOrEachQty
Year To Date invoice quantity in 1000 feet or each based on User
Entered Date or System Date - 1
OBJ_2863
OBJ_2863
\Measures\Invoice\Quantities\To-Date Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYear) =
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then
FCTV_INVOICE.SHIP_1000FT_OR_EACH_QTY else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: StdContribProfit-LC

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

StdContribProfit-LC
@Select(Price-Local Currency-LC\NetPrice-LC) - @Select(LC-
Standard Cost\StandardContribution-LC-ShipLoc)
OBJ_355
OBJ_355
\Measures\Invoice\Profits\Profit-Local Currency\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(FCTV_INVOICE.NET_PRICE_LC_AMT -
FCTV_INVOICE.SHIP_STD_CONTR_COST_LC_AMT)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdGrossProfit-LC

Name
Description

Cuid
Translation ID

StdGrossProfit-LC
@Select(Price-Local Currency-LC\NetPrice-LC) - @Select(LC-
Standard Cost\StandardGross-LC-ShipLoc)
OBJ_457
OBJ_457

Path
State
Data Type
Projection Function
High Precision

\Measures\Invoice\Profits\Profit-Local Currency\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(FCTV_INVOICE.NET_PRICE_LC_AMT - (Case  
When DIM_REC_TYPE.GROSS_SALE_IND = 'Y' Then  
FCTV_INVOICE.SHIP_STD_GROSS_COST_LC_AMT Else 0  
End))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: CurrContribProfit-LC

Name
Description

CurrContribProfit-LC
@Select(Price-Local Currency-LC\NetPrice-LC) - @Select(LC-Current
Cost\CurrentContribution-LC-ShipLoc)

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_354
OBJ_354
\Measures\Invoice\Profits\Profit-Local Currency\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(FCTV_INVOICE.NET_PRICE_LC_AMT -  
FCTV_INVOICE.SHIP_CUR_CONTR_COST_LC_AMT)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: CurrGrossProfit-LC

Name
Description

CurrGrossProfit-LC
@Select(Price-Local Currency-LC\NetPrice-LC) - @Select(LC-Current
Cost\CurrentGross-LC-ShipLoc)

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_458
OBJ_458
\Measures\Invoice\Profits\Profit-Local Currency\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(FCTV_INVOICE.NET_PRICE_LC_AMT -  
FCTV_INVOICE.SHIP_CUR_GROSS_COST_LC_AMT)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdGrossProfit GL-LC

Name
Description
Cuid
Translation ID
Path
State

StdGrossProfit GL-LC
Standard gross profit based on GL posting for LC currency
_RPdAkBa9EfCdK68k8v0jw
_RPdAkRa9EfCdK68k8v0jw
\Measures\Invoice\Profits\Profit-Local Currency\
Active

Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select

```
SUM(FCTV_INVOICE.NET_PRICE_GL_DOC_AMT  
- (FCTV_INVOICE.STD_COST_GL_DOC_AMT +  
FCTV_INVOICE.PACK_COST_GL_DOC_AMT +  
FCTV_INVOICE.PRJ_EXP_COST_GL_DOC_AMT))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdContribProfit-USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

StdContribProfit-USD
@Select(Price-US Dollars-USD\NetPrice-USD)-@Select(USD-
Standard Cost\StandardContribution-USD-ShipLoc)
OBJ_351
OBJ_351
\Measures\Invoice\Profits\Profit-US Dollars\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(FCTV_INVOICE.NET_PRICE_USD_AMT-  
FCTV_INVOICE.SHIP_STD_CONTR_COST_USD_AMT)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdGrossProfit-USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

StdGrossProfit-USD
@Select(Price-US Dollars-USD\NetPrice-USD)-@Select(USD-
Standard Cost\StandardGross-USD-ShipLoc)
OBJ_459
OBJ_459
\Measures\Invoice\Profits\Profit-US Dollars\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(FCTV_INVOICE.NET_PRICE_USD_AMT-(Case  
When DIM_REC_TYPE.GROSS_SALE_IND = 'Y' Then  
FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT Else 0  
End))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: CurrContribProfit-USD

Name
Description

Cuid
Translation ID
Path

CurrContribProfit-USD
@Select(Price-US Dollars-USD\NetPrice-USD) - @Select(USD-
Current Cost\CurrentContribution-USD-ShipLoc)
OBJ_348
OBJ_348
\Measures\Invoice\Profits\Profit-US Dollars\
- 534 -

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.NET_PRICE_USD_AMT -
FCTV_INVOICE.SHIP_CUR_CONTR_COST_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: CurrGrossProfit-USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

CurrGrossProfit-USD
@Select(Price-US Dollars-USD\NetPrice-USD) - @Select(USD-
Current Cost\CurrentGross-USD-ShipLoc)
OBJ_461
OBJ_461
\Measures\Invoice\Profits\Profit-US Dollars\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.NET_PRICE_USD_AMT -
FCTV_INVOICE.SHIP_CUR_GROSS_COST_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdGrossProfit GL-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

StdGrossProfit GL-USD
Standard gross profit based on GL posting for USD currency
_Iu7GwBa5EfCdaK68k8v0jw
_Iu7GwRa5EfCdaK68k8v0jw
\Measures\Invoice\Profits\Profit-US Dollars\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.NET_PRICE_GL_USD_AMT
- (FCTV_INVOICE.STD_COST_GL_USD_AMT +
FCTV_INVOICE.PACK_COST_GL_USD_AMT +
FCTV_INVOICE.PRJ_EXP_COST_GL_USD_AMT))

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: StdGrossProfit GL-Doc

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function

StdGrossProfit GL-Doc
Standard gross profit based on GL posting for Doc currency
_j4iaYBajEfCdaK68k8v0jw
_j8QcwBajEfCdaK68k8v0jw
\Measures\Invoice\Profits\Profit-Doc Currency\
Active
Numeric
Sum

High Precision

False

SQL Definition

Select

```
SUM(FCTV_INVOICE.NET_PRICE_GL_LC_AMT  
- (FCTV_INVOICE.STD_COST_GL_LC_AMT +  
FCTV_INVOICE.PACK_COST_GL_LC_AMT +  
FCTV_INVOICE.PRJ_EXP_COST_GL_LC_AMT))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: ASP-FT(Each)-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

ASP-FT(Each)-USD
Average Selling Price For 1000 Feet or Each in USD
OBJ_631
OBJ_631
\Measures\Invoice\ASP\
Active
Numeric
Sum
False

SQL Definition

Select

```
(Case when @Select(Measures\Invoice\Quantities  
\InvFeetOrEachQty) = 0 Then 0 Else @Select(Measures  
\Invoice\Revenues\Revenue-US Dollars-USD\NetPrice-USD) /  
@Select(Measures\Invoice\Quantities\InvFeetOrEachQty) End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: ASP-1000FT(Each)-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

ASP-1000FT(Each)-USD
Average Selling Price For 1000 Feet or Each in USD
OBJ_630
OBJ_630
\Measures\Invoice\ASP\
Active
Numeric
Sum
False

SQL Definition

Select

```
(Case when @Select(Measures\Invoice\Quantities  
\Ship1000ftOrEachQty) = 0 Then 0 Else @Select(Measures  
\Invoice\Revenues\Revenue-US Dollars-USD\NetPrice-USD) /  
@Select(Measures\Invoice\Quantities\Ship1000ftOrEachQty) End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: Week Net Price - LC

Name
Description
Cuid
Translation ID
Path

Week Net Price - LC
Week Net Price - LC
OBJ_381
OBJ_381
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - Local Currency\Net Prices - LC\
- 536 -

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(Case When (@Select(Date Dimension\Fin Week Nbr) =
@Select(Prompts\DerivedValues\Ending Week) and @Select(Date
Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending
Year)) Then FCTV_INVOICE.NET_PRICE_LC_AMT Else 0 End)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Month Net Price - LC

Name
Description
Cuid
Translation ID
Path

Month Net Price - LC
Month Net Price - LC
OBJ_382
OBJ_382
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - Local Currency\Net Prices - LC\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(Case When @Select(Date Dimension\FinanceYearMonth)
= @Select(Prompts\DerivedValues\Ending Year Month) Then
FCTV_INVOICE.NET_PRICE_LC_AMT Else 0 End)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: QTD Net Price - USD

Name
Description
Cuid
Translation ID
Path

QTD Net Price - USD
QTD Net Price - USD : Total Net Price for Current Quarter
OBJ_705
OBJ_705
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - Local Currency\Net Prices - LC\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(Case When @Select(Date Dimension\FinanceYearQuarter)
= @Select(Prompts\DerivedValues\Ending YearQuarter) Then
FCTV_INVOICE.NET_PRICE_LC_AMT Else 0 End)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q1 Net Price - LC

Name
Description
Cuid
Translation ID

Q1 Net Price - LC
Q1 Net Price - LC
OBJ_706
OBJ_706

Path	\\Measures\\Invoice\\Time Measures\\Time Measures - Revenues\\Time Measures Revenues - Local Currency\\Net Prices - LC\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\\Calendar Quarter Number) = 1 and @Select(Date Dimension\\FinanceYear)= @Select(Prompts\\DerivedValues\\Ending Year) Then FCTV_INVOICE.NET_PRICE_LC_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Q2 Net Price - LC

Name	Q2 Net Price - LC
Description	Q2 Net Price - LC
Cuid	OBJ_707
Translation ID	OBJ_707
Path	\\Measures\\Invoice\\Time Measures\\Time Measures - Revenues\\Time Measures Revenues - Local Currency\\Net Prices - LC\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\\Calendar Quarter Number) = 2 and @Select(Date Dimension\\FinanceYear)= @Select(Prompts\\DerivedValues\\Ending Year) Then FCTV_INVOICE.NET_PRICE_LC_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Q3 Net Price - LC

Name	Q3 Net Price - LC
Description	Q1 Net Price - LC
Cuid	OBJ_708
Translation ID	OBJ_708
Path	\\Measures\\Invoice\\Time Measures\\Time Measures - Revenues\\Time Measures Revenues - Local Currency\\Net Prices - LC\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\\Calendar Quarter Number) = 3 and @Select(Date Dimension\\FinanceYear)= @Select(Prompts\\DerivedValues\\Ending Year) Then FCTV_INVOICE.NET_PRICE_LC_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Q4 Net Price - LC

Name	Q4 Net Price - LC
------	-------------------

Description	Q4 Net Price - LC
Cuid	OBJ_709
Translation ID	OBJ_709
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - Local Currency\Net Prices - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\Calendar Quarter Number) = 4 and@Select(Date Dimension\FinanceYear)=@Select(Prompts\DerivedValues\Ending Year) Then FCTV_INVOICE.NET_PRICE_LC_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Prior YTD Net Price - LC

Name	Prior YTD Net Price - LC
Description	Prior YTD Net Price - LC
Cuid	OBJ_383
Translation ID	OBJ_383
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - Local Currency\Net Prices - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Prior Ending Year) and@Select(Date Dimension\Order Input Date)<=add_days(@Select(Prompts\Ending Date),-365) Then FCTV_INVOICE.NET_PRICE_LC_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: YTD Net Price - LC

Name	YTD Net Price - LC
Description	YTD Net Price - LC
Cuid	OBJ_384
Translation ID	OBJ_384
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - Local Currency\Net Prices - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) Then FCTV_INVOICE.NET_PRICE_LC_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Week List Price - LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Week List Price - LC
Week List Price - LC
OBJ_423
OBJ_423
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - Local Currency\List Prices - LC\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When (@Select(Date Dimension\Fin Week Nbr) =  
@Select(Prompts\DerivedValues\Ending Week) and @Select(Date  
Dimension\FinanceYear)= @Select(Prompts\DerivedValues\Ending  
Year)) Then FCTV_INVOICE.LIST_PRICE_LC_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Month List Price - LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Month List Price - LC
Month List Price - LC
OBJ_420
OBJ_420
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - Local Currency\List Prices - LC\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Fin Year Month Name)  
= @Select(Prompts\DerivedValues\Ending Year Month) Then  
FCTV_INVOICE.LIST_PRICE_LC_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: QTD List Price - LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

QTD List Price - LC
QTD List Price - LC : Total List Price for Current Quarter
OBJ_710
OBJ_710
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - Local Currency\List Prices - LC\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYearQuarter)  
= @Select(Prompts\DerivedValues\Ending YearQuarter) Then  
FCTV_INVOICE.LIST_PRICE_LC_AMT Else 0 End)
```

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category
Can be used in

Uncategorized data
Results, Filters, Sorts



Measure: Q1 List Price - LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Q1 List Price - LC
Q1 List Price - LC
OBJ_711
OBJ_711
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - Local Currency\List Prices - LC\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Calendar Quarter  
Number) = 1 and@Select(Date Dimension\FinanceYear)=  
@Select(Prompts\DerivedValues\Ending Year) Then  
FCTV_INVOICE.LIST_PRICE_LC_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q2 List Price - LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Q2 List Price - LC
Q2 List Price - LC
OBJ_712
OBJ_712
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - Local Currency\List Prices - LC\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Calendar Quarter  
Number) = 2 and@Select(Date Dimension\FinanceYear)=  
@Select(Prompts\DerivedValues\Ending Year) Then  
FCTV_INVOICE.LIST_PRICE_LC_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q3 List Price - LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Q3 List Price - LC
Q1 List Price - LC
OBJ_713
OBJ_713
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - Local Currency\List Prices - LC\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Calendar Quarter  
Number) = 3 and@Select(Date Dimension\FinanceYear)=
```

@Select(Prompts\DerivedValues\Ending Year) Then
FCTV_INVOICE.LIST_PRICE_LC_AMT Else 0 End)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q4 List Price - LC

Name
Description
Cuid
Translation ID
Path

Q4 List Price - LC
Q4 List Price - LC
OBJ_714
OBJ_714
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - Local Currency\List Prices - LC\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(Case When @Select(Date Dimension\Calendar Quarter
Number) = 4 and@Select(Date Dimension\FinanceYear)=
@Select(Prompts\DerivedValues\Ending Year) Then
FCTV_INVOICE.LIST_PRICE_LC_AMT Else 0 End)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Prior YTD List Price - LC

Name
Description
Cuid
Translation ID
Path

Prior YTD List Price - LC
Prior YTD List Price - LC
OBJ_421
OBJ_421
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - Local Currency\List Prices - LC\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(Case When @Select(Date Dimension\FinanceYear)
= @Select(Prompts\DerivedValues\Prior Ending
Year) and@Select(Date Dimension\Order Input
Date)<=add_days(@Select(Prompts\Ending Date),-365) Then
FCTV_INVOICE.LIST_PRICE_LC_AMT Else 0 End)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: YTD List Price - LC

Name
Description
Cuid
Translation ID
Path

YTD List Price - LC
YTD List Price - LC
OBJ_422
OBJ_422
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - Local Currency\List Prices - LC\

State
Data Type
Projection Function

Active
Numeric
Sum

High Precision

False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear) =  
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date  
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) Then  
FCTV_INVOICE.LIST_PRICE_LC_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Week Net Price - USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Week Net Price - USD
Week Price - USD
OBJ_385
OBJ_385
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - US Dollars\Net Prices - USD\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYearMonthWeek)  
= @Select(Prompts\DerivedValues\Ending Week) and @Select(Date  
Dimension\FinanceYear)=@Select(Prompts\DerivedValues\Ending  
Year) Then FCTV_INVOICE.NET_PRICE_USD_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Month Net Price - USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Month Net Price - USD
Month Net Price - USD
OBJ_386
OBJ_386
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - US Dollars\Net Prices - USD\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYearMonth)  
= @Select(Prompts\DerivedValues\Ending Year Month) Then  
FCTV_INVOICE.NET_PRICE_USD_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: QTD Net Price - USD

Name
Description
Cuid
Translation ID
Path

State

QTD Net Price - USD
QTD Net Price - USD : Total Net Price for Current Quarter
OBJ_691
OBJ_691
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - US Dollars\Net Prices - USD\
Active

Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYearQuarter)
= @Select(Prompts\DerivedValues\Ending YearQuarter) Then
FCTV_INVOICE.NET_PRICE_USD_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q1 Net Price - USD

Name
Description
Cuid
Translation ID
Path

Q1 Net Price - USD
Q1 Net Price - USD
OBJ_692
OBJ_692
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - US Dollars\Net Prices - USD\
Active
Numeric
Sum
False

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear)=
@Select(Prompts\DerivedValues\Ending Year) and
@Select(Date Dimension\Calendar Quarter Number) = 1 Then
FCTV_INVOICE.NET_PRICE_USD_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q2 Net Price - USD

Name
Description
Cuid
Translation ID
Path

Q2 Net Price - USD
Q2 Net Price - USD
OBJ_697
OBJ_697
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time
Measures Revenues - US Dollars\Net Prices - USD\
Active
Numeric
Sum
False

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Calendar Quarter
Number) = 2 and @Select(Date Dimension\FinanceYear)=
@Select(Prompts\DerivedValues\Ending Year) Then
FCTV_INVOICE.NET_PRICE_USD_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q3 Net Price - USD

Name
Description
Cuid
Translation ID

Q3 Net Price - USD
Q1 Net Price - USD
OBJ_698
OBJ_698

Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\Net Prices - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\Calendar Quarter Number) = 3 and@Select(Date Dimension\FinanceYear)=@Select(Prompts\DerivedValues\Ending Year) Then FCTV_INVOICE.NET_PRICE_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Q4 Net Price - USD

Name	Q4 Net Price - USD
Description	Q4Net Price - USD
Cuid	OBJ_699
Translation ID	OBJ_699
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\Net Prices - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\Calendar Quarter Number) = 4 and@Select(Date Dimension\FinanceYear)=@Select(Prompts\DerivedValues\Ending Year) Then FCTV_INVOICE.NET_PRICE_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Prior YTD Net Price - USD

Name	Prior YTD Net Price - USD
Description	Prior YTD Net Price - USD
Cuid	OBJ_387
Translation ID	OBJ_387
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\Net Prices - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Prior Ending Year) and@Select(Date Dimension\Order Input Date)<=add_days(@Select(Prompts\Ending Date),-365) Then FCTV_INVOICE.NET_PRICE_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: YTD Net Price - USD

Name	YTD Net Price - USD
Description	YTD Net Price - USD
Cuid	OBJ_388
Translation ID	OBJ_388
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\Net Prices - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) Then FCTV_INVOICE.NET_PRICE_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Week List Price - USD

Name	Week List Price - USD
Description	Week List Price - USD
Cuid	OBJ_424
Translation ID	OBJ_424
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\List Prices - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\Fin Week Nbr) = @Select(Prompts\DerivedValues\Ending Week) and @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) Then FCTV_INVOICE.LIST_PRICE_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Month List Price - USD

Name	Month List Price - USD
Description	Month List Price - USD
Cuid	OBJ_425
Translation ID	OBJ_425
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\List Prices - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceMonth) = @Select(Prompts\DerivedValues\Ending Month) Then FCTV_INVOICE.LIST_PRICE_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: QTD List Price - USD

Name	QTD List Price - USD
Description	QTD List Price - USD : Total List Price for Current Quarter
Cuid	OBJ_700
Translation ID	OBJ_700
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\List Prices - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) Then FCTV_INVOICE.LIST_PRICE_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Q1 List Price - USD

Name	Q1 List Price - USD
Description	Q1 List Price - USD
Cuid	OBJ_701
Translation ID	OBJ_701
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\List Prices - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\Calendar Quarter Number) = 1 and @Select(Date Dimension\FinanceYear)= @Select(Prompts\DerivedValues\Ending Year) Then FCTV_INVOICE.LIST_PRICE_USD_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Q2 List Price - USD

Name	Q2 List Price - USD
Description	Q2 List Price - USD
Cuid	OBJ_702
Translation ID	OBJ_702
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\List Prices - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\Calendar Quarter Number) = 2 and @Select(Date Dimension\FinanceYear)= @Select(Prompts\DerivedValues\Ending Year) Then FCTV_INVOICE.LIST_PRICE_USD_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
-------------------------------	--------

Data Sensitivity Category
Can be used in

Uncategorized data
Results, Filters, Sorts



Measure: Q3 List Price - USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Q3 List Price - USD
Q1 List Price - USD
OBJ_703
OBJ_703
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\List Prices - USD\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Calendar Quarter  
Number) = 3 and @Select(Date Dimension\FinanceYear)=  
@Select(Prompts\DerivedValues\Ending Year) Then  
FCTV_INVOICE.LIST_PRICE_USD_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q4 List Price - USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Q4 List Price - USD
Q4 List Price - USD
OBJ_704
OBJ_704
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\List Prices - USD\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Calendar Quarter  
Number) = 4 and @Select(Date Dimension\FinanceYear)=  
@Select(Prompts\DerivedValues\Ending Year) Then  
FCTV_INVOICE.LIST_PRICE_USD_AMT Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Prior YTD List Price - USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Prior YTD List Price - USD
Prior YTD List Price - USD
OBJ_426
OBJ_426
\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\List Prices - USD\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear)  
= @Select(Prompts\DerivedValues\Prior Ending  
Year) and @Select(Date Dimension\Order Input
```

Date)<=add_days(@Select(Prompts\Ending Date),-365) Then
FCTV_INVOICE.LIST_PRICE_USD_AMT Else 0 End)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: YTD List Price - USD

Name	YTD List Price - USD
Description	YTDList Price - USD
Cuid	OBJ_427
Translation ID	OBJ_427
Path	\Measures\Invoice\Time Measures\Time Measures - Revenues\Time Measures Revenues - US Dollars\List Prices - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) Then FCTV_INVOICE.LIST_PRICE_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: Week Current Contrib Cost - LC

Name	Week Current Contrib Cost - LC
Description	Week Current Contrib Cost - LC
Cuid	OBJ_409
Translation ID	OBJ_409
Path	\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - Local Currency\Current Contribution Cost - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\Fin Week Nbr) = @Select(Prompts\DerivedValues\Ending Week) Then FCTV_INVOICE.SHIP_CUR_CONTR_COST_LC_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: Month Current Contrib - LC

Name	Month Current Contrib - LC
Description	Month Current Contrib - LC
Cuid	OBJ_410
Translation ID	OBJ_410
Path	\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - Local Currency\Current Contribution Cost - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceMonth)
= @Select(Prompts\DerivedValues\Ending Month) Then
FCTV_INVOICE.SHIP_CUR_CONTR_COST_LC_AMT Else 0
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Prior YTD Current Contrib - LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Prior YTD Current Contrib - LC
Prior YTD Current Contrib - LC
OBJ_411
OBJ_411
\Measures\Invoice\Time Measures\Time Measures - Costs\Time
Measures Cost - Local Currency\Current Contribution Cost - LC\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear)
= @Select(Prompts\DerivedValues\Prior Ending
Year) and@Select(Date Dimension\Order Input
Date)<=add_days(@Select(Prompts\Ending Date),-365) Then
FCTV_INVOICE.SHIP_CUR_CONTR_COST_LC_AMT Else 0
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: YTD Current Contrib - LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

YTD Current Contrib - LC
YTD Current Contrib - LC
OBJ_412
OBJ_412
\Measures\Invoice\Time Measures\Time Measures - Costs\Time
Measures Cost - Local Currency\Current Contribution Cost - LC\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear) =
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) Then
FCTV_INVOICE.SHIP_CUR_CONTR_COST_LC_AMT Else 0
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Week Standard Contrib Cost - LC

Name
Description
Cuid
Translation ID

Week Standard Contrib Cost - LC
Week Standard Contrib Cost - LC
OBJ_428
OBJ_428

Path	\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - Local Currency\Standard Contribution Cost - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\Fin Week Nbr) = @Select(Prompts\DerivedValues\Ending Week) Then FCTV_INVOICE.SHIP_STD_CONTR_COST_LC_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Month Standard Contrib - LC

Name	Month Standard Contrib - LC
Description	Month Standard Contrib - LC
Cuid	OBJ_429
Translation ID	OBJ_429
Path	\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - Local Currency\Standard Contribution Cost - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceMonth) = @Select(Prompts\DerivedValues\Ending Month) Then FCTV_INVOICE.SHIP_STD_CONTR_COST_LC_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Prior YTD Standard Contrib - LC

Name	Prior YTD Standard Contrib - LC
Description	Prior YTD Standard Contrib - LC
Cuid	OBJ_430
Translation ID	OBJ_430
Path	\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - Local Currency\Standard Contribution Cost - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Prior Ending Year) and @Select(Date Dimension\Order Input Date)<=add_days(@Select(Prompts\Ending Date),-365) Then FCTV_INVOICE.SHIP_STD_CONTR_COST_LC_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: YTD Standard Contrib - LC

Name	YTD Standard Contrib - LC
Description	YTD Standard Contrib - LC
Cuid	OBJ_431
Translation ID	OBJ_431
Path	\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - Local Currency\Standard Contribution Cost - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) Then FCTV_INVOICE.SHIP_STD_CONTR_COST_LC_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Week Current Contrib Cost - USD

Name	Week Current Contrib Cost - USD
Description	Week Current Contrib Cost - USD
Cuid	OBJ_413
Translation ID	OBJ_413
Path	\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - USD\Current Contribution Cost - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\Fin Week Nbr) = @Select(Prompts\DerivedValues\Ending Week) Then FCTV_INVOICE.SHIP_CUR_CONTR_COST_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Month Current Contrib - USD

Name	Month Current Contrib - USD
Description	Month Current Contrib - USD
Cuid	OBJ_414
Translation ID	OBJ_414
Path	\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - USD\Current Contribution Cost - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceMonth) = @Select(Prompts\DerivedValues\Ending Month) Then FCTV_INVOICE.SHIP_CUR_CONTR_COST_USD_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Prior YTD Current Contrib - USD

Name	Prior YTD Current Contrib - USD
Description	Prior YTD Current Contrib - USD
Cuid	OBJ_415
Translation ID	OBJ_415
Path	\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - USD\Current Contribution Cost - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Prior Ending Year) and @Select(Date Dimension\Order Input Date) <= add_days(@Select(Prompts\Ending Date), -365) Then FCTV_INVOICE.SHIP_CUR_CONTR_COST_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: YTD Current Contrib - USD

Name	YTD Current Contrib - USD
Description	YTD Current Contrib - USD
Cuid	OBJ_416
Translation ID	OBJ_416
Path	\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - USD\Current Contribution Cost - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date) Then FCTV_INVOICE.SHIP_CUR_CONTR_COST_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Week Standard Contrib Cost - USD

Name	Week Standard Contrib Cost - USD
Description	Week Standard Contrib Cost - USD
Cuid	OBJ_432
Translation ID	OBJ_432
Path	\Measures\Invoice\Time Measures\Time Measures - Costs\Time Measures Cost - USD\Standard Contribution Cost - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Fin Week Nbr)
= @Select(Prompts\DerivedValues\Ending Week) Then
FCTV_INVOICE.SHIP_STD_CONTR_COST_USD_AMT Else 0
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Month Standard Contrib - USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Month Standard Contrib - USD
Month Standard Contrib - USD
OBJ_418
OBJ_418
\Measures\Invoice\Time Measures\Time Measures - Costs\Time
Measures Cost - USD\Standard Contribution Cost - USD\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceMonth)
= @Select(Prompts\DerivedValues\Ending Month) Then
FCTV_INVOICE.SHIP_STD_CONTR_COST_USD_AMT Else 0
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Prior YTD Standard Contrib - USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Prior YTD Standard Contrib - USD
Prior YTD Standard Contrib - USD
OBJ_433
OBJ_433
\Measures\Invoice\Time Measures\Time Measures - Costs\Time
Measures Cost - USD\Standard Contribution Cost - USD\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear)
= @Select(Prompts\DerivedValues\Prior Ending
Year) and@Select(Date Dimension\Order Input
Date)<=add_days(@Select(Prompts\Ending Date),-365) Then
FCTV_INVOICE.SHIP_STD_CONTR_COST_USD_AMT Else 0
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: YTD Standard Contrib - USD

Name
Description
Cuid
Translation ID

YTD Standard Contrib - USD
YTD Standard Contrib - USD
OBJ_434
OBJ_434

Path	\\Measures\\Invoice\\Time Measures\\Time Measures - Costs\\Time Measures Cost - USD\\Standard Contribution Cost - USD\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\\FinanceYear) = @Select(Prompts\\DerivedValues\\Ending Year) and @Select(Date Dimension\\Order Input Date)<=@Select(Prompts\\Ending Date) Then FCTV_INVOICE.SHIP_STD_CONTR_COST_USD_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: WTD Ship Qty

Name	WTD Ship Qty
Description	Week to date ship quantity
Cuid	OBJ_389
Translation ID	OBJ_389
Path	\\Measures\\Invoice\\Time Measures\\Time Measures - Quantities\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\\Fin Week Nbr) = @Select(Prompts\\DerivedValues\\Ending Week) and @Select(Date Dimension\\FinanceYear)=@Select(Prompts\\DerivedValues\\Ending Year) Then FCTV_INVOICE.SHIP_FT_OR_EACH_QTY Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: MTD Ship Qty

Name	MTD Ship Qty
Description	Month to date ship quantity
Cuid	OBJ_390
Translation ID	OBJ_390
Path	\\Measures\\Invoice\\Time Measures\\Time Measures - Quantities\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\\Fin Year Month Name)= @Select(Prompts\\DerivedValues\\Ending Year Month) Then FCTV_INVOICE.SHIP_FT_OR_EACH_QTY Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: QTD Ship Qty

Name	QTD Ship Qty
Description	QTD Ship Qty

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_392
OBJ_392
\Measures\Invoice\Time Measures\Time Measures - Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYearQuarter)
= @Select(Prompts\DerivedValues\Ending YearQuarter) Then
FCTV_INVOICE.SHIP_FT_OR_EACH_QTY Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q1 Ship Qty

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Q1 Ship Qty
Q1 Ship Quantity
OBJ_2839
OBJ_2839
\Measures\Invoice\Time Measures\Time Measures - Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear)=
@Select(Prompts\DerivedValues\Ending Year) and
@Select(Date Dimension\Calendar Quarter Number) = 1 Then
FCTV_INVOICE.SHIP_FT_OR_EACH_QTY Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q2 Ship Qty

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Q2 Ship Qty
Q2 Ship Quantity
OBJ_2840
OBJ_2840
\Measures\Invoice\Time Measures\Time Measures - Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Calendar Quarter
Number) = 2 and @Select(Date Dimension\FinanceYear)=
@Select(Prompts\DerivedValues\Ending Year) Then
FCTV_INVOICE.SHIP_FT_OR_EACH_QTY Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q3 Ship Qty

Name
Description
Cuid

Q3 Ship Qty
Q1 Ship Quantity
OBJ_2841

Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2841
\Measures\Invoice\Time Measures\Time Measures - Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Calendar Quarter  
Number) = 3 and @Select(Date Dimension\FinanceYear)=  
@Select(Prompts\DerivedValues\Ending Year) Then  
FCTV_INVOICE.SHIP_FT_OR_EACH_QTY Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Q4 Ship Qty

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Q4 Ship Qty
Q4 Ship Qty
OBJ_2842
OBJ_2842
\Measures\Invoice\Time Measures\Time Measures - Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Calendar Quarter  
Number) = 4 and @Select(Date Dimension\FinanceYear)=  
@Select(Prompts\DerivedValues\Ending Year) Then  
FCTV_INVOICE.SHIP_FT_OR_EACH_QTY Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Prior YTD Ship Qty

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Prior YTD Ship Qty
Prior YTD Ship Qty
OBJ_391
OBJ_391
\Measures\Invoice\Time Measures\Time Measures - Quantities\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear)  
= @Select(Prompts\DerivedValues\Prior Ending  
Year) and @Select(Date Dimension\Order Input  
Date)<=add_days(@Select(Prompts\Ending Date),-365) Then  
FCTV_INVOICE.SHIP_FT_OR_EACH_QTY Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: YTD Ship Qty

Name
Description

YTD Ship Qty
YTD Ship Quantity

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2843
OBJ_2843
\\Measures\\Invoice\\Time Measures\\Time Measures - Quantities\\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\\FinanceYear) =  
@Select(Prompts\\DerivedValues\\Ending Year) and @Select(Date  
Dimension\\Order Input Date)<=@Select(Prompts\\Ending Date) Then  
FCTV_INVOICE.SHIP_FT_OR_EACH_QTY Else 0 End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Week Current Contr Profit - LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Week Current Contr Profit - LC
Week Current Contr Profit - LC
OBJ_435
OBJ_435
\\Measures\\Invoice\\Time Measures\\Time Measures - Profits\\Time
Measure Profit - Local Currency\\Current Profit - LC\\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\\Fin Week  
Nbr) = @Select(Prompts\\DerivedValues\\Ending Week)  
Then FCTV_INVOICE.NET_PRICE_LC_AMT -  
FCTV_INVOICE.SHIP_CUR_CONTR_COST_LC_AMT Else 0  
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Week Current Gross Profit - LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Week Current Gross Profit - LC
Week Current Gross Profit - LC
OBJ_462
OBJ_462
\\Measures\\Invoice\\Time Measures\\Time Measures - Profits\\Time
Measure Profit - Local Currency\\Current Profit - LC\\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\\Fin Week  
Nbr) = @Select(Prompts\\DerivedValues\\Ending Week)  
Then FCTV_INVOICE.NET_PRICE_LC_AMT -  
FCTV_INVOICE.SHIP_CUR_GROSS_COST_LC_AMT Else 0  
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: Month Current Contr Profit - LC

Name	Month Current Contr Profit - LC
Description	Month Current Contr Profit - LC
Cuid	OBJ_436
Translation ID	OBJ_436
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\Current Profit - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceMonth) = @Select(Prompts\DerivedValues\Ending Month) Then FCTV_INVOICE.NET_PRICE_LC_AMT - FCTV_INVOICE.SHIP_CUR_CONTR_COST_LC_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Month Current Gross Profit - LC

Name	Month Current Gross Profit - LC
Description	Month Current Gross Profit - LC
Cuid	OBJ_463
Translation ID	OBJ_463
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\Current Profit - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceMonth) = @Select(Prompts\DerivedValues\Ending Month) Then FCTV_INVOICE.NET_PRICE_LC_AMT - FCTV_INVOICE.SHIP_CUR_GROSS_COST_LC_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Prior YTD Current Contr Profit - LC

Name	Prior YTD Current Contr Profit - LC
Description	Prior YTD Current Contr Profit - LC
Cuid	OBJ_437
Translation ID	OBJ_437
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\Current Profit - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Prior Ending Year) and @Select(Date Dimension\Order Input Date) <= add_days(@Select(Prompts\Ending Date), -365)
--------	---

Then FCTV_INVOICE.NET_PRICE_LC_AMT -
FCTV_INVOICE.SHIP_CUR_CONTR_COST_LC_AMT Else 0
End)

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Prior YTD Current Gross Profit - LC

Name	Prior YTD Current Gross Profit - LC
Description	Prior YTD Current Gross Profit - LC
Cuid	OBJ_464
Translation ID	OBJ_464
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\Current Profit - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Prior Ending Year) and @Select(Date Dimension\Order Input Date) <= add_days(@Select(Prompts\Ending Date), -365) Then FCTV_INVOICE.NET_PRICE_LC_AMT - FCTV_INVOICE.SHIP_CUR_GROSS_COST_LC_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: YTD Current Contr Profit - LC

Name	YTD Current Contr Profit - LC
Description	YTD Current Contr Profit - LC
Cuid	OBJ_438
Translation ID	OBJ_438
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\Current Profit - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date) <= @Select(Prompts\Ending Date) Then FCTV_INVOICE.NET_PRICE_LC_AMT - FCTV_INVOICE.SHIP_CUR_CONTR_COST_LC_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: YTD Current Gross Profit - LC

Name	YTD Current Gross Profit - LC
Description	YTD Current Gross Profit - LC
Cuid	OBJ_465
Translation ID	OBJ_465

Path	\\Measures\\Invoice\\Time Measures\\Time Measures - Profits\\Time Measure Profit - Local Currency\\Current Profit - LC\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\\FinanceYear) = @Select(Prompts\\DerivedValues\\Ending Year) and @Select(Date Dimension\\Order Input Date)<=@Select(Prompts\\Ending Date) Then FCTV_INVOICE.NET_PRICE_LC_AMT - FCTV_INVOICE.SHIP_CUR_GROSS_COST_LC_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Week Standard Contr Profit - LC

Name	Week Standard Contr Profit - LC
Description	Week Standard Contr Profit - LC
Cuid	OBJ_379
Translation ID	OBJ_379
Path	\\Measures\\Invoice\\Time Measures\\Time Measures - Profits\\Time Measure Profit - Local Currency\\Standard Profit - LC\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\\Fin Week Nbr) = @Select(Prompts\\DerivedValues\\Ending Week) Then FCTV_INVOICE.NET_PRICE_LC_AMT - FCTV_INVOICE.SHIP_STD_CONTR_COST_LC_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Week Standard Gross Profit - LC

Name	Week Standard Gross Profit - LC
Description	Week Standard Gross Profit - LC
Cuid	OBJ_466
Translation ID	OBJ_466
Path	\\Measures\\Invoice\\Time Measures\\Time Measures - Profits\\Time Measure Profit - Local Currency\\Standard Profit - LC\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\\Fin Week Nbr) = @Select(Prompts\\DerivedValues\\Ending Week) Then FCTV_INVOICE.NET_PRICE_LC_AMT - FCTV_INVOICE.SHIP_STD_GROSS_COST_LC_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Month Standard Contr Profit - LC

Name	Month Standard Contr Profit - LC
Description	Month Standard Contr Profit - LC
Cuid	OBJ_374
Translation ID	OBJ_374
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\Standard Profit - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceMonth)
= @Select(Prompts\DerivedValues\Ending Month)
Then FCTV_INVOICE.NET_PRICE_LC_AMT -
FCTV_INVOICE.SHIP_STD_CONTR_COST_LC_AMT Else 0
End)
```

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Month Standard Gross Profit - LC

Name	Month Standard Gross Profit - LC
Description	Month Standard Gross Profit - LC
Cuid	OBJ_467
Translation ID	OBJ_467
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\Standard Profit - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceMonth)
= @Select(Prompts\DerivedValues\Ending Month)
Then FCTV_INVOICE.NET_PRICE_LC_AMT -
FCTV_INVOICE.SHIP_STD_GROSS_COST_LC_AMT Else 0
End)
```

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Prior YTD Standard Contr Profit - LC

Name	Prior YTD Standard Contr Profit - LC
Description	Prior YTD Standard Contr Profit - LC
Cuid	OBJ_375
Translation ID	OBJ_375
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\Standard Profit - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear)
= @Select(Prompts\DerivedValues\Prior Ending
```

Year) and@Select(Date Dimension\Order Input Date)<=add_days(@Select(Prompts\Ending Date),-365)
Then FCTV_INVOICE.NET_PRICE_LC_AMT - FCTV_INVOICE.SHIP_STD_CONTR_COST_LC_AMT Else 0
End)

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Prior YTD Standard Gross Profit - LC

Name	Prior YTD Standard Gross Profit - LC
Description	Prior YTD Standard Gross Profit - LC
Cuid	OBJ_468
Translation ID	OBJ_468
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\Standard Profit - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Prior Ending Year) and@Select(Date Dimension\Order Input Date)<=add_days(@Select(Prompts\Ending Date),-365) Then FCTV_INVOICE.NET_PRICE_LC_AMT - FCTV_INVOICE.SHIP_STD_GROSS_COST_LC_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: YTD Standard Contr Profit - LC

Name	YTD Standard Contr Profit - LC
Description	YTD Standard Contr Profit - LC
Cuid	OBJ_376
Translation ID	OBJ_376
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measure Profit - Local Currency\Standard Profit - LC\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) Then FCTV_INVOICE.NET_PRICE_LC_AMT - FCTV_INVOICE.SHIP_STD_CONTR_COST_LC_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: YTD Standard Gross Profit - LC

Name	YTD Standard Gross Profit - LC
Description	YTD Standard Gross Profit - LC

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_469
OBJ_469
\Measures\Invoice\Time Measures\Time Measures - Profits\Time
Measure Profit - Local Currency\Standard Profit - LC\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear) =  
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date  
Dimension\Order Input Date)<=@Select(Prompts\Ending  
Date) Then FCTV_INVOICE.NET_PRICE_LC_AMT -  
FCTV_INVOICE.SHIP_STD_GROSS_COST_LC_AMT Else 0  
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Week Current Contr Profit - USD

Name
Description
Cuid
Translation ID
Path

Week Current Contr Profit - USD
Week Current Contr Profit - USD
OBJ_378
OBJ_378
\Measures\Invoice\Time Measures\Time Measures - Profits\Time
Measures Profit - US Dollars\Current Profit - USD\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Fin Week  
Nbr) = @Select(Prompts\DerivedValues\Ending Week)  
Then FCTV_INVOICE.NET_PRICE_USD_AMT -  
FCTV_INVOICE.SHIP_CUR_CONTR_COST_USD_AMT Else 0  
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Week Current Gross Profit - USD

Name
Description
Cuid
Translation ID
Path

Week Current Gross Profit - USD
Week Current Gross Profit - USD
OBJ_470
OBJ_470
\Measures\Invoice\Time Measures\Time Measures - Profits\Time
Measures Profit - US Dollars\Current Profit - USD\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\Fin Week  
Nbr) = @Select(Prompts\DerivedValues\Ending Week)  
Then FCTV_INVOICE.NET_PRICE_USD_AMT -  
FCTV_INVOICE.SHIP_CUR_GROSS_COST_USD_AMT Else 0  
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Month Current Contr Profit - USD

Name	Month Current Contr Profit - USD
Description	Month Current Contr Profit - USD
Cuid	OBJ_367
Translation ID	OBJ_367
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Current Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceMonth) = @Select(Prompts\DerivedValues\Ending Month) Then FCTV_INVOICE.NET_PRICE_USD_AMT - FCTV_INVOICE.SHIP_CUR_CONTR_COST_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Month Current Gross Profit - USD

Name	Month Current Gross Profit - USD
Description	Month Current Gross Profit - USD
Cuid	OBJ_471
Translation ID	OBJ_471
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Current Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceMonth) = @Select(Prompts\DerivedValues\Ending Month) Then FCTV_INVOICE.NET_PRICE_USD_AMT - FCTV_INVOICE.SHIP_CUR_GROSS_COST_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Prior YTD Current Contr Profit - USD

Name	Prior YTD Current Contr Profit - USD
Description	Prior YTD Current Contr Profit - USD
Cuid	OBJ_366
Translation ID	OBJ_366
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Current Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Prior Ending Year) and@Select(Date Dimension\Order Input Date)<=add_days(@Select(Prompts\Ending Date),-365) Then FCTV_INVOICE.NET_PRICE_USD_AMT - FCTV_INVOICE.SHIP_CUR_CONTR_COST_USD_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Prior YTD Current Gross Profit - USD

Name	Prior YTD Current Gross Profit - USD
Description	Prior YTD Current Gross Profit - USD
Cuid	OBJ_472
Translation ID	OBJ_472
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Current Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Prior Ending Year) and@Select(Date Dimension\Order Input Date)<=add_days(@Select(Prompts\Ending Date),-365) Then FCTV_INVOICE.NET_PRICE_USD_AMT - FCTV_INVOICE.SHIP_CUR_GROSS_COST_USD_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: YTD Current Contr Profit - USD

Name	YTD Current Contr Profit - USD
Description	YTD Current Contr Profit - USD
Cuid	OBJ_365
Translation ID	OBJ_365
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Current Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) Then FCTV_INVOICE.NET_PRICE_USD_AMT - FCTV_INVOICE.SHIP_CUR_CONTR_COST_USD_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: YTD Current Gross Profit - USD

Name	YTD Current Gross Profit - USD
Description	YTD Current Gross Profit - USD
Cuid	OBJ_473
Translation ID	OBJ_473
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Current Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) Then FCTV_INVOICE.NET_PRICE_USD_AMT - FCTV_INVOICE.SHIP_CUR_GROSS_COST_USD_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Week Standard Contr Profit - USD

Name	Week Standard Contr Profit - USD
Description	Week Standard Contr Profit - USD
Cuid	OBJ_439
Translation ID	OBJ_439
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Standard Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\Fin Week Nbr) = @Select(Prompts\DerivedValues\Ending Week) Then FCTV_INVOICE.NET_PRICE_USD_AMT- FCTV_INVOICE.SHIP_STD_CONTR_COST_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Week Standard Gross Profit - USD

Name	Week Standard Gross Profit - USD
Description	Week Standard Gross Profit - USD
Cuid	OBJ_474
Translation ID	OBJ_474
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Standard Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\Fin Week Nbr) = @Select(Prompts\DerivedValues\Ending Week) Then FCTV_INVOICE.NET_PRICE_USD_AMT- FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT Else 0 End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Month Standard Contr Profit - USD

Name	Month Standard Contr Profit - USD
Description	Month Standard Contr Profit - USD
Cuid	OBJ_440
Translation ID	OBJ_440
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Standard Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceMonth) = @Select(Prompts\DerivedValues\Ending Month) Then FCTV_INVOICE.NET_PRICE_USD_AMT- FCTV_INVOICE.SHIP_STD_CONTR_COST_USD_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Month Standard Gross Profit - USD

Name	Month Standard Gross Profit - USD
Description	Month Standard Gross Profit - USD
Cuid	OBJ_475
Translation ID	OBJ_475
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Standard Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceMonth) = @Select(Prompts\DerivedValues\Ending Month) Then FCTV_INVOICE.NET_PRICE_USD_AMT- FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Prior YTD Standard Contr Profit - USD

Name	Prior YTD Standard Contr Profit - USD
Description	Prior YTD Standard Contr Profit - USD
Cuid	OBJ_441
Translation ID	OBJ_441
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Standard Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear)
= @Select(Prompts\DerivedValues\Prior Ending
Year) and@Select(Date Dimension\Order Input
Date)<=add_days(@Select(Prompts\Ending Date),-365)
Then FCTV_INVOICE.NET_PRICE_USD_AMT-
FCTV_INVOICE.SHIP_STD_CONTR_COST_USD_AMT Else 0
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Prior YTD Standard Gross Profit - USD

Name	Prior YTD Standard Gross Profit - USD
Description	Prior YTD Standard Gross Profit - USD
Cuid	OBJ_476
Translation ID	OBJ_476
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Standard Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear)
= @Select(Prompts\DerivedValues\Prior Ending
Year) and@Select(Date Dimension\Order Input
Date)<=add_days(@Select(Prompts\Ending Date),-365)
Then FCTV_INVOICE.NET_PRICE_USD_AMT-
FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT Else 0
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: YTD Standard Contr Profit - USD

Name	YTD Standard Contr Profit - USD
Description	YTD Standard Contr Profit - USD
Cuid	OBJ_442
Translation ID	OBJ_442
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Standard Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(Case When @Select(Date Dimension\FinanceYear) =
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date
Dimension\Order Input Date)<=@Select(Prompts\Ending
Date) Then FCTV_INVOICE.NET_PRICE_USD_AMT-
FCTV_INVOICE.SHIP_STD_CONTR_COST_USD_AMT Else 0
End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: YTD Standard Gross Profit - USD

Name	YTD Standard Gross Profit - USD
Description	YTD Standard Gross Profit - USD
Cuid	OBJ_477
Translation ID	OBJ_477
Path	\Measures\Invoice\Time Measures\Time Measures - Profits\Time Measures Profit - US Dollars\Standard Profit - USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) Then FCTV_INVOICE.NET_PRICE_USD_AMT-FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT Else 0 End)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Plan CGS Amt -USD

Name	Plan CGS Amt -USD
Description	Plan CGS Amount - USD : FCTV_INVOICE.PLAN_CGS_USD_AMT
Cuid	OBJ_4390
Translation ID	OBJ_4390
Path	\Measures\Forecast\Plan\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.PLAN_CGS_USD_AMT)
--------	------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Plan Revenue Amt - USD

Name	Plan Revenue Amt - USD
Description	Plan Revenue amount by Region and Customer in USD: SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY in ('50') OR DIM_REC_TYPE.PLAN_IND='Y' THEN FCTV_INVOICE.PLAN_USD_AMT ELSE 0 END) THEN FCTV_INVOICE.PLAN_USD_AMT ELSE 0 END)
Cuid	OBJ_4384
Translation ID	OBJ_4384
Path	\Measures\Forecast\Plan\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY in ('50') OR DIM_REC_TYPE.PLAN_IND='Y' THEN FCTV_INVOICE.PLAN_USD_AMT ELSE 0 END)
--------	---

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Forecast Revenue Amt - Monthly USD

Name	Forecast Revenue Amt - Monthly USD
Description	Monthly Forecast Revenue Amount in USD : SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='51' OR DIM_REC_TYPE.MTH_R2Q_IND='Y' or DIM_REC_TYPE.MTH_R2Q_REV_IND='Y' THEN FCTV_INVOICE.R2Q_USD_AMT ELSE 0 END)
Cuid	OBJ_4393
Translation ID	OBJ_4393
Path	\Measures\Forecast\Annual Forecast\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='51' OR DIM_REC_TYPE.MTH_R2Q_IND='Y' or DIM_REC_TYPE.MTH_R2Q_REV_IND='Y' THEN FCTV_INVOICE.R2Q_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Revenue Amt - Quarterly USD

Name	Forecast Revenue Amt - Quarterly USD
Description	Quarterly R2Q Revenue Amount in USD : SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='52' OR DIM_REC_TYPE.QTR_R2Q_IND='Y' or DIM_REC_TYPE.QTR_R2Q_REV_IND='Y' THEN FCTV_INVOICE.R2Q_USD_AMT ELSE 0 END)
Cuid	OBJ_4400
Translation ID	OBJ_4400
Path	\Measures\Forecast\Annual Forecast\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='52' OR DIM_REC_TYPE.QTR_R2Q_IND='Y' or DIM_REC_TYPE.QTR_R2Q_REV_IND='Y' THEN FCTV_INVOICE.R2Q_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Anchor Revenue Amt - USD

Name	Anchor Revenue Amt - USD
Description	Anchor Revenue Amount in USD - Forecast that is written in the first month of the latest quarter: SUM(FCTV_INVOICE.ANCHOR_USD_AMT)
Cuid	_ZeEaEWR_Ee-ftr1rUiF_Ug
Translation ID	_ZeEaEmR_Ee-ftr1rUiF_Ug
Path	\Measures\Forecast\Annual Forecast\
State	Active

Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select SUM(FCTV_INVOICE.ANCHOR_USD_AMT)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
Can be used in Results, Filters, Sorts



Measure: Forecast Cost Amt - Monthly USD

Name Forecast Cost Amt - Monthly USD
Description Monthly Forecast Cost Amount in USD : SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.COST_FCST_USD_AMT ELSE 0 END)
Cuid OBJ_4881
Translation ID OBJ_4881
Path \Measures\Forecast\Annual Forecast\Cost Forecast\
State Active
Data Type Numeric
Projection Function Sum
High Precision False

SQL Definition

Select SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.COST_FCST_USD_AMT ELSE 0 END)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
Can be used in Results, Filters, Sorts



Measure: Forecast Cost Amt - Quarterly USD

Name Forecast Cost Amt - Quarterly USD
Description Quarterly Forecast Cost Amount in USD : SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.COST_FCST_USD_AMT ELSE 0 END)
Cuid OBJ_4883
Translation ID OBJ_4883
Path \Measures\Forecast\Annual Forecast\Cost Forecast\
State Active
Data Type Numeric
Projection Function Sum
High Precision False

SQL Definition

Select SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.COST_FCST_USD_AMT ELSE 0 END)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
Can be used in Results, Filters, Sorts



Measure: Anchor Cost Amt - USD

Name Anchor Cost Amt - USD
Description Anchor Cost Amount in USD - Cost forecast that is written in the first month of the latest quarter: SUM(FCTV_INVOICE.COST_ANCHOR_USD_AMT)
Cuid _ne1ml2R_Ee-ft1rUiF_Ug
Translation ID _ne1mJGR_Ee-ft1rUiF_Ug
Path \Measures\Forecast\Annual Forecast\Cost Forecast\
State Active
Data Type Numeric

Projection Function
High Precision

Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.COST_ANCHOR_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: P&L Forecast 1 Amt -USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

P&L Forecast 1 Amt -USD
Profit & Loss Forecast Amount forecasted at BOQ :
FCTV_INVOICE.P&L_FORECAST1_USD_AMT
OBJ_4409
OBJ_4409
\Measures\Forecast\P&L Forecast\
Hidden
Numeric
Sum
False

SQL Definition

Select

sum(FCTV_INVOICE.PL_FORECAST1_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: P&L Forecast 2 Amt - USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

P&L Forecast 2 Amt - USD
Profit & Loss Forecast Amount forecasted in the Third Month of
quarter : FCTV_INVOICE.P&L_FORECAST2_USD_AMT
OBJ_4410
OBJ_4410
\Measures\Forecast\P&L Forecast\
Hidden
Numeric
Sum
False

SQL Definition

Select

sum(FCTV_INVOICE.PL_FORECAST2_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: P&L Forecast 1 CGS Amt - USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

P&L Forecast 1 CGS Amt - USD
P&L Forecast 1 CGS Amt Description: Profit &
Loss Forecast CGS Amount forecasted at BOQ :
FCTV_INVOICE.P&L_FORECAST1_CGS_AMT
OBJ_4411
OBJ_4411
\Measures\Forecast\P&L Forecast\
Hidden
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.PL_FORECAST1_CGS_USD_AMT)

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: P&L Forecast 2 CGS Amt - USD**

Name	P&L Forecast 2 CGS Amt - USD
Description	Profit & Loss Forecast CGS Amount forecasted in the Third Month of the quarter : FCTV_INVOICE.P&L_FORECAST2_CGS_AMT
Cuid	OBJ_4412
Translation ID	OBJ_4412
Path	\Measures\Forecast\P&L Forecast\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.PL_FORECAST2_CGS_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: STAT Revenue Forecast – Latest Revision - Full Qtr Amt – USD**

Name	STAT Revenue Forecast – Latest Revision - Full Qtr Amt – USD
Description	Latest Revision of Statistical Forecast Amount in USD: SUM(FCTV_INVOICE.STAT_CURRENT_USD_AMT)
Cuid	OBJ_4414
Translation ID	OBJ_4414
Path	\Measures\Forecast\STAT Forecast\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.STAT_CURRENT_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: STAT Revenue Forecast – After 2nd Month Revision - Full Qtr Amt – USD**

Name	STAT Revenue Forecast – After 2nd Month Revision - Full Qtr Amt – USD
Description	Third Revision of Statistical Forecast Amount in USD: SUM(FCTV_INVOICE.STAT_REV0_3RD_USD_AMT)
Cuid	OBJ_4415
Translation ID	OBJ_4415
Path	\Measures\Forecast\STAT Forecast\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.STAT_REV0_3RD_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: STAT Revenue Forecast – After 1st Month Revision - Full Qtr Amt – USD**

Name	STAT Revenue Forecast – After 1st Month Revision - Full Qtr Amt – USD
Description	Second Revision of Statistical Forecast Amount in USD: SUM(FCTV_INVOICE.STAT_REV1_2ND_USD_AMT)
Cuid	OBJ_4416
Translation ID	OBJ_4416
Path	\Measures\Forecast\STAT Forecast\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.STAT_REV1_2ND_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: STAT Revenue Forecast – BOQ Revision - Full Qtr Amt - USD**

Name	STAT Revenue Forecast – BOQ Revision - Full Qtr Amt - USD
Description	First Revision of Statistical Forecast Amount in USD: SUM(FCTV_INVOICE.STAT_REV2_1ST_USD_AMT)
Cuid	OBJ_4417
Translation ID	OBJ_4417
Path	\Measures\Forecast\STAT Forecast\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.STAT_REV2_1ST_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: EstOrderInput-Doc**

Name	EstOrderInput-Doc
Description	Estimated Order Input DOC Amt: FCTV_INVOICE.EST_ORD_INPUT_LC_AMT: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.
Cuid	OBJ_2987
Translation ID	OBJ_2987
Path	\Measures\Order Input\Amount\Document Currency-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.EST_ORD_INPUT_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Measure: ListPrice-Doc**

Name	ListPrice-Doc
Description	List Price in Document Currency:SUM(FCTV_INVOICE.LIST_PRICE_LC_AMT)
Cuid	OBJ_3637
Translation ID	OBJ_3637
Path	\Measures\Order Input\Amount\Document Currency-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.LIST_PRICE_LC_AMT)
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Measure: ContractPrice-Doc**

Name	ContractPrice-Doc
Description	Contract Price in Document Currency: SUM(FCTV_INVOICE.CONTRACT_PRICE_LC_AMT)
Cuid	OBJ_3638
Translation ID	OBJ_3638
Path	\Measures\Order Input\Amount\Document Currency-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.CONTRACT_PRICE_LC_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Measure: ManualDiscountPrice-Doc**

Name	ManualDiscountPrice-Doc
Description	Manual Discount Price in Document Currency: SUM(FCTV_INVOICE.MANUAL_DISCOUNT_PRICE_LC_AMT)
Cuid	OBJ_3639
Translation ID	OBJ_3639
Path	\Measures\Order Input\Amount\Document Currency-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.MANUAL_DISCOUNT_PRICE_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Measure: SurchargePrice-Doc**

Name	SurchargePrice-Doc
------	--------------------

Description	Surcharge Price in Document Currency: SUM(FCTV_INVOICE.SURCHARGE_PRICE_LC_AMT)
Cuid	OBJ_3640
Translation ID	OBJ_3640
Path	\Measures\Order Input\Amount\Document Currency-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SURCHARGE_PRICE_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: OrderInput-Doc

Name	OrderInput-Doc
Description	Order Input DOC Amt: FCTV_INVOICE.ORD_INPUT_LC_AMT: This is net price including external sales, returns, and discounts.
Cuid	OBJ_3844
Translation ID	OBJ_3844
Path	\Measures\Order Input\Amount\Document Currency-Doc\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.ORD_INPUT_LC_AMT)
--------	------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: EstOrderInput-USD

Name	EstOrderInput-USD
Description	Estimated Order Input USD Amt: FCTV_INVOICE.EST_ORD_INPUT_USD_AMT: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.
Cuid	OBJ_2986
Translation ID	OBJ_2986
Path	\Measures\Order Input\Amount\US Dollars-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.EST_ORD_INPUT_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: ListPrice-USD

Name	ListPrice-USD
------	---------------

Description	List Price in USD
Cuid	OBJ_3645
Translation ID	OBJ_3645
Path	\Measures\Order Input\Amount\US Dollars-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.LIST_PRICE_USD_AMT)
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: ContractPrice-USD

Name	ContractPrice-USD
Description	Contract Price in USD
Cuid	OBJ_3646
Translation ID	OBJ_3646
Path	\Measures\Order Input\Amount\US Dollars-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.CONTRACT_PRICE_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: ManualDiscountPrice-USD

Name	ManualDiscountPrice-USD
Description	Manual Discount Price in USD
Cuid	OBJ_3647
Translation ID	OBJ_3647
Path	\Measures\Order Input\Amount\US Dollars-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.MANUAL_DISCOUNT_PRICE_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: SurchargePrice-USD

Name	SurchargePrice-USD
Description	Surcharge Price in USD
Cuid	OBJ_3648
Translation ID	OBJ_3648
Path	\Measures\Order Input\Amount\US Dollars-USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

SUM(FCTV_INVOICE.SURCHARGE_PRICE_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

**Measure: OrderInput-USD**

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OrderInput-USD
Order Input USD Amt: FCTV_INVOICE.ORD_INPUT_USD_AMT:
This is net price including external sales, returns, and discounts.
OBJ_3845
OBJ_3845
\Measures\Order Input\Amount\US Dollars-USD\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.ORD_INPUT_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

**Measure: EstOrderInput-USD-Under 60 Days**

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

EstOrderInput-USD-Under 60 Days
Order Input in the under two months horizon. If the Current Promise data is populated, the time frame is based on the Current Promise Date. If the Current Promise is not populated, the timeframe is based on the Customer Requested Ship Date.
OBJ_2795
OBJ_2795
\Measures\Order Input\Amount\US Dollars-USD\
Active
Numeric
Sum
False

SQL Definition

Select

Sum(Case when (DIM_SALES_ORDER.EST_SHIP_DT
<= add_days(current_date, 60) and
DIM_SALES_ORDER.EST_SHIP_DT >= current_date)
or (DIM_SALES_ORDER.EST_SHIP_DT is null and
DIM_SALES_ORDER.CUST_REQ_DT <= add_days(current_date,
60) and DIM_SALES_ORDER.CUST_REQ_DT >= current_date)
then FCTV_INVOICE.ORD_INPUT_AMT else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

**Measure: EstOrderInput-USD-61 to 180 days**

Name
Description

Cuid
Translation ID
Path

EstOrderInput-USD-61 to 180 days
Order Input in the three to six month horizon. If the Current Promise data is populated, the time frame is based on the Current Promise Date. If the Current Promise is not populated, the timeframe is based on the Customer Requested Ship Date.
OBJ_2796
OBJ_2796
\Measures\Order Input\Amount\US Dollars-USD\
Active
Numeric
Sum
False

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
Sum(Case when (DIM_SALES_ORDER.EST_SHIP_DT  
<= add_days(current_date, 180) and  
DIM_SALES_ORDER.EST_SHIP_DT >= add_days(current_date,  
+ 61)) or (DIM_SALES_ORDER.EST_SHIP_DT is null and  
DIM_SALES_ORDER.CUST_REQ_DT <= add_days(current_date,  
180) and DIM_SALES_ORDER.CUST_REQ_DT  
>= add_days(current_date, 61)) then  
FCTV_INVOICE.ORD_INPUT_AMT else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: EstOrderInput-USD-Over 180 days

Name
Description

EstOrderInput-USD-Over 180 days
Order Input in the over six months horizon. If the Current Promise data is populated, the time frame is based on the Current Promise Date. If the Current Promise is not populated, the timeframe is based on the Customer Requested Ship Date.

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2797
OBJ_2797
\Measures\Order Input\Amount\US Dollars-USD\
Active
Numeric
Sum
False

SQL Definition

Select

```
Sum(Case when (DIM_SALES_ORDER.EST_SHIP_DT  
>= add_days(current_date, 181)) or  
(DIM_SALES_ORDER.EST_SHIP_DT is null and  
DIM_SALES_ORDER.CUST_REQ_DT >= add_days(current_date,  
181)) then FCTV_INVOICE.ORD_INPUT_AMT else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: WeekToDate-EstOrderInput-USD

Name
Description

WeekToDate-EstOrderInput-USD
Week To Date based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2787
OBJ_2787
\Measures\Order Input\Amount\US Dollars-USD\To Date\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearMonth)  
= @Select(Prompts\DerivedValues\Ending Year Month) and  
@Select(Date Dimension\Mon-Fri Date Week In Month
```

Nbr) = @Select(Prompts\DerivedValues\Ending Week) then
FCTV_INVOICE.ORD_INPUT_AMT else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: Yesterday-EstOrderInput-USD

Name
Description

Yesterday-EstOrderInput-USD
Yesterday based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_3754
OBJ_3754
\Measures\Order Input\Amount\US Dollars-USD\To Date\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(case when @Select(Date Dimension
\CalendarDate) = @Select(Prompts\Ending Date) then
FCTV_INVOICE.ORD_INPUT_AMT else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: MonthToDate-EstOrderInput-USD

Name
Description

MonthToDate-EstOrderInput-USD
Month To Date based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2788
OBJ_2788
\Measures\Order Input\Amount\US Dollars-USD\To Date\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(case when @Select(Date Dimension\FinanceYearMonth)
= @Select(Prompts\DerivedValues\Ending Year Month) and
@Select(Date Dimension\Mon-Fri Date)<=@Select(Prompts\Ending
Date) then FCTV_INVOICE.ORD_INPUT_AMT else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: QuarterToDate-EstOrderInput-USD

Name
Description

QuarterToDate-EstOrderInput-USD
Quarter To Date based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale.

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Estimated DAR percentage is subtracted from Adjusted gross price.
Every month, estimated DAR percentage is submitted by finance.

OBJ_2789
OBJ_2789
\Measures\Order Input\Amount\US Dollars-USD\To Date\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearQuarter)
= @Select(Prompts\DerivedValues\Ending YearQuarter) and
@Select(Date Dimension\Mon-Fri Date)<=@Select(Prompts\Ending
Date) then FCTV_INVOICE.ORD_INPUT_AMT else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: YearToDate-EstOrderInput-USD

Name
Description

YearToDate-EstOrderInput-USD
Year To Date based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2790
OBJ_2790
\Measures\Order Input\Amount\US Dollars-USD\To Date\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYear) =
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then
FCTV_INVOICE.ORD_INPUT_AMT else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: OrderInputQty

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OrderInputQty
FCTV_INVOICE.ORD_INPUT_QTY: Order Input Quantity
OBJ_2988
OBJ_2988
\Measures\Order Input\Quantity\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(FCTV_INVOICE.ORD_INPUT_QTY)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

**Measure: OrderInputFeetOrEachQty**

Name	OrderInputFeetOrEachQty
Description	FCTV_INVOICE.ORD_INPUT_FT_OR_EACH_QTY: Order Input Quantity
Cuid	OBJ_3653
Translation ID	OBJ_3653
Path	\Measures\Order Input\Quantity\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.ORD_INPUT_FT_OR_EACH_QTY)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: OrderInputMetersOrEachQty**

Name	OrderInputMetersOrEachQty
Description	FCTV_INVOICE.ORD_INPUT_MT_OR_EACH_QTY: Order Input Quantity
Cuid	OBJ_3837
Translation ID	OBJ_3837
Path	\Measures\Order Input\Quantity\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.ORD_INPUT_MT_OR_EACH_QTY)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: WeekToDate-OrderInput-QTY**

Name	WeekToDate-OrderInput-QTY
Description	Week To Date based on User Entered Date or System Date - 1
Cuid	OBJ_3755
Translation ID	OBJ_3755
Path	\Measures\Order Input\Quantity\To Date Quantity\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension\Mon-Fri Date Week In Month Nbr)= @Select(Prompts\DerivedValues\Ending Week) and @Select(Date Dimension\Mon-Fri Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.ORD_INPUT_QTY else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: MonthToDate-OrderInput-QTY**

Name	MonthToDate-OrderInput-QTY
Description	Month To Date based on User Entered Date or System Date - 1
Cuid	OBJ_3756
Translation ID	OBJ_3756
Path	\Measures\Order Input\Quantity\To Date Quantity\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension\Mon-Fri Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.ORD_INPUT_QTY else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: QuarterToDate-OrderInput-QTY

Name	QuarterToDate-OrderInput-QTY
Description	Quarter To Date based on User Entered Date or System Date - 1
Cuid	OBJ_3757
Translation ID	OBJ_3757
Path	\Measures\Order Input\Quantity\To Date Quantity\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) and @Select(Date Dimension\Mon-Fri Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.ORD_INPUT_QTY else 0 end)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: YearToDate-OrderInput-QTY

Name	YearToDate-OrderInput-QTY
Description	Year To Date based on User Entered Date or System Date - 1
Cuid	OBJ_3758
Translation ID	OBJ_3758
Path	\Measures\Order Input\Quantity\To Date Quantity\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Mon-Fri Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.ORD_INPUT_QTY else 0 end)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-DirectLaborCost-LC

Name	Std-DirectLaborCost-LC
Description	Standard Direct Labor Cost, Local Currency
Cuid	OBJ_3854
Translation ID	OBJ_3854
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_DL_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-MaterialCost-LC

Name	Std-MaterialCost-LC
Description	Standard Material Cost,Local Currency
Cuid	OBJ_3855
Translation ID	OBJ_3855
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_MAT_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-VOHCost-LC

Name	Std-VOHCost-LC
Description	Standard Variable Overhead Cost, Local Currency
Cuid	OBJ_3856
Translation ID	OBJ_3856
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_VOH_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-ScrapCost-LC

Name	Std-ScrapCost-LC
Description	Standard Scrap Cost,Local Currency
Cuid	OBJ_3857
Translation ID	OBJ_3857
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_SCRAP_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-FOHCost-LC

Name	Std-FOHCost-LC
Description	Standard Fixed Overhead,Local Currency
Cuid	OBJ_3858
Translation ID	OBJ_3858
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_FOH_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-SubcontractCost-LC

Name	Std-SubcontractCost-LC
Description	Standard Subcontracting Cost Local Currency
Cuid	OBJ_3861
Translation ID	OBJ_3861
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-FreightCost-LC

Name	Std-FreightCost-LC
Description	Standard Freight Cost Local Currency
Cuid	OBJ_3862
Translation ID	OBJ_3862
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_FREIGHT_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-DutyCost-LC

Name	Std-DutyCost-LC
Description	Standard Duty Cost Local Currency
Cuid	OBJ_3863
Translation ID	OBJ_3863
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_DUTY_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-ContributionCost-LC

Name	Std-ContributionCost-LC
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap
Cuid	OBJ_3859
Translation ID	OBJ_3859
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_CONTR_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-GrossCost-LC

Name	Std-GrossCost-LC
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead
Cuid	OBJ_3860
Translation ID	OBJ_3860
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case When FCTV_INVOICE.SRC_ID = 'Order Input' and (upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARGUS', 'LXS') OR upper(FCTV_INVOICE.SRC_SYS_ID) LIKE 'TED%') Then FCTV_INVOICE.SHIP_STD_GROSS_COST_LC_AMT Else (DIM_PROD_COST.STD_GROSS_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE) End)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cur-DirectLaborCost-LC

Name	Cur-DirectLaborCost-LC
Description	Current Direct Labor Cost, Local Currency
Cuid	OBJ_3864
Translation ID	OBJ_3864
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current Costs (PP1 - Current Material & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_DL_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cur-MaterialCost-LC

Name	Cur-MaterialCost-LC
Description	Current Material Cost, Local Currency
Cuid	OBJ_3865
Translation ID	OBJ_3865
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current Costs (PP1 - Current Material & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_MAT_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-VOHCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Cur-VOHCost-LC
Current Variable Overhead Cost, Local Currency
OBJ_3866
OBJ_3866
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_VOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-ScrapCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Cur-ScrapCost-LC
Current Scrap Cost Local Currency
OBJ_3867
OBJ_3867
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_SCRAP_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-FOHCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Cur-FOHCost-LC
Current Fixed Overhead Cost, Local Currency
OBJ_3868
OBJ_3868
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_FOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-ContributionCost-LC

Name	Cur-ContributionCost-LC
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap
Cuid	OBJ_3869
Translation ID	OBJ_3869
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current Costs (PP1 - Current Material & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_CONTR_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cur-GrossCost-LC

Name	Cur-GrossCost-LC
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead
Cuid	OBJ_3870
Translation ID	OBJ_3870
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current Costs (PP1 - Current Material & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_GROSS_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cur-SubcontractCost-LC

Name	Cur-SubcontractCost-LC
Description	Current Subcontracting Cost Local Currency
Cuid	OBJ_3871
Translation ID	OBJ_3871
Path	\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current Costs (PP1 - Current Material & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-FreightCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Cur-FreightCost-LC
Current Freight Cost Local Currency
OBJ_3872
OBJ_3872
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_FREIGHT_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-DutyCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Cur-DutyCost-LC
Current Duty Cost Local Currency
OBJ_3873
OBJ_3873
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_DUTY_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-DirectLabor-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-DirectLabor-LC
PP2 Direct Labor Cost, Local Currency
OBJ_3884
OBJ_3884
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_DL_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-MaterialCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-MaterialCost-LC
PP2 Material Cost,Local Currency
OBJ_3885
OBJ_3885
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_MAT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-VOHCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-VOHCost-LC
PP2 Variable Overhead Cost, Local Currency
OBJ_3886
OBJ_3886
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_VOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-ScrapCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-ScrapCost-LC
PP2 Scrap Cost,Local Currency
OBJ_3887
OBJ_3887
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_SCRAP_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```


Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-FOHCost-LC

Name
Description
Cuid
Translation ID
Path

PP2-FOHCost-LC
PP2 Fixed Overhead,Local Currency,Shipping Location
OBJ_3888
OBJ_3888
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_FOH_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-SubcontractCost-LC

Name
Description
Cuid
Translation ID
Path

PP2-SubcontractCost-LC
PP2 Subcontracting Cost Local Currency
OBJ_3889
OBJ_3889
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_SUB_CONTRACT_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-FreightCost-LC

Name
Description
Cuid
Translation ID
Path

PP2-FreightCost-LC
PP2 Freight Cost Local Currency
OBJ_3890
OBJ_3890
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_FREIGHT_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-DutyCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-DutyCost-LC
PP2 Duty Cost Local Currency
OBJ_3891
OBJ_3891
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_DUTY_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-ContributionCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-ContributionCost-LC
Direct Labor + Material Cost + Variable Overhead Cost + Scrap
OBJ_3892
OBJ_3892
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_CONTR_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-GrossCost-LC

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-GrossCost-LC
Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed
Overhead
OBJ_3893
OBJ_3893
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP2_GROSS_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-DirectLabor-LC

Name
Description
Cuid
Translation ID
Path

PP3-DirectLabor-LC
PP3 Direct Labor Cost, Local Currency
OBJ_3874
OBJ_3874
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP3 - Current Material & Current Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_DL_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-MaterialCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-MaterialCost-LC
PP3 Material Cost,Local Currency
OBJ_3875
OBJ_3875
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP3 - Current Material & Current Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_MAT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-VOHCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-VOHCost-LC
PP3 Variable Overhead Cost, Local Currency
OBJ_3876
OBJ_3876
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP3 - Current Material & Current Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_VOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-ScrapCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-ScrapCost-LC
PP3 Scrap Cost,Local Currency
OBJ_3877
OBJ_3877
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP3 - Current Material & Current Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_SCRAP_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-FOHCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-FOHCost-LC
PP3 Fixed Overhead,Local Currency
OBJ_3878
OBJ_3878
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP3 - Current Material & Current Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_FOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-SubcontractCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-SubcontractCost-LC
PP3 Subcontracting Cost Local Currency
OBJ_3879
OBJ_3879
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP3 - Current Material & Current Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-FreightCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-FreightCost-LC
PP3 Freight Cost Local Currency
OBJ_3880
OBJ_3880
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP3 - Current Material & Current Labor)\
Active
Numeric
Sum
False

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_FREIGHT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-DutyCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-DutyCost-LC
PP3 Duty Cost Local Currency
OBJ_3881
OBJ_3881
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP3 - Current Material & Current Labor)\
Active
Numeric
Sum
False

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_DUTY_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-ContributionCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-ContributionCost-LC
Direct Labor + Material Cost + Variable Overhead Cost + Scrap
OBJ_3882
OBJ_3882
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP3 - Current Material & Current Labor)\
Active
Numeric
Sum
False

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_CONTR_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-GrossCost-LC

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP3-GrossCost-LC
Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed
Overhead
OBJ_3883
OBJ_3883
\Measures\Order Input\Cost\Costs-Local Currency-LC\LC-Current
Costs (PP3 - Current Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_GROSS_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-DirectLaborCost-USD

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Std-DirectLaborCost-USD
Standard Direct Labor Cost, USD:
SUM(DIM_PROD_COST.STD_DL_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3894
OBJ_3894
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Standard
Costs\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_DL_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-MaterialCost-USD

Name
Description

Std-MaterialCost-USD
Standard Material Cost,USD:
SUM(DIM_PROD_COST.STD_MAT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3895
OBJ_3895
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Standard
Costs\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_MAT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-VOHCost-USD

Name
Description

Std-VOHCost-USD
Standard Variable Overhead Cost, USD:
SUM(DIM_PROD_COST.STD_VOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3896
OBJ_3896
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Standard
Costs\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.STD_VOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-ScrapCost-USD

Name
Description

Std-ScrapCost-USD
Standard Scrap Cost,USD:
SUM(DIM_PROD_COST.STD_SCRAP_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3897
OBJ_3897
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Standard
Costs\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.STD_SCRAP_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-FOHCost-USD

Name

Std-FOHCost-USD

Description

Standard Fixed Overhead,USD:

SUM(DIM_PROD_COST.STD_FOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid

OBJ_3898

Translation ID

OBJ_3898

Path

\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Standard
Costs\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_FOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-SubcontractCost-USD

Name

Std-SubcontractCost-USD

Description

Standard Subcontracting Cost USD:

SUM(DIM_PROD_COST.STD_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY*
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid

OBJ_3901

Translation ID

OBJ_3901

Path

\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Standard
Costs\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY*
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-FreightCost-USD

Name	Std-FreightCost-USD
Description	Standard Freight Cost USD: SUM(DIM_PROD_COST.STD_FREIGHT_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
Cuid	OBJ_3902
Translation ID	OBJ_3902
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_FREIGHT_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-DutyCost-USD

Name	Std-DutyCost-USD
Description	Standard Duty Cost USD: SUM(DIM_PROD_COST.STD_DUTY_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
Cuid	OBJ_3903
Translation ID	OBJ_3903
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Standard Costs\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_DUTY_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-ContributionCost-USD

Name	Std-ContributionCost-USD
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap: SUM(DIM_PROD_COST.STD_CONTR_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
Cuid	OBJ_3899
Translation ID	OBJ_3899
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Standard Costs\
State	Active

Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.STD_CONTR_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY*  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-GrossCost-USD

Name
Description

Std-GrossCost-USD
Direct Labor + Material Cost + Variable Overhead Cost + Scrap
+ Fixed Overhead: SUM(Case When FCTV_INVOICE.SRC_ID
= 'Order Input' and (upper(FCTV_INVOICE.SRC_SYS_ID) in
('ARGUS', 'LXS') OR upper(FCTV_INVOICE.SRC_SYS_ID)
LIKE 'TED%' OR upper(FCTV_INVOICE.SRC_SYS_ID)
in ('ARS-EDW','ARS-RUK','ARS-HYP','ARS-BRZ')) Then
FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT
Else (DIM_PROD_COST.STD_GROSS_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE) End)
OBJ_3900
OBJ_3900
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Standard
Costs\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(Case When FCTV_INVOICE.SRC_ID = 'Order Input'  
and (upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARGUS',  
'LXS') OR upper(FCTV_INVOICE.SRC_SYS_ID) LIKE  
'TED%' OR upper(FCTV_INVOICE.SRC_SYS_ID) in  
( 'ARS-EDW','ARS-RUK','ARS-HYP','ARS-BRZ')) Then  
FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT  
Else (DIM_PROD_COST.STD_GROSS_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE ) End)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-DirectLaborCost-USD

Name
Description

Cur-DirectLaborCost-USD
Current Direct Labor Cost, USD:
SUM(DIM_PROD_COST.CUR_DL_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3904
OBJ_3904
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP1 - Current Material & Std Labor)\

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_DL_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-MaterialCost-USD

Name
Description

Cur-MaterialCost-USD
Current Material Cost, USD:
SUM(DIM_PROD_COST.CUR_MAT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3905
OBJ_3905
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_MAT_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-VOHCost-USD

Name
Description

Cur-VOHCost-USD
Current Variable Overhead Cost, USD:
SUM(DIM_PROD_COST.CUR_VOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3906
OBJ_3906
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_VOH_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-ScrapCost-USD

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Cur-ScrapCost-USD
Current Scrap Cost USD:
SUM(DIM_PROD_COST.CUR_SCRAP_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY*
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3907
OBJ_3907
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_SCRAP_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY*
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-FOHCost-USD

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Cur-FOHCost-USD
Current Fixed Overhead Cost, USD:
SUM(DIM_PROD_COST.CUR_FOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3908
OBJ_3908
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_FOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-ContributionCost-USD

Name
Description

Cur-ContributionCost-USD
Direct Labor + Material Cost + Variable Overhead Cost +
Scrap: SUM(DIM_PROD_COST.CUR_CONTR_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_3909
OBJ_3909
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_CONTR_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-GrossCost-USD

Name
Description

Cur-GrossCost-USD
Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed
Overhead: SUM(DIM_PROD_COST.CUR_GROSS_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_3910
OBJ_3910
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_GROSS_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-SubcontractCost-USD

Name
Description

Cur-SubcontractCost-USD
Current Subcontracting Cost USD:
SUM(DIM_PROD_COST.CUR_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_3911
OBJ_3911
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_SUB_CONTRACT_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *
```

FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: Cur-FreightCost-USD

Name
Description

Cur-FreightCost-USD
Current Freight Cost USD:
SUM(DIM_PROD_COST.CUR_FREIGHT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3912
OBJ_3912
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_FREIGHT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: Cur-DutyCost-USD

Name
Description

Cur-DutyCost-USD
Current Duty Cost USD:
SUM(DIM_PROD_COST.CUR_DUTY_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3913
OBJ_3913
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP1 - Current Material & Std Labor)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_DUTY_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: PP2-DirectLabor-USD

Name

PP2-DirectLabor-USD

Description

PP2 Direct Labor Cost, USD:

SUM(DIM_PROD_COST.PP2_DL_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid

OBJ_3914

Translation ID

OBJ_3914

Path

\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP2 - PIR Material & Current Labor)\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.PP2_DL_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: PP2-MaterialCost-USD

Name

PP2-MaterialCost-USD

Description

PP2 Material Cost,USD:

SUM(DIM_PROD_COST.PP2_MAT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid

OBJ_3915

Translation ID

OBJ_3915

Path

\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP2 - PIR Material & Current Labor)\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.PP2_MAT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: PP2-VOHCost-USD

Name

PP2-VOHCost-USD

Description

PP2 Variable Overhead Cost, USD:

SUM(DIM_PROD_COST.PP2_VOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid

OBJ_3916

Translation ID

OBJ_3916

Path

\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP2 - PIR Material & Current Labor)\

State

Active

Data Type

Numeric

Projection Function
High Precision

Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_VOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-ScrapCost-USD

Name
Description

PP2-ScrapCost-USD
PP2 Scrap Cost,USD:
SUM(DIM_PROD_COST.PP2_SCRAP_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3917
OBJ_3917
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_SCRAP_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-FOHCost-USD

Name
Description

PP2-FOHCost-USD
PP2 Fixed Overhead,USD,Shipping Location:
SUM(DIM_PROD_COST.PP2_FOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3918
OBJ_3918
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP2 - PIR Material & Current Labor)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_FOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category

Public
Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: PP2-SubcontractCost-USD

Name	PP2-SubcontractCost-USD
Description	PP2 Subcontracting Cost USD: SUM(DIM_PROD_COST.PP2_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
Cuid	OBJ_3919
Translation ID	OBJ_3919
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-FreightCost-USD

Name	PP2-FreightCost-USD
Description	PP2 Freight Cost USD: SUM(DIM_PROD_COST.PP2_FREIGHT_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
Cuid	OBJ_3920
Translation ID	OBJ_3920
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_FREIGHT_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-DutyCost-USD

Name	PP2-DutyCost-USD
Description	PP2 Duty Cost USD: SUM(DIM_PROD_COST.PP2_DUTY_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
Cuid	OBJ_3921
Translation ID	OBJ_3921

Path	\\Measures\\Order Input\\Cost\\Costs-US Dollars-USD\\USD-Current Costs (PP2 - PIR Material & Current Labor)\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_DUTY_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-ContributionCost-USD

Name	PP2-ContributionCost-USD
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap: SUM(DIM_PROD_COST.PP2_CONTR_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
Cuid	OBJ_3922
Translation ID	OBJ_3922
Path	\\Measures\\Order Input\\Cost\\Costs-US Dollars-USD\\USD-Current Costs (PP2 - PIR Material & Current Labor)\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_CONTR_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-GrossCost-USD

Name	PP2-GrossCost-USD
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead: SUM(DIM_PROD_COST.PP2_GROSS_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
Cuid	OBJ_3923
Translation ID	OBJ_3923
Path	\\Measures\\Order Input\\Cost\\Costs-US Dollars-USD\\USD-Current Costs (PP2 - PIR Material & Current Labor)\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_GROSS_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-DirectLabor-USD

Name
Description

PP3-DirectLabor-USD
PP3 Direct Labor Cost, USD:
SUM(DIM_PROD_COST.PP3_DL_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3924
OBJ_3924
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP3 - Current Material & Current Labor)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_DL_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-MaterialCost-USD

Name
Description

PP3-MaterialCost-USD
PP3 Material Cost,USD:
SUM(DIM_PROD_COST.PP3_MAT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3925
OBJ_3925
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP3 - Current Material & Current Labor)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_MAT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-VOHCost-USD

Name
Description

PP3-VOHCost-USD
PP3 Variable Overhead Cost, USD:
SUM(DIM_PROD_COST.PP3_VOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3926
OBJ_3926
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP3 - Current Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_VOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-ScrapCost-USD

Name
Description

PP3-ScrapCost-USD
PP3 Scrap Cost,USD:
SUM(DIM_PROD_COST.PP3_SCRAP_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3927
OBJ_3927
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP3 - Current Material & Current Labor)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_SCRAP_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-FOHCost-USD

Name
Description

PP3-FOHCost-USD
PP3 Fixed Overhead,USD:
SUM(DIM_PROD_COST.PP3_FOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
OBJ_3928
OBJ_3928
\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP3 - Current Material & Current Labor)\
Active
Numeric
Sum
False

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_FOH_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-SubcontractCost-USD

Name

PP3-SubcontractCost-USD

Description

PP3 Subcontracting Cost USD:
SUM(DIM_PROD_COST.PP3_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid

OBJ_3929

Translation ID

OBJ_3929

Path

\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP3 - Current Material & Current Labor)\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-FreightCost-USD

Name

PP3-FreightCost-USD

Description

PP3 Freight Cost USD:
SUM(DIM_PROD_COST.PP3_FREIGHT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Cuid

OBJ_3930

Translation ID

OBJ_3930

Path

\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs
(PP3 - Current Material & Current Labor)\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_FREIGHT_COST_AMT
* FCTV_INVOICE.ORD_INPUT_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-DutyCost-USD

Name	PP3-DutyCost-USD
Description	PP3 Duty Cost USD: SUM(DIM_PROD_COST.PP3_DUTY_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
Cuid	OBJ_3931
Translation ID	OBJ_3931
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_DUTY_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-ContributionCost-USD

Name	PP3-ContributionCost-USD
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap: SUM(DIM_PROD_COST.PP3_CONTR_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
Cuid	OBJ_3932
Translation ID	OBJ_3932
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_CONTR_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-GrossCost-USD

Name	PP3-GrossCost-USD
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead: SUM(DIM_PROD_COST.PP3_GROSS_COST_AMT * FCTV_INVOICE.ORD_INPUT_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
Cuid	OBJ_3933
Translation ID	OBJ_3933
Path	\Measures\Order Input\Cost\Costs-US Dollars-USD\USD-Current Costs (PP3 - Current Material & Current Labor)\
State	Active

Data Type
Projection Function
High Precision

Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP3_GROSS_COST_AMT  
* FCTV_INVOICE.ORD_INPUT_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE )
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog-Total

Name
Description

Backlog-Total
FCTV_SALES_ORDER.NET_PRICE_USD_AMT : For SAP: Open
Quantity * Net Unit Price for orders with a current promise populated
(i.e. Total Backlog)
OBJ_2747
OBJ_2747
\Measures\Backlog\Gross\
Hidden
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
Case when DIM_SALES_ORDER.EST_SHIP_DT is not null and  
@Select(Sales Order Dimension\Ord Cat Code) IN ('C','S') and  
@Select(Order Status Dimension\Order Status Code) IN ( 'OPEN  
SALES ORDER' , 'PARTIALLY-SHIPPED SALES ORDER',  
'ONHOLD SALES ORDER') and @Select(Order Status Dimension  
\Interco Sale Ind)= 'N' then (@Select(Measures\Invoice\Quantities  
\OrderQty) - @Select(Measures\Invoice\Quantities\InvQty))  
* @Select(Revenue-US Dollars-USD\Net Unit Priceuom Usd Amt)  
else 0 end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: Backlog-TotalExcludingHolds

Name
Description

Backlog-TotalExcludingHolds
FCTV_SALES_ORDER.NET_PRICE_USD_AMT : For SAP: Open
Quantity * Net Unit Price for orders with a current promise populated
excluding orders on hold (i.e. Total Backlog excluding On Hold Orders)
OBJ_2748
OBJ_2748
\Measures\Backlog\Gross\
Hidden
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
Case when DIM_SALES_ORDER.EST_SHIP_DT is not null  
and @Select(Sales Order Dimension\Ord Cat Code) IN ('C','S')  
and @Select(Order Status Dimension\Order Status Code) IN  
( 'OPEN SALES ORDER' , 'PARTIALLY-SHIPPED SALES  
ORDER') and @Select(Order Status Dimension\Interco Sale  
Ind)= 'N' then (@Select(Measures\Invoice\Quantities\OrderQty) -
```

@Select(Measures\Invoice\Quantities\InvQty)) * @Select(Revenue-US Dollars-USD\Net Unit Priceum Usd Amt) else 0 end

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: Gross-Backlog-Total

Name	Gross-Backlog-Total
Description	FCTV_SALES_ORDER.NET_PRICE_USD_AMT : For SAP: Open Quantity * Gross Unit Price for orders with a current promise populated (i.e. Total Backlog)
Cuid	OBJ_2942
Translation ID	OBJ_2942
Path	\Measures\Backlog\Gross\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	Case when DIM_SALES_ORDER.EST_SHIP_DT is not null and @Select(Sales Order Dimension\Ord Cat Code) IN ('C','S') and @Select(Order Status Dimension\Order Status Code) IN ('OPEN SALES ORDER' , 'PARTIALLY-SHIPPED SALES ORDER', 'ON-HOLD SALES ORDER') and @Select(Order Status Dimension \Interco Sale Ind)='N' then (@Select(Measures\Invoice\Quantities \OrderQty) - @Select(Measures\Invoice\Quantities\InvQty)) * @Select(Revenue-US Dollars-USD\Gross Unit Priceum Usd Amt) else 0 end
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: Fuel Surcharge Condition Price

Name	Fuel Surcharge Condition Price
Description	Condition amount/percentage for Fuel Surcharge, the condition type is ZFCP: FCTV_INVOICE.FUEL_SURCHARGE_COND_AMT
Cuid	OBJ_4254
Translation ID	OBJ_4254
Path	\Measures\Backlog\Backlog Amount\
State	Active
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	FCTV_INVOICE.FUEL_SURCHARGE_COND_AMT
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts
Display format	NUMERIC

Measure: Backlog-DocCurrency

Name	Backlog-DocCurrency
Description	Backlog Amount - FCTV_INVOICE.BACKLOG_LC_AMT: Backlog Amount in Document Currency

Cuid	OBJ_4097
Translation ID	OBJ_4097
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_LC_AMT)
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: Backlog Ordered DocCurrency

Name	Backlog Ordered DocCurrency
Description	Order entry amount in document currency for Backlog records
Cuid	OBJ_4098
Translation ID	OBJ_4098
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_ORD_LC_AMT)
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: Backlog Shipped DocCurrency

Name	Backlog Shipped DocCurrency
Description	Shiiped amount in document currency for Backlog records
Cuid	OBJ_4099
Translation ID	OBJ_4099
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_SHIP_LC_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: Backlog Net Price DocCurrency

Name	Backlog Net Price DocCurrency
Description	Backlog Net Price in Document Currency: FCTV_INVOICE.BACKLOG_NET_LC_AMT
Cuid	OBJ_4100
Translation ID	OBJ_4100
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	Numeric

Projection Function
High Precision

Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.BACKLOG_NET_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: Backlog Invoice DocCurrency

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog Invoice DocCurrency
Invoiced amount in document currency for Backlog records
OBJ_4101
OBJ_4101
\Measures\Backlog\Backlog Amount\Document Currency\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.BACKLOG_INV_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: EstBacklog-DocCurrency

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

EstBacklog-DocCurrency
Estimated Backlog Amount -
FCTV_INVOICE.EST_BACKLOG_LC_AMT: Estimated Backlog
Amount in Document Currency : For DBB, ACCG, WNS, it is Backlog
Amount; for Enterprise, it is calculated with DAR%
OBJ_4102
OBJ_4102
\Measures\Backlog\Backlog Amount\Document Currency\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.EST_BACKLOG_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: ListPrice-DocCurrency

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

ListPrice-DocCurrency
List Price in Document Currency
OBJ_4103
OBJ_4103
\Measures\Backlog\Backlog Amount\Document Currency\
Active
Numeric
Sum
False

SQL Definition

Select	SUM(FCTV_INVOICE.LIST_PRICE_LC_AMT)
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Measure: ContractPrice-DocCurrency**

Name	ContractPrice-DocCurrency
Description	Contract Price in Document Currency
Cuid	OBJ_4104
Translation ID	OBJ_4104
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.CONTRACT_PRICE_LC_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Measure: ManualDiscountPrice-DocCurrency**

Name	ManualDiscountPrice-DocCurrency
Description	Manual Discount Price in Document Currency
Cuid	OBJ_4105
Translation ID	OBJ_4105
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.MANUAL_DISCOUNT_PRICE_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Measure: SurchargePrice-DocCurrency**

Name	SurchargePrice-DocCurrency
Description	Surcharge Price in Document Currency
Cuid	OBJ_4106
Translation ID	OBJ_4106
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.SURCHARGE_PRICE_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data

List of Values
Can be used in

Editable
Results, Filters, Sorts

Measure: Fuel Surcharge Condition Price – DocCurrency

Name	Fuel Surcharge Condition Price – DocCurrency
Description	Condition Value for Fuel Surcharge in document currency, its condition type is ZFCP: FCTV_INVOICE.FUEL_SURCHARGE_COND_DOC_AMT
Cuid	OBJ_4246
Translation ID	OBJ_4246
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	FCTV_INVOICE.FUEL_SURCHARGE_COND_DOC_AMT
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: FreightSurcharge-DocCurrency

Name	FreightSurcharge-DocCurrency
Description	Freight Surcharge (ZSFR Pricing Condition) in Document Currency
Cuid	OBJ_5006
Translation ID	OBJ_5006
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	sum(FCTV_INVOICE.BACKLOG_FREIGHT_SRCRG_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Backlog POD Block DocCurrency

Name	Backlog POD Block DocCurrency
Description	POD block amount in document currency .(Net Value/Ordered Qty)*POD Block Qty : FCTV_INVOICE.POD_BLOCK_LC_AMT
Cuid	OBJ_5166
Translation ID	OBJ_5166
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.POD_BLOCK_LC_AMT)
--------	------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Backlog Ship Not Invoice DocCurrency

Name	Backlog Ship Not Invoice DocCurrency
Description	Shipped not invoiced amount in document currency: FCTV_INVOICE. SHIP_NOT_INV_LC_AMT
Cuid	OBJ_5170
Translation ID	OBJ_5170
Path	\Measures\Backlog\Backlog Amount\Document Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE. SHIP_NOT_INV_LC_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog-LC

Name	Backlog-LC
Description	Backlog Amount - FCTV_INVOICE.BACKLOG_LOC_CUR_AMT: Backlog Amount in local Currency (Company Code Currency)
Cuid	OBJ_4108
Translation ID	OBJ_4108
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_LOC_CUR_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: Backlog Ordered LC

Name	Backlog Ordered LC
Description	Order entry amount in local currency (company code currency) for Backlog records
Cuid	OBJ_4109
Translation ID	OBJ_4109
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_ORD_LOC_CUR_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: Backlog Shipped LC

Name	Backlog Shipped LC
Description	Shiiped amount in local currency (company code currency) for Backlog records
Cuid	OBJ_4110

Translation ID	OBJ_4110
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_SHIP_LOC_CUR_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: Backlog Net Price LC

Name	Backlog Net Price LC
Description	Backlog Net Price in Local Currency (Company Code Currency): FCTV_INVOICE.BACKLOG_NET_LOC_CUR_AMT
Cuid	OBJ_4111
Translation ID	OBJ_4111
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_NET_LOC_CUR_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: Backlog Invoice LC

Name	Backlog Invoice LC
Description	Invoiced amount in local currency (company code currency) for Backlog records
Cuid	OBJ_4112
Translation ID	OBJ_4112
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_INV_LOC_CUR_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: EstBacklog-LC

Name	EstBacklog-LC
Description	Estimated Backlog Amount - FCTV_INVOICE.EST_BACKLOG_LOC_CUR_AMT: Estimated Backlog Amount in Local Currency (Company Code Currency) : For DBB, ACCG, WNS, it is Backlog Amount; for Enterprise, it is calculated with DAR%
Cuid	OBJ_4113

Translation ID	OBJ_4113
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.EST_BACKLOG_LOC_CUR_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: ListPrice-LC

Name	ListPrice-LC
Description	List Price in Local Currency (Company Code Currency)
Cuid	OBJ_4114
Translation ID	OBJ_4114
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.LIST_PRICE_LOC_CUR_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: ContractPrice-LC

Name	ContractPrice-LC
Description	Contract Price in Local Currency (Company Code Currency)
Cuid	OBJ_4115
Translation ID	OBJ_4115
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.CONTRACT_PRICE_LOC_CUR_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: ManualDiscountPrice-LC

Name	ManualDiscountPrice-LC
Description	Manual Discount Price in Local Currency (Company Code Currency)
Cuid	OBJ_4116
Translation ID	OBJ_4116
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

SUM(FCTV_INVOICE.MANUAL_DISC_PRICE_LOC_CUR_AMT)

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

**Measure: SurchargePrice-LC**

Name	SurchargePrice-LC
Description	Surcharge Price in Local Currency (Company Code Currency)
Cuid	OBJ_4117
Translation ID	OBJ_4117
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

SUM(FCTV_INVOICE.SURCHARGE_PRICE_LOC_CUR_AMT)

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

**Measure: Fuel Surcharge Condition Price – LC**

Name	Fuel Surcharge Condition Price – LC
Description	Condition Value for Fuel Surcharge in Local Currency, its condition type is ZFCP: FCTV_INVOICE.FUEL_SURCHARGE_COND_LC_AMT
Cuid	OBJ_4253
Translation ID	OBJ_4253
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

FCTV_INVOICE.FUEL_SURCHARGE_COND_LC_AMT

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

**Measure: FreightSurcharge-LC**

Name	FreightSurcharge-LC
Description	Freight Surcharge (ZSFR Pricing Condition) in Local Currency
Cuid	OBJ_5007
Translation ID	OBJ_5007
Path	\Measures\Backlog\Backlog Amount\Local Currency\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

sum(FCTV_INVOICE.BACKLOG_FRT_SRCRG_LOC_CUR_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog POD Block-LC

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog POD Block-LC
POD block amount in local currency(Company code currency):
FCTV_INVOICE.POD_BLOCK_LOC_CUR_AMT
OBJ_5167
OBJ_5167
\Measures\Backlog\Backlog Amount\Local Currency\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.POD_BLOCK_LOC_CUR_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog Ship Not Invoice-LC

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog Ship Not Invoice-LC
Shipped not invoiced amount in local currency(Company code currency): FCTV_INVOICE.SHIP_NOT_INV_LOC_CUR_AMT
OBJ_5171
OBJ_5171
\Measures\Backlog\Backlog Amount\Local Currency\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_NOT_INV_LOC_CUR_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog-USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog-USD
Backlog Amount - FCTV_INVOICE.BACKLOG_USD_AMT: Backlog Amount in USD
OBJ_3602
OBJ_3602
\Measures\Backlog\Backlog Amount\USD\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.BACKLOG_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog-UnderEightWeeks-USD

Name	Backlog-UnderEightWeeks-USD
Description	Estimated Ship Date is less than 56 days from current date : @Select(USD\Backlog-USD)
Cuid	OBJ_2749
Translation ID	OBJ_2749
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case when DIM_DATE.CLNDR_DT <= add_days(current_date, 56) then FCTV_INVOICE.BACKLOG_USD_AMT else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog-Eight Weeks to SixMonths-USD

Name	Backlog-Eight Weeks to SixMonths-USD
Description	Estimated Ship Date between 56 and 183 days from current date : @Select(USD\Backlog-USD)
Cuid	OBJ_2744
Translation ID	OBJ_2744
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case when DIM_DATE.CLNDR_DT < add_days(current_date, 183) and DIM_DATE.CLNDR_DT > add_days(current_date, 56) then FCTV_INVOICE.BACKLOG_USD_AMT else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog-OverSixMonths-USD

Name	Backlog-OverSixMonths-USD
Description	Estimated Ship Date >= 183 days from current date : @Select(USD \Backlog-USD)
Cuid	OBJ_2745
Translation ID	OBJ_2745
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case when DIM_DATE.CLNDR_DT >= add_days(current_date, 183) then FCTV_INVOICE.BACKLOG_USD_AMT else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog-OrdersPastDue-USD

Name	Backlog-OrdersPastDue-USD
Description	Estimated Ship Date is less than current date - @Select(USD\Backlog-USD)
Cuid	OBJ_2746
Translation ID	OBJ_2746
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case when DIM_DATE.CLNDR_DT < current_date then FCTV_INVOICE.BACKLOG_USD_AMT else 0 end)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog-QuarterToDate-USD

Name	Backlog-QuarterToDate-USD
Description	Open backlog with estimated ship date is not past due and is not greater than the last day of the quarter as of the ending date - @Select(USD\Backlog-USD)
Cuid	OBJ_4014
Translation ID	OBJ_4014
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case when TO_CHAR(DIM_DATE.CLNDR_DT , 'YYYYQ') = to_char(now(),'YYYYQ') and DIM_DATE.CLNDR_DT >=CURRENT_DATE then FCTV_INVOICE.BACKLOG_USD_AMT else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog-NextQuarter-USD

Name	Backlog-NextQuarter-USD
Description	Open backlog with estimated ship date within the next quarter - @Select(USD\Backlog-USD)
Cuid	OBJ_4015
Translation ID	OBJ_4015
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case when to_char(DIM_DATE.CLNDR_DT,'YYYYQ') = to_char(add_months(current_date,3),'YYYYQ') then FCTV_INVOICE.BACKLOG_USD_AMT else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog-Next2Quarter-USD

Name	Backlog-Next2Quarter-USD
Description	Open backlog with estimated ship date two quarters in the future - @Select(USD\Backlog-USD)
Cuid	OBJ_4016
Translation ID	OBJ_4016
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(Case when to_char(DIM_DATE.CLNDR_DT,'YYYYQ') = to_char(add_months(current_date,6),'YYYYQ') then FCTV_INVOICE.BACKLOG_USD_AMT else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog Ordered USD

Name	Backlog Ordered USD
Description	Order entry amount in USD for Backlog records
Cuid	OBJ_3616
Translation ID	OBJ_3616
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_ORD_USD_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog Shipped USD

Name	Backlog Shipped USD
Description	Shipped amount in USD for Backlog records
Cuid	OBJ_3617
Translation ID	OBJ_3617
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_SHIP_USD_AMT)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog Invoiced USD

Name	Backlog Invoiced USD
Description	Invoiced amount in USD for Backlog records
Cuid	OBJ_3618
Translation ID	OBJ_3618

Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_INV_USD_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog Net Price USD

Name	Backlog Net Price USD
Description	Backlog Net Price USD: FCTV_INVOICE.BACKLOG_NET_USD_AMT
Cuid	OBJ_4092
Translation ID	OBJ_4092
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	FCTV_INVOICE.BACKLOG_NET_USD_AMT
--------	----------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: EstBacklog-USD

Name	EstBacklog-USD
Description	Estimated Backlog Amount - FCTV_INVOICE.EST_BACKLOG_USD_AMT: Estimated Backlog Amount in USD : For DBB, ACCG, WNS, it is Backlog Amount; for Enterprise, it is calculated with DAR%
Cuid	OBJ_3843
Translation ID	OBJ_3843
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.EST_BACKLOG_USD_AMT)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: ListPrice-USD

Name	ListPrice-USD
Description	List Price in USD
Cuid	OBJ_3649
Translation ID	OBJ_3649
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum

High Precision

False

SQL Definition

Select

SUM(FCTV_INVOICE.LIST_PRICE_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: ContractPrice-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

ContractPrice-USD
Contract Price in USD
OBJ_3650
OBJ_3650
\Measures\Backlog\Backlog Amount\USD\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.CONTRACT_PRICE_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: ManualDiscountPrice-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

ManualDiscountPrice-USD
Manual Discount Price in USD
OBJ_3651
OBJ_3651
\Measures\Backlog\Backlog Amount\USD\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.MANUAL_DISCOUNT_PRICE_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: SurchargePrice-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SurchargePrice-USD
Surcharge Price in USD
OBJ_3652
OBJ_3652
\Measures\Backlog\Backlog Amount\USD\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SURCHARGE_PRICE_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Fuel Surcharge Condition Price – USD

Name	Fuel Surcharge Condition Price – USD
Description	Condition Value for Fuel Surcharge in USD, its condition type is ZFCP: FCTV_INVOICE.FUEL_SURCHARGE_COND_USD_AMT
Cuid	OBJ_4252
Translation ID	OBJ_4252
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	FCTV_INVOICE.FUEL_SURCHARGE_COND_USD_AMT
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: FreightSurcharge-USD

Name	FreightSurcharge-USD
Description	Freight Surcharge (ZSFR Pricing Condition) in USD
Cuid	OBJ_5008
Translation ID	OBJ_5008
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	sum(FCTV_INVOICE.BACKLOG_FREIGHT_SRCRG_USD_AMT)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog POD Block-USD

Name	Backlog POD Block-USD
Description	POD block amount in USD: FCTV_INVOICE.POD_BLOCK_USD_AMT
Cuid	OBJ_5168
Translation ID	OBJ_5168
Path	\Measures\Backlog\Backlog Amount\USD\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.POD_BLOCK_USD_AMT)
--------	-------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog Ship Not Invoice-USD

Name	Backlog Ship Not Invoice-USD
Description	Shipped not invoiced amount in USD: FCTV_INVOICE.SHIP_NOT_INV_USD_AMT
Cuid	OBJ_5172

Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_5172
\Measures\Backlog\Backlog Amount\USD\
Active
Numeric
Sum
False

SQL Definition

Select SUM(FCTV_INVOICE.SHIP_NOT_INV_USD_AMT)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
Can be used in Results, Filters, Sorts



Measure: Backlog Qty

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog Qty
Backlog Quantity: FCTV_INVOICE.BACKLOG_QTY
OBJ_3599
OBJ_3599
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select SUM(FCTV_INVOICE.BACKLOG_QTY)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
Can be used in Results, Filters, Sorts



Measure: Backlog Ft Qty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog Ft Qty
Backlog Quantity in Feet or LB or Each or Kits:
FCTV_INVOICE.BACKLOG_ENG_QTY
OBJ_3600
OBJ_3600
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select SUM(FCTV_INVOICE.BACKLOG_ENG_QTY)

Advanced

Minimum Object Level Security Public
Data Sensitivity Category Uncategorized data
Can be used in Results, Filters, Sorts



Measure: Backlog Mt Qty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog Mt Qty
Backlog Quantity in Meters or Each:
FCTV_INVOICE.BACKLOG_MT_QTY
OBJ_3838
OBJ_3838
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.BACKLOG_MT_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog Order Qty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog Order Qty
Order Quantity for Backlog Records =
FCTV_INVOICE.BACKLOG_ORD_QTY
OBJ_3607
OBJ_3607
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.BACKLOG_ORD_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog Ship Qty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog Ship Qty
Shipped Quantity for Backlog records =
FCTV_INVOICE.BACKLOG_SHIP_QTY
OBJ_3608
OBJ_3608
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.BACKLOG_SHIP_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog Invoice Qty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog Invoice Qty
Invoiced Quantity for Backlog records =
FCTV_INVOICE.BACKLOG_INV_QTY
OBJ_3609
OBJ_3609
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.BACKLOG_INV_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category

Public
Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Backlog Order Ft Qty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog Order Ft Qty
Order Quantity in Feet or LB or Each or Kits for Backlog records =
FCTV_INVOICE.BACKLOG_ORD_ENG_QTY
OBJ_3610
OBJ_3610
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.BACKLOG_ORD_ENG_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog Ship Ft Qty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog Ship Ft Qty
Shipped Quantity in Feet or LB or Each or Kits for Backlog records =
FCTV_INVOICE.BACKLOG_SHIP_ENG_QTY
OBJ_3611
OBJ_3611
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.BACKLOG_SHIP_ENG_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog Invoice Ft Qty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Backlog Invoice Ft Qty
Invoice Quantity in Feet or LB or Each or Kits for Backlog records =
FCTV_INVOICE.BACKLOG_INV_ENG_QTY
OBJ_3612
OBJ_3612
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.BACKLOG_INV_ENG_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog Order Mt Qty

Name

Backlog Order Mt Qty

Description	Order Quantity in Meters or Each for Backlog records = FCTV_INVOICE.BACKLOG_ORD_MT_QTY
Cuid	OBJ_3839
Translation ID	OBJ_3839
Path	\Measures\Backlog\Backlog Quantity\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_ORD_MT_QTY)
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog Ship Mt Qty

Name	Backlog Ship Mt Qty
Description	Shipped Quantity in Meters or Each for Backlog records = FCTV_INVOICE.BACKLOG_SHIP_MT_QTY
Cuid	OBJ_3840
Translation ID	OBJ_3840
Path	\Measures\Backlog\Backlog Quantity\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_SHIP_MT_QTY)
--------	---------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Backlog Invoice Mt Qty

Name	Backlog Invoice Mt Qty
Description	Invoice Quantity in Meters or Each for Backlog records = FCTV_INVOICE.BACKLOG_INV_MT_QTY
Cuid	OBJ_3841
Translation ID	OBJ_3841
Path	\Measures\Backlog\Backlog Quantity\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(FCTV_INVOICE.BACKLOG_INV_MT_QTY)
--------	--------------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Quantity Short

Name	Quantity Short
Description	Qty Short (Based on the availability rules)
Cuid	OBJ_4067
Translation ID	OBJ_4067
Path	\Measures\Backlog\Backlog Quantity\
State	Active
Data Type	Numeric

Projection Function
High Precision

Sum
False

SQL Definition

Select

FCTV_INVOICE.SHORT_QTY

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: Sales Order Line Cut Count

Name
Description

Sales Order Line Cut Count
Sales Order Line Cut Count for backlog orders:
FCTV_INVOICE.ORD_LINE_CUT_COUNT_NBR

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_4285
OBJ_4285
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select

FCTV_INVOICE.ORD_LINE_CUT_COUNT_NBR

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: Backlog POD Block Qty

Name
Description

Backlog POD Block Qty
All the delivery document quantity having POD block is summed up at
sales order line item: FCTV_INVOICE.POD_BLOCK_QTY

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_5165
OBJ_5165
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.POD_BLOCK_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Backlog Ship Not Invoice Qty

Name
Description

Backlog Ship Not Invoice Qty
Shipped Not invoiced quantity. The difference of Backlog Ship quantity
and Backlog Invoice quantity when shipped quantity is greater than
invoiced quantity : FCTV_INVOICE.SHIP_NOT_INV_QTY

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_5169
OBJ_5169
\Measures\Backlog\Backlog Quantity\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SHIP_NOT_INV_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

**Measure: Std-DirectLaborCost-LC**

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Std-DirectLaborCost-LC
Standard Direct Labor Cost, Local Currency
OBJ_3934
OBJ_3934
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Standard
Cost\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_DL_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

**Measure: Std-MaterialCost-LC**

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Std-MaterialCost-LC
Standard Material Cost, Local Currency
OBJ_3935
OBJ_3935
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Standard
Cost\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_MAT_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

**Measure: Std-VOHCost-LC**

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Std-VOHCost-LC
Standard Variable Overhead Cost, Local Currency
OBJ_3936
OBJ_3936
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Standard
Cost\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_VOH_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-ScrapCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Std-ScrapCost-LC
Standard Scrap Cost,Local Currency
OBJ_3937
OBJ_3937
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Standard
Cost\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_SCRAP_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-FOHCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Std-FOHCost-LC
Standard Fixed Overhead,Local Currency
OBJ_3938
OBJ_3938
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Standard
Cost\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_FOH_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-SubcontractCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Std-SubcontractCost-LC
Standard Subcontracting Cost Local Currency
OBJ_3941
OBJ_3941
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Standard
Cost\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-FreightCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Std-FreightCost-LC
Standard Freight Cost Local Currency
OBJ_3942
OBJ_3942
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Standard
Cost\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_FREIGHT_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-DutyCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Std-DutyCost-LC
Standard Duty Cost Local Currency
OBJ_3943
OBJ_3943
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Standard
Cost\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_DUTY_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-ContributionCost-LC

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Std-ContributionCost-LC
Direct Labor + Material Cost + Variable Overhead Cost + Scrap
OBJ_3939
OBJ_3939
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Standard
Cost\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.STD_CONTR_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-GrossCost-LC

Name

Std-GrossCost-LC

Description

Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead

Cuid

OBJ_3940

Translation ID

OBJ_3940

Path

\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Standard Cost\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(Case When FCTV_INVOICE.SRC_ID = 'Backlog' and
(upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARGUS', 'LXS')
OR upper(FCTV_INVOICE.SRC_SYS_ID) LIKE 'TED%')
Then FCTV_INVOICE.SHIP_STD_GROSS_COST_LC_AMT
Else (DIM_PROD_COST.STD_GROSS_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE) End)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-DirectLaborCost-LC

Name

Cur-DirectLaborCost-LC

Description

Current Direct Labor Cost, Local Currency

Cuid

OBJ_3944

Translation ID

OBJ_3944

Path

\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP1 - Current Material & Std Labor)\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_DL_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-MaterialCost-LC

Name

Cur-MaterialCost-LC

Description

Current Material Cost, Local Currency

Cuid

OBJ_3945

Translation ID

OBJ_3945

Path

\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP1 - Current Material & Std Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_MAT_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-VOHCost-LC

Name
Description
Cuid
Translation ID
Path

Cur-VOHCost-LC
Current Variable Overhead Cost, Local Currency
OBJ_3946
OBJ_3946
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current
Cost (PP1 - Current Material & Std Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_VOH_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-ScrapCost-LC

Name
Description
Cuid
Translation ID
Path

Cur-ScrapCost-LC
Current Scrap Cost Local Currency
OBJ_3947
OBJ_3947
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current
Cost (PP1 - Current Material & Std Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_SCRAP_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-FOHCost-LC

Name
Description
Cuid
Translation ID
Path

Cur-FOHCost-LC
Current Fixed Overhead Cost, Local Currency
OBJ_3948
OBJ_3948
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current
Cost (PP1 - Current Material & Std Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_FOH_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-ContributionCost-LC

Name
Description
Cuid
Translation ID
Path

Cur-ContributionCost-LC
Direct Labor + Material Cost + Variable Overhead Cost + Scrap
OBJ_3949
OBJ_3949
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current
Cost (PP1 - Current Material & Std Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_CONTR_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-GrossCost-LC

Name
Description
Cuid
Translation ID
Path

Cur-GrossCost-LC
Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed
Overhead
OBJ_3950
OBJ_3950
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current
Cost (PP1 - Current Material & Std Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_GROSS_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-SubcontractCost-LC

Name
Description
Cuid
Translation ID

Cur-SubcontractCost-LC
Current Subcontracting Cost Local Currency
OBJ_3951
OBJ_3951

Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP1 - Current Material & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cur-FreightCost-LC

Name	Cur-FreightCost-LC
Description	Current Freight Cost Local Currency
Cuid	OBJ_3952
Translation ID	OBJ_3952
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP1 - Current Material & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_FREIGHT_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cur-DutyCost-LC

Name	Cur-DutyCost-LC
Description	Current Duty Cost Local Currency
Cuid	OBJ_3953
Translation ID	OBJ_3953
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP1 - Current Material & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_DUTY_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-DirectLabor-LC

Name	PP2-DirectLabor-LC
Description	PP2 Direct Labor Cost, Local Currency
Cuid	OBJ_3954
Translation ID	OBJ_3954

Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_DL_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-MaterialCost-LC

Name	PP2-MaterialCost-LC
Description	PP2 Material Cost,Local Currency
Cuid	OBJ_3955
Translation ID	OBJ_3955
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_MAT_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-VOHCost-LC

Name	PP2-VOHCost-LC
Description	PP2 Variable Overhead Cost, Local Currency
Cuid	OBJ_3956
Translation ID	OBJ_3956
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_VOH_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-ScrapCost-LC

Name	PP2-ScrapCost-LC
Description	PP2 Scrap Cost,Local Currency
Cuid	OBJ_3957
Translation ID	OBJ_3957

Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_SCRAP_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-FOHCost-LC

Name	PP2-FOHCost-LC
Description	PP2 Fixed Overhead,Local Currency,Shipping Location
Cuid	OBJ_3958
Translation ID	OBJ_3958
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_FOH_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-SubcontractCost-LC

Name	PP2-SubcontractCost-LC
Description	PP2 Subcontracting Cost Local Currency
Cuid	OBJ_3959
Translation ID	OBJ_3959
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-FreightCost-LC

Name	PP2-FreightCost-LC
Description	PP2 Freight Cost Local Currency
Cuid	OBJ_3960
Translation ID	OBJ_3960

Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_FREIGHT_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-DutyCost-LC

Name	PP2-DutyCost-LC
Description	PP2 Duty Cost Local Currency
Cuid	OBJ_3961
Translation ID	OBJ_3961
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_DUTY_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-ContributionCost-LC

Name	PP2-ContributionCost-LC
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap
Cuid	OBJ_3962
Translation ID	OBJ_3962
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_CONTR_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP2-GrossCost-LC

Name	PP2-GrossCost-LC
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead
Cuid	OBJ_3963

Translation ID	OBJ_3963
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP2 - PIR Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_GROSS_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-DirectLabor-LC

Name	PP3-DirectLabor-LC
Description	PP3 Direct Labor Cost, Local Currency
Cuid	OBJ_3964
Translation ID	OBJ_3964
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_DL_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-MaterialCost-LC

Name	PP3-MaterialCost-LC
Description	PP3 Material Cost,Local Currency
Cuid	OBJ_3965
Translation ID	OBJ_3965
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_MAT_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-VOHCost-LC

Name	PP3-VOHCost-LC
Description	PP3 Variable Overhead Cost, Local Currency
Cuid	OBJ_3966

Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_3966
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current
Cost (PP3 - Current Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_VOH_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-ScrapCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-ScrapCost-LC
PP3 Scrap Cost,Local Currency
OBJ_3967
OBJ_3967
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current
Cost (PP3 - Current Material & Current Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_SCRAP_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-FOHCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-FOHCost-LC
PP3 Fixed Overhead,Local Currency
OBJ_3968
OBJ_3968
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current
Cost (PP3 - Current Material & Current Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_FOH_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-SubcontractCost-LC

Name
Description
Cuid

PP3-SubcontractCost-LC
PP3 Subcontracting Cost Local Currency
OBJ_3969

Translation ID
Path

State
Data Type
Projection Function
High Precision

OBJ_3969
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current
Cost (PP3 - Current Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-FreightCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-FreightCost-LC
PP3 Freight Cost Local Currency
OBJ_3970
OBJ_3970
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current
Cost (PP3 - Current Material & Current Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_FREIGHT_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-DutyCost-LC

Name
Description
Cuid
Translation ID
Path

PP3-DutyCost-LC
PP3 Duty Cost Local Currency
OBJ_3971
OBJ_3971
\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current
Cost (PP3 - Current Material & Current Labor)\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

SUM(DIM_PROD_COST.PP3_DUTY_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-ContributionCost-LC

Name
Description
Cuid

PP3-ContributionCost-LC
Direct Labor + Material Cost + Variable Overhead Cost + Scrap
OBJ_3972

Translation ID	OBJ_3972
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_CONTR_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-GrossCost-LC

Name	PP3-GrossCost-LC
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead
Cuid	OBJ_3973
Translation ID	OBJ_3973
Path	\Measures\Backlog\Backlog Cost\Costs-Local Currency\LC - Current Cost (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_GROSS_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-DirectLaborCost-USD

Name	Std-DirectLaborCost-USD
Description	Standard Direct Labor Cost, USD
Cuid	OBJ_3974
Translation ID	OBJ_3974
Path	\Measures\Backlog\Backlog Cost\Costs-USD\USD - Standard Cost\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.STD_DL_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Std-MaterialCost-USD

Name	Std-MaterialCost-USD
Description	Standard Material Cost,USD

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_3975
OBJ_3975
\\Measures\Backlog\Backlog Cost\Costs-USD\USD - Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.STD_MAT_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-VOHCost-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Std-VOHCost-USD
Standard Variable Overhead Cost, USD
OBJ_3976
OBJ_3976
\\Measures\Backlog\Backlog Cost\Costs-USD\USD - Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.STD_VOH_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-ScrapCost-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Std-ScrapCost-USD
Standard Scrap Cost,USD
OBJ_3977
OBJ_3977
\\Measures\Backlog\Backlog Cost\Costs-USD\USD - Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.STD_SCRAP_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-FOHCost-USD

Name
Description

Std-FOHCost-USD
Standard Fixed Overhead,USD

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_3978
OBJ_3978
\\Measures\Backlog\Backlog Cost\Costs-USD\USD - Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.STD_FOH_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-SubcontractCost-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Std-SubcontractCost-USD
Standard Subcontracting Cost USD
OBJ_3981
OBJ_3981
\\Measures\Backlog\Backlog Cost\Costs-USD\USD - Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.STD_SUB_CONTRACT_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-FreightCost-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Std-FreightCost-USD
Standard Freight Cost USD
OBJ_3982
OBJ_3982
\\Measures\Backlog\Backlog Cost\Costs-USD\USD - Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.STD_FREIGHT_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-DutyCost-USD

Name
Description

Std-DutyCost-USD
Standard Duty Cost USD

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_3983
OBJ_3983
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.STD_DUTY_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-ContributionCost-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Std-ContributionCost-USD
Direct Labor + Material Cost + Variable Overhead Cost + Scrap
OBJ_3979
OBJ_3979
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.STD_CONTR_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Std-GrossCost-USD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Std-GrossCost-USD
Direct Labor + Material Cost + Variable Overhead Cost + Scrap
+ Fixed Overhead : SUM(Case When FCTV_INVOICE.SRC_ID
= 'Backlog' and (upper(FCTV_INVOICE.src_sys_id) in
('ARGUS', 'LXS') OR upper(FCTV_INVOICE.SRC_SYS_ID)
LIKE 'TED%' OR upper(FCTV_INVOICE.src_sys_id) in
('ARS-EDW', 'ARS-RUK', 'ARS-HYP', 'ARS-BRZ')) Then
FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT
Else (DIM_PROD_COST.STD_GROSS_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE) End)
OBJ_3980
OBJ_3980
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Standard Cost\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(Case When FCTV_INVOICE.SRC_ID = 'Backlog'  
and (upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARGUS',  
'LXS') OR upper(FCTV_INVOICE.SRC_SYS_ID) LIKE
```

'TED%' OR upper(FCTV_INVOICE.SRC_SYS_ID) in ('ARS-EDW','ARS-RUK','ARS-HYP','ARS-BRZ')) Then
 FCTV_INVOICE.SHIP_STD_GROSS_COST_USD_AMT
 Else (DIM_PROD_COST.STD_GROSS_COST_AMT
 * FCTV_INVOICE.BACKLOG_QTY *
 FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
 FCTV_INVOICE.COST_MULTIPLIER_RATE) End)

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 Can be used in

Public
 Uncategorized data
 Results, Filters, Sorts



Measure: Cur-DirectLaborCost-USD

Name
 Description
 Cuid
 Translation ID
 Path

 State
 Data Type
 Projection Function
 High Precision

Cur-DirectLaborCost-USD
 Current Direct Labor Cost, USD
 OBJ_3984
 OBJ_3984
 \Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP1
 - Current Material & Std Labor)\
 Active
 Numeric
 Sum
 False

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_DL_COST_AMT
 * FCTV_INVOICE.BACKLOG_QTY *
 FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
 FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 Can be used in

Public
 Uncategorized data
 Results, Filters, Sorts



Measure: Cur-MaterialCost-USD

Name
 Description
 Cuid
 Translation ID
 Path

 State
 Data Type
 Projection Function
 High Precision

Cur-MaterialCost-USD
 Current Material Cost, USD
 OBJ_3985
 OBJ_3985
 \Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP1
 - Current Material & Std Labor)\
 Active
 Numeric
 Sum
 False

SQL Definition

Select

SUM(DIM_PROD_COST.CUR_MAT_COST_AMT
 * FCTV_INVOICE.BACKLOG_QTY *
 FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
 FCTV_INVOICE.COST_MULTIPLIER_RATE)

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 Can be used in

Public
 Uncategorized data
 Results, Filters, Sorts



Measure: Cur-VOHCost-USD

Name
 Description
 Cuid
 Translation ID

Cur-VOHCost-USD
 Current Variable Overhead Cost, USD
 OBJ_3986
 OBJ_3986

Path	\\Measures\\Backlog\\Backlog Cost\\Costs-USD\\USD - Current Cost (PP1 - Current Material & Std Labor)\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_VOH_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cur-ScrapCost-USD

Name	Cur-ScrapCost-USD
Description	Current Scrap Cost USD
Cuid	OBJ_3987
Translation ID	OBJ_3987
Path	\\Measures\\Backlog\\Backlog Cost\\Costs-USD\\USD - Current Cost (PP1 - Current Material & Std Labor)\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_SCRAP_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cur-FOHCost-USD

Name	Cur-FOHCost-USD
Description	Current Fixed Overhead Cost, USD
Cuid	OBJ_3988
Translation ID	OBJ_3988
Path	\\Measures\\Backlog\\Backlog Cost\\Costs-USD\\USD - Current Cost (PP1 - Current Material & Std Labor)\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_FOH_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cur-ContributionCost-USD

Name	Cur-ContributionCost-USD
------	--------------------------

Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap
Cuid	OBJ_3989
Translation ID	OBJ_3989
Path	\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP1 - Current Material & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_CONTR_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cur-GrossCost-USD

Name	Cur-GrossCost-USD
Description	Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed Overhead
Cuid	OBJ_3990
Translation ID	OBJ_3990
Path	\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP1 - Current Material & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_GROSS_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Cur-SubcontractCost-USD

Name	Cur-SubcontractCost-USD
Description	Current Subcontracting Cost USD
Cuid	OBJ_3991
Translation ID	OBJ_3991
Path	\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP1 - Current Material & Std Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.CUR_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: Cur-FreightCost-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Cur-FreightCost-USD
Current Freight Cost USD
OBJ_3992
OBJ_3992
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP1
- Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_FREIGHT_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Cur-DutyCost-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

Cur-DutyCost-USD
Current Duty Cost USD
OBJ_3993
OBJ_3993
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP1
- Current Material & Std Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.CUR_DUTY_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-DirectLabor-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-DirectLabor-USD
PP2 Direct Labor Cost, USD
OBJ_3994
OBJ_3994
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP2
- PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_DL_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-MaterialCost-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-MaterialCost-USD
PP2 Material Cost,USD
OBJ_3995
OBJ_3995
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP2
- PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_MAT_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-VOHCost-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-VOHCost-USD
PP2 Variable Overhead Cost, USD
OBJ_3996
OBJ_3996
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP2
- PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_VOH_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-ScrapCost-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-ScrapCost-USD
PP2 Scrap Cost,USD
OBJ_3997
OBJ_3997
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP2
- PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_SCRAP_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-FOHCost-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-FOHCost-USD
PP2 Fixed Overhead,USD,Shipping Location
OBJ_3998
OBJ_3998
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP2
- PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_FOH_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-SubcontractCost-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-SubcontractCost-USD
PP2 Subcontracting Cost USD
OBJ_3999
OBJ_3999
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP2
- PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_SUB_CONTRACT_COST_AMT
* FCTV_INVOICE.BACKLOG_QTY *
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-FreightCost-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type

PP2-FreightCost-USD
PP2 Freight Cost USD
OBJ_4000
OBJ_4000
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP2
- PIR Material & Current Labor)\
Active
Numeric

Projection Function
High Precision

Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_FREIGHT_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-DutyCost-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-DutyCost-USD
PP2 Duty Cost USD
OBJ_4001
OBJ_4001
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP2
- PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_DUTY_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-ContributionCost-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP2-ContributionCost-USD
Direct Labor + Material Cost + Variable Overhead Cost + Scrap
OBJ_4002
OBJ_4002
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP2
- PIR Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP2_CONTR_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP2-GrossCost-USD

Name
Description

Cuid
Translation ID

PP2-GrossCost-USD
Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed
Overhead
OBJ_4003
OBJ_4003
- 660 -

Path	\\Measures\\Backlog\\Backlog Cost\\Costs-USD\\USD - Current Cost (PP2 - PIR Material & Current Labor)\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP2_GROSS_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-DirectLabor-USD

Name	PP3-DirectLabor-USD
Description	PP3 Direct Labor Cost, USD
Cuid	OBJ_4004
Translation ID	OBJ_4004
Path	\\Measures\\Backlog\\Backlog Cost\\Costs-USD\\USD - Current Cost (PP3 - Current Material & Current Labor)\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_DL_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-MaterialCost-USD

Name	PP3-MaterialCost-USD
Description	PP3 Material Cost,USD
Cuid	OBJ_4005
Translation ID	OBJ_4005
Path	\\Measures\\Backlog\\Backlog Cost\\Costs-USD\\USD - Current Cost (PP3 - Current Material & Current Labor)\\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_MAT_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-VOHCost-USD

Name	PP3-VOHCost-USD
------	-----------------

Description	PP3 Variable Overhead Cost, USD
Cuid	OBJ_4006
Translation ID	OBJ_4006
Path	\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_VOH_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-ScrapCost-USD

Name	PP3-ScrapCost-USD
Description	PP3 Scrap Cost,USD
Cuid	OBJ_4007
Translation ID	OBJ_4007
Path	\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_SCRAP_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: PP3-FOHCost-USD

Name	PP3-FOHCost-USD
Description	PP3 Fixed Overhead,USD
Cuid	OBJ_4008
Translation ID	OBJ_4008
Path	\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_FOH_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: PP3-SubcontractCost-USD

Name	PP3-SubcontractCost-USD
Description	PP3 Subcontracting Cost USD
Cuid	OBJ_4009
Translation ID	OBJ_4009
Path	\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_SUB_CONTRACT_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: PP3-FreightCost-USD

Name	PP3-FreightCost-USD
Description	PP3 Freight Cost USD
Cuid	OBJ_4010
Translation ID	OBJ_4010
Path	\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_FREIGHT_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: PP3-DutyCost-USD

Name	PP3-DutyCost-USD
Description	PP3 Duty Cost USD
Cuid	OBJ_4011
Translation ID	OBJ_4011
Path	\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP3 - Current Material & Current Labor)\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(DIM_PROD_COST.PP3_DUTY_COST_AMT * FCTV_INVOICE.BACKLOG_QTY * FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE * FCTV_INVOICE.COST_MULTIPLIER_RATE)
--------	---

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-ContributionCost-USD

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP3-ContributionCost-USD
Direct Labor + Material Cost + Variable Overhead Cost + Scrap
OBJ_4012
OBJ_4012
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP3
- Current Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP3_CONTR_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PP3-GrossCost-USD

Name
Description

Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

PP3-GrossCost-USD
Direct Labor + Material Cost + Variable Overhead Cost + Scrap + Fixed
Overhead
OBJ_4013
OBJ_4013
\Measures\Backlog\Backlog Cost\Costs-USD\USD - Current Cost (PP3
- Current Material & Current Labor)\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(DIM_PROD_COST.PP3_GROSS_COST_AMT  
* FCTV_INVOICE.BACKLOG_QTY *  
FCTV_INVOICE.COMP_CUR_TO_USD_CUR_RATE *  
FCTV_INVOICE.COST_MULTIPLIER_RATE)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: ListPrice-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

ListPrice-USD
If JDE data this is extended price. If SAP data this is list price.
OBJ_332
OBJ_332
\Measures\MOC Reporting\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(FCTV_INVOICE.LIST_PRICE_USD_AMT)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: ContractPrice-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

ContractPrice-USD
If JDE this is 0. If SAP is contract price.
OBJ_333
OBJ_333
\Measures\MOC Reporting\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.CONTRACT_PRICE_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: ManualDiscount-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

ManualDiscount-USD
If JDE this is 0. If SAP is manual discount price .
OBJ_334
OBJ_334
\Measures\MOC Reporting\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.MANUAL_DISCOUNT_PRICE_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: SurchargePrice-USD

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SurchargePrice-USD
If JDE this is 0. If SAP is surcharge price .
OBJ_335
OBJ_335
\Measures\MOC Reporting\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SURCHARGE_PRICE_USD_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: ListPrice-LC

Name
Description
Cuid

ListPrice-LC
If JDE data this is extended price. If SAP data this is list price.
OBJ_325

Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_325
\Measures\MOC Reporting\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.LIST_PRICE_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: ContractPrice-LC

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

ContractPrice-LC
If JDE this is 0. If SAP is contract price.
OBJ_326
OBJ_326
\Measures\MOC Reporting\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.CONTRACT_PRICE_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: ManualDiscountPrice-LC

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

ManualDiscountPrice-LC
If JDE this is 0. If SAP is manual discount price .
OBJ_327
OBJ_327
\Measures\MOC Reporting\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.MANUAL_DISCOUNT_PRICE_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: SurchargePrice-LC

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SurchargePrice-LC
If JDE this is 0. If SAP is surcharge price .
OBJ_328
OBJ_328
\Measures\MOC Reporting\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.SURCHARGE_PRICE_LC_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: OTS-Curr-Ship-Date

Name
Description

OTS-Curr-Ship-Date
On Time Shipping based on Estimated Ship Date: If the last ship date is null then When the current promise ship date is greater than or equal to the last invoice date - 1 day, it is a success (i.e. a 1). When the current promise ship date is less than the last invoice date - 1 day, it is a failure (i.e. a 0). If the last ship date is not null then when the current promise ship date is greater than or equal to the last ship date, it is a success (i.e. a 1). When the current promise ship date is less than the last ship date, it is a failure (i.e. a 0): Case when DIM_SALES_ORDER.SHIP_DT IS NULL THEN Case when DIM_SALES_ORDER.EST_SHIP_DT>= DIM_SALES_ORDER.INV_DT then 1 else 0 end else Case when DIM_SALES_ORDER.EST_SHIP_DT>= DIM_SALES_ORDER.SHIP_DT then 1 else 0 end END
OBJ_4296
OBJ_4296
\Measures\Metrics\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
Case when DIM_SALES_ORDER.SHIP_DT IS NULL  
THEN Case when DIM_SALES_ORDER.EST_SHIP_DT>=  
DIM_SALES_ORDER.INV_DT then 1 else 0 end else  
Case when DIM_SALES_ORDER.EST_SHIP_DT>=  
DIM_SALES_ORDER.SHIP_DT then 1 else 0 end END
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: OTS-First-Ship-Date

Name
Description

OTS-First-Ship-Date
On Time Shipping based on First Estimated Ship Date: If the last ship date is null then When the first promise ship date is greater than or equal to the last invoice date - 1 day, it is a success (i.e. a 1). When the first promise ship date is less than the last invoice date - 1 day, it is a failure (i.e. a 0). If the last ship date is not null then when the first promise ship date is greater than or equal to the last ship date, it is a success (i.e. a 1). When the first promise ship date is less than the last ship date, it is a failure (i.e. a 0): Case when DIM_SALES_ORDER.SHIP_DT IS NULL THEN Case when DIM_SALES_ORDER.FIRST_EST_SHIP_DT>= DIM_SALES_ORDER.INV_DT then 1 else 0 end else Case when DIM_SALES_ORDER.FIRST_EST_SHIP_DT>= DIM_SALES_ORDER.SHIP_DT then 1 else 0 end END
OBJ_4297
OBJ_4297
\Measures\Metrics\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

```
Case when DIM_SALES_ORDER.SHIP_DT IS NULL THEN  
Case when DIM_SALES_ORDER.FIRST_EST_SHIP_DT>=
```

DIM_SALES_ORDER.INV_DT then 1 else 0 end else Case
when DIM_SALES_ORDER.FIRST_EST_SHIP_DT>=
DIM_SALES_ORDER.SHIP_DT then 1 else 0 end END

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: OTM-Curr-Mfg-Date

Name
Description

OTM-Curr-Mfg-Date
On Time Manufacturing based on Current Estimated
Manufacturing Date: When the current manufacture promise
date is greater than or equal to the last manufacture date, it is
a success (i.e. a 1). When the current manufacture promise
date is less than the last manufacture date, it is a failure (i.e.
a 0): Case when DIM_SALES_ORDER.CUR_MFG_DT >=
DIM_SALES_ORDER.MANUF_DT then 1 else 0 end

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_4298
OBJ_4298
\Measures\Metrics\
Active
Numeric
Sum
False

SQL Definition

Select

Case when DIM_SALES_ORDER.CUR_MFG_DT >=
DIM_SALES_ORDER.MANUF_DT then 1 else 0 end

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: OTM-First-Mfg-Date

Name
Description

OTM-First-Mfg-Date
On Time Manufacturing based on First Estimated Manufacturing
Date: When the first manufacture promise date is greater
than or equal to the last manufacture date, it is a success
(i.e. a 1). When the first manufacture promise date is less
than the last manufacture date, it is a failure (i.e. a 0):

Case when DIM_SALES_ORDER.EST_MANUF_DT>=
DIM_SALES_ORDER.MANUF_DT then 1 else 0 end

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_4299
OBJ_4299
\Measures\Metrics\
Active
Numeric
Sum
False

SQL Definition

Select

Case when DIM_SALES_ORDER.EST_MANUF_DT>=
DIM_SALES_ORDER.MANUF_DT then 1 else 0 end

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: OTD

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OTD
On Time Delivery: When the customer requested delivery date is greater than or equal to the last actual delivery date, it is a success (i.e. a 1). When the customer requested delivery date is less than the last actual delivery date, it is a failure (i.e. a 0)
OBJ_4300
OBJ_4300
\Measures\Metrics\
Active
Numeric
Sum
False

SQL Definition

Select

Case when DIM_SALES_ORDER.CUST_REQ_DELIV_DT>=
DIM_SALES_ORDER.DELIV_DT then 1 else 0 end

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: DOA

Name
Description

DOA
Dead on Arrival: When the Customer Requested on Job date is less than the Sales Order Item create date, it is a DOA (i.e. a 1). When the Customer Requested On Job date is greater than or equal to the Sales Order Item date, it is not a DOA (i.e. a 0)
OBJ_4301
OBJ_4301
\Measures\Metrics\
Active
Numeric
Sum
False

SQL Definition

Select

Case when DIM_SALES_ORDER.EST_DELIV_DT is not
null then case when DIM_SALES_ORDER.EST_DELIV_DT<
DIM_SALES_ORDER.ORD_ENT_DT then 1 else 0 end
else case when DIM_SALES_ORDER.CUST_REQ_DT<
DIM_SALES_ORDER.ORD_ENT_DT then 1 else 0 end end

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: SI

Name
Description

SI
Short Interval: When the Sales Order Item create date plus the Total Replenishment Lead Time is greater than the to the Customer Requested Ship date, it is a Short Interval (i.e. a 1). When the Sales Order Item create date plus the Total Replenishment Lead Time is less than or equal to the Customer Requested Ship date, it is not a Short Interval (i.e. a 0)
OBJ_644
OBJ_644
\Measures\Metrics\
Active
Numeric
Sum
False

SQL Definition

Select

Case when

ADD_DAYS(DIM_SALES_ORDER.ORD_ENT_DT,DIM_PROD_MASTER
> DIM_SALES_ORDER.EST_SHIP_DT then 1 else 0 end

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: OTPD

Name

Description

OTPD

On Time Delivery: When the promised delivery date is greater than or equal to the last actual delivery date, it is a success (i.e. a 1). When the promised date is less than the last actual delivery date, it is a failure (i.e. a 0)

Cuid

OBJ_2716

Translation ID

OBJ_2716

Path

\Measures\Metrics\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

Case when DIM_SALES_ORDER.EST_DELIV_DT >=
DIM_SALES_ORDER.DELIV_DT then 1 else 0 end

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: OTPD-First-Prom-Deliv-Date

Name

Description

OTPD-First-Prom-Deliv-Date

On Time Delivery based on First Promise to Deliver Date: When the first promise to deliver date is greater than or equal to the last actual delivery date, it is a success (i.e. a 1). When the first promise to deliver date is less than the last actual delivery date, it is a failure (i.e. a 0): Case when DIM_SALES_ORDER.FIRST_PROM_TO_DELIV_DT >=
DIM_SALES_ORDER.DELIV_DT then 1 else 0 end

Cuid

OBJ_4302

Translation ID

OBJ_4302

Path

\Measures\Metrics\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

Case when DIM_SALES_ORDER.FIRST_PROM_TO_DELIV_DT
>= DIM_SALES_ORDER.DELIV_DT then 1 else 0 end

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: OTR

Name

Description

OTR

On Time to Request: If the last ship date is null then When the CRSD is greater than or equal to the last invoice date - 1 day, it is a success (i.e. a 1). When the CRSD is less than the last invoice date - 1 day, it is a

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

failure (i.e. a 0). If the last ship date is not null then When the CRSD is greater than or equal to the last ship date, it is a success (i.e. a 1). When the CRSD is less than the last ship date, it is a failure (i.e. a 0)

OBJ_2662
OBJ_2662
\Measures\Metrics\
Active
Numeric
Sum
False

SQL Definition

Select

```
Case when DIM_SALES_ORDER.SHIP_DT IS NULL  
THEN Case when DIM_SALES_ORDER.CUST_REQ_DT  
>= (DIM_SALES_ORDER.INV_DT) then 1 else 0 end else  
Case when DIM_SALES_ORDER.CUST_REQ_DT >=  
DIM_SALES_ORDER.SHIP_DT then 1 else 0 end END
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: OTR-minus-DOA

Name
Description

OTR-minus-DOA
If item is classified as an OTR miss but it has also been identified as DOA, do not count it as a miss.

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2719
OBJ_2719
\Measures\Metrics\
Active
Numeric
Sum
False

SQL Definition

Select

```
Case when @Select(Measures\Metrics\OTR) = 0 and  
@Select(Measures\Metrics\DOA) = 1 then 1 else @Select(Measures  
\Metrics\OTR) end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: Sched_Line_DTST-minus-Ord_Ent_DTST

Name
Description

Sched_Line_DTST-minus-Ord_Ent_DTST
Datetime stamp when planner scheduled the order minus datetime stamp when sales order was entered:to_char(DIM_SALES_ORDER.FIRST_PROM_DATETIME_STAMP-DIM_SALES_ORDER.ORD_ENT_DATETIME)

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_4303
OBJ_4303
\Measures\Metrics\
Active
String
Sum
False

SQL Definition

Select

```
round((seconds_between(DIM_SALES_ORDER.ORD_ENT_DATETIME,DI  
(24*60*60))
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: Opportunity Product USD Amt

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Opportunity Product USD Amt
Sum dollar amount on products on which the opportunity is extended to.
FCTV_INVOICE.OPPTY_EXT_AMT
OBJ_5175
OBJ_5175
\Measures\Opportunity\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.OPPTY_EXT_AMT)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Opportunity Qty

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Opportunity Qty
Opportunity quantity amount from CRM systems:
FCTV_INVOICE.OPPTY_QTY
OBJ_5174
OBJ_5174
\Measures\Opportunity\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(FCTV_INVOICE.OPPTY_QTY)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: Currency Rate

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Currency Rate
Exchange Rate from "From Currency Code" to "To Currency Code":
DIM_CUR_RATE.CUR_RATE
OBJ_4236
OBJ_4236
\Currency Rates\
Active
Numeric
Sum
False

SQL Definition

Select

DIM_CUR_RATE.CUR_RATE

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in
Display format

Public
Uncategorized data
Editable
Results, Filters, Sorts
NUMERIC

**Measure: WTD-NetPrice-USD-Unuse**

Name	WTD-NetPrice-USD-Unuse
Description	For SAP: Week To Date based on User Entered Date or System Date - 1: SAP1 - KZW16 from the Sales Order. SAP2 - Invoiced amount from BW record
Cuid	OBJ_678
Translation ID	OBJ_678
Path	\Corporate Report Use Only\Measure\NetPrice\To-Date\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension\Ord Input Week In Month Nbr) = @Select(Prompts\DerivedValues\Ending Week) then FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Measure: MTD-NetPrice-USD-Unuse**

Name	MTD-NetPrice-USD-Unuse
Description	For SAP: Month To Date based on User Entered Date or System Date - 1: SAP1 - KZW16 from the Sales Order. SAP2 - Invoiced amount from BW record
Cuid	OBJ_680
Translation ID	OBJ_680
Path	\Corporate Report Use Only\Measure\NetPrice\To-Date\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) then FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

**Measure: QTD-NetPrice-USD-Unuse**

Name	QTD-NetPrice-USD-Unuse
Description	For SAP: Quarter To Date based on User Entered Date or System Date - 1: SAP1 - KZW16 from the Sales Order. SAP2 - Invoiced amount from BW record
Cuid	OBJ_681
Translation ID	OBJ_681
Path	\Corporate Report Use Only\Measure\NetPrice\To-Date\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

SUM(case when @Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) then FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: YTD-NetPrice-USD-Unuse

Name

YTD-NetPrice-USD-Unuse

Description

For SAP: Year To Date based on User Entered Date or System Date - 1: SAP1 - KZWI6 from the Sales Order. SAP2 - Invoiced amount from BW record

Cuid

OBJ_683

Translation ID

OBJ_683

Path

\Corporate Report Use Only\Measure\NetPrice\To-Date\

State

Hidden

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(case when @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date)then FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: WTD-NetPrice-USD

Name

WTD-NetPrice-USD

Description

For SAP: Week To Date based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.

Cuid

OBJ_2911

Translation ID

OBJ_2911

Path

\Corporate Report Use Only\Measure\NetPrice\To-Date\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension\Ord Input Week In Month Nbr) = @Select(Prompts\DerivedValues\Ending Week) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: MTD-NetPrice-USD

Name	MTD-NetPrice-USD
Description	For SAP: Month To Date based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.
Cuid	OBJ_2912
Translation ID	OBJ_2912
Path	\Corporate Report Use Only\Measure\NetPrice\To-Date\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: QTD-NetPrice-USD

Name	QTD-NetPrice-USD
Description	For SAP: Quarter To Date based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.
Cuid	OBJ_2913
Translation ID	OBJ_2913
Path	\Corporate Report Use Only\Measure\NetPrice\To-Date\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: YTD-NetPrice-USD

Name	YTD-NetPrice-USD
Description	For SAP: Year To Date based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.
Cuid	OBJ_2914
Translation ID	OBJ_2914
Path	\Corporate Report Use Only\Measure\NetPrice\To-Date\

State
Data Type
Projection Function
High Precision

Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYear) =  
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date  
Dimension\Order Input Date)<=@Select(Prompts\Ending Date)then  
FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: PriorMonth-NetPrice-USD

Name
Description

PriorMonth-NetPrice-USD
Prior Month Invoice USD amount: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2907
OBJ_2907
\Corporate Report Use Only\Measure\NetPrice\PriorMonth\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearMonth)  
= @Select(Prompts\DerivedValues\Prior Year Month) then  
FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: PriorMonthToDate-NetPrice-USD

Name
Description

PriorMonthToDate-NetPrice-USD
For SAP: Prior Month To Date based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2921
OBJ_2921
\Corporate Report Use Only\Measure\NetPrice\PriorMonth\
Active
Numeric
Sum
False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearMonth)  
>= @Select(Prompts\DerivedValues\Prior Year Month) then  
FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values

Public
Uncategorized data
Editable

Can be used in

Results, Filters, Sorts



Measure: PriorYear-NetPrice-USD

Name

Description

Cuid

Translation ID

Path

State

Data Type

Projection Function

High Precision

PriorYear-NetPrice-USD

Prior Year based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.

OBJ_2927

OBJ_2927

\Corporate Report Use Only\Measure\NetPrice\PriorYear\

Active

Numeric

Sum

False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYear) =  
@Select(Prompts\DerivedValues\Prior Ending Year) then  
FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)
```

Advanced

Minimum Object Level Security

Data Sensitivity Category

List of Values

Can be used in

Public

Uncategorized data

Editable

Results, Filters, Sorts



Measure: PriorYearToDate-NetPrice-USD

Name

Description

Cuid

Translation ID

Path

State

Data Type

Projection Function

High Precision

PriorYearToDate-NetPrice-USD

Prior Year based on User Entered Date or System Date - 1: For DBB, WNS, and ACCG, this is net price including external sales, returns, and discounts. For Enterprise, this is estimated net sale. Estimated DAR percentage is subtracted from Adjusted gross price. Every month, estimated DAR percentage is submitted by finance.

OBJ_2928

OBJ_2928

\Corporate Report Use Only\Measure\NetPrice\PriorYear\

Active

Numeric

Sum

False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYear)=  
@Select(Prompts\DerivedValues\Prior Ending  
Year) and@Select(Date Dimension\Order Input  
Date)<=add_days(@Select(Prompts\Ending Date),-365) then  
FCTV_INVOICE.NET_PRICE_USD_AMT else 0 end)
```

Advanced

Minimum Object Level Security

Data Sensitivity Category

List of Values

Can be used in

Public

Uncategorized data

Editable

Results, Filters, Sorts



Measure: Forecast Amt-Total

Name

Description

Cuid

Translation ID

Path

State

Data Type

Forecast Amt-Total

Forecast amount for total CommScope:

LKUP_FORECAST_TOTAL.FORECAST_AMT

OBJ_2915

OBJ_2915

\Corporate Report Use Only\Measure\Forecast and Plan\

Hidden

Numeric

Projection Function
High Precision

None
False

SQL Definition

Select

LKUP_FORECAST_TOTAL.FORECAST_AMT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: Forecast Amt-By Div Grp

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Forecast Amt-By Div Grp
Forecast amount by division group name:
LKUP_FORECAST_DIV.FORECAST_AMT
OBJ_2916
OBJ_2916
\Corporate Report Use Only\Measure\Forecast and Plan\
Hidden
Numeric
None
False

SQL Definition

Select

LKUP_FORECAST_DIV.FORECAST_AMT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: Forecast Amt-By Prod Line Grp

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Forecast Amt-By Prod Line Grp
Forecast amount by product line group description:
LKUP_FORECAST_PROD.FORECAST_AMT
OBJ_2917
OBJ_2917
\Corporate Report Use Only\Measure\Forecast and Plan\
Hidden
Numeric
None
False

SQL Definition

Select

LKUP_FORECAST_PROD.FORECAST_AMT

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: Forecast Amt-By Prod Line Grp Code

Name
Description

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

Forecast Amt-By Prod Line Grp Code
Forecast amount by product line group code:
STAGE_FORECAST_PROD.FORECAST_AMT
OBJ_2945
OBJ_2945
\Corporate Report Use Only\Measure\Forecast and Plan\
Hidden
Numeric
None
False

SQL Definition

Select

STAGE_FORECAST_PROD.FORECAST_AMT

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

**Measure: Plan Amt-Total**

Name

Plan Amt-Total

Description

Plan amount for total CommScope:
 LKUP_FORECAST_TOTAL.PLAN_AMT

Cuid

OBJ_2918

Translation ID

OBJ_2918

Path

\Corporate Report Use Only\Measure\Forecast and Plan\

State

Hidden

Data Type

Numeric

Projection Function

None

High Precision

False

SQL Definition

Select

LKUP_FORECAST_TOTAL.PLAN_AMT

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

**Measure: Plan Amt-By Div Grp**

Name

Plan Amt-By Div Grp

Description

Plan amount by division group name:
 LKUP_FORECAST_DIV.PLAN_AMT

Cuid

OBJ_2919

Translation ID

OBJ_2919

Path

\Corporate Report Use Only\Measure\Forecast and Plan\

State

Hidden

Data Type

Numeric

Projection Function

None

High Precision

False

SQL Definition

Select

LKUP_FORECAST_DIV.PLAN_AMT

Advanced

Minimum Object Level Security
 Data Sensitivity Category
 List of Values
 Can be used in

Public
 Uncategorized data
 Editable
 Results, Filters, Sorts

**Measure: Plan Amt-By Prod Line Grp**

Name

Plan Amt-By Prod Line Grp

Description

Plan amount by product line group description:
 LKUP_FORECAST_PROD.PLAN_AMT

Cuid

OBJ_2920

Translation ID

OBJ_2920

Path

\Corporate Report Use Only\Measure\Forecast and Plan\

State

Hidden

Data Type

Numeric

Projection Function

None

High Precision

False

SQL Definition

Select

LKUP_FORECAST_PROD.PLAN_AMT

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: Plan Amt-By Prod Line Grp Code

Name	Plan Amt-By Prod Line Grp Code
Description	Plan amount by product line group code: STAGE_FORECAST_PROD.PLAN_AMT
Cuid	OBJ_2946
Translation ID	OBJ_2946
Path	\Corporate Report Use Only\Measure\Forecast and Plan\
State	Hidden
Data Type	Numeric
Projection Function	None
High Precision	False

SQL Definition

Select	STAGE_FORECAST_PROD.PLAN_AMT
--------	------------------------------

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: MTD-Forecast-USD

Name	MTD-Forecast-USD
Description	Month to date Forecast by Ship to Region for Corporate reports using: SUM(case when @Select(Date Dimension \FinanceYearMonth) = @Select(DerivedValues\Ending Year Month) then FCTV_INVOICE.R2Q_USD_AMT else 0 end)
Cuid	OBJ_4278
Translation ID	OBJ_4278
Path	\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Forecast\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) then FCTV_INVOICE.R2Q_USD_AMT else 0 end)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: QTD-Forecast-USD

Name	QTD-Forecast-USD
Description	Quarter to date Forecast by Ship to Region for Corporate reports using: SUM(case when @Select(Date Dimension \FinanceYearQuarter) = @Select(DerivedValues\Ending YearQuarter) then FCTV_INVOICE.R2Q_USD_AMT else 0 end)
Cuid	OBJ_4279
Translation ID	OBJ_4279
Path	\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Forecast\
State	Active
Data Type	Numeric
Projection Function	Sum

High Precision

False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearQuarter)
= @Select(Prompts\DerivedValues\Ending YearQuarter) then
FCTV_INVOICE.R2Q_USD_AMT else 0 end)
```

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: YTD-Forecast-USD

Name

YTD-Forecast-USD

Description

Year to date Forecast by Ship to Region for Corporate reports using: SUM(case when @Select(Date Dimension \FinanceYear) = @Select(DerivedValues\Ending Year) then FCTV_INVOICE.R2Q_USD_AMT else 0 end)

Cuid

OBJ_4280

Translation ID

OBJ_4280

Path

\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Forecast\

State

Active

Data Type

Numeric

Projection Function

Sum

High Precision

False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYear)
= @Select(Prompts\DerivedValues\Ending Year) then
FCTV_INVOICE.R2Q_USD_AMT else 0 end)
```

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

Can be used in

Results, Filters, Sorts



Measure: MTD-Forecast-Total

Name

MTD-Forecast-Total

Description

Month To Date based on User Entered Date or System Date - 1

Cuid

OBJ_2883

Translation ID

OBJ_2883

Path

\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Forecast\

State

Hidden

Data Type

Numeric

Projection Function

Max

High Precision

False

SQL Definition

Select

```
case when @Select(Date Dimension\FinanceYearMonth) =
@Select(Prompts\DerivedValues\Ending Year Month) then
LKUP_FORECAST_TOTAL.FORECAST_AMT else 0 end
```

Advanced

Minimum Object Level Security

Public

Data Sensitivity Category

Uncategorized data

List of Values

Editable

Can be used in

Results, Filters, Sorts



Measure: QTD-Forecast-Total

Name

QTD-Forecast-Total

Description

Quarter To Date based on User Entered Date or System Date - 1

Cuid

OBJ_2884

Translation ID

OBJ_2884

Path	\\Corporate Report Use Only\\Measure\\Forecast and Plan\\To-Date Forecast\\
State	Hidden
Data Type	Numeric
Projection Function	Max
High Precision	False

SQL Definition

Select	case when @Select(Date Dimension\\FinanceYearQuarter) = @Select(Prompts\\DerivedValues\\Ending YearQuarter) then LKUP_FORECAST_TOTAL.QTR_FORECAST_AMT else 0 end
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: YTD-Forecast-Total

Name	YTD-Forecast-Total
Description	Year To Date based on User Entered Date or System Date - 1
Cuid	OBJ_2885
Translation ID	OBJ_2885
Path	\\Corporate Report Use Only\\Measure\\Forecast and Plan\\To-Date Forecast\\
State	Hidden
Data Type	Numeric
Projection Function	Max
High Precision	False

SQL Definition

Select	case when @Select(Date Dimension\\FinanceYear) = @Select(Prompts\\DerivedValues\\Ending Year) and @Select(Date Dimension\\Order Input Date)<=@Select(Prompts\\Ending Date) then LKUP_FORECAST_TOTAL.YEAR_FORECAST_AMT else 0 end
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: MTD-Forecast-ByDivGrp

Name	MTD-Forecast-ByDivGrp
Description	Month To Date based on User Entered Date or System Date - 1
Cuid	OBJ_2886
Translation ID	OBJ_2886
Path	\\Corporate Report Use Only\\Measure\\Forecast and Plan\\To-Date Forecast\\
State	Hidden
Data Type	Numeric
Projection Function	Max
High Precision	False

SQL Definition

Select	case when @Select(Date Dimension\\FinanceYearMonth) = @Select(Prompts\\DerivedValues\\Ending Year Month) then LKUP_FORECAST_DIV.FORECAST_AMT else 0 end
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: QTD-Forecast-ByDivGrp

Name	QTD-Forecast-ByDivGrp
Description	Quarter To Date based on User Entered Date or System Date - 1
Cuid	OBJ_2887
Translation ID	OBJ_2887
Path	\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Forecast\
State	Hidden
Data Type	Numeric
Projection Function	Max
High Precision	False

SQL Definition

Select	case when @Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) then LKUP_FORECAST_DIV.QTR_FORECAST_AMT else 0 end
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: YTD-Forecast-ByDivGrp

Name	YTD-Forecast-ByDivGrp
Description	Year To Date based on User Entered Date or System Date - 1
Cuid	OBJ_2888
Translation ID	OBJ_2888
Path	\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Forecast\
State	Hidden
Data Type	Numeric
Projection Function	Max
High Precision	False

SQL Definition

Select	case when @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then LKUP_FORECAST_DIV.YEAR_FORECAST_AMT else 0 end
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: MTD-Forecast-ByProdLineGrp

Name	MTD-Forecast-ByProdLineGrp
Description	Month To Date based on User Entered Date or System Date - 1
Cuid	OBJ_2889
Translation ID	OBJ_2889
Path	\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Forecast\
State	Hidden
Data Type	Numeric
Projection Function	Max
High Precision	False

SQL Definition

Select	case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) then LKUP_FORECAST_PROD.FORECAST_AMT else 0 end
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data

List of Values
Can be used in

Editable
Results, Filters, Sorts



Measure: QTD-Forecast-ByProdLineGrp

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

QTD-Forecast-ByProdLineGrp
Quarter To Date based on User Entered Date or System Date - 1
OBJ_2890
OBJ_2890
\Corporate Report Use Only\Measure\Forecast and Plan\To-Date
Forecast\
Hidden
Numeric
Max
False

SQL Definition

Select

```
case when @Select(Date Dimension\FinanceYearQuarter) =  
@Select(Prompts\DerivedValues\Ending YearQuarter) then  
LKUP_FORECAST_PROD.QTR_FORECAST_AMT else 0 end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: YTD-Forecast-ByProdLineGrp

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

YTD-Forecast-ByProdLineGrp
Year To Date based on User Entered Date or System Date - 1
OBJ_2891
OBJ_2891
\Corporate Report Use Only\Measure\Forecast and Plan\To-Date
Forecast\
Hidden
Numeric
Max
False

SQL Definition

Select

```
case when @Select(Date Dimension\FinanceYear) =  
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date  
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then  
LKUP_FORECAST_PROD.YEAR_FORECAST_AMT else 0 end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: MTD-Forecast-ByProdLineGrpCode

Name
Description
Cuid
Translation ID
Path

State
Data Type
Projection Function
High Precision

MTD-Forecast-ByProdLineGrpCode
Month To Date based on User Entered Date or System Date - 1
OBJ_2947
OBJ_2947
\Corporate Report Use Only\Measure\Forecast and Plan\To-Date
Forecast\
Hidden
Numeric
Max
False

SQL Definition

Select

```
case when @Select(Date Dimension\FinanceYearMonth) =  
@Select(Prompts\DerivedValues\Ending Year Month) then  
STAGE_FORECAST_PROD.FORECAST_AMT else 0 end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: QTD-Forecast-ByProdLineGrpCode

Name	QTD-Forecast-ByProdLineGrpCode
Description	Quarter To Date based on User Entered Date or System Date - 1
Cuid	OBJ_2948
Translation ID	OBJ_2948
Path	\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Forecast\
State	Hidden
Data Type	Numeric
Projection Function	Max
High Precision	False

SQL Definition

Select

```
case when @Select(Date Dimension\FinanceYearQuarter) =  
@Select(Prompts\DerivedValues\Ending YearQuarter) then  
STAGE_FORECAST_PROD.QTR_FORECAST_AMT else 0 end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: MTD-Plan-USD

Name	MTD-Plan-USD
Description	Month to date Plan by Ship to Region for Corporate reports using: SUM(case when @Select(Date Dimension\FinanceYearMonth) = @Select(DerivedValues\Ending Year Month) then FCTV_INVOICE.PLAN_USD_AMT else 0 end)
Cuid	OBJ_4281
Translation ID	OBJ_4281
Path	\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(case when @Select(Date Dimension\FinanceYearMonth) =  
@Select(Prompts\DerivedValues\Ending Year Month) then  
FCTV_INVOICE.PLAN_USD_AMT else 0 end)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: QTD-Plan-USD

Name	QTD-Plan-USD
Description	Quarter to date Plan by Ship to Region for Corporate reports using: SUM(case when @Select(Date Dimension\FinanceYearQuarter) = @Select(DerivedValues\Ending YearQuarter) then FCTV_INVOICE.PLAN_USD_AMT else 0 end)
Cuid	OBJ_4282
Translation ID	OBJ_4282

Path
State
Data Type
Projection Function
High Precision

\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
Active
Numeric
Sum
False

SQL Definition

Select

SUM(case when @Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) then FCTV_INVOICE.PLAN_USD_AMT else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: YTD-Plan-USD

Name
Description

YTD-Plan-USD
Year to date Plan by Ship to Region for Corporate reports using: SUM(case when @Select(Date Dimension \FinanceYear) = @Select(DerivedValues\Ending Year) then FCTV_INVOICE.PLAN_USD_AMT else 0 end)
OBJ_4283
OBJ_4283
\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
Active
Numeric
Sum
False

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

SQL Definition

Select

SUM(case when @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) then FCTV_INVOICE.PLAN_USD_AMT else 0 end)

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts



Measure: MTD-Plan-Total

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

MTD-Plan-Total
Month To Date based on User Entered Date or System Date - 1
OBJ_2892
OBJ_2892
\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
Hidden
Numeric
Max
False

SQL Definition

Select

case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) then LKUP_FORECAST_TOTAL.PLAN_AMT else 0 end

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: QTD-Plan-Total

Name
Description
Cuid

QTD-Plan-Total
Quarter To Date based on User Entered Date or System Date - 1
OBJ_2893

Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2893
\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
Hidden
Numeric
Max
False

SQL Definition

Select

```
case when @Select(Date Dimension\FinanceYearQuarter) =  
@Select(Prompts\DerivedValues\Ending YearQuarter) then  
LKUP_FORECAST_TOTAL.QTR_PLAN_AMT else 0 end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: YTD-Plan-Total

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

YTD-Plan-Total
Year To Date based on User Entered Date or System Date - 1
OBJ_2894
OBJ_2894
\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
Hidden
Numeric
Max
False

SQL Definition

Select

```
case when @Select(Date Dimension\FinanceYear) =  
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date  
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then  
LKUP_FORECAST_TOTAL.YEAR_PLAN_AMT else 0 end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: MTD-Plan-ByDivGrp

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

MTD-Plan-ByDivGrp
Month To Date based on User Entered Date or System Date - 1
OBJ_2895
OBJ_2895
\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
Hidden
Numeric
Max
False

SQL Definition

Select

```
case when @Select(Date Dimension\FinanceYearMonth) =  
@Select(Prompts\DerivedValues\Ending Year Month) then  
LKUP_FORECAST_DIV.PLAN_AMT else 0 end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: QTD-Plan-ByDivGrp

Name
Description

QTD-Plan-ByDivGrp
Quarter To Date based on User Entered Date or System Date - 1

Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

OBJ_2896
OBJ_2896
\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
Hidden
Numeric
Max
False

SQL Definition

Select

```
case when @Select(Date Dimension\FinanceYearQuarter) =  
@Select(Prompts\DerivedValues\Ending YearQuarter) then  
LKUP_FORECAST_DIV.QTR_PLAN_AMT else 0 end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: YTD-Plan-ByDivGrp

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

YTD-Plan-ByDivGrp
Year To Date based on User Entered Date or System Date - 1
OBJ_2897
OBJ_2897
\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
Hidden
Numeric
Max
False

SQL Definition

Select

```
case when @Select(Date Dimension\FinanceYear) =  
@Select(Prompts\DerivedValues\Ending Year) and @Select(Date  
Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then  
LKUP_FORECAST_DIV.YEAR_PLAN_AMT else 0 end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: MTD-Plan-ByProdLineGrp

Name
Description
Cuid
Translation ID
Path
State
Data Type
Projection Function
High Precision

MTD-Plan-ByProdLineGrp
Month To Date based on User Entered Date or System Date - 1
OBJ_2898
OBJ_2898
\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
Hidden
Numeric
Max
False

SQL Definition

Select

```
case when @Select(Date Dimension\FinanceYearMonth) =  
@Select(Prompts\DerivedValues\Ending Year Month) then  
LKUP_FORECAST_PROD.PLAN_AMT else 0 end
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
List of Values
Can be used in

Public
Uncategorized data
Editable
Results, Filters, Sorts



Measure: QTD-Plan-ByProdLineGrp

Name

QTD-Plan-ByProdLineGrp

Description	Quarter To Date based on User Entered Date or System Date - 1
Cuid	OBJ_2899
Translation ID	OBJ_2899
Path	\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
State	Hidden
Data Type	Numeric
Projection Function	Max
High Precision	False

SQL Definition

Select	case when @Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) then LKUP_FORECAST_PROD.QTR_PLAN_AMT else 0 end
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: YTD-Plan-ByProdLineGrp

Name	YTD-Plan-ByProdLineGrp
Description	Year To Date based on User Entered Date or System Date - 1
Cuid	OBJ_2900
Translation ID	OBJ_2900
Path	\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
State	Hidden
Data Type	Numeric
Projection Function	Max
High Precision	False

SQL Definition

Select	case when @Select(Date Dimension\FinanceYear) = @Select(Prompts\DerivedValues\Ending Year) and @Select(Date Dimension\Order Input Date)<=@Select(Prompts\Ending Date) then LKUP_FORECAST_PROD.YEAR_PLAN_AMT else 0 end
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: MTD-Plan-ByProdLineGrpCode

Name	MTD-Plan-ByProdLineGrpCode
Description	Month To Date based on User Entered Date or System Date - 1
Cuid	OBJ_2949
Translation ID	OBJ_2949
Path	\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
State	Hidden
Data Type	Numeric
Projection Function	Max
High Precision	False

SQL Definition

Select	case when @Select(Date Dimension\FinanceYearMonth) = @Select(Prompts\DerivedValues\Ending Year Month) then STAGE_FORECAST_PROD.PLAN_AMT else 0 end
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts

Measure: QTD-Plan-ByProdLineGrpCode

Name	QTD-Plan-ByProdLineGrpCode
Description	Quarter To Date based on User Entered Date or System Date - 1
Cuid	OBJ_2950
Translation ID	OBJ_2950
Path	\Corporate Report Use Only\Measure\Forecast and Plan\To-Date Plan\
State	Hidden
Data Type	Numeric
Projection Function	Max
High Precision	False

SQL Definition

Select	case when @Select(Date Dimension\FinanceYearQuarter) = @Select(Prompts\DerivedValues\Ending YearQuarter) then STAGE_FORECAST_PROD.QTR_PLAN_AMT else 0 end
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
List of Values	Editable
Can be used in	Results, Filters, Sorts



Measure: Forecast Revenue Revision 0 Amt - Monthly USD

Name	Forecast Revenue Revision 0 Amt - Monthly USD
Description	Sixth Revision of Monthly R2Q Revenue Amount by Region in USD: FCTV_INVOICE.R2Q_REV0_USD_AMT
Cuid	OBJ_4394
Translation ID	OBJ_4394
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='51' OR DIM_REC_TYPE.MTH_R2Q_IND='Y' or DIM_REC_TYPE.MTH_R2Q_REV_IND='Y' THEN FCTV_INVOICE.R2Q_REV0_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Revenue Revision 1 Amt - Monthly USD

Name	Forecast Revenue Revision 1 Amt - Monthly USD
Description	Fifth Revision of Monthly R2Q Revenue Amount by Region in USD : FCTV_INVOICE.R2Q_REV1_USD_AMT
Cuid	OBJ_4395
Translation ID	OBJ_4395
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='51' OR DIM_REC_TYPE.MTH_R2Q_IND='Y' or DIM_REC_TYPE.MTH_R2Q_REV_IND='Y' THEN FCTV_INVOICE.R2Q_REV1_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
-------------------------------	--------

Data Sensitivity Category
Can be used in

Uncategorized data
Results, Filters, Sorts



Measure: Forecast Revenue Revision 2 Amt - Monthly USD

Name	Forecast Revenue Revision 2 Amt - Monthly USD
Description	Fourth Revision of Monthly R2Q Revenue Amount by Region in USD: FCTV_INVOICE.R2Q_REV2_USD_AMT
Cuid	OBJ_4396
Translation ID	OBJ_4396
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='51' OR DIM_REC_TYPE.MTH_R2Q_IND='Y' or DIM_REC_TYPE.MTH_R2Q_REV_IND='Y' THEN FCTV_INVOICE.R2Q_REV2_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Revenue Revision 3 Amt - Monthly USD

Name	Forecast Revenue Revision 3 Amt - Monthly USD
Description	Third Revision of Monthly R2Q Revenue Amount by Region in USD : FCTV_INVOICE.R2Q_REV3_USD_AMT
Cuid	OBJ_4397
Translation ID	OBJ_4397
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='51' OR DIM_REC_TYPE.MTH_R2Q_IND='Y' or DIM_REC_TYPE.MTH_R2Q_REV_IND='Y' THEN FCTV_INVOICE.R2Q_REV3_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Revenue Revision 4 Amt - Monthly USD

Name	Forecast Revenue Revision 4 Amt - Monthly USD
Description	Second Revision of Monthly R2Q Revenue Amount by Region in USD : FCTV_INVOICE.R2Q_REV4_USD_AMT
Cuid	OBJ_4398
Translation ID	OBJ_4398
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='51'  
OR DIM_REC_TYPE.MTH_R2Q_IND='Y' or  
DIM_REC_TYPE.MTH_R2Q_REV_IND='Y' THEN  
FCTV_INVOICE.R2Q_REV4_USD_AMT ELSE 0 END)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: Forecast Revenue Revision 5 Amt - Monthly USD

Name	Forecast Revenue Revision 5 Amt - Monthly USD
Description	First Revision of Monthly R2Q Revenue Amount by Region in USD : FCTV_INVOICE.R2Q_REV5_USD_AMT
Cuid	OBJ_4399
Translation ID	OBJ_4399
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='51'  
OR DIM_REC_TYPE.MTH_R2Q_IND='Y' or  
DIM_REC_TYPE.MTH_R2Q_REV_IND='Y' THEN  
FCTV_INVOICE.R2Q_REV5_USD_AMT ELSE 0 END)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: Forecast Revenue Revision 0 Amt - Quarterly USD

Name	Forecast Revenue Revision 0 Amt - Quarterly USD
Description	Sixth Revision of Quarterly R2Q Revenue Amount by Region in USD – This includes Actuals of First and Second Month of the quarter and Forecast of Third month: FCTV_INVOICE.R2Q_REV0_USD_AMT
Cuid	OBJ_4401
Translation ID	OBJ_4401
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select

```
SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='52'  
OR DIM_REC_TYPE.QTR_R2Q_IND='Y' or  
DIM_REC_TYPE.QTR_R2Q_REV_IND='Y' THEN  
FCTV_INVOICE.R2Q_REV0_USD_AMT ELSE 0 END)
```

Advanced

Minimum Object Level Security
Data Sensitivity Category
Can be used in

Public
Uncategorized data
Results, Filters, Sorts

Measure: Forecast Revenue Revision 1 Amt - Quarterly USD

Name	Forecast Revenue Revision 1 Amt - Quarterly USD
Description	Fifth Revision of Quarterly R2Q Revenue Amount by Region in USD –This includes Actuals of First Month of the quarter and Forecast of Second and Third month: FCTV_INVOICE.R2Q_REV1_USD_AMT
Cuid	OBJ_4402

Translation ID	OBJ_4402
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='52' OR DIM_REC_TYPE.QTR_R2Q_IND ='Y' or DIM_REC_TYPE.QTR_R2Q_REV_IND ='Y' THEN FCTV_INVOICE.R2Q_REV1_USD_AMT ELSE 0 END)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Revenue Revision 2 Amt - Quarterly USD

Name	Forecast Revenue Revision 2 Amt - Quarterly USD
Description	Fourth Revision of Quarterly R2Q Revenue Amount by Region in USD : FCTV_INVOICE.R2Q_REV2_USD_AMT
Cuid	OBJ_4403
Translation ID	OBJ_4403
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='52' OR DIM_REC_TYPE.QTR_R2Q_IND ='Y' or DIM_REC_TYPE.QTR_R2Q_REV_IND ='Y' THEN FCTV_INVOICE.R2Q_REV2_USD_AMT ELSE 0 END)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Revenue Revision 4 Amt - Quarterly USD

Name	Forecast Revenue Revision 4 Amt - Quarterly USD
Description	Second Revision of Quarterly R2Q Revenue Amount by Region in USD : FCTV_INVOICE.R2Q_REV4_USD_AMT
Cuid	OBJ_4405
Translation ID	OBJ_4405
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='52' OR DIM_REC_TYPE.QTR_R2Q_IND ='Y' or DIM_REC_TYPE.QTR_R2Q_REV_IND ='Y' THEN FCTV_INVOICE.R2Q_REV4_USD_AMT ELSE 0 END)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Forecast Revenue Revision 3 Amt - Quarterly USD

Name	Forecast Revenue Revision 3 Amt - Quarterly USD
Description	Third Revision of Quarterly R2Q Revenue Amount by Region in USD : FCTV_INVOICE.R2Q_REV3_USD_AMT
Cuid	OBJ_4404
Translation ID	OBJ_4404
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='52' OR DIM_REC_TYPE.QTR_R2Q_IND ='Y' or DIM_REC_TYPE.QTR_R2Q_REV_IND ='Y' THEN FCTV_INVOICE.R2Q_REV3_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Forecast Revenue Revision 5 Amt - Quarterly USD

Name	Forecast Revenue Revision 5 Amt - Quarterly USD
Description	First Revision of Quarterly R2Q Revenue Amount by Region in USD : FCTV_INVOICE.R2Q_REV5_USD_AMT
Cuid	OBJ_4408
Translation ID	OBJ_4408
Path	\Corporate Report Use Only\Measure\Revenue Forecast Revision buckets\
State	Active
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN FCTV_INVOICE.REC_TYPE_KEY='52' OR DIM_REC_TYPE.QTR_R2Q_IND ='Y' or DIM_REC_TYPE.QTR_R2Q_REV_IND ='Y' THEN FCTV_INVOICE.R2Q_REV5_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

Measure: Forecast Cost Revision 5 Amt - Monthly USD

Name	Forecast Cost Revision 5 Amt - Monthly USD
Description	Forecast Cost Revision 5 Amt - Monthly USD:SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV5_USD_AMT ELSE 0 END)
Cuid	OBJ_4903
Translation ID	OBJ_4903
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV5_USD_AMT ELSE 0 END)
--------	---

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Cost Revision 4 Amt - Monthly USD

Name	Forecast Cost Revision 4 Amt - Monthly USD
Description	Forecast Cost Revision 4 Amt - Monthly USD: SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV4_USD_AMT ELSE 0 END)
Cuid	OBJ_4902
Translation ID	OBJ_4902
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV4_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Cost Revision 3 Amt - Monthly USD

Name	Forecast Cost Revision 3 Amt - Monthly USD
Description	Forecast Cost Revision 3 Amt - Monthly USD : SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV3_USD_AMT ELSE 0 END)
Cuid	OBJ_4901
Translation ID	OBJ_4901
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV3_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Cost Revision 2 Amt - Monthly USD

Name	Forecast Cost Revision 2 Amt - Monthly USD
Description	Forecast Cost Revision 2 Amt - Monthly USD : SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV2_USD_AMT ELSE 0 END)
Cuid	OBJ_4900
Translation ID	OBJ_4900
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV2_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Cost Revision 1 Amt - Monthly USD

Name	Forecast Cost Revision 1 Amt - Monthly USD
Description	Forecast Cost Revision 1 Amt - Monthly USD : SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV1_USD_AMT ELSE 0 END)
Cuid	OBJ_4899
Translation ID	OBJ_4899
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV1_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Cost Revision 0 Amt - Monthly USD

Name	Forecast Cost Revision 0 Amt - Monthly USD
Description	Forecast Cost Revision 0 Amt - Monthly USD : SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV0_USD_AMT ELSE 0 END)
Cuid	OBJ_4898
Translation ID	OBJ_4898
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.MTH_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV0_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Cost Revision 5 Amt - Quarterly USD

Name	Forecast Cost Revision 5 Amt - Quarterly USD
Description	Forecast Cost Revision 5 Amt - Quarterly USD : SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV5_USD_AMT ELSE 0 END)
Cuid	OBJ_4897
Translation ID	OBJ_4897
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV5_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Cost Revision 4 Amt - Quarterly USD

Name	Forecast Cost Revision 4 Amt - Quarterly USD
Description	Forecast Cost Revision 4 Amt - Quarterly USD : SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV4_USD_AMT ELSE 0 END)
Cuid	OBJ_4896
Translation ID	OBJ_4896
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV4_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Cost Revision 3 Amt - Quarterly USD

Name	Forecast Cost Revision 3 Amt - Quarterly USD
Description	Forecast Cost Revision 3 Amt - Quarterly USD : SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV3_USD_AMT ELSE 0 END)
Cuid	OBJ_4895
Translation ID	OBJ_4895
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV3_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts



Measure: Forecast Cost Revision 2 Amt - Quarterly USD

Name	Forecast Cost Revision 2 Amt - Quarterly USD
Description	Forecast Cost Revision 2 Amt - Quarterly USD ; SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV2_USD_AMT ELSE 0 END)
Cuid	OBJ_4894
Translation ID	OBJ_4894
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV2_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: Forecast Cost Revision 1 Amt - Quarterly USD**

Name	Forecast Cost Revision 1 Amt - Quarterly USD
Description	Forecast Cost Revision 1 Amt - Quarterly USD : SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV1_USD_AMT ELSE 0 END)
Cuid	OBJ_4893
Translation ID	OBJ_4893
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV1_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Measure: Forecast Cost Revision 0 Amt - Quarterly USD**

Name	Forecast Cost Revision 0 Amt - Quarterly USD
Description	Forecast Cost Revision 0 Amt - Quarterly USD : SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV0_USD_AMT ELSE 0 END)
Cuid	OBJ_4892
Translation ID	OBJ_4892
Path	\Corporate Report Use Only\Measure\Cost Forecast Revision Buckets\
State	Hidden
Data Type	Numeric
Projection Function	Sum
High Precision	False

SQL Definition

Select	SUM(CASE WHEN DIM_REC_TYPE.QTR_R2Q_IND ='Y' THEN FCTV_INVOICE.FCST_COST_REV0_USD_AMT ELSE 0 END)
--------	--

Advanced

Minimum Object Level Security	Public
Data Sensitivity Category	Uncategorized data
Can be used in	Results, Filters, Sorts

**Parameter: Enter End Date (MM/DD/YYYY):**

Name	Enter End Date (MM/DD/YYYY):
Hidden	False

Prompt Options

Prompt to users	True
Prompt text	Enter End Date (MM/DD/YYYY):
Data Type	DateTime
Allow multiple values	False
Keep last values	True
Index aware prompt	False

List of values

Select only from list	False
-----------------------	-------

Default values

Set default values	False
Constant :	

**Parameter: Run For Yesterday**

Name	Run For Yesterday
Hidden	False

Prompt Options

Prompt to users	True
Prompt text	Run For Yesterday
Data Type	String
Allow multiple values	False
Keep last values	True
Index aware prompt	False

List of values

Select only from list	False
List of Values	Static Lov from Run For Yesterday

Default values

Set default values	False
Constant :	

**Parameter: Enter Begin Date (MM/DD/YYYY):**

Name	Enter Begin Date (MM/DD/YYYY):
Hidden	False

Prompt Options

Prompt to users	True
Prompt text	Enter Begin Date (MM/DD/YYYY):
Data Type	DateTime
Allow multiple values	False
Keep last values	True
Index aware prompt	False

List of values

Select only from list	False
-----------------------	-------

Default values

Set default values	False
Constant :	

**Parameter: Enter date to select Forecast year month nbr (MM/DD/YYYY):**

Name	Enter date to select Forecast year month nbr (MM/DD/YYYY):
Hidden	False

Prompt Options

Prompt to users	True
-----------------	------

Prompt text	Enter date to select Forecast year month nbr (MM/DD/YYYY):
Data Type	DateTime
Allow multiple values	False
Keep last values	False
Index aware prompt	False

List of values

Select only from list	False
-----------------------	-------

Default values

Set default values	False
Constant :	



Parameter: Run for forecast as of current month

Name	Run for forecast as of current month
Hidden	False

Prompt Options

Prompt to users	True
Prompt text	Run for forecast as of current month
Data Type	String
Allow multiple values	False
Keep last values	True
Index aware prompt	False

List of values

Select only from list	False
List of Values	Static Lov from Run for forecast as of current month

Default values

Set default values	False
Constant :	



Parameter: Enter Days

Name	Enter Days
Hidden	False

Prompt Options

Prompt to users	True
Prompt text	Enter Days
Data Type	Numeric
Allow multiple values	False
Keep last values	True
Index aware prompt	False

List of values

Select only from list	False
-----------------------	-------

Default values

Set default values	False
Constant :	



Parameter: DistrChannelName

Name	DistrChannelName
Hidden	False

Prompt Options

Prompt to users	True
Prompt text	DistrChannelName
Data Type	String
Allow multiple values	False
Keep last values	True
Index aware prompt	False

List of values

Select only from list	False
-----------------------	-------

Default values

Set default values
Constant :

False



Parameter: DivName

Name
Hidden

DivName
False

Prompt Options

Prompt to users
Prompt text
Data Type
Allow multiple values
Keep last values
Index aware prompt

True
DivName
String
False
True
False

List of values

Select only from list

False

Default values

Set default values
Constant :

False



Parameter: BusinessSegment

Name
Hidden

BusinessSegment
False

Prompt Options

Prompt to users
Prompt text
Data Type
Allow multiple values
Keep last values
Index aware prompt

True
BusinessSegment
String
False
True
False

List of values

Select only from list

False

Default values

Set default values
Constant :

False



Parameter: SalesOrgName

Name
Hidden

SalesOrgName
False

Prompt Options

Prompt to users
Prompt text
Data Type
Allow multiple values
Keep last values
Index aware prompt

True
SalesOrgName
String
False
True
False

List of values

Select only from list

False

Default values

Set default values
Constant :

False



Parameter: ProdLineDesc

Name
Hidden

ProdLineDesc
False

Prompt Options

Prompt to users
Prompt text

True
ProdLineDesc

Data Type	String
Allow multiple values	False
Keep last values	True
Index aware prompt	False

List of values

Select only from list	False
-----------------------	-------

Default values

Set default values	False
Constant :	



Parameter: ProductGroup

Name	ProductGroup
Hidden	False

Prompt Options

Prompt to users	True
Prompt text	ProductGroup
Data Type	String
Allow multiple values	True
Keep last values	True
Index aware prompt	False

List of values

Select only from list	False
-----------------------	-------

Default values

Set default values	False
Constant :	



Parameter: DtType

Name	DtType
Hidden	False

Prompt Options

Prompt to users	True
Prompt text	DtType
Data Type	String
Allow multiple values	False
Keep last values	True
Index aware prompt	False

List of values

Select only from list	False
-----------------------	-------

Default values

Set default values	False
Constant :	

**Business Layer Object List of Values: 05m**

Name	05m
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Prod Line Grp Code

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 05n**

Name	05n
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Prod Line Grp Desc

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 06f**

Name	06f
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Sales Org Id

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 06g**

Name	06g
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Sales Org Name

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 0cp**

Name	0cp
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000

Query execution timeout

2147483647

Query

Result Objects for:Query 1

Profit Center Code

Query Filters for: Query 1

Active Ind = 'Y'



Business Layer Object List of Values: 0cq

Name	0cq
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query

Result Objects for:Query 1

Profit Center Desc

Query Filters for: Query 1

Active Ind = 'Y'



Business Layer Object List of Values: 28a

Name	28a
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query

Result Objects for:Query 1

Prod Line Group Desc2

Query Filters for: Query 1

Active Ind = 'Y'



Business Layer Object List of Values: 29l

Name	29l
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query

Result Objects for:Query 1

Distr Channel Grp Id

Query Filters for: Query 1

Fct Ind = 'Y'



Business Layer Object List of Values: 2g2

Name	2g2
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query

Result Objects for:Query 1

Division

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 2g3**

Name	2g3
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Division Desc

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 2g4**

Name	2g4
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Business Segment

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 2g5**

Name	2g5
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Business Segment Desc

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 2g6**

Name	2g6
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Product Group

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 2g7**

Name	2g7
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query

Result Objects for:Query 1

Product Sub Group1

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 2g8**

Name	2g8
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Product Sub Group2

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 2g9**

Name	2g9
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Product Sub Group3

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 2ga**

Name	2ga
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Product Line Group Code

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 2gb**

Name	2gb
Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query**Result Objects for:Query 1**

Product Line Group Desc

Query Filters for: Query 1

Active Ind = 'Y'

**Business Layer Object List of Values: 3fl**

Name	3fl
------	-----

Force users to filter values before use	false
Allow users to search values in the database	false
Max number of rows	90000
Query execution timeout	2147483647

Query

Result Objects for:Query 1

FinanceYearQuarter

=====



Static List of Values: Static Lov from Run For Yesterday

Name	Static Lov from Run For Yesterday
Column 0	String



Static List of Values: Static Lov from Run for forecast as of current month

Name	Static Lov from Run for forecast as of current month
Column 0	String



Navigation Path: Date

FinanceYear	Date Dimension\FinanceYear Finance Year Number : DIM_DATE.FIN_YEAR_NBR
FinanceMonth	Date Dimension\FinanceMonth Finance Month Number, e.g. 10 as October : DIM_DATE.FIN_MONTH_NBR



Navigation Path: Sales Organization Dimension

Sales Org Id	Sales Organization Dimension\Sales Org Id SAP Sales Org: An organizational unit responsible for the sale of certain products or services. The responsibility of a sales organization may include legal liability for products and customer claims. (Ex: 428B, CS01)
Sales Org Name	Sales Organization Dimension\Sales Org Name SAP Sales Org Name (Ex: Commscope EMEA Ltd., CommScope Inc)



Navigation Path: Product Hierarchy

Prod Long Id	Product Master Dimension\Prod Long Id Alphanumeric value which uniquely identifies a product or material (SAP1 and SAP2 Material ID, JDE Product Long ID)
Prod Desc1	Product Master Dimension\Prod Desc1 SAP Material Description, JDE Product Description



Navigation Path: Division

Div Name	Division Dimension\Div Name DIM_DIVISION.DIV_NAME:Division Name
Sales Org Name	Sales Organization Dimension\Sales Org Name SAP Sales Org Name (Ex: Commscope EMEA Ltd., CommScope Inc)
Prod Line Grp Code	Profit Center Dimension\History Reporting - Detail Profit Center\Prod Line Grp Code Groups together similar product lines from the various source systems. Ex: 20999875 (SAP1), ACW (SAP2), and QR (JDE) are 'QR'
Profit Center Code	Profit Center Dimension\History Reporting - Detail Profit Center\Profit Center Code SAP1 : Profit Center SAP2 : Business Area JDE: Product Line Ex: QR Cable is Profit Center 20000875 in SAP1, Business Area ACW in SAP2, and Product Line QR in JDE.
Distr Channel Name	Distribution Channel Dimension\Distr Channel Name Distribution Channel Name: US, Canada, Inter-Entity, WIS/ASIAPAC, WIS/BRAZIL
Country Name	Region Dimension\Ultimate Dest Region Country Dimension\Country Name Sold to country name on sales order
Plant Name	Source Plant Dimension\History Reporting - Source Plant\Plant Name Plant Name



Navigation Path: Source Plant Dimension

Plant Id	Source Plant Dimension\History Reporting - Source Plant\Plant Id Plant ID
Plant Name	Source Plant Dimension\History Reporting - Source Plant\Plant Name Plant Name



Navigation Path: Distribution Channel Dimension

Distr Channel Id	Distribution Channel Dimension\Distr Channel Id Distribution Channel ID: Z1, Z5, IS, AP, BZ. The Distribution Channel is the geographic area into which an item is sold.
Distr Channel Name	Distribution Channel Dimension\Distr Channel Name Distribution Channel Name: US, Canada, Inter-Entity, WIS/ASIAPAC, WIS/BRAZIL



Navigation Path: Profit Center Hierarchy

Division	Profit Center Dimension\Above Profit Center Hierarchy\Division Values are CCS, CMS and CS Other
Business Segment	Profit Center Dimension\Above Profit Center Hierarchy\Business Segment Values are CCS, CMS and CS OTHER
Product Group	Profit Center Dimension\Above Profit Center Hierarchy\Product Group Groups profit centers together. Ex: all Cable Products profit centers are grouped as "Cable Products". Enterprise Copper Cable and Apparatus profit centers are grouped as "Copper"
Product Sub Group1	Profit Center Dimension\Above Profit Center Hierarchy\Product Sub Group1 Level below Product Group. Groups profit centers together. Ex: all Cable Products profit centers are grouped as "Cable Products". Enterprise Copper Cable and Apparatus profit centers are grouped as "Copper"
Product Sub Group2	Profit Center Dimension\Above Profit Center Hierarchy\Product Sub Group2 Level below Product Sub Group 1. Groups profit centers together. Ex: ACCG "Cable Products" is separated into Heliac and Braided, Wireless Cable etc..
Product Sub Group3	Profit Center Dimension\Above Profit Center Hierarchy\Product Sub Group3 Level below Product Sub Group 2. Groups profit centers together. Ex: ACCG "Heliac Products" is separated into Smoothwall and Corrugated
Product Line Group Code	Profit Center Dimension\Above Profit Center Hierarchy\Product Line Group Code Same as Profit Center. JDE product lines, SAP1 Profit Centers, SAP2 Business Areas (division) are grouped with ERP Profit Center. Groups product lines at higher level. Example, all microwave business areas in different ERP systems are grouped as Total Microwave.
Level1	Profit Center Dimension\Below Profit Center Hierarchy(Product Hierarchy)\Level1 Object displays characters 1-5 of the product hierarchy. This value is synonymous with the SAP1 OC Code : DIM_PROD_MASTER.PROD_OC_CODE
Level2	Profit Center Dimension\Below Profit Center Hierarchy(Product Hierarchy)\Level2 Object displays characters 6-10 of the product hierarchy. This value is synonymous with the SAP1 MC Code : DIM_PROD_MASTER.PROD_MC_CODE
Level3	Profit Center Dimension\Below Profit Center Hierarchy(Product Hierarchy)\Level3 Object displays the description of characters 11-12 of the product hierarchy : DIM_PROD_MASTER.IA_LEVEL_3
Level4	Profit Center Dimension\Below Profit Center Hierarchy(Product Hierarchy)\Level4 Object displays characters 13-14 of the product hierarchy : DIM_PROD_MASTER.IA_LEVEL_4
Level5	Profit Center Dimension\Below Profit Center Hierarchy(Product Hierarchy)\Level5 Object displays characters 15-16 of the product hierarchy : DIM_PROD_MASTER.IA_LEVEL_5
Level6	Profit Center Dimension\Below Profit Center Hierarchy(Product Hierarchy)\Level6 Object displays characters 17-18 of the product hierarchy : DIM_PROD_MASTER.IA_LEVEL_6
Prod ID	Product Master Dimension\Prod ID Alphanumeric value which uniquely identifies a product or material (SAP1 and SAP2 Material ID, JDE Product Long ID)



Navigation Path: Ship To Hierarchy

Ship To Cust View Code	Ship To Customer Dimension\Ship To Hierarchy\Ship To Cust View Code The highest level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL2
Ship To Cust Level2	Ship To Customer Dimension\Ship To Hierarchy\Ship To Cust Level2 The second level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL3
Ship To Cust Level3	Ship To Customer Dimension\Ship To Hierarchy\Ship To Cust Level3 The third level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL5
Sold To Parent Cust Id	Ship To Customer Dimension\Ship To Hierarchy\Sold To Parent Cust Id The fourth level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL4
Ship To Cust Id	Ship To Customer Dimension\Ship To Cust Id Ship To Customer ID



Navigation Path: Sold To Hierarchy

Sold To Cust View code	Sold To Customer Dimension\Sold To Customer Hierarchy\Sold To Cust View code The highest level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL2
Sold To Cust Level2	Sold To Customer Dimension\Sold To Customer Hierarchy\Sold To Cust Level2 The second level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL3
Sold To Cust Level3	Sold To Customer Dimension\Sold To Customer Hierarchy\Sold To Cust Level3 The third level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL5
Sold To Parent Cust Id	Sold To Customer Dimension\Sold To Customer Hierarchy\Sold To Parent Cust Id The fourth level in the CommScope Customer Reporting Hierarchy: PAYER_CUST.LEVEL4
Sold To Cust Id	Sold To Customer Dimension\Sold To Cust Id Sold To Customer ID



Navigation Path: CRM ORG. Hier

CRM Org Code	CRM ORG. Hier\CRM Org Code CRM Sales Organization : DIM_CRM_SALES_ORG.CRM_SALES_ORG
Sales Employee	CRM ORG. Hier\Sales Employee Sales Employee : DIM_CRM_PARTNER.PARTNER It will only to reflect the sales employee on Sales before Jul.2021, for SOs after Jul.2021 please use “Sales Employee Id” which is under “Sales Order Dimension”
CRM Sales Org Level 1	CRM ORG. Hier\CRM Sales Org Level 1 World Wide Sales : DIM_CRM_SALES_ORG.LEVEL3
CRM Sales Org Level 1 Desc	CRM ORG. Hier\CRM Sales Org Level 1 Desc World Wide Sales Description : DIM_CRM_SALES_ORG.LEVEL3_DESC
CRM Sales Org Level 2	CRM ORG. Hier\CRM Sales Org Level 2 CRM Sales Org Level 2 : DIM_CRM_SALES_ORG.LEVEL4
CRM Sales Org Level 2 Desc	CRM ORG. Hier\CRM Sales Org Level 2 Desc CRM Sales Org Level 2 Desc : DIM_CRM_SALES_ORG.LEVEL4_DESC
CRM Sales Org Level 3	CRM ORG. Hier\CRM Sales Org Level 3 CRM Sales Org Level 3 : DIM_CRM_SALES_ORG.LEVEL5
CRM Sales Org Level 3 Desc	CRM ORG. Hier\CRM Sales Org Level 3 Desc CRM Sales Org Level 3 Desc : DIM_CRM_SALES_ORG.LEVEL5_DESC
CRM Sales Org Level 4	CRM ORG. Hier\CRM Sales Org Level 4 CRM Sales Org Level 4 : DIM_CRM_SALES_ORG.LEVEL6
CRM Sales Org Level 4 Desc	CRM ORG. Hier\CRM Sales Org Level 4 Desc

CRM Sales Org Level 5

CRM Sales Org Level 5 Desc

CRM Sales Org Level 4 Desc :

DIM_CRM_SALES_ORG.LEVEL6_DESC

CRM ORG. Hier\CRM Sales Org Level 5

CRM Sales Org Level 5 : DIM_CRM_SALES_ORG.LEVEL7

CRM ORG. Hier\CRM Sales Org Level 5 Desc

CRM Sales Org Level 5 Desc :

DIM_CRM_SALES_ORG.LEVEL7_DESC



Navigation Path: Sold-To To Sales Order

Sold To Cust Id

Sold To Customer Dimension\Sold To Cust Id

Sold To Customer ID

Sales Ord Id

Sales Order Dimension\Sales Ord Id

Sales Order ID – uniquely identifies the sales order header record



Navigation Path: Product Group to Sales Order

Product Group

Profit Center Dimension\Above Profit Center Hierarchy\Product Group
Groups profit centers together. Ex: all Cable Products profit centers are grouped as "Cable Products". Enterprise Copper Cable and Apparatus profit centers are grouped as "Copper"

Sales Ord Id

Sales Order Dimension\Sales Ord Id

Sales Order ID – uniquely identifies the sales order header record



Navigation Path: Region Name to Sale Order

Region Name

Region Dimension\Ultimate Dest Region Country Dimension\Region Name

Region Name: DIM_REGION_COUNTRY.REGION_NAME

Sales Ord Id

Sales Order Dimension\Sales Ord Id

Sales Order ID – uniquely identifies the sales order header record



Navigation Path: Block Desc to Sales Order

Block Desc

Sales Order Dimension\Block Desc

Reason sales order is blocked (Credit Rejection, Minimum \$ Violation, Margin Hold) : DIM_SALES_ORDER.BLOCK_DESC

Sales Ord Id

Sales Order Dimension\Sales Ord Id

Sales Order ID – uniquely identifies the sales order header record



Navigation Path: Characteristics Hierarchy

Product Line Group Code

Profit Center Dimension\Above Profit Center Hierarchy\Product Line Group Code

Same as Profit Center. JDE product lines, SAP1 Profit Centers, SAP2 Business Areas (division) are grouped with ERP Profit Center. Groups product lines at higher level. Example, all microwave business areas in different ERP systems are grouped as Total Microwave.

CHAR-Class

Product Master Dimension\Characteristics\Operations\CHAR-Class

CHAR-Family

IA_OPERATIONS_CHARACTERISTICS.CHAR_CLASS: Class

Product Master Dimension\Characteristics\Operations\CHAR-Family

CHAR-Group

IA_OPERATIONS_CHARACTERISTICS.CHAR_FAMILY: Family

Product Master Dimension\Characteristics\Operations\CHAR-Group

CHAR-Catalog

IA_OPERATIONS_CHARACTERISTICS.CHAR_GROUP: Group

Product Master Dimension\Characteristics\Operations\CHAR-Catalog

CHAR-Type

IA_OPERATIONS_CHARACTERISTICS.CHAR_CATALOG: Catalog

Product Master Dimension\Characteristics\Operations\CHAR-Type

Prod ID

IA_OPERATIONS_CHARACTERISTICS.CHAR_TYPE: Type

Product Master Dimension\Prod ID

Alphanumeric value which uniquely identifies a product or material (SAP1 and SAP2 Material ID, JDE Product Long ID)