


Security Report

Infection Monkey



Overview

✓ No critical security issues were detected.

⚠ To improve Infection Monkey's detection rates, try adding credentials under **Propagation - Credentials** and updating network settings under **Propagation - Network analysis**.

The first Infection Monkey Agent ran on

9/24/2026, 1:08:25 AM. After

0 minutes and 34 seconds, all Agents finished propagation attempts.

Infection Monkey started propagating from the following machines where it was manually installed:

- CloudSpartan

No credentials available for brute forcing.

No exploiters were enabled.

Note: Infection Monkey was configured to avoid scanning the local network.

Segmentation Issues

Infection Monkey uncovered the following set of segmentation issues:

- Communication possible from 192.168.0.0/24 to 10.42.27.0/24

IP 192.168.0.17 (CloudSpartan) was able to communicate with IP 10.42.27.128 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was able to communicate with IP 10.42.27.130 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was able to communicate with IP 10.42.27.131 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was able to communicate with IP

10.42.27.132 using:

- ICMP

IP 192.168.0.17 (CloudSpartan) was able to communicate with IP

10.42.27.136 using:

- ICMP

IP 192.168.0.17 (CloudSpartan) was able to communicate with IP

10.42.27.138 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was able to communicate with IP

10.42.27.139 using:

- ICMP

IP 192.168.0.17 (CloudSpartan) was able to communicate with IP

10.42.27.145 using:

- ICMP

IP 192.168.0.17 (CloudSpartan) was able to communicate with IP

10.42.27.146 using:

- ICMP

IP 192.168.0.17 (CloudSpartan) was able to communicate with IP

10.42.27.152 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was

able to communicate with IP
10.42.27.154 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was
able to communicate with IP
10.42.27.159 using:

- ICMP

IP 192.168.0.17 (CloudSpartan) was
able to communicate with IP
10.42.27.163 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was
able to communicate with IP
10.42.27.172 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was
able to communicate with IP
10.42.27.179 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was
able to communicate with IP
10.42.27.181 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was

able to communicate with IP
10.42.27.182 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was
able to communicate with IP
10.42.27.186 using:

- ICMP

IP 192.168.0.17 (CloudSpartan) was
able to communicate with IP
10.42.27.187 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was
able to communicate with IP
10.42.27.188 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was
able to communicate with IP
10.42.27.189 using:

- ICMP
- TCP

IP 192.168.0.17 (CloudSpartan) was
able to communicate with IP
10.42.27.190 using:

- ICMP

IP 192.168.0.17 (CloudSpartan) was
able to communicate with IP

10.42.27.191 using:

- ICMP

The Network from Infection Monkey's Eyes

Infection Monkey discovered **23** machines and successfully breached **0** of them.

 **0% of scanned machines exploited**

Infection Monkey discovered **18** open services on **23** machines:

<u>Scanned Servers</u>	
Machine	Services found
(10.42.27.130/32)	10.42.27.130:8080 - http
(10.42.27.128/32)	10.42.27.128:22 - ssh
	10.42.27.128:80 - https
	10.42.27.128:443 - https
	10.42.27.128:3389 - unknown
(10.42.27.131/32)	10.42.27.131:8080 - http
Rows per page: 10 ▼ 1–10 of 23 < >	

Infection Monkey successfully breached **0** machines:

Breached Servers

N

Infection Monkey stole the following credentials:

Stolen Credentials

N

For questions, suggestions, or any other
feedback, contact
support@infectionmonkey.com



