

Contents

Global Flood Hydrotectonics	1
How to Read This Document	1
Executive Summary	1
1. The Heat Problem	2
2. The Three-Stage Framework	3
3. Key Mechanisms	4
4. Energy Budget Summary	4
5. Testable Predictions	5
6. Limitations and Open Questions	5
7. Theoretical Framework	6
8. Reference Materials	6
9. Key References	7
Document Information	7

Global Flood Hydrotectonics

A Quantitative Theory of Rapid Continental Reorganization

Version: 2.5 (Synthesized) **Author:** James (JD) Longmire | ORCID: [0009-0009-1383-7698](#) **Date:** December 2025 **Status:** Preprint - not peer reviewed; released for open scientific evaluation and critique

How to Read This Document

This document should be read as a *working research programme*, not as a settled or comprehensive theory. Its purpose is to test physical plausibility under constrained assumptions, not to assert historical certainty or claim empirical confirmation. Some boundary conditions are stipulated rather than derived, and these are identified explicitly; subsequent analysis examines whether the proposed mechanisms operate coherently within known physical laws given those conditions. Where quantitative estimates are presented, they are order-of-magnitude unless otherwise stated. Predictions are distinguished from reinterpretations, and unresolved issues are acknowledged without claim of resolution. Readers are encouraged to evaluate the model on its internal consistency, energy and heat accounting, and exposure to potential falsification, rather than on agreement with its underlying metaphysical or interpretive commitments.

Executive Summary

This preprint presents *Global Flood Hydrotectonics* as a working physical research programme exploring whether rapid, large-scale continental reorganization during a global flood event can be made energetically and thermodynamically coherent under known physical laws. The model addresses the longstanding “heat problem” associated with catastrophic plate motion by proposing a hydraulic rather than mantle-viscous driving mechanism, in which continental blocks undergo

hydroplaning along fluid-saturated detachment horizons under conditions of near-lithostatic pore pressure.

Core Innovation: Using Terzaghi’s effective stress principle, continental blocks move by hydroplaning on thin water films along shallow detachment horizons, not by accelerated mantle convection. Energy dissipation occurs in water rather than through viscous mantle shear, reducing heat generation by two orders of magnitude.

Key Results (Order-of-Magnitude): - Heat flux: $\sim 20 \text{ W/m}^2$ (vs. $\sim 600 \text{ W/m}^2$ in conventional catastrophic models) - Global temperature rise: $< 1 \text{ K}$ (vs. hundreds of Kelvin) - Energy source: Gravitational potential energy ($\sim 10^{25} \text{ J}$) stored at Creation

The Three-Stage Framework:

Stage	Name	Mechanism	Duration
0	Fiat/Creation	Stipulated initial conditions	Instantaneous
1	Stasis	Metastable equilibrium under physical law	Antediluvian era
2	Discharge	Hydraulic collapse triggered by seal failure	$\sim 1 \text{ year}$

The framework explicitly separates novel, discriminating predictions from post-hoc reinterpretations of existing observations. Quantitative estimates, reproducible calculations, and known uncertainties are presented transparently. The work does not claim confirmation, consensus, or completeness, but aims to establish whether the proposed mechanism constitutes a physically plausible research programme exposed to empirical risk and amenable to further testing, refinement, or falsification.

1. The Heat Problem

Any model proposing rapid, global-scale tectonic reorganization must confront the energy budget. In standard plate tectonics, continental drift occurs at centimeters per year. Accelerating this to kilometers per day generates heat that scales with velocity squared.

The Physical Constraint: For viscous flow, dissipation increases as v^2 . A hundred-fold acceleration produces ten-thousand-fold increase in heat generation. This heat exceeds Earth’s radiative capacity, causing surface temperatures sufficient to vaporize oceans.

The Conventional Objection: Moving continental blocks thousands of kilometers in one year, using conventional friction assumptions, generates $\sim 600 \text{ W/m}^2$ heat flux - nearly half the power of sunlight. This would be instantly lethal.

The Hydrotectonic Solution: The model achieves a $100\times$ reduction in heat generation through Terzaghi’s effective stress principle. When pore pressure approaches lithostatic stress, effective normal stress drops to $\sim 1\%$ of full lithostatic, and friction becomes negligible.

2. The Three-Stage Framework

Stage 0: Fiat Initial Conditions

The biblical text provides a boundary condition: “Let the dry land appear” (Genesis 1:9). This implies vertical separation - continents elevated while ocean basins sink.

Physical Translation: To raise buoyant continents to ~2 km average freeboard while maintaining isostatic equilibrium requires dense “ballast” positioned deep in the mantle. The model interprets cold slabs observed in seismic tomography as consistent with a **Created Ballast** hypothesis, rather than requiring long-term subduction.

The Gravitational Battery: Stage 0 emplacement stores $\sim 10^{25}$ J of gravitational potential energy - sufficient to power Stage 2 reorganization without requiring thermal convection.

Methodological Note: Stage 0 invokes supernatural causation for initial conditions only. This is methodologically parallel to cosmological models that accept Big Bang initial conditions while modeling subsequent evolution through natural law.

Stage 1: Antediluvian Stasis

Following Stage 0, Earth existed in a high-energy but stable configuration. Stability derived from hydraulic seals - low-permeability layers that isolated high-pressure fluid reservoirs.

The Pre-Flood Crustal Architecture: - Water-saturated lithosphere with distributed aquifers - Interconnected fracture networks and fault-bounded aquifers - Overpressured compartments approaching lithostatic pressure - Serpentinized upper mantle holding 10-15 wt% water

The Channeled-Porosity Architecture: A critical feature - not sealed compartments but an open-flow system with continuous water supply. This determines which physics governs Stage 2: submarine hydroplaning physics rather than fault-valve drainage.

Stage 2: The Flood Event (Discharge)

Trigger: Large meteor impacts generated shockwaves that fractured aquitard layers, initiating cascading seal failure across global scales.

Mechanism - Effective Stress Collapse:

As pore pressure (P_p) approaches lithostatic stress (σ_L):

$$\sigma_{eff} = \sigma_L - P_p \rightarrow 0$$

When effective stress drops below ~1% of lithostatic, friction becomes negligible. Crustal blocks accelerate under gravity.

Hydroplaning: Continental blocks moved on thin water films along shallow detachment horizons (~50 km depth). Velocities of tens to hundreds of meters per hour are consistent with the energy budget.

Observational Analog: Submarine landslide hydroplaning - mass transport deposits travel extraordinary distances on slopes as gentle as 1° , far exceeding conventional friction predictions. The mechanism has been documented in laboratory experiments and field observations.

Termination: Stage 2 ended as the hydraulic system exhausted itself. Pore pressures dropped, effective stress recovered, and plate velocities decayed to the modern centimeters per year.

3. Key Mechanisms

3.1 Heat Dissipation: Hypercanes

Frictional warming raised ocean temperatures into the Hypercane-forming regime ($>40^{\circ}\text{C}$). Hypercanes: - Pump heat from ocean surface into the stratosphere - Radiate thermal energy into space - Accelerate heat dissipation beyond passive radiation

3.2 Sediment Transport: Turbidity Currents

Stage 2 sedimentation operated through two mechanisms:

Shallow Environments: Hypercane-driven waves eroded exposed rock, producing coarse clastics and basal unconformities (e.g., Great Unconformity).

Deep Environments: Sediment-laden water became denser than ambient seawater, driving turbidity currents - gravity-driven flows that cascaded into basins, producing graded bedding and Bouma sequences.

3.3 Fossil Distribution

Fossil order emerges from three non-temporal factors: 1. **Ecological zonation:** Pre-Flood organisms occupied elevation-based habitats 2. **Hydraulic sorting:** Organisms sort by size, density, and hydrodynamic properties 3. **Depositional geometry:** Basin-scale processes concentrate different organisms in different facies

4. Energy Budget Summary

Available Energy

Component	Energy (J)
Single continental block settling 1 km	10^{24}
10 major blocks settling	10^{25}

Energy Partitioning (from numerical simulation)

Sink	Percentage	Energy (J)
Frictional dissipation	5.0%	3.2×10^{23}
Viscous dissipation	0.5%	3.2×10^{22}
Seismic radiation	0.25%	1.6×10^{22}

Sink	Percentage	Energy (J)
Residual PE (blocks in new equilibrium)	94.2%	6.0×10^{24}

Heat Flux Comparison

Model	Heat Flux	Global Warming
Conventional catastrophic	$\sim 600 \text{ W/m}^2$	Lethal (hundreds K)
Hydrotectonic	$\sim 20 \text{ W/m}^2$	$< 1 \text{ K}$

The $100\times$ reduction arises entirely from pore pressure effects (Terzaghi’s principle).

5. Testable Predictions

Novel Predictions (Genuinely Risky)

Structural Unconformity: High-resolution seismic tomography should reveal a texture discontinuity between chaotic, reworked upper lithosphere (0-200 km) and coherent, undisturbed deep mantle ($>400 \text{ km}$).

Fluid-Dominated Detachments: Large-scale detachment horizons should show predominantly fluid-related fabrics with minimal pseudotachylite (frictional melt).

Basin Margin Megabreccia: Chaotic megabreccia at basin boundaries with multi-lithology mixing, fluid-flow textures, and rapid emplacement signatures.

Post-Hoc Accommodations (Not Confirmations)

- Transition zone water content (Pearson et al., 2014) - known before model developed
- Cold slabs at depth (van der Hilst, Fukao) - model reinterprets, does not predict

Discriminating Predictions

- Isotopic signatures of deep water (surface-derived vs. primordial)
- Thermal gradient analysis distinguishing “emplaced cold” from “slowly subducted cold”

6. Limitations and Open Questions

This model acknowledges unresolved issues:

1. **Energy partitioning uncertainties:** Seismic efficiency and viscous dissipation fractions are order-of-magnitude estimates
2. **Scale extrapolation:** Submarine hydroplaning observed at 100s km; model requires 1000s km

3. **Pore pressure maintenance:** Mechanism plausible via channeled-porosity, but not directly demonstrated at crustal scale
4. **Temporal dynamics:** Steady-state assumed; start-up transients not modeled
5. **Spatial heterogeneity:** Model treats blocks uniformly; actual motion would be variable

These are modeling challenges, not physical impossibilities.

7. Theoretical Framework

The model operates within the **Christian Designism** research programme:

1. **Literal Programmatic Intervention (LPI):** God acts through designed, law-governed processes with scheduled interventions at specific historical points
2. **Fiat Initial Conditions:** Creation events establish boundary conditions that subsequent natural processes operate within
3. **Physical Plausibility:** Between interventions, the system operates according to discoverable physical laws

What we model: Stages 1 and 2 operate through natural physical processes - subject to quantitative analysis, prediction, and potential falsification.

What we stipulate: Stage 0 initial conditions are specified by biblical testimony, not derived from physical law - analogous to cosmological models accepting Big Bang initial conditions.

8. Reference Materials

Primary Documents

Document	Location	Description
Full Model (v2.5)	theory/papers/20251217-hydro	Complete model with all appendices
Energy Simulation	notebooks/20251217_energy	Repetitive engineering calculations
Gap Analysis	notebooks/20251217_gap_analysis	Pressure stability and scale-up analysis

Appendices (in Full Model)

- **A:** Gravitational Potential Energy Budget
- **B:** Heat Dissipation and Thermal Budget (shear-stress derivation, energy partitioning)
- **C:** Hypercane Physics and Heat Transport
- **D:** Driving Forces and Block Velocity
- **E:** Earth-System Context for Hydraulic Collapse
- **F:** Darcy Flow Calculations for Channeled-Porosity Architecture
- **G:** Lubrication Theory Analysis (Reynolds equation, film stability)
- **H:** Gap Analysis (diffusion timescales, pressure stability, scale-up)

Supporting Materials

Folder	Contents
theory/calculations/	Detailed calculations (driving forces, kinetic energy, steam)
theory/literature/	Literature reviews and citation validation
theory/defense/	Responses to objections and reviewer feedback
theory/figures/	Generated figures from simulations

9. Key References

- Anderson, D.L. (2007). *New Theory of the Earth*. Cambridge University Press.
- De Blasio, F.V., et al. (2004). Hydroplaning and submarine debris flows. *Journal of Geophysical Research*, 109.
- Emanuel, K.A. (1994). Hypercanes: A possible link in global extinction scenarios. *Journal of Geophysical Research*.
- Flemings, P.B., et al. (2008). Pore pressure penetrometers document high overpressure near the seafloor. *Earth and Planetary Science Letters*.
- Fukao, Y., and Obayashi, M. (2013). Subducted slabs stagnant above, penetrating through, and trapped below the 660 km discontinuity. *Journal of Geophysical Research*.
- Mohrig, D., et al. (1998). Hydroplaning of subaqueous debris flows. *GSA Bulletin*.
- Moore, J.C., and Saffer, D. (2001). Updip limit of the seismogenic zone. *Geology*.
- Pearson, D.G., et al. (2014). Hydrous mantle transition zone indicated by ringwoodite included within diamond. *Nature*.
- van der Hilst, R.D., et al. (1997). Evidence for deep mantle circulation from global tomography. *Nature*.

Document Information

Version History: - v1.0 (Nov 2024): Original hydrotectonic collapse model - v2.0 (Dec 2024): Three-stage framework addressing deep mantle paradox - v2.5 (Dec 2025): Gap analysis edition with numerical simulation

Contact: jdlongmire@outlook.com

Repository: github.com/jdlongmire/global-flood-hydrotectonic-model

License: CC BY 4.0

Citation: > Longmire, J.D. (2025). *Global Flood Hydrotectonics: A Quantitative Theory of Rapid Continental Reorganization (Version 2.5)*. Zenodo.

Collaboration: This is an open research programme built on reproducible Jupyter notebooks. Contributions welcome - especially computational modeling of pressure stability, permeability evolution, thermal feedback, and discriminating predictions. Open an issue or contact the author.