
Create a reservation



CheckForReservation.py

Input:

- session_id (String) : received when user logged in
- begin : Begin of reservation (datetime)
- end : End of reservation (datetime)
- sites_id : list of site to be reserved (String of site id delimitated with comma)
 ex. Site id 1 and 4 >> sites_id = '1,4'
- resources: list of amount of resources (String of resources amount on each site delimitated with pipe (|) and each resource type delimitated with comma)
 - ex. User want 32 CPUs and Memory 64 Gbs on first site and 2 CPUs and Memory 4 Gbs on second site. >> resources = '32,64|2,4'
- image type (String)

Output:

- result : True / False
 - O True = reservation can be created
 - O False = reservation cannot be created
- isResourceError : True / False
 - O True = some resources are not enough
 - O False = reservation cannot be created but not because of amount of resources.
- site_error: list of site id and index of resources which are not enough for the reservation.

Example:

http://lima-vc-1.sdsc.optiputer.net/project/scripts/CheckForReservation.py?session_id=XHG790&begin=2017-03-10 09:00:00&end=2017-03-11 09:00:00&sites_id=1,4&resources=128,64|4,64&img_type=centOS7

```
{
    "result": "False",
    "isResourceError": "True",
    "site_error": [{
        "site_id": "1",
        "resource_index": "0"
    }, {
        "site_id": "1",
        "resource_index": "1"
    }]
}
```



Figure 2






Figure 3




Figure 4

Example:

http://lima-vc-1.sdsc.optiputer.net/project/scripts/CreateReservation.py?session_id=XHG790&begin=2017-03-10 09:00:00&end=2017-03-11 09:00:00&sites_id=1,4&resources=2,4|4,8&img_type=centOS7

```
{
    "result": "success",
    "reserve_id": "1"
}
```

Figure 5

ı	ysql> SELECT * FROM reservation;												
ı	reservation id	t 115er i	+ +	title I	description	start	+ end	+ reference number	++ image type				
ı	+	+		+			t	+	++				
				None	None	2017-03-10 09:00:00	2017-03-11 09:00:00	OWRTIV6192D503OPFITCYPGZYSKAHEZA	centOS7				
	+	+	+	+			+	†	 				

mysql> SELE	CT * FROM schedule;					
site_id	start	+- +-	end		+ cpu	++ memory
1 1	2017-03-10 09:00:00	ï	2017-03-10 10:0	0:00	. 2	4
4	2017-03-10 09:00:00	i	2017-03-10 10:0	0:00	4	. 8 [
1 1	2017-03-10 10:00:00	ĺ	2017-03-10 11:0	0:00	2	4
4	2017-03-10 10:00:00	Ī	2017-03-10 11:0	0:00	4	8
1	2017-03-10 11:00:00	Ī	2017-03-10 12:0	0:00	2	4
4	2017-03-10 11:00:00	Ī	2017-03-10 12:0	0:00	4	8
1	2017-03-10 12:00:00	Ī	2017-03-10 13:0	0:00	2	4
4	2017-03-10 12:00:00	Ī	2017-03-10 13:0	0:00	4	8
1	2017-03-10 13:00:00	Ī	2017-03-10 14:0	0:00	2	4
4	2017-03-10 13:00:00	Ī	2017-03-10 14:0	0:00	4	8
1	2017-03-10 14:00:00	Ī	2017-03-10 15:0	0:00	2	4
4	2017-03-10 14:00:00	Ī	2017-03-10 15:0	0:00	4	8
1	2017-03-10 15:00:00	Ī	2017-03-10 16:0	0:00	2	4
4	2017-03-10 15:00:00	Ī	2017-03-10 16:0	0:00	4	8
1	2017-03-10 16:00:00	Ī	2017-03-10 17:0	0:00	2	4
4	2017-03-10 16:00:00	Ī	2017-03-10 17:0	0:00	4	8
1	2017-03-10 17:00:00	Ī	2017-03-10 18:0	0:00	2	4
4	2017-03-10 17:00:00	Ī	2017-03-10 18:0	0:00	4	8
1	2017-03-10 18:00:00	Ī	2017-03-10 19:0	0:00	2	4
4	2017-03-10 18:00:00	Ī	2017-03-10 19:0	0:00	4	8
1	2017-03-10 19:00:00	Ī	2017-03-10 20:0	0:00	2	4
4	2017-03-10 19:00:00	Ī	2017-03-10 20:0	0:00	4	8
1	2017-03-10 20:00:00	Ī	2017-03-10 21:0	0:00	2	4
4	2017-03-10 20:00:00	Ī	2017-03-10 21:0	0:00	4	8
1	2017-03-10 21:00:00	I	2017-03-10 22:0	0:00	2	4
4	2017-03-10 21:00:00	I	2017-03-10 22:0	0:00	4	8
1	2017-03-10 22:00:00	I	2017-03-10 23:0	0:00	2	4
4	2017-03-10 22:00:00	I	2017-03-10 23:0	0:00	4	8
1	2017-03-10 23:00:00	I	2017-03-11 00:0	0:00	2	4
1 1	2017 02 10 22-00-00		2017 02 11 00 • 0	0.00	1 4	0 1

Figure 6

Sign in




Figure 7

Example:

http://lima-vc-1.sdsc.optiputer.net/project/scripts/signIn.py?username=project401&password=1234

```
"result": "True",

"session_id": "TH4KGJ",

"firstname": "nannapas",

"lastName": "banluesombatkul",

"email_address": "nannapas.blsbk@gmail.com",

"phone_number": "None",

"status": "user",

"organization": "TU",

"position": "student",

"language": "TH",

"timezone": "America/Los_Angeles"
```

Set timezone



Example:

http://lima-vc-

1.sdsc.optiputer.net/project/scripts/setTimezone.py?session_id=XHG790&timezone=America/Los_Angeles

```
{
    "result": "True"
}
```

See specific user's reservation




Figure 9

Example:

http://lima-vc-1.sdsc.optiputer.net/project/scripts/getMyReservations.py?session_id=XHG790