

Running the plan in SocialBee

Building the evergreen system, and what the tool actually does versus what the plan assumed.

Every menu path in this document was checked against SocialBee's own help documentation in September 2026. Where the existing SEMAJ Media guide and the live product disagree, the product wins and the difference is flagged. Sources are listed on the last page so you can re-check anything when the interface changes.

Read section 1 before you touch anything. It contains a correction that will cost you an afternoon if you find it the hard way.

1. Corrections to the existing guide

Four things in the SocialBee guide don't match the current product. One of them is load-bearing.

The CSV column list is wrong

The guide says a SocialBee import CSV uses date, time, caption, image URL, platform, category. It doesn't. The real template has six different columns: text, link, imageUrls, gifUrls, videoUrls, postAtSpecificTime. There are no platform or category columns at all — you pick the profiles and the destination category in the import screen, not in the file. A CSV built to the old spec will not import. Section 4 has the correct format.

What the guide says	What SocialBee actually does	Cost of the error
CSV columns are date, time, caption, image URL, platform, category	Columns are text, link, imageUrls, gifUrls, videoUrls, postAtSpecificTime. Profiles and category are chosen at import.	The import fails outright. High.
Change the category to FIFO for oldest-first order	There is no FIFO setting. Default Settings lets you choose whether new posts land at the top or the bottom of the queue.	You go looking for a control that isn't there. Low.
Re-queue is a category-level setting	It is also a per-post setting. A single post inside a Share Once category can be set to re-queue, and vice versa.	You miss a useful override. Low.
Posts run until you pause or delete them	They can also expire automatically — after publishing a set number of times, or on a date.	Dated promos outlive the promotion. Medium.

Expiry is the one worth adopting straight away. Your Promotional and campaign categories are full of things with a shelf life, and setting an expiry at creation is the only version of this that doesn't rely on you remembering to go back and clean up.

2. Does the plan fit your account?

Worth checking before you build, because two of these are hard ceilings on the entry-level plan.

What the plan needs	Bootstrap allows	Verdict
4 profiles — LinkedIn personal, Facebook page, Instagram, X	5 social profiles	Fits, with one spare.
6 standing categories, plus one per live campaign	10 content categories	Fits up to 4 concurrent campaigns. Archive finished ones or you will hit the wall.
2 RSS feeds — heywardcpa.com blog, Financial Flipside	10 RSS feeds	Comfortable.
30-60 posts per evergreen category	1,000 posts per category	No constraint.
A second person to help load content	1 user per workspace	Not available. Bootstrap and Accelerate are both single-seat; a second seat means the \$99 tier.

The category ceiling is the one to watch. Your plan creates a new Share Once category for every Marblism campaign and never explicitly retires them. Six standing categories plus four archived campaigns and you're at the limit with nothing live. Archiving at the end of each campaign isn't housekeeping — it's what keeps the next campaign possible.

3. Build order

Eight steps, in this order. The order matters: categories have to exist before the schedule can point at them, and the schedule has to exist before loading content is worth doing.

1 Connect the four profiles

Connect LinkedIn personal, the Heyward CPA Facebook page, Instagram, and X. Instagram needs a Business or Creator account linked to a Facebook page before it will connect at all — if it refuses, that's almost always why.

2 Create the six categories

Content → Categories → Create Category (top right)

Each category opens a window with three tabs. All three matter:

- Setup Category — name, description, colour. Use the colour to match the brand each category serves, so the schedule grid is readable at a glance.
- Default Settings — where new posts land in the queue (top or bottom), whether the category shares randomly, and re-queue after posting. That last toggle is the entire evergreen mechanism.
- URL Settings — UTM parameters and link shortening for everything in this category. Covered in step 3; don't skip past it.

Category	Re-queue	Notes
Heyward CPA	ON	Tax tips, financial literacy, business finance.
BYOBookkeeper	ON	Bookkeeping education, service positioning.
Financial Flipside	ON	Newsletter content, money culture.
HCPA Live	OFF	Episode promos and recaps. Dated by nature.
Promotional	OFF	Workshops, consultation CTAs, offers.
Marblism [campaign]	OFF	One per campaign. Archived when it ends.

Check re-queue before you add a single post

A campaign category left on re-queue will replay a finished promotion forever, out of sequence, and you will not notice quickly because it looks like the system working. Confirm the toggle on all six categories before loading anything.

3 Set UTMs on every category

Content → Categories → Edit Category → URL Settings

This is the highest-value five minutes in the whole setup and it isn't in the current guide at all.

Your affiliate links — Xero, RelayFi, ADP, Anchor — are the revenue line in the \$50K plan. Without category-level UTMs, every click those posts generate arrives in analytics as direct traffic. You can see that money came in; you cannot see which category earned it, so you cannot make more of what works.

Set the source and medium once per category, use the category name as the campaign value, and every link in that category is tagged automatically from then on. Something like:

```
utm_source=socialbee utm_medium=social utm_campaign=heyward-cpa-evergreen
```

4 Point the RSS feeds at the right categories

Content → RSS feeds

The heywardcpa.com blog feed into Heyward CPA, the Financial Flipside Substack feed into Financial Flipside. New articles then turn themselves into posts.

One caution: RSS-created posts inherit the category's re-queue setting, so blog posts will recycle indefinitely alongside everything else. That's fine for evergreen tax content and wrong for anything time-stamped. Review what the feed produces for the first fortnight rather than trusting it blind.

5 Load each evergreen category to 30 posts

Content → Categories → Add Post

Thirty is the floor, not the target. The console works out the real number: at your schedule, Heyward CPA has nine slots a week pointed at it, so thirty posts repeat every three and a half weeks — noticeably faster than the monthly gap the old rule of thumb implied.

Variations are the cheap way out. One post with three variations publishes three different captions across three cycles, so thirty posts behave like ninety without writing ninety. Add them in the post editor.

Don't switch a category on below thirty. A thin loop repeating the same six posts is worse for the brand than posting nothing.

6 Build the schedule

Scheduler → + Add time slot

Adding a time slot asks which category and which profiles it applies to, and you can set several days at once. Each slot publishes the next post from that category, automatically, with no further input.

Build the eighteen evergreen slots first. Leave the midday slots empty — those are where campaign posts go, and keeping them clear is what lets a campaign run alongside the evergreen loop instead of displacing it.

7 Check the content mix

Scheduler → Schedule Stats (bottom of the page)

Schedule Stats shows posts per category per day and per week, with percentages. This is how you verify the build rather than assuming it.

Confirm: 18 posts a week, Heyward CPA at nine of them, no category sitting at zero, and no slot left unassigned. An unassigned slot publishes nothing and does it silently.

8 Switch it on and leave it alone

Approve the content. Drafts sit in the category and never publish — the commonest reason a correctly built queue produces nothing.

Then stop touching it. The point of the system is that the baseline runs without you. Check the first week to confirm posts are going out, then move to the monthly rhythm in section 6.

4. Running a Marblism campaign

The campaign layer sits on top of the evergreen loop. Nothing in this section changes the standing setup.

The CSV, correctly

Copy SocialBee's own template rather than building a file from scratch, and don't edit the first row — a changed header is the usual cause of a failed import. The six columns:

Column	What goes in it
text	The caption.
link	The URL. Overwrites every media column, so don't combine it with an image.
imageUrls	A publicly reachable image link.
gifUrls	A publicly reachable GIF link.
videoUrls	A publicly reachable video link.
postAtSpecificTime	Date and time, formatted exactly as yyyy-mm-ddThh:mm:ssZ on a 24-hour clock. For example 2026-09-15T12:00:00Z.

Two ways a campaign import fails silently

A date in the past makes the post fail rather than publish immediately — always set campaign times forward. And fill only one media column per row; filling two overwrites one of them without telling you. Imports also cap at 300 items.

Importing

- 1 Go to Content → Import CSV.
- 2 Select the profiles the campaign is going to.
- 3 Upload the file with Choose File.
- 4 Select the destination category — the one named for this campaign — and whether posts land at the top or bottom of it.
- 5 Open Advanced Settings before importing. Set expire after published X times or expire after X days so the campaign retires itself. Tick trim text for Twitter if the batch is going to X.
- 6 Hit Import and choose Approved, not Draft. Drafts never publish.

- 7 Check the preview. SocialBee renders the batch per profile — switch profiles in the top-right dropdown and read the Instagram version in particular, since links aren't clickable there.

When it ends

- Pause or archive the campaign category. This protects your category ceiling.
- Compare the campaign's numbers against the evergreen average. Any campaign post that beat it is a candidate to rewrite as evergreen and move into the standing rotation.
- Leave the evergreen loop untouched throughout. If you had to adjust it to run a campaign, the campaign was scheduled wrong.

5. The plan versus the product

Where the strategy assumes something about SocialBee, and whether the assumption holds.

The plan assumes	Reality	Holds?
Evergreen categories recycle indefinitely with no manual work	Correct. The queue publishes each post in turn, then returns to the first and repeats.	Yes
Campaign posts can run alongside evergreen without disturbing it	Correct, provided campaign slots use different times. Slots are independent per category.	Yes
A separate category per campaign keeps the message arc intact	Correct, and it's the right structure. Just remember the 10-category ceiling.	Yes, with a limit
Post variations keep evergreen content fresh	Correct. One variation publishes per cycle.	Yes
RSS auto-import feeds the blog and newsletter in	Correct, but imported posts inherit the category's re-queue setting. Time-stamped articles will recycle.	Yes, with a caveat
Zapier can hand Marblism content over automatically	Not verified. The plan lists it as an option; nothing in SocialBee's documentation confirms a Marblism path. Treat CSV as the real route until you've tested otherwise.	Unverified
A campaign category can simply be paused when finished	Correct — pausing is supported, and paused categories appear faded in the Scheduler.	Yes

6. The monthly half hour

Once it's running, this is the entire ongoing obligation.

- Add five to ten posts to whichever evergreen category is thinnest. Re-run the console's gap calculator to see which one that is rather than guessing.
- Check Schedule Stats for a category that has drifted to zero or a slot left unassigned.
- Look at category performance. Add variations to whatever is over-performing; retire anything whose second cycle landed noticeably worse than its first.
- Archive any campaign category that has finished.
- Confirm nothing has quietly failed — the Scheduler surfaces failed posts and status.

Checked against

SocialBee help documentation, September 2026. Re-check these when the interface changes — menu names move.

Content Categories: All You Need to Know — help.socialbee.com/hc/en-us/articles/29979201786903

Evergreen (Re-Queue) vs Share Once — help.socialbee.com/hc/en-us/articles/29979169066391

How Do I Import Content via CSV Files? — help.socialbee.com/hc/en-us/articles/29979218797847

Scheduler: What It Is and How It Works — help.socialbee.com/hc/en-us/articles/29979284763031