

# AI DBA Assistant

Enterprise Oracle Performance Intelligence

## Oracle AWR Performance Assessment Report

Automated Diagnostic Summary

CONFIDENTIAL — FOR AUTHORIZED DBA USE ONLY

| Report ID             | Snapshots | Interval     |
|-----------------------|-----------|--------------|
| AWR - 20260607 - 0002 | —         | 60 min<br>to |

## Executive Summary

During the 60-minute AWR window, PROVDV8C (provdv8c) recorded a database health score of 47/100, classified as High risk. The primary workload constraint is a Random IO Bottleneck, which requires immediate leadership attention and a focused remediation plan. User-facing queries and OLTP workflows may experience latency from storage read latency. Elevated risk suggests potential SLA exposure if left unaddressed. The assessment identified 3 critical rule-based finding(s) requiring DBA and application coordination. Snapshot: 60 min · AAS: 1.0 · Active sessions (avg): 1 Bottleneck: Random IO Bottleneck (confidence 100%) — Random IO Bottleneck (score 103). Top wait 'db file sequential read' (84.8% DB time) and 3,777 physical reads/sec — typical of index/single-block I/O. Core metrics: CPU 5.0% · Top wait db file sequential read (84.8% DB time) · Buffer busy 0.0% · Log file sync 0.0% · Top SQL gua0wyp1qmucq (95.9% DB time) · Physical reads 3,777/sec · Buffer cache hit 90.0% Health score dimensions: - CPU Utilization: 5.0% utilization (dimension score 100/100) - Top Wait Event: db file sequential read (84.8% DB time) (dimension score 0/100) - Buffer Busy Waits: 0.0% of DB time (dimension score 100/100) - Log File Sync: 0.0% DB time (dimension score 100/100) - Top SQL Concentration: SQL\_ID gua0wyp1qmucq (95.9% DB time) (dimension score 0/100) - I/O Pressure: 3,777 physical reads/sec (dimension score 0/100) Rule engine: 3 findings (3 critical, 0 warning). Key signals: - [IO-003] Top wait 'db file sequential read' at 84.8% — I/O bound workload. - [WAIT-001] Top wait 'db file sequential read' dominates at 84.8% of database time. - [SQL-001] SQL\_ID gua0wyp1qmucq consumes 95.9% of database time — primary workload bottleneck.

## Health Score Card

| HEALTH SCORE | RISK CLASSIFICATION | DATABASE             |
|--------------|---------------------|----------------------|
| 47 /100      | High                | PROVDV8C<br>provdv8c |

## Risk Classification

High Risk

Random IO Bottleneck (confidence 100.0%). Random IO Bottleneck (score 103). Top wait 'db file sequential read' (84.8% DB time) and 3,777 physical reads/sec — typical of index/single-block I/O.

## Oracle Rule Engine Findings

| Severity | Rule     | Finding                                                                                  | Recommendation                                                      |
|----------|----------|------------------------------------------------------------------------------------------|---------------------------------------------------------------------|
| Red      | IO-003   | Top wait 'db file sequential read' at 84.87% of total wait time                          | Review IO configuration and disk access; review storage subsystem   |
| Red      | WAIT-001 | Top wait 'db file sequential read' dominates 84.87% of total wait time                   | Prioritize wait events analysis, correlate with top SQL and session |
| Red      | SQL-001  | SQL_ID gua0wyp1qmucq consumes 95.9% of SQL database primary review execution plan, index | Review SQL_ID gua0wyp1qmucq primary review execution plan, index    |

Severity, finding, and recommendation from DBA rules (pre-AI).

## Top Wait Event Analysis

| Wait Event                    | % DB Time | Waits | Severity |
|-------------------------------|-----------|-------|----------|
| db file sequential read       | 84.8%     | —     | Critical |
| CPU time                      | 11.2%     | —     | Warning  |
| db file parallel read         | 6.1%      | —     | Normal   |
| direct path read              | 2.0%      | —     | Normal   |
| direct path read temp         | 0.1%      | —     | Normal   |
| db file scattered read        | 0.1%      | —     | Normal   |
| ASM IO for non-blocking poll  | 0.0%      | —     | Normal   |
| SQL*Net break/reset to client | 0.0%      | —     | Normal   |
| direct path write temp        | 0.0%      | —     | Normal   |
| Disk file operations I/O      | 0.0%      | —     | Normal   |
| PGA memory operation          | 0.0%      | —     | Normal   |
| PX Deq: Join ACK              | 0.0%      | —     | Normal   |
| PX Deq: Slave Session Stats   | 0.0%      | —     | Normal   |
| PX Deq: Signal ACK EXT        | 0.0%      | —     | Normal   |
| CSS initialization            | 0.0%      | —     | Normal   |
| library cache: bucket mutex X | 0.0%      | —     | Normal   |
| enq: PS - contention          | 0.0%      | —     | Normal   |
| latch: shared pool            | 0.0%      | —     | Normal   |
| log file sync                 | 0.0%      | —     | Normal   |
| SQL*Net more data to client   | 0.0%      | —     | Normal   |
| cursor: pin S wait on X       | 0.0%      | —     | Normal   |

Wait events ranked by percentage of database time during snapshot window.

## Top SQL Analysis

| SQL ID        | % DB Time | Executions | Elapsed (s) | Module |
|---------------|-----------|------------|-------------|--------|
| gua0wyp1qmucq | 95.9%     | —          | —           | —      |
| 957qj183td0nf | 27.3%     | —          | —           | —      |
| 4jpy7um3yvas8 | 19.6%     | —          | —           | —      |
| 8xwu96zjjvpbu | 13.8%     | —          | —           | —      |
| 1gtahpfumr2kz | 9.2%      | —          | —           | —      |
| cvgtsfauu9b0z | 8.2%      | —          | —           | —      |
| 1cpu1z2bcf8c0 | 8.1%      | —          | —           | —      |
| 11vs54q49y3p9 | 2.3%      | —          | —           | —      |
| 36wvpk4yuvzud | 2.1%      | —          | —           | —      |
| f78s5663tf0wh | 1.6%      | —          | —           | —      |

## Recommendations

| Priority | Recommendation                                                                                     |
|----------|----------------------------------------------------------------------------------------------------|
| 1        | Tune SQL for index-friendly access; review storage subsystem and file layout.                      |
| 2        | Tune SQL_ID gua0wyp1qmucq: review execution plan, indexes, and bind variable usage.                |
| 3        | Prioritize wait event analysis; correlate with top SQL and session blocking chains.                |
| 4        | Tune top SQL for index-friendly access; review execution plans and missing indexes on hot objects. |
| 5        | Prioritize deep dive on SQL_ID gua0wyp1qmucq (95.9% of database time).                             |

## Report Information

**AI DBA Assistant**  
Enterprise Oracle Performance Intelligence  
Generated by AI-assisted Oracle AWR analysis