

AI DBA Assistant

Enterprise Oracle Performance Intelligence

Oracle AWR Performance Assessment Report

Automated Diagnostic Summary

CONFIDENTIAL — FOR AUTHORIZED DBA USE ONLY

Report ID	Snapshots	Interval
AWR - 20260605 - 1604	—	60 min to

Executive Summary

During the 60-minute AWR window, EPIPPRDC (epipprdc) recorded a database health score of 81/100, classified as Low risk. The primary workload constraint is a CPU Bottleneck, which is within acceptable bounds with continued monitoring recommended. Application response times and batch throughput may degrade under sustained CPU pressure. Current risk profile supports stable operations with planned optimization. The assessment identified 1 critical rule-based finding(s) requiring DBA and application coordination. Snapshot: 60 min · AAS: 3.9 · Active sessions (avg): 4 Bottleneck: CPU Bottleneck (confidence 99%) — CPU Bottleneck (score 76). CPU utilization 30.0% with top wait profile indicating CPU-bound work. Core metrics: CPU 30.0% · Top wait CPU time (62.0% DB time) · Buffer busy 0.0% · Log file sync 0.4% · Top SQL 56ju14txudpvt (17.5% DB time) · Physical reads 8,449/sec · Buffer cache hit 90.0% Health score dimensions: - CPU Utilization: 30.0% utilization (dimension score 100/100) - Top Wait Event: CPU time (62.0% DB time) (dimension score 35/100) - Buffer Busy Waits: 0.0% of DB time (dimension score 100/100) - Log File Sync: 0.4% DB time (dimension score 100/100) - Top SQL Concentration: SQL_ID 56ju14txudpvt (17.5% DB time) (dimension score 94/100) - I/O Pressure: 8,449 physical reads/sec (dimension score 66/100) Rule engine: 3 findings (1 critical, 2 warning). Key signals: - [WAIT-001] Top wait 'CPU time' dominates at 62.0% of database time. - [IO-002] Physical reads 8,449/sec — elevated I/O pressure. - [SQL-002] SQL_ID 56ju14txudpvt elevated at 17.5% of database time.

Health Score Card

HEALTH SCORE	RISK CLASSIFICATION	DATABASE
81 /100	Low	EPIPPRDC epipprdc

Risk Classification

Low Risk

CPU Bottleneck (confidence 98.8%). CPU Bottleneck (score 76). CPU utilization 30.0% with top wait profile indicating CPU-bound work.

Oracle Rule Engine Findings

Severity	Rule	Finding	Recommendation
Amber	IO-002	Physical reads 8,449/sec — elevated I/O pressure	Validate buffer cache sizing and index access paths to reduce physical reads.
Red	WAIT-001	Top wait 'CPU time' dominates at 62.0% of total wait time	Profile database event analysis; correlate with top SQL and session activity.
Amber	SQL-002	SQL_ID 56ju14txudpvt elevated at 17.5% of database CPU time	Profile SQL_ID 56ju14txudpvt with SQL Tuning Advisor and consider SQL plan fixes.

Severity, finding, and recommendation from DBA rules (pre-AI).

Top Wait Event Analysis

Wait Event	% DB Time	Waits	Severity
CPU time	62.0%	—	Critical
db file sequential read	19.9%	—	Warning
direct path read	13.6%	—	Warning
db file parallel read	2.3%	—	Normal
read by other session	1.0%	—	Normal
db file scattered read	0.9%	—	Normal
direct path read temp	0.8%	—	Normal
direct path write temp	0.4%	—	Normal
log file sync	0.4%	—	Normal
PGA memory operation	0.1%	—	Normal
cursor: pin S wait on X	0.0%	—	Normal
ASM IO for non-blocking poll	0.0%	—	Normal
Disk file operations I/O	0.0%	—	Normal
latch: cache buffers chains	0.0%	—	Normal
kksfbc child completion	0.0%	—	Normal
SQL*Net more data to client	0.0%	—	Normal
latch: shared pool	0.0%	—	Normal
SQL*Net break/reset to client	0.0%	—	Normal
direct path write	0.0%	—	Normal
CSS initialization	0.0%	—	Normal
SQL*Net message to client	0.0%	—	Normal
SQL*Net more data from client	0.0%	—	Normal

library cache lock	0.0%	—	Normal
CSS operation: query	0.0%	—	Normal
enq: KO - fast object checkpoint	0.0%	—	Normal
ASM file metadata operation	0.0%	—	Normal
log file switch (private strand flush incomplete)	0.0%	—	Normal
CSS operation: action	0.0%	—	Normal
log file switch completion	0.0%	—	Normal
row cache mutex	0.0%	—	Normal
Sync ASM rebalance	0.0%	—	Normal
library cache: mutex X	0.0%	—	Normal
enq: TX - index contention	0.0%	—	Normal
cursor: mutex X	0.0%	—	Normal
cursor: mutex S	0.0%	—	Normal
control file sequential read	0.0%	—	Normal
cursor: pin S	0.0%	—	Normal
reliable message	0.0%	—	Normal
PX Deq: Slave Session Stats	0.0%	—	Normal
asynch descriptor resize	0.0%	—	Normal
buffer busy waits	0.0%	—	Normal
library cache load lock	0.0%	—	Normal
latch: In memory undo latch	0.0%	—	Normal
latch: cache buffers lru chain	0.0%	—	Normal

Wait events ranked by percentage of database time during snapshot window.

Top SQL Analysis

SQL ID	% DB Time	Executions	Elapsed (s)	Module
--------	-----------	------------	-------------	--------

56ju14txudpxt	17.5%	—	—	—
5252r76yv5wga	10.9%	—	—	—
aqcj9x746xztu	8.8%	—	—	—
bnm4gqdxktg94	6.0%	—	—	—
gdgpx1aryhmrs	5.7%	—	—	—
8z2d8mfn8hmck	4.2%	—	—	—
agagn769kf31f	2.4%	—	—	—
59zh0tdjydt2s	1.5%	—	—	—
8x1vnc5z7r437	1.4%	—	—	—
83n1nrbg010k5	0.9%	—	—	—

Recommendations

Priority	Recommendation
1	Prioritize wait event analysis; correlate with top SQL and session blocking chains.
2	Validate buffer cache sizing and index access paths to reduce physical I/O.
3	Profile SQL_ID 56ju14txudpxt with SQL Tuning Advisor and plan stability checks.
4	Profile top CPU-consuming SQL and sessions; validate connection pool and batch job scheduling.
5	Prioritize deep dive on SQL_ID 56ju14txudpxt (17.5% of database time).

Report Information

AI DBA Assistant

Enterprise Oracle Performance Intelligence

Generated by AI-assisted Oracle AWR analysis