

AI DBA Assistant

Enterprise Oracle Performance Intelligence

Oracle AWR Performance Assessment Report

Automated Diagnostic Summary

CONFIDENTIAL — FOR AUTHORIZED DBA USE ONLY

Report ID AWR-20260603-1031	Snapshots 4520 – 4521	Interval 26-Apr-2026 08:00 to 26-Apr-2026 09:00
---------------------------------------	---------------------------------	--

Executive Summary

Production Oracle 19c (PROD_ORCL) — health score 61/100, High risk, workload SQL Workload. Top wait: db file sequential read (42.3% DB time). Top SQL: abc123 (31.2% DB time). Rule engine: 10 findings (4 critical) across CPU, I/O, waits, memory, and SQL modules. AI analysis follows DBA triage.

Health Score Card

HEALTH SCORE	RISK CLASSIFICATION	DATABASE
61 /100	High	Production Oracle 19c PROD_ORCL

Risk Classification

High Risk

Classified as High risk with bottleneck SQL Workload per Oracle DBA rules.

Oracle Rule Engine Findings

Severity	Rule	Finding	Recommendation
Amber	CPU-002	CPU utilization elevated at 78.0% (threshold 70%)	Monitor CPU trend across snapshots; validate top SQL and
Amber	CPU-004	Average Active Sessions 12.4 above warning threshold (8)	Validate application concurrency and queue depth during p
Amber	IO-002	Physical reads 12,500/sec — elevated I/O pressure	Optimize buffer cache sizing and index access paths to redu
Red	IO-003	Top wait 'db file sequential read' at 42.3% of total DB time	Review SQL for index-friendly access; review storage subsys
Red	WAIT-001	Top wait 'db file sequential read' dominates DB time	Prioritize 42.3% of total DB time; correlate with top SQL and se
Red	WAIT-003	Buffer busy waits at 18.1% — hot block reads	Investigate hot data blocks; consider ASSM, reverse

Amber	MEM-002	Buffer cache hit ratio 86.4% below target (90%).	Review top segments driving physical reads; validate buffer cache size.
Amber	MEM-004	PGA allocation 75% of target — elevated memory pressure.	Review PGA usage by session and workarea statistics for large sorts.
Red	SQL-001	SQL_ID abc123 consumes 31.2% of database CPU time.	Trace SQL_ID abc123 to review execution plan, indexes, and joins.
Amber	SQL-003	SQL_ID abc123 correlates with high CPU time during peak hours.	Consider SQL plan stabilization, or caching for repeated high-frequency queries.

Severity, finding, and recommendation from DBA rules (pre-AI).

Top Wait Event Analysis

Wait Event	% DB Time	Waits	Severity
db file sequential read	42.3%	128,450	Critical
buffer busy waits	18.1%	45,220	Warning
log file sync	12.4%	89,102	Warning
CPU time	28.0%	—	Critical

Wait events ranked by percentage of database time during snapshot window.

Top SQL Analysis

SQL ID	% DB Time	Executions	Elapsed (s)	Module
abc123	31.2%	12,450	4,820	JDBC Thin Client
7x9k2f	14.8%	8,204	2,108	ORDER_BATCH
3m4n8p	9.1%	22,180	1,452	REPORT_GEN
9p2q1r	5.4%	4,890	890	ETL_LOADER

Recommendations

Priority	Recommendation
1	Monitor CPU trend across snapshots; validate top SQL and connection pool sizing.
2	Validate application concurrency and queue depth during peak windows.
3	Validate buffer cache sizing and index access paths to reduce physical I/O.
4	Tune SQL for index-friendly access; review storage subsystem and file layout.
5	Prioritize wait event analysis; correlate with top SQL and session blocking chains.
6	Investigate hot rows/index blocks; consider ASSM, reverse key indexes, or hash partitioning.
7	Review top segments driving physical reads; validate buffer pool sizing.
8	Review PGA advisory and workarea statistics for large sorts/hash joins.

9	Tune SQL_ID abc123: review execution plan, indexes, and bind variable usage.
10	Consider SQL rewrite, batching, or caching for repeated high-cost executions.

Report Information

AI DBA Assistant
Enterprise Oracle Performance Intelligence
Generated by AI-assisted Oracle AWR analysis