

2022 86

Top 5 Facts

- * Fully Redesigned
- * 228 hp 2.4L naturally aspirated boxer engine
- * Standard 8-in. touchscreen
- * Digital gauge cluster with Normal, Sport, and Track modes
- * Peak torque now at 3,700 rpm, down from 6,400

What's New

GR86 is a complete redesign of Toyota's famed light sports car with a more powerful engine, improved handling, and numerous feature enhancements.

Quick Specs

- * 228 hp
- * Rear-wheel drive
- * Choice of 6-speed manual or 6-speed automatic transmission with paddle shifters
- * Torsen®[9] Limited-Slip Differential (LSD)
- * Three-mode digital instrumentation
- * 2+2 seating with fold-down rear seats

Awards

- 2022 Toyota GR86 is an Insurance Institute for Highway Safety *TSP+* with optional front crash protection.[14]
- 2022 Toyota GR86: Drivers' Choice Award - Best Sport Coupe

Models

Model Code	Trim Name	Full Name	Engine
6252	GR86	GR86 (Automatic)	2.4L 4-Cyl.
6253	GR86	GR86 (Manual)	2.4L 4-Cyl.

6254	GR86 Premium	GR86 Premium (Automatic)	2.4L 4-Cyl.
6255	GR86 Premium	GR86 Premium (Manual)	2.4L 4-Cyl.

Key Features

GR86

GR86 remains an authentic light sports car that gives you everything you want and nothing you don't need. Featuring 228 horsepower, rear-wheel drive, Torsen®[30] Limited-Slip Differential (LSD), and a six-speed transmission.

- 228-hp 2.4L boxer 4-cylinder
- 7-in. digital gauge display with Normal, Sport, and Track modes
- GR circuit-tuned suspension
- Torsen®[30] Limited-Slip Differential (LSD)

GR86 Premium

GR86 Premium retains all the sports car dynamics while adding an enhanced interior plus the convenience of Blind Spot Detection (BSD)[3].

- 18-in. wheels with Michelin® Pilot® Sport 4 tires
- Color-keyed duckbill rear spoiler
- Aluminum sport pedals and foot rest
- Two-stage heated sport seats with leather-trimmed bolsters and Ultrasuede inserts
- Blind Spot Detection (BSD)[3]

Colors

Availability - X

Exterior Color (paint code)	Interior Color (paint code)	GR86	GR86 Premium
Raven (D4S)	Black Fabric (20-AM)	X	
Neptune (DAR)	Black Fabric (20-AM)	X	
Steel (G1U)	Black Fabric (20-AM)	X	
Halo (K1X)	Black Fabric (20-AM)	X	
Pavement (P8Y)	Black Fabric (20-AM)	X	
Trueno Blue (WCH)	Black Fabric (20-AM)	X	

Exterior Color (paint code)	Interior Color (paint code)	GR86	GR86 Premium
Track bRED (DCK)	Black Fabric (20-AM)	X	
Raven (D4S)	Black Ultrasuede with Leather (20-AM.)		X
Neptune (DAR)	Black Ultrasuede with Leather (20-AM.)		X
Steel (G1U)	Black Ultrasuede with Leather (20-AM.)		X
Halo (K1X)	Black Ultrasuede with Leather (20-AM.)		X
Pavement (P8Y)	Black Ultrasuede with Leather (20-AM.)		X
Trueno Blue (WCH)	Black Ultrasuede with Leather (20-AM.)		X
Track bRED (DCK)	Black Ultrasuede with Leather (20-AM.)		X

Factory Options

GR86

Special Paint Color - \$425

- Code: PC
- Halo (K1X)[5]

Special Paint Color - \$425

- Code: PC
- Track bRED (DCK)[5]

GR86 Premium

Special Paint Color - \$425

- Code: PC
- Halo (K1X)[5]

Special Paint Color - \$425

- Code: PC
- Track bRED (DCK)[5]

Packages

GR86

No packages available at this time

GR86 Premium

No packages available at this time

Features

S - Standard | O - Optional | P - Package

	GR86 (Automatic)	GR86 (Manual)	GR86 Premium (Automatic)	GR86 Premium (Manual)
Safety/Convenience				
Airbags				
7 airbags[14] – includes driver and front passenger Advanced Airbag System, driver and front passenger outboard seat-mounted side airbags, driver knee airbag, and front and rear side curtain airbags	S	S	S	S
Backup Camera				
Backup camera[15] with projected path	S	S	S	S
Braking Systems				
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S
Brake Assist (BA)[16] – part of Star Safety System™	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S
Pre-Collision Braking System[17] – part of GR86 Active Safety Suite	S	–	S	–
Pre-Collision Throttle Management – part of GR86 Active Safety Suite	S	–	S	–
Smart Stop Technology® (SST)[18] – part of Star Safety System™	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S
Vehicle Stability Control (VSC)[19] – part of Star Safety System™	S	S	S	S
Rear Parking Sonar with Reverse Auto Braking[32]	S	–	S	–
Hand lever parking brake	S	S	S	S
Convenience				
Multi-function, in-key remote keyless entry system with lock, unlock, panic, and trunk-release functions	S	S	S	S
Smart Key System[1] with GR Push Button Start	S	S	S	S
Cruise Control				
Adaptive Cruise Control System[13] – part of GR86 Active Safety Suite	S	–	S	–
Power Outlets				

	GR86 (Automatic)	GR86 (Manual)	GR86 Premium (Automatic)	GR86 Premium (Manual)
Two USB charging ports[11]	S	S	S	S
Auxiliary port	S	S	S	S
Safety & Security				
Star Safety System™	S	S	S	S
Anti-lock Brake System (ABS) – part of Star Safety System™	S	S	S	S
Brake Assist (BA)[16] – part of Star Safety System™	S	S	S	S
Electronic Brake-force Distribution (EBD) – part of Star Safety System™	S	S	S	S
Smart Stop Technology® (SST)[18] – part of Star Safety System™	S	S	S	S
Traction Control (TRAC) – part of Star Safety System™	S	S	S	S
Vehicle Stability Control (VSC)[19] – part of Star Safety System™	S	S	S	S
GR86 Active Safety Suite	S	–	S	–
Adaptive Cruise Control System[13] – part of GR86 Active Safety Suite	S	–	S	–
Lead Vehicle Start Alert – part of GR86 Active Safety Suite	S	–	S	–
Lane Departure Warning[20] with Sway Warning[21] – part of GR86 Active Safety Suite	S	–	S	–
Pre-Collision Braking System[17] – part of GR86 Active Safety Suite	S	–	S	–
Pre-Collision Throttle Management – part of GR86 Active Safety Suite	S	–	S	–
Automatic High-Beams – part of GR86 Active Safety Suite	S	–	S	–
Anti-theft system with alarm and engine immobilizer[22]	S	S	S	S
Blind Spot Detection (BSD)[3]	–	–	S	S
Rear Parking Sonar with Reverse Auto Braking[32]	S	–	S	–
Hill Start Assist Control (HAC)[23]	S	S	S	S
Tire Pressure Monitor System (TPMS)[24]	S	S	S	S
Vehicle Stability Control Track mode (VSC mode)[19]	S	S	S	S
Seatbelts & Child Restraint System				
3-point seatbelts for all seating positions with Emergency Locking Retractors (ELR) for all positions	S	S	S	S
LATCH (Lower Anchors and Tethers for CHildren) includes lower anchors on outboard rear seats and tether anchors on outboard rear seats	S	S	S	S
Interior				
Air Conditioner, Heater & Defroster				
Dual-zone automatic climate control with dual LCD toggle displays	S	S	S	S
Audio, Entertainment & Navigation				
GR86 Multimedia Audio with 8-in. touchscreen	S	S	S	S

	GR86 (Automatic)	GR86 (Manual)	GR86 Premium (Automatic)	GR86 Premium (Manual)
Apple CarPlay®[8] compatibility	S	S	S	S
Android Auto™[9] compatibility	S	S	S	S
SiriusXM® with 3-month Platinum Plan trial[10] subscription	S	S	S	S
6 speakers	S	S	–	–
8 speakers including amplifier	–	–	S	S
Safety Connect® with 1-year trial[28]	S	S	S	S
Service Connect® with 1-year trial[29]	S	S	S	S
Remote Connect® with 1-year trial[31]	S	S	S	S
Cup & Bottle Holders				
One open front cup holder in center console	S	–	S	–
Two front cup holders in center console	–	S	–	S
Drive Modes				
Normal, Sport, and Track	S	S	S	S
Instrumentation				
7- in. Thin Film Transistor (TFT) GR digital gauge cluster with LCD Multi-Information Display (MID)	S	S	S	S
Multi-Information Display (MID) with GR86 logo and Boxer engine animation on start-up	S	S	S	S
Central tachometer with Sport and Track modes, odometer, twin trip meters, outside ambient temperature, engine coolant/oil temperatures	S	S	S	S
Trip information including average trip speed, driving time and miles covered, stop-watch/lap timer, current/ average fuel consumption	S	S	S	S
Digital read-outs of rpm and horsepower/torque curves, instantaneous and historical g-force friction circle	S	S	S	S
Multi-function in-key remote keyless entry system with lock, unlock, and panic; trunk-release functions; and GR Push Button Start	S	S	S	S
GR86 Active Safety information – part of Multi- Information Display (MID)	S	–	S	–
Lights				
Illuminated vanity mirrors in dual sun visors	–	–	S	S
Mirrors				
Rearview mirror with manual dim	S	S	S	S
Dual sun visors with vanity mirrors	S	S	–	–
Dual sun visors with illuminated vanity mirrors	–	–	S	S
Power Outlets				
Two USB charging ports[11] in front console	S	S	S	S
Seats				
Sport front bucket seats with black side bolsters and seat insert fabric with G-embossed design	S	S	–	–
Sport front seats with leather-trimmed bolsters and Ultrasuede®[12] inserts	–	–	S	S
Two-stage heated front seats	–	–	S	S

	GR86 (Automatic)	GR86 (Manual)	GR86 Premium (Automatic)	GR86 Premium (Manual)
6-way adjustable driver's seat	S	S	S	S
4-way adjustable front passenger seat	S	S	S	S
Driver and front passenger headrests	S	S	S	S
Seatback pocket for driver and front passenger seats	–	–	S	S
One-piece folding rear seatback with fabric trim	S	S	–	–
One-piece folding rear seatback with Ultrasuede®[12] trim	–	–	S	S
Steering Wheel				
GR leather-trimmed, manual tilt/telescopic, 3-spoke sport steering wheel with contrast stitching	S	S	S	S
Audio and Multi-Information Display (MID) controls	S	S	S	S
Adaptive Cruise Control[13] button	S	–	S	–
Paddle shifters	S	–	S	–
Storage Areas				
Covered storage compartment in center console with 2 USB charging ports,[11] and one auxiliary port	S	S	S	S
Glove box	S	S	S	S
Trim				
Leather-wrapped parking brake handle cover with silver contrast stitching	S	S	S	S
Leather gear shift boot with silver contrast stitching	S	S	S	S
Leather-wrapped shift lever and knob	S	S	S	S
Covered storage in front console	S	S	S	S
Single open cup holder	S	–	S	–
2 front cup holders	–	S	–	S
2 USB charging ports,[11] and one auxiliary port in front console	S	S	S	S
Contrast stitched interior accents	S	S	S	S
Aluminum sport pedals and footrest	–	–	S	S
Exterior				
Lights				
LED Daytime Running Lights (DRL)	S	S	S	S
Auto-leveling projector-type LED headlights with LED turn signal indicators	S	S	S	S
Adaptive Front-Lighting System (AFS)[6]	–	–	S	S
Automatic High-Beams (AHB)[7]	S	–	S	–
LED rear combination lights (brake and turn signal indicators)	S	S	S	S
Rear-decklid-mounted LED stop light and back-up light	S	S	S	S
LED side marker lights	S	S	S	S
Mirrors				
Black, heated, power outside mirrors	S	S	S	S
Rearview mirror with manual dim	S	S	S	S
Trim				

	GR86 (Automatic)	GR86 (Manual)	GR86 Premium (Automatic)	GR86 Premium (Manual)
Black Functional Matrix front grille with G-mesh insert, GR badge, and functional air inlet ducts with black accent trim	S	S	S	S
Functional black front wheel arch air outlet vent	S	S	S	S
Rear "GR86" badge	S	S	S	S
Chrome-tipped dual exhaust	S	S	S	S
Color-keyed, roof-mounted shark-fin antenna	S	S	S	S
Color-keyed duckbill rear spoiler	–	–	S	S
Color-keyed roof with double bubble feature	S	S	S	S
Black rear bumper lower valance	S	S	S	S
Wheels & Tires				
17-in., machined-finish aluminum alloy wheels with 215/45R17 Michelin® Primacy HP tires	S	S	–	–
18-in., matte-black aluminum alloy wheels with 215/40R18 Michelin® Pilot® Sport 4 tires	–	–	S	S
Windows, Glass & Wipers				
Intermittent variable front windshield wipers	S	S	S	S
Power windows with driver and front passenger one-touch auto up/down	S	S	S	S
Rear window defogger with timer	S	S	S	S

Specs

	GR86 (Automatic)	GR86 (Manual)	GR86 Premium (Automatic)	GR86 Premium (Manual)
Brakes				
Front	2-piston, steel floating-caliper ventilated 11.6-in. disc	2-piston, steel floating-caliper ventilated 11.6-in. disc	2-piston, steel floating-caliper ventilated 11.6-in. disc	2-piston, steel floating-caliper ventilated 11.6-in. disc
Rear	Single-piston, steel floating-caliper ventilated 11.4-in. disc	Single-piston, steel floating-caliper ventilated 11.4-in. disc	Single-piston, steel floating-caliper ventilated 11.4-in. disc	Single-piston, steel floating-caliper ventilated 11.4-in. disc
Dimensions – Exterior				
Overall length (mm)	4,265	4,265	4,265	4,265
Overall width (mm)	1,775	1,775	1,775	1,775
Overall height (mm)	1,310	1,310	1,310	1,310
Track – front (mm)	1,520	1,520	1,520	1,520
Track – rear (mm)	1,550	1,550	1,550	1,550
Running minimum ground clearance (mm)	130	130	130	130
Wheelbase (mm)	2,575	2,575	2,575	2,575
Coefficient of drag (Cd)	0.276	0.276	0.276	0.276
Dimensions – Interior				
Head room – front / rear (in.)	TBD	TBD	TBD	TBD
Shoulder room – front / rear (in.)	TBD	TBD	TBD	TBD
Hip room – front / rear (in.)	TBD	TBD	TBD	TBD
Leg room – front / rear (in.)	TBD	TBD	TBD	TBD

	GR86 (Automatic)	GR86 (Manual)	GR86 Premium (Automatic)	GR86 Premium (Manual)
Drive Systems & Differentials				
Drivetrain layout	Rear-wheel drive (RWD)	Rear-wheel drive (RWD)	Rear-wheel drive (RWD)	Rear-wheel drive (RWD)
Rear differential	Torsen®[30] limited slip	Torsen®[30] limited slip	Torsen®[30] limited slip	Torsen®[30] limited slip
Engines				
Type	"FA24" 2.4L naturally-aspirated, horizontally opposed boxer 4-cylinder	"FA24" 2.4L naturally-aspirated, horizontally opposed boxer 4-cylinder	"FA24" 2.4L naturally-aspirated, horizontally opposed boxer 4-cylinder	"FA24" 2.4L naturally-aspirated, horizontally opposed boxer 4-cylinder
Horsepower (hp)	228 7,000	228 7,000	228 7,000	228 7,000
Torque (lb.-ft.)	184 3,700	184 3,700	184 3,700	184 3,700
Compression ratio	12.5:1	12.5:1	12.5:1	12.5:1
Redline (rpm)	7,500	7,500	7,500	7,500
Displacement (cm[3])	2,387	2,387	2,387	2,387
Bore x stroke (mm)	94.0 X 86.0	94.0 X 86.0	94.0 X 86.0	94.0 X 86.0
Ignition system	Transisterized	Transisterized	Transisterized	Transisterized
Injection system	Toyota D-4S Dual Injection System	Toyota D-4S Dual Injection System	Toyota D-4S Dual Injection System	Toyota D-4S Dual Injection System
Oil classification	Toyota Genuine Motor Oil, ILSAC GF-5 engine oil	Toyota Genuine Motor Oil, ILSAC GF-5 engine oil	Toyota Genuine Motor Oil, ILSAC GF-5 engine oil	Toyota Genuine Motor Oil, ILSAC GF-5 engine oil
Oil type/weight	SAE 0W-20	SAE 0W-20	SAE 0W-20	SAE 0W-20
0-60 mph (seconds)	6.6	6.1	6.6	6.1
Top track speed (mph)	134	140	134	140
Fuel Facts				
EPA-estimated MPG (city/hwy/combined) [25]	21/31/25	20/27/22	21/31/25	20/27/22
Fuel tank capacity (gal.)	13.2	13.2	13.2	13.2
Octane number	93	93	93	93
Federal emissions rating	Tier3 BIN125	Tier3 BIN125	Tier3 BIN125	Tier3 BIN125
California emissions rating	ULEV	ULEV	ULEV	ULEV
Gear Ratios				
Gear ratios	1st – 3.538 2nd – 2.060 3rd – 1.404 4th – 1.000 5th – 0.713 6th – 0.582 Reverse – 3.168 Final – 3.909	1st – 3.626 2nd – 2.189 3rd – 1.541 4th – 1.213 5th – 1.000 6th – 0.767 Reverse – 3.438 Final – 4.100	1st – 3.538 2nd – 2.060 3rd – 1.404 4th – 1.000 5th – 0.713 6th – 0.582 Reverse – 3.168 Final – 3.909	1st – 3.626 2nd – 2.189 3rd – 1.541 4th – 1.213 5th – 1.000 6th – 0.767 Reverse – 3.438 Final – 4.100
Safety				
Total number of airbags[14]	7	7	7	7
Front airbags[14]	Driver and front passenger Advanced Airbag System	Driver and front passenger Advanced Airbag System	Driver and front passenger Advanced Airbag System	Driver and front passenger Advanced Airbag System
Knee airbags[14]	Driver	Driver	Driver	Driver
Seat-mounted side airbags[14]	Driver and front passenger	Driver and front passenger	Driver and front passenger	Driver and front passenger
Side curtain airbags[14]	Front and rear	Front and rear	Front and rear	Front and rear
Driver seatbelt	3-point seatbelt; Emergency Locking Retractor (ELR)	3-point seatbelt; Emergency Locking Retractor (ELR)	3-point seatbelt; Emergency Locking Retractor (ELR)	3-point seatbelt; Emergency Locking Retractor (ELR)
Passenger seatbelt	3-point seatbelt; Emergency Locking Retractor (ELR)	3-point seatbelt; Emergency Locking Retractor (ELR)	3-point seatbelt; Emergency Locking Retractor (ELR)	3-point seatbelt; Emergency Locking Retractor (ELR)
Rear passenger seatbelts	3-point seatbelt and Emergency Locking Retractor (ELR) on all passenger seatbelts	3-point seatbelt and Emergency Locking Retractor (ELR) on all passenger seatbelts	3-point seatbelt and Emergency Locking Retractor (ELR) on all passenger seatbelts	3-point seatbelt and Emergency Locking Retractor (ELR) on all passenger seatbelts
LATCH locations	Lower anchors on outboard rear seats and tether anchors on outboard rear seats	Lower anchors on outboard rear seats and tether anchors on outboard rear seats	Lower anchors on outboard rear seats and tether anchors on outboard rear seats	Lower anchors on outboard rear seats and tether anchors on outboard rear seats
Steering				
Type	GR circuit-tuned Electric Power Steering (EPS); power-assisted rack-and-pinion	GR circuit-tuned Electric Power Steering (EPS); power-assisted rack-and-pinion	GR circuit-tuned Electric Power Steering (EPS); power-assisted rack-and-pinion	GR circuit-tuned Electric Power Steering (EPS); power-assisted rack-and-pinion
Steering gear ratio	13.5:1	13.5:1	13.5:1	13.5:1
Turning circle radius – curb-to-curb (m)	35.4	5.4	35.4	35.4
Steering wheel turns – lock-to-lock	2.5	2.5	2.5	2.5
Suspension				
Front	GR circuit-tuned independent MacPherson strut with GR circuit-tuned coil springs, shock absorbers, iron knuckles, and 18mm stabilizer bar	GR circuit-tuned independent MacPherson strut with GR circuit-tuned coil springs, shock absorbers, iron knuckles, and 18mm stabilizer bar	GR circuit-tuned independent MacPherson strut with GR circuit-tuned coil springs, shock absorbers, iron knuckles, and 18mm stabilizer bar	GR circuit-tuned independent MacPherson strut with GR circuit-tuned coil springs, shock absorbers, iron knuckles, and 18mm stabilizer bar

	GR86 (Automatic)	GR86 (Manual)	GR86 Premium (Automatic)	GR86 Premium (Manual)
Rear	Multi-link with GR circuit-tuned coil springs, shock absorbers, and 15mm stabilizer bar	Multi-link with GR circuit-tuned coil springs, shock absorbers, and 15mm stabilizer bar	Multi-link with GR circuit-tuned coil springs, shock absorbers, and 15mm stabilizer bar	Multi-link with GR circuit-tuned coil springs, shock absorbers, and 15mm stabilizer bar
Transmissions				
Type	6-speed Electronically Controlled automatic Transmission (ECT) with paddle shifters	6-speed manual	6-speed Electronically Controlled automatic Transmission (ECT) with paddle shifters	6-speed manual
Warranties & Maintenance				
Basic Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Powertrain Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
Corrosion Perforation Warranty	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles	5 years / Unlimited miles
Emissions Warranty	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide	Refer to Vehicle Warranty & Maintenance Guide
Accessories Warranty	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles	3 years / 36,000 miles
Restraint Systems Warranty	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles	5 years / 60,000 miles
ToyotaCare Maintenance Plan[26]	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles	2 years / 25,000 miles
ToyotaCare Roadside Assistance Coverage[26]	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles	2 years / Unlimited miles
Weights & Capacities				
Curb weight (lbs.)	2,851	2,811	2,868	2,833
GVWR (lbs.)	3,682	3,682	3,748	3,748
Power-to-weight ratio (curb weight lbs./hp)	12.34	12.50	12.43	12.58
Seating capacity	4 (2+2)	4 (2+2)	4 (2+2)	4 (2+2)
Oil capacity (US qts.)	6.2	6.2	6.2	6.2
Fuel tank (gal.)	13.2	13.2	13.2	13.2
Wheels & Tires				
Wheel type	Alloy	Alloy	Alloy	Alloy
Wheel size (in.)	17X7 1/2J	17X7 1/2J	18X7 1/2J	18X7 1/2J
Tire type	Michelin® Primacy HP summer	Michelin® Primacy HP summer	Michelin® Pilot® Sport 4 summer	Michelin® Pilot® Sport 4 summer
Tire size	215/45R17	215/45R17	215/40R18	215/40R18
Spare	Repair kit	Repair kit	Repair kit	Repair kit

Disclaimers

1. The Smart Key System may interfere with some pacemakers or cardiac defibrillators. If you have one of these medical devices, please talk to your doctor to see if you should deactivate this system.
2. ©2021 Toyota Motor Sales, U.S.A., Inc. NASA membership is non-transferable and expires 1 year after purchase of your 2022 GR vehicle. The 1 day High Performance Driving Event (HPDE) is included as a membership benefit and must be redeemed within 1 year from the time of purchase of your vehicle. NASA membership and complimentary HPDE are not redeemable for cash or any other offer.
3. Do not rely exclusively on the Blind Spot Monitor. Always look over your shoulder and use your turn signal. There are limitations to the function, detection and range of the monitor. See Owner's Manual for additional limitations and details.
4. Do not rely exclusively on the Rear Cross-Traffic Alert system. Always look over your shoulder and use your mirrors to confirm rear clearance. There are limitations to the function, detection and range of the system. See Owner's Manual for additional limitations and details.
5. Extra-cost color.
6. The Adaptive Front-Lighting System helps improve night vision. Situations such as a dirty windshield, rapidly changing light conditions or hilly terrain may limit effectiveness requiring the driver to manually turn off the system. See Owner's Manual for additional limitations and details.
7. Automatic High Beams operate at speeds above 20 mph. Factors such as a dirty windshield, weather, lighting and terrain limit effectiveness requiring the driver to manually operate the high beams. See Owner's Manual for additional limitations and details.
8. Apps and services are subject to change at any time without notice. Data charges may apply. Apple CarPlay® functionality requires a compatible iPhone® connected with an approved data cable into the USB media port. Apple CarPlay is a registered trademark of Apple Inc.

9. Android Auto is a trademark of Google LLC. To use Android Auto on your audio display, you'll need an Android Auto compatible vehicle and Android phone. For phone compatibility visit: www.android.com/auto/. Apps and services vary by phone carrier and are subject to change at any time without notice.
10. Trial length and service availability may vary by model, model year or trim. Service will automatically stop at the end of your trial subscription period unless you decide to continue service. If you do not wish to enjoy your trial, you can cancel by calling the number below. All SiriusXM services require a subscription, each sold separately by SiriusXM after the trial period. **Service subject to the SiriusXM Customer Agreement and Privacy Policy, visit www.siriusxm.com to see complete terms and how to cancel which includes calling 1-866-635-2349.** Some services and features are subject to device capabilities and location availability. All fees, content and features are subject to change. SiriusXM, Pandora and all related logos are trademarks of Sirius XM Radio Inc. and its respective subsidiaries. SiriusXM trial length and service availability may vary by model, model year or trim.
11. May not be compatible with all mobile phones, MP3/WMA players and like models.
12. Ultrasuede is a registered trademark of Toray Industries, Inc.
13. Adaptive Cruise Control is designed to assist the driver and is not a substitute for safe and attentive driving practices. System effectiveness is dependent on many factors including road, weather and traffic conditions. See Owner's Manual for additional limitations and details.
14. Airbag systems are Supplemental Restraint Systems and are designed to inflate only under certain conditions and in certain types of severe collisions. To decrease the risk of injury from an inflating airbag, always wear seatbelts and sit upright in the middle of the seat as far back as possible. Do not put objects in front of an airbag or around the seatback. Do not use a rearward-facing child seat in any front passenger seat. See Owner's Manual for additional limitations and details.
15. The backup camera does not provide a comprehensive view of the rear area of the vehicle and you should also look around the vehicle, using mirrors to confirm rearward clearance. Environmental conditions may limit effectiveness and view may become obscured. See Owner's Manual for additional limitations and details.
16. Brake Assist is designed to help the driver take advantage of ABS and is not a substitute for safe driving practices. Braking effectiveness also depends on proper vehicle maintenance, tire and road conditions. See Owner's Manual for additional limitations and details.
17. The Pre-Collision Braking System is designed to help reduce the crash speed and damage in certain frontal collisions only. It is not a collision-avoidance system and is not a substitute for safe and attentive driving. System effectiveness is dependent on many factors including road, weather and vehicle conditions. See Owner's Manual for additional limitations and details.
18. Smart Stop Technology operates only in the event of certain contemporaneous brake and accelerator pedal applications. When engaged, the system will reduce power to help the brakes bring the vehicle to a stop. Factors including speed, road conditions and driver input can all impact stopping distance. Smart Stop Technology is not a substitute for safe and attentive driving and does not guarantee instant stopping. See Owner's Manual for additional limitations and details.
19. Vehicle Stability Control is an electronic system designed to help the driver maintain vehicle control under adverse conditions. It is not a substitute for safe and attentive driving practices. Factors including speed, road conditions, weather and driver steering input can all affect whether VSC will be effective in preventing a loss of control. See Owner's Manual for additional limitations and details.
20. Lane Departure Alert is designed to read visible lane markers under certain conditions and provide visual and audible alerts when lane departure is detected. It is not a collision avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors, including road, weather and vehicle conditions. See Owner's Manual for additional limitations and details.
21. Sway Warning is designed to provide a visual and audible alert if it detects a pattern of vehicle movement that might indicate driver inattention or drowsiness. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions. See Owner's Manual for additional limitations and details.
22. The engine immobilizer is a state-of-the-art anti-theft system that is initiated when you insert your key into the ignition switch or bring a Smart Key fob into the vehicle. The engine will only start if the code in the transponder chip inside the key/fob matches the code in the vehicle's immobilizer. The transponder chip is embedded in the key/fob and can be costly to replace. If you lose a key or fob, your Toyota dealer can help or go to www.aloa.org to find a qualified locksmith in your area who can perform high-security key service.
23. Hill Start Assist Control is designed to help minimize backward rolling on steep ascents. It is not a substitute for safe driving judgment and practices. Factors including speed, grade, surface conditions and driver input can all affect whether HAC will be effective in preventing a loss of control. See Owner's Manual for additional limitations and details.
24. The Tire Pressure Monitor System alerts the driver when tire pressure is critically low. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge; do not rely solely on the monitor system. See Owner's Manual for additional limitations and details.
25. Projected EPA-estimated range rating 21city/31hwy/25comb estimates for 2022 GR86 6AT; 20city/27hwy/22comb estimates for 2022 GR86 6MT as determined by manufacturer. EPA estimates not available at time of posting. Use for comparison purposes only. Your mileage will vary for many reasons, including your vehicle's condition and how/where you drive.
26. ToyotaCare covers normal factory scheduled maintenance for two years or 25,000 miles, whichever comes first. Certain models require a different maintenance schedule as described in their *Maintenance Guide*. 24-hour Roadside Assistance is also included for two years, unlimited mileage. Roadside Assistance does not include parts and fluids, except emergency fuel delivery. See Toyota dealer for details and exclusions. Valid only in the continental U.S.
27. Cargo and load capacity limited by weight and distribution. Always properly secure cargo and cargo area.
28. Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Some features may require the Toyota app. Registration required. Subscription required after trial. Service subject to

change at any time without notice. Terms of Use apply. Data charges may apply. Service may vary by vehicle and region. See usage precautions and service limitations in Owner's Manual and Toyota.com/connected-services/ for additional details. To learn about Toyota's Connected Services data collection, use, sharing and retention practices, please visit www.toyota.com/privacyvts/. The Safety Connect trial period is at no extra cost and begins on the original date of purchase or lease of a new vehicle. Paid subscription required after trial to access the service.

29. Information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Service may vary by vehicle and region. Requires app download/registration and subscription after trial. Service subject to change at any time without notice. Terms of Use apply. Data charges may apply. See usage precautions and service limitations in Owner's Manual and www.toyota.com/connected-services/ for additional details. To learn about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/privacyvts/. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration. The Service Connect trial period is at no extra cost and begins on the original date of purchase or lease of a new vehicle. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.
30. Torsen® is a registered trademark of JTEKT Torsen, Inc.
31. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires *Bluetooth* connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice. See usage precautions and service limitations in Toyota Owner's Manual and www.toyota.com/connected-services/ for additional details. To learn about Toyota's connected services data collection, use, sharing and retention practices, please visit www.toyota.com/privacyvts/. The Remote Connect trial period (if applicable) is at no extra cost and begins on the original date of purchase or lease of a new vehicle. Subscription required after trial to access the service. Terms of Use apply.
32. At speeds of 9 mph or less, Front and Rear Parking Assist with Automated Braking (PA w/AB) is designed to assist drivers in avoiding potential collisions with nearby static objects when the vehicle is in Drive or Reverse and approaching crossing vehicles when the vehicle is in Reverse. Do not overly rely on PA w/AB. Always look around outside the vehicle and use mirrors to confirm clearance. Certain vehicle and environmental factors, including an object or vehicle's shape, size and composition, may affect the system's effectiveness. See *Owner's Manual* for additional limitations and details.