

Adverse events by trial — descriptive table (NOT pooled): pelvic vs prostate-only RT

Trial	Era	Scale	Timing	GU ≥G2 PORT / WPRT	GU ≥G3 PORT / WPRT	GI ≥G2 PORT / WPRT	GI ≥G3 PORT / WPRT	Notes
POP-RT <i>Murthy 2021, J Clin Oncol</i>	IMRT	RTOG late adverse events	Late only	PORT: 8.9% (10/112) WPRT: 20.0% (22/110) p=0.02	PORT: 1.8% (2/112) WPRT: 1.8% (2/110)	PORT: 4.5% (5/112) WPRT: 8.2% (9/110) p=0.28	PORT: 0% (0/112) WPRT: 1.8% (2/110)	Only late adverse events tabulated in the long-term report. RTOG scale.
GETUG-01 <i>Pommier 2016, Int J Radiat Oncol Biol Phys</i>	2D / 3D-CRT NCI-CTC v2 / RTOG (original 2007 report)	Acute + late (original 2007 report)		PORT: See Pommier 2007 WPRT: See Pommier 2007	PORT: See Pommier 2007 WPRT: See Pommier 2007	PORT: See Pommier 2007 WPRT: See Pommier 2007	PORT: See Pommier 2007 WPRT: See Pommier 2007	The long-term update does not update adverse events, referring to the original Pommier 2007 (J Clin Oncol) report. Direction in 2007: acute ≥G2 GI higher with WPRT (2D-era, large field); late adverse events similar between arms.
RTOG 9413 <i>Roach 2018, Lancet Oncol</i>	3D-CRT	CTCAE	Late ≥G3 only (collapsed across hormone-timing)	PORT: NR WPRT: NR	PORT: 4.9% (31/628) WPRT: 6.3% (40/633) p=NS	PORT: NR WPRT: NR	PORT: 1.9% (12/628) WPRT: 5.1% (32/633) p=reported significant	Numbers collapse the field comparison across hormone-timing (factorial design). 4-arm breakdown for ≥G3 GI: NHT+WPRT 7%, NHT+PORT 2%, WPRT+AHT 3%, PORT+AHT 2%. No acute adverse events in this long-term update.
PEACE-2 <i>Blanchard 2026, ASCO GU / ESTRO LBA</i>	IMRT	CTCAE	Not yet reported	PORT: NR WPRT: NR	PORT: NR WPRT: NR	PORT: NR WPRT: NR	PORT: NR WPRT: NR	Per-arm adverse events not yet reported. Trial-level data indicate ≥G3 GI/GU events are very low (~1-2%) with modern IMRT. Cabazitaxel co-intervention precludes a clean pelvic-RT-attributable adverse-events estimate.
RTOG 0924 <i>Roach 2025, ASTRO LBA</i>	IMRT	CTCAE v4	Late (urinary frequency item)	PORT: 25.3% WPRT: 27.2% p=NS	PORT: 0.5% WPRT: 0.7% p=NS	PORT: 18.1% WPRT: 22.1% p=0.0085 (one-sided)	PORT: 3.4% WPRT: 3.3% p=NS	GU figures refer to the urinary-frequency item (only GU item publicly reported to date).

Numbers reported verbatim as published or presented (PORT % / WPRT % or n/N; p where reported). NOT pooled across trials: 2D/3D-CRT vs IMRT delivery, different CTCAE versions, different acute/late timepoints— see Limitations L1. "NR" = not reported in source; grey cells = not extractable from available source.