

NCR MANAGER · QUALITY MANAGEMENT SYSTEM

Administrator Guide

Installation, configuration, hosting and operational administration of the MedQMS application — metadata-driven setup with no code.

DOCUMENT

ADMIN GUIDE

VERSION

1.0

ISSUED

June 27, 2026

PLATFORM

Kinetic

CONFIDENTIAL · CONTROLLED DOCUMENT

Installation & environment

```
# provision kapp + 19 forms + indexes (+ optional seed)
node install.mjs <serverUrl> <user> <pass> [--seed] [--no-build-wait]
```

- Idempotent: existing kapp/forms are detected and skipped.
- Indexes build asynchronously; the installer polls background jobs to completion (omit with `--no-build-wait`). **KQL returns empty until indexes finish building.**
- Regenerate deterministic sample data any time: `node gen-seed.mjs` (writes `seed-data.json`).

Hosting

- **Via base launcher (port 3011):** drop the folder under `apps/`, restart or `POST /api/base/rescan`. Auto-discovery reads `app.json` (launcher card + `/ncrmanager/` route) and mounts `server.mjs` under `/api/ncrmanager`. No central registry to edit.
- **Standalone (port 3021):** `PORT=3021 KINETIC_URL=<space> node server.mjs`.

What administrators configure (no code)

Configuration is metadata-driven through Kapp/Form/Team **attributes** and **KSL** policies. The **Admin → Configuration** tab lists the shipped defaults; all are customer-configurable:

AREA	MECHANISM	DEFAULT
Event types & taxonomies	form field option list	8 types
Risk matrix	attribute (Severity × Probability → Level)	ISO 14971 5×5
Numbering schemes	per-record prefix	QE/NC/CAPA/CMP/...
Workflow routing	task-tree config	high-risk → 2-level + independent effectiveness
Approval thresholds / signature meanings	attribute + policy	per record class
Due-date rules	business-calendar attribute	severity-driven
Escalation policy	timer node config	overdue → manager team
Investigation methods	option list	6 methods
Disposition choices	option list	Use-As-Is/Rework/Scrap/Return/Concession
Root-cause categories	option list	Ishikawa 6M + custom
Retention rules	attribute	set with legal review
Regulatory mappings	attribute	see traceability matrix
Required fields	form constraint	per form
Site-specific terminology	translation context	per locale/site
Dashboard targets	attribute	per metric
Notification templates	task handler	email/task

Changing field **slugs/names** after go-live breaks indexes and stored links. Add/retire *option values* and *attributes* instead; never rename a field that appears in an index or KQL query.

Security administration

- Assign personas to **Teams** (`Quality::Managers::{Site}` , `Supplier::External::{SupplierId}` , ...).
- Apply **KSL** policies for site boundaries, confidential investigations, supplier isolation, field-level restrictions and separation of duties (see `ROLES-AND-SECURITY.md`).
- The System Administrator role configures the system but holds **no record-approval authority**.

Compliance operations

- **Admin → Audit Trail** — append-only regulated change log (actor, time, old→new, reason, correlation).
- **Admin → E-Signatures** — the Part 11 signature manifest (signer, meaning, reason, version, method, hash).
- **Admin → API & Integrations** — the versioned Web API reference, reference integration map, and a live "GET /v1/metrics" tester.
- Neither audit-trail nor esignatures records should ever be edited or deleted; restrict write access to the platform service identity only.

Indexing checklist when adding a field

1. Add the field to the form in `app.json`.
2. If it will be used in a KQL filter, add it to that form's `indexes.single` (and a compound index if it pairs with Status/Site/Owner).
3. Re-run `install.mjs` (it issues the index build and polls completion).
4. Verify with a filtered query before relying on it in the UI.

Operational notes

- The dashboard endpoint caches for 5 minutes and de-duplicates concurrent requests; expect up to a 5-minute lag on aggregate tiles. Record lists and drawers are always live.
- For scale (millions of records) keep dashboard collects bounded, rely on indexed filters, and push heavy historical analysis to the data-platform integration rather than the live dashboard.