HERBIG STARS FORM IN CLUSTERS?

Alice Perez
University of Leeds

HD 200775

Basic data :

HD 200775 -- Herbig Ae/Be star

|	
Other object types:	Or* (), * (HD,AG,...), ** (Ref,**,...), V* (NSV,V*,...), Y*? (Ref,[KWD2009]), Em* (EM*,HBC), *iC (Cl*), *iN (VDB), Ae* (Ref), IR (2MASS), UV (TD1), X (2E)
ICRS coord. (ep=J2000) :	21 01 36.9210 +68 09 47.765 (Optical) [0.243 0.201 0] A 2016A&A...595A...2G
FK5 coord. (ep=J2000 eq=2000) :	21 01 36.921 +68 09 47.77 [0.243 0.201 0]
FK4 coord. (ep=B1950 eq=1950) :	21 00 59.69 +67 57 55.3 [2.562 2.558 0]
Gal coord. (ep=J2000) :	104.0616 +14.1925 [0.243 0.201 0]
Proper motions mas/yr :	7.382 -1.264 [0.051 0.051 90] A 2016A&A...595A...2G
Radial velocity / Redshift / cz :	V(km/s) -3.40 [1.8] / z(~) -0.000011 [0.000006] / cz -3.40 [1.80] B 2006AstL...32..759G
Parallaxes (mas):	2.98 [0.23] A 2016A&A...595A...2G
Spectral type:	B2Ve C 1968PASP...80..197G
Fluxes (7) :	U 7.34 [~] C 2002yCat.2237....0D
	B 7.73 [~] C 2002yCat.2237....0D
	V 7.36 [~] C 2002yCat.2237....0D
	G 7.155 [0.001] C 2016A&A...595A...2G
	J 6.111 [0.030] C 2003yCat.2246....0C
	H 5.465 [0.031] C 2003yCat.2246....0C
	K 4.651 [0.017] C 2003yCat.2246....0C

Cross-match: GAIA+2mass+NOMAD

VOSA

Kurucz models

obj80
Kurucz ODFNEW /NOVER models, Teff:6250, logg:2.00, Meta.:-2.00, Av:1.98

HD200775

- Observed
- 3 sigma
- Model
- Fitted
- Upper Limit

Generated by VOSA

➤ D = 335pc

➤ AV = 1.98

siess

Generated by VOSA

obj101
Kurucz ODFNEW /NOVER models, Teff:34000, logg:4.00, Meta.:0.50, Av:1.98

- Observed
- 3 sigma
- Model
- Fitted

Generated by VOSA

siess

Generated by VOSA