Description and discovery of VizieR Resources in VO registries


Asterics DADI Tech Forum 2 Edinburgh, 07/03/2016

Sébastien Derriere





VizieR





- 14,600 catalogues
- 31,000 tables (15,400 with coordinates (15,4
 - 10s to 109 rows
- 466,000 columns
 - + 1000 catalogues / year

■ VizieR mirrors



VizieR mirrors

- VizieR main site in Strasbourg, France
- 8 other mirror sites
 - Not all catalogues on all mirrors (very large cats)

VizieR metadata

- Each catalogue has a standardized ReadMe
- UCDs attached to columns

I/265 Second Cape Photographic Catalogue (CPC2) (Zacharias+, 1999) The second Cape photographic catalogue on the Hipparcos system. Zacharias N., Zacharias M.I., De Vegt C.

<Astron. J. 117, 2895 (1999)>

=1999AJ....117.2895Z

ADC Keywords: Photographic catalog; Surveys; Positional data Keywords: astrometry - catalogs

Abstract:

The Second Cape Photographic Catalogue (CPC2) is an astrometric. photographic catalog covering the entire Southern Hemisphere to a limiting magnitude of about 10.5. The Hipparcos Catalogue has been used for a new, plate-by-plate, rigorous reduction. A significant improvement over the release 1 version of the data was achieved. With an average accuracy of 53 mas and a mean epoch of 1968, the CPC2 is a key catalog for proper-motion determination. This release 2 of the CPC2 contains high-quality positions of 266629 stars and an appendix of 8040 other stars. Catalog reduction and construction details are given, as well as a description of the final product, which is available from the US Naval Observatory.

File Summary:

Lrecl Records Explanations ReadMe This file cpc2main.dat 55 266629 CPC2 main catalogue CPC2 appendix cpc2app.dat

See also:

I/239 : The Hipparcos and Tycho Catalogues (ESA 1997) I/4 : Cape photographic catalogue (Stoy+, 1968)

I/85 : CPC2. Provisional catalogue (-40{deg}<=DE<=-52{deg} (Nicholson+ 1984)

Byte-by-byte Description of file: cpc2*.dat

Byt	tes	Format	Units	Label	Explanations
1-	6	I6		CPC2	CPC2 star identification number (CPC2 FFNNNN in Simbad)
8-	10	13	0.1mag	Ptv	Photographic photovisual magnitude (530-640nm)
12-	21	I10	mas	RAmas	Right ascension at epoch EpRA-1900 (ICRS)
24-	32	19	mas	SPDmas	Declination +90{deg} at epoch EpDE-1900 (ICRS)
34-	36	13	mas e_	_RAmas	Formal standard error in RAcos(decl.)
38-	40	I3	mas e_	_SPDmas	Formal standard error in declination
42-	43	I2		Nu	Number of images used (plates)
45-	49	I5	10-3yr	EpRA-1900	Mean epoch of RA (-1900)
51-	55	15	10-3yr	EpDE-1900	Mean epoch of declination (-1900)
History: From ApJS electronic version					

James Marcout, Patricia Bauer [CDS] 14-Sep-1999

VizieR metadata

- Spectral coverage
 - Coarse band description
- Spatial coverage
 - MOC for tables with sky coordinates

Current description of Resources

1 catalogue = 1 Resource

- One ivo identifier
- vs:CatalogService type
- Curation, content: from ReadMe
- Multiple capabilities
 - 1 WebBrowser interface
 - 1 ParamHTTP interface : base query returning VOTable
 - 1 ConeSearch for each Table with coordinates
- 1 MOC at the catalogue level

VizieR Resource

```
<ri:Resource xsi:type="vs:CatalogService" created="2000-08-30T23:55:18"</pre>
            updated="2015-05-09T14:00:00" status="active">
   <validationLevel validatedBy="ivo://CDS.VizieR">1</validationLevel>
   <title>Second Cape Photographic Catalogue (CPC2) (Zacharias+, 1999)</title>
  <shortName>I/265</shortName>
  <identifier>ivo://CDS.VizieR/I/265</identifier>
   <curation ... />
   <content>
     <subject>Positional Data</subject>
     <description>The Second Cape Photographic Catalogue (CPC2) is an astrometric,
     photographic catalog covering the entire Southern Hemisphere to a limiting
     magnitude of about 10.5. The Hipparcos Catalogue has been used for a new,
     plate-by-plate, rigorous reduction. A significant improvement over the release
     1 version of the data was achieved. With an average accuracy of 53 mas and a
     mean epoch of 1968, the CPC2 is a key catalog for proper-motion determination.
     This release 2 of the CPC2 contains high-quality positions of 266629 stars and
     an appendix of 8040 other stars. Catalog reduction and construction details
     are given, as well as a description of the final product, which is available
     from the US Naval Observatory. </description>
     <source format="bibcode">1999AJ....117.2895Z</source>
     <referenceURL>http://cdsarc.u-strasbg.fr/cgi-bin/Cat?I/265</referenceURL>
     <type>Catalog</type>
     <contentLevel>Research</contentLevel>
  </content>
   <rights>public</rights>
```

VizieR Resources

</capability>

```
<capability>
   <interface xsi:type="vr:WebBrowser">
     <accessURL use="full">http://vizier.u-strasbg.fr/cgi-bin/VizieR-2?-source=I/265</accessURL>
   </interface>
</capability>
<capability>
  <interface xsi:type="vs:ParamHTTP">
     <accessURL use="base">http://vizier.u-strasbg.fr/viz-bin/votable/-dtd/-A?-source=I/265</accessURL>
      <queryType>GET</queryType>
     <resultType>text/xml+votable</resultType>
   </interface>
</capability>
<capability xsi:type="cs:ConeSearch" standardID="ivo://ivoa.net/std/ConeSearch">
<description>Cone search capability for table I/265/cpc2main (CPC2 main catalogue)
  <interface xsi:type="vs:ParamHTTP" role="std">
     <accessURL use="base">http://vizier.u-strasbg.fr/viz-bin/votable/-A?-out.all&amp;-source=I%2F265%2Fcpc2main&amp;</access
     <queryType>GET</queryType>
     <resultType>text/xml+votable</resultType>
  </interface>
  <maxSR>180</maxSR>
  <maxRecords>9999</maxRecords>
  <verbosity>true</verbosity>
  <testQuery>
     <ra>45.04394531249999</ra>
     <dec>0.24246333228778008</dec>
     <sr>0.028629053431811713</sr>
  </testQuery>
</capability>
<capability xsi:type="cs:ConeSearch" standardID="ivo://ivoa.net/std/ConeSearch">
                                                                                     <description>Cone search capability
  <interface xsi:type="vs:ParamHTTP" role="std">
                                                         <accessURL use="base">http://vizier.u-strasbg.fr/viz-bin/votable
     <queryType>GET</queryType>
     <resultType>text/xml+votable</resultType>
  </interface>
  <maxSR>180</maxSR>
  <maxRecords>9999</maxRecords>
  <verbosity>true</verbosity>
  <testQuery>
     <ra>44.93408203124999</ra>
     <dec>0.634145923360648</dec>
     <sr>0.028629053431811713</sr>
  </testQuery>
```

VizieR Resources

```
<coverage>
  <footprint ivo-id="ivo://mocivod">http://alasky.u-strasbg.fr/footprints/cats/vizier/I/265?produc
  <waveband>Optical</waveband>
</coverage>
<name>I/265/cpc2main</name>
  <description>CPC2 main catalogue</description>
  <column>
                   <name>recno</name>
     <description>Record number assigned by the VizieR team. Should Not be used for identification.
     <unit> </unit>
     <ucd>meta.record</ucd>
  </column>
  <column .../>
<name>I/265/cpc2app</name>
  <description>CPC2 appendix</description>
  <column>
                   <name>recno</name>
     <description>Record number assigned by the VizieR team. Should Not be used for identification.
     <unit> </unit>
     <ucd>meta.record</ucd>
  </column>
  <column ... />
```

Problems with current scheme

- One Resource contains
 - Several ConeSearch capabilities
 - Several Table descriptions
- ... but no way to link one ConeSearch to its table description!
- MOC at table level not provided
 - and we'd have the same missing link to Table
- No link to VizieR TAP service
 - ONE Resource for VizieR TAP, with full schema
- Mirror sites not described at all

VizieR resource discovery

- Do any of the following (and, or)
 - Find catalogues from keywords, authors, bibcode
 - Catalogue « name »
 - Content-based query (UCD)
 - By spatial coverage
 - Time coverage(?)
 - Service type: ConeSearch, TAP, web form...

VizieR resource discovery

- Do any of the following (and, or)
 - Find catalogues from keywords, authors, bibcode
 - Catalogue « name »
 - Content-based query (UCD)
 - By spatial coverage
 - Time coverage(?)
 - Service type: ConeSearch, TAP, web form...

Resources at the Table level

- Changing to 1 table = 1 resource
 - Unambiguous association of columns descriptions with single ConeSearch capability
 - Fine-grained description : possible to identify a table by ivo-id
 - MOC coverage at Table level
- What to do with catalogues? Keep, delete?
 - Avoid duplication of (curation, content) metadata
 - Link Catalogue and Table Resources?
 - Deleting current resources : impact ?

Impact on VO registries

- VizieR resources represent 90 % of registry contents!
- Resource update → nearly full OAI reharvest
- Moving from catalogue to table
 - 14,000 deprecated identifiers (current resources)
 - 31,000 new identifiers
- Adding spatial tables to current catalogues
 - Add 15,400 ressources
- Within each capability, list interfaces for mirrors
 - How do tools manage multiple interfaces?