

Business Requirements Document

Modernization Baseline

This document reconstructs the business requirements, rules, and behaviors embedded in the existing legacy implementation, to serve as the business baseline for the design of a new modernized application.

August 2026

I. Introduction

The Transaction Management System (TMS) is Prudential's commission and agent-transaction hub for its life insurance business. Upstream systems — policy administration, agent, and broker-dealer systems — send TMS weekly premium, commission, and adjustment files. TMS validates and merges those incoming feeds, computes commissions, and posts the results to the ledger: valid records book directly, while records that fail a validation or routing check become exceptions that wait for review. Those exceptions are worked in SPI, the online correction facility, where operations staff correct and release them so the corrected records rejoin the next weekly cycle.

In business terms, TMS receives commission activity from upstream Prudential source systems, determines whether each transaction can be credited to a valid agent, and preserves the evidence needed for commission reporting, audit, and follow-up correction. It is a large, long-established mainframe estate — dozens of batch feeds on one side and a substantial CICS online footprint on the other — all feeding this same commission-and-exception cycle.

Document Set

This baseline is issued as three volumes.

Volume	Content	Application
Business Requirements Document	The narrative baseline: the business function, the scope of the reconstruction, the equivalence obligation, and the data, temporal, authority, exception, interface and output requirements on which the rules depend. Concludes with the assumptions on which the reconstruction rests and the acceptance criteria for business equivalence.	Establishes the framing within which the rules are to be read and validated.
Business Rules Catalogue	The 305 confirmed rules together with the 315 modernization additions, issued as one workbook of 620, with an accompanying guide to its structure and to the mechanisms governing	Used to examine, validate or reference any individual rule.

	disposition, error handling and rejection.	
Source Traceability Matrix	The derivation of each requirement and rule, identifying the program and lines from which it was obtained and the confidence attaching to it.	Used to verify any statement in the baseline against the source.

For the purposes of business validation, the recommended sequence is to establish the boundaries of the reconstruction from the Scope section of this volume, and then to examine the Catalogue restricted to the business area in which the reviewer holds knowledge. Validation does not require examination of source code.

Terminology

The existing system employs the vocabulary of the field compensation domain. The following terms recur throughout this baseline and are used with the meanings given.

Term	Definition as used in this baseline
Producer	A member of the field sales organisation. Referred to in the source variously as agent or representative.
Cycle, period	The weekly processing interval. All compensation is determined one week at a time, and the correction facility always works to the cycle recorded by the batch system rather than to the calendar.
Suspense	The holding state for transactions the weekly cycle could not compensate as presented. The suspense file is the working list of this facility.
Suspended transaction	One entry on that file: a compensation transaction, the reason it was refused, the office responsible for it, and the number of weeks it has been waiting.
Disposition	The determination of what is to happen to a suspended transaction: released, held, held for a stated number of weeks, transferred, or deleted.
Correction	An amendment to the business content of a suspended transaction, as distinct from a change to its disposition.

Screening	The validation the facility applies to a corrected field before accepting it. The same term is used in the source for the equivalent batch validation.
Region, regional office	A regional home office. Each maintains its own copy of every file and works only its own transactions.
Operator	The member of staff signed on to a terminal. Their identity, their office and their operating mode are taken from the terminal profile and are never keyed.
Authority	The monetary ceiling, held individually for each operator, above which that operator may not release compensation for payment.
Branch of business	The product family to which a transaction belongs. Most validation in this facility is conditioned on it.
Trailer	A repeating segment on a transaction carrying one participating producer's share, or a partner business address and its rejection detail.
Double-length transaction	A single physical record carrying two compensation transactions, corrected in two halves through the same screens.
Chargeback	The recovery of commission previously paid, arising most commonly on early termination of the policy
Equivalence	The obligation that the replacement system reach the same business outcomes as the existing system.
Baseline	This statement of the business requirements and rules that the replacement is required to preserve.

II. Background and Current State

How work reaches this facility

The compensation system runs a weekly cycle. That cycle takes the week's transactions from the policy administration systems, determines what each producer has earned and what must be recovered, and issues the results for payment. A transaction that the cycle cannot compensate as presented is not paid and is not discarded. It is written to a suspense file together with the reason it was refused and the office responsible for resolving it.

The runs that feed that file are a closed named set. Each is a distinct stage of the weekly cycle, and each refuses transactions for its own reasons: licence checking, replacement detection, the main compensation run, debit commission calculation, the service register, two conversion and screening stages, the charge and credit rules, channel and function valuation, translation and dealer-revenue valuation, senior-management revenue retrieval, and transactions created through these screens in a previous week. The set is closed and is recorded on the statistics screen of the facility itself, which is the only surviving statement of what each run does.

A suspended transaction ages. The file records how many weeks it has been waiting, that count is displayed on the working list, and it continues to accumulate until a member of staff acts. Unlike the audit file and the sign-on register, which are recreated each cycle, the suspense file and its browse index persist from week to week, so nothing falls off the list by the passage of time alone.

What the facility does with that work

The facility is entered through two terminal transactions.

The first presents the **enquiry and disposition screens**. On first use in a week the operator is registered and shown the whole-office backlog broken down by originating batch run, which may be filtered to show only those transactions parked on indefinite hold — the backlog that will never pay unless someone acts. From there the operator states which suspended transactions they wish to work on, using any combination of twenty-six criteria, and receives a list of fifteen at a time. On each line they may change the disposition, move the transaction to another regional office, re-code the paying agency without changing the disposition, delete it subject to a separate confirmation, or request a printed copy.

The second presents the **correction screens**. Selecting a line hands the operator to a set of screens on which the business content of that transaction may be amended field by field. Six data screens divide the transaction by subject: identification and organisational placement; premium, commission and volume; dates, splits and action codes; in-force servicing details and legal entity; participating-producer trailers; and, for partner business, the address and the ten rejection reasons. Three further screens carry the producer contracts and their licences, the statement and

processing indicators, and the product classification and secondary attributes. The modernized screens produced for the proof of concept, and the screen-by-screen mapping between them and these legacy screens, are recorded in the Modernized Screens and Legacy Screen Mapping section. From the same screens the operator may key a transaction the source systems never produced, copy an existing one, or create a contra entry that reverses one already presented.

Corrections and dispositions meet at a single point. Where an operator amends content but does not state a disposition, the facility releases the transaction so that the next cycle re-presents it. Where an operator states a disposition, that disposition is applied. The two may not be combined in one action: a transaction that has been amended may not also be deleted in the same interaction.

The constraints under which it operates

Four constraints shape almost every rule in this baseline.

The work is partitioned by regional office. Every file the facility uses exists as one physical copy per office, and the copy is selected from the office recorded in the operator's terminal profile. There is no cross-office view and no screen on which another office's file can be named. Moving work between offices is therefore a one-way hand-off: an office marks a transaction for transfer and the weekly cycle performs the physical move.

Authority is monetary and individual. Each member of staff has a commission ceiling recorded against their own identity on an operational table. Where a manually created transaction carries compensation above that ceiling, a request to release it for payment is not refused: it is converted to an indefinite hold, so that someone with greater authority must intervene. A member of staff absent from the table is treated as having no authority at all.

The table is rebuilt only through the change-management process; nothing in the facility writes to it.

Everything is conditioned on the product. The branch of business determines which fields are mandatory, which code lists apply, which legal entity must issue the policy, and in several cases what a given screen position means. The same position on the dates screen carries a producer's share on one employee benefit plan and a transfer-charge district on everything else.

Accountability is recorded but incomplete. Every accepted change is written to a weekly audit file with the operator, the terminal, the date, the time and each value before and after. No entry is written for an action the system refused, and none for a print request. There is consequently no evidence that an operator attempted something they were not permitted to do.

Scope

The thirty-one programs divide into four groups by the part they play.

Group	Business function
Enquiry and disposition	Registration and backlog statistics; the criteria screens; the working list of suspended transactions and the actions available on it; and the selection engine that resolves criteria into a list and produces the statistics.
Correction control and display	The entry screen and the creation, duplication and reversal menus; the routing of a transaction to the correct screen; the formatting and protection of every field displayed on the six data screens.
Field screening	Validation of every keyed field on the nine compensation screens. Each screen is validated by a pair of programs working as one logical unit.
Shared services	Access to the suspense file and its indexes; the audit trail; the update, disposition and messaging driver through which every correction is committed; validation of the product and charge combination; the personnel lookup; the product classification lookup; the individual monetary authority lookup.

What is in scope

The following are within scope and are recorded in full.

- **The screens and their contents.** Every screen the facility presents, the fields it carries, which of them may be keyed, which are display only, and the circumstances under which a field is protected or hidden.
- **Field-level validation.** Every rule determining whether a keyed value is accepted: format, permitted code lists, mandatory conditions, and the dependence of any of these on the product, the office, the distribution channel or the transaction's physical shape.
- **Cross-field and cross-transaction rules.** Rules that examine more than one field together, including the producer shares that must sum within a limit, the payee that

must be identified, and the legal entity that must match the product and the jurisdiction of issue.

- **The correction lifecycle.** How a transaction is located, held, amended, committed and released; how a transaction is created, copied or reversed; and the states through which it passes.
- **Disposition.** The dispositions available, the conditions under which each is permitted, the transactions that may never be transferred or deleted, and the automatic dispositions the facility applies without being asked.
- **Authority and entitlement.** The monetary ceiling, the transactions it applies to, the points at which it is tested, the treatment of an operator absent from the table, and the classes of user the facility recognises.
- **Regional partitioning.** How the office is established, what it governs, and the rules by which work moves between offices.
- **Conversational state.** What the facility remembers between one operator interaction and the next, and what it discards.
- **Audit.** What is recorded, when, and what is not recorded.
- **Exception handling.** How the facility behaves when a file, a service or a reference lookup fails, and what the operator is told.
- **Integration with the weekly cycle.** The contract between these screens and the batch runs on either side of them.
- **Contradictions and disabled rules.** Cases where the implementation is internally inconsistent, where a rule is disabled in place, or where two parts of the facility disagree. These are recorded as findings and marked as requiring confirmation rather than presented as policy.

What is out of scope

The following are outside scope. Each is excluded deliberately, and where a rule in this baseline depends on one it is recorded as a dependency in the Business Interfaces and Dependencies section.

- **The weekly compensation calculation.** What a producer earns, what is recovered, what accrues to the management structure, and the vesting of post-termination entitlement. These are determined by the batch cycle. This baseline records only what the online facility hands to that cycle and what it receives back.
- **The batch runs that populate suspense.** The conditions under which each of the runs refuses a transaction. This facility displays the reason and the wording that accompanies it; it does not determine either.
- **The maintenance of reference data.** The permitted product and charge combinations, the personnel hierarchy, the product classification table and the individual monetary authorities are read by this facility and maintained elsewhere.
- **The printed listing.** Production of the hard-copy listing of suspended transactions, and the program that produces it, are excluded at the business's direction. The rules

governing it remain in the Business Rules Catalogue for reference, but they are not requirements of this baseline.

- **The remaining online programs.** The compensation system contains further online programs outside the population specified. They are not examined here.
- **Anything not evidenced in the source.** Where a standard requirement of a document of this kind has no evidence in the programs in scope, that is stated explicitly rather than filled with an assumption.

Equivalence Requirements

The obligation

The replacement facility is required to be **equivalent in business outcome** to the existing one. Equivalence is not similarity of appearance and not similarity of construction. It is the requirement that, presented with the same suspended transaction and the same operator action, the replacement reaches the same business result as the existing facility does today.

The result in question has four parts, and all four must match.

1. **The disposition set on the transaction.** Released, held indefinitely, held for a stated number of weeks, transferred, or deleted. This is the character the weekly cycle acts on, and a difference here is a difference in what the business pays.
2. **The content of the transaction as committed.** Every field the operator amended, and every field the facility derived, forced or defaulted without being asked.
3. **The acceptance or refusal of the operator's entry.** A value the existing facility accepts must be accepted; a value it refuses must be refused. A replacement that is more permissive admits transactions the compensation cycle was protected from, and one that is more restrictive prevents work that staff perform today.
4. **The record of what was done.** The audit entry, its content, and the circumstances under which one is and is not written.

The Business Rules: Scale, Distribution and Structure

The size of the reconstructed rule population, how it distributes across the business, where policy is concentrated within the facility, and how an individual rule is to be read. The rules themselves are issued as the accompanying Business Rules Catalogue.

The basis of this section

The reconstructed rules are issued in full as the **Business Rules Catalogue**, a workbook accompanying this baseline. The Catalogue is the authoritative record: it carries every rule with its condition, its business outcome, its values and thresholds, its reason or message code, its disposition, the confidence attaching to it, the program and lines from which it was obtained, and the source extract itself.

This section does not reproduce the Catalogue. It states how large the rule population is, how it distributes across the business, which parts of the facility carry the greatest concentration of policy, and how an individual rule is to be read. A reviewer validating an individual rule should work in the Catalogue; a reviewer establishing what the facility does as a whole should work here.

The size of the population

620 rules are recorded, in three populations that must be read differently.

Population	Rules	Identifiers	What it records
The confirmed baseline	305	BR-001 to BR-305	The legacy facility, reconstructed from source and confirmed by the business
The modernization specification	44	BR-306 to BR-349	Functionality, validation, and design the replacement introduces
The per-screen validation analysis	271	BR-350 to BR-620	The delivery team's own screen-by-screen validation list, one rule to one row

The distribution of the confirmed 305

The 305 distribute across business topics as follows.

Business topic	Rules	What the topic covers
Field validation	78	The acceptance or refusal of a single keyed value: its format, its permitted values, and whether it is mandatory.
Business rules enforced online	77	Rules the facility applies to the transaction itself: which combinations of product, coding and jurisdiction are permitted, what the facility derives or forces without being asked, and what it silently corrects.
Contradiction and disabled rule	29	Findings where the implementation is internally inconsistent, where a rule is disabled in place, or where two parts of the facility disagree. Not policy; items for confirmation.
Transaction status and disposition	21	The dispositions available, when each is permitted, and the transactions that may never be transferred or deleted.
Authority and region partitioning	14	Which office's work an operator sees, which fields are editable at all, and how work moves between offices.
Screen inventory	14	The screens the facility presents, the fields on each, and which of them may be keyed.
Audit	12	What is recorded when a change is made, and what is not.
Correction lifecycle	10	How a transaction is located, held, amended, committed and released, and what the operator is told when one is created or copied.
Exception handling	10	What happens, and what the operator is told, when a file, a service or a lookup fails.
Authority and entitlement	9	The monetary ceiling, the classes of user, and the treatment of an operator absent from the authority table.

Screen navigation and entry	8	How the operator reaches a transaction and moves between the screens that hold it: browsing the suspensions on one policy, jumping to a known identifier, selecting a line, and returning to a list without losing position.
Conversational state	7	What the facility carries from one screen to the next, and what is restored when the operator comes back to a list or to a set of criteria.
Integration with the batch cycle	7	The contract between these screens and the weekly compensation cycle on either side of them.
Suspense file access	6	How suspended transactions are read, held, written and released.
Training mode	2	The isolation of work done by a trainee.
Regulatory and data protection	1	The on-screen presentation of a personal identifier. Retained in the Catalogue for the business's review; it is not stated as a requirement of this baseline.

The distribution of the modernization specification rules

Business Topic	Rules	Rule Range	What the topic covers
Modernized Reference Data Administration	9	BR-314 to BR-322	The screen and contracts maintaining lookup and bespoke reference tables without direct database access, and the file-import screen that loads legacy

			record files outside the batch pipeline.
Modernized Validation Tiering	8	BR-306 to BR-313	Three enforcement tiers — strict, warn, permissive — now applied to field domains the legacy facility documented but never checked online.
Modernized Concurrency and Bulk Operations	7	BR-323 to BR-329	Version checking and per-record locking; save and submit as two equally strict commit actions; and bulk resolve and assign, which the legacy facility has no counterpart for.
Modernized Workbench and Search	7	BR-330 to BR-336	Default hiding of released and deleted work, saved filters, sorting, on-demand export, and the server side resolution of an operator's own office.
Modernized Migration and Batch Consistency	4	BR-342 to BR-345	The short-form-year rule applied when historical data is brought in, and the requirement that the online facility and the batch pipeline enforce identical validation.
Modernized Cross Field Validation	4	BR-346 to BR-349	Consistency checks the legacy facility never enforced: identifier against

			branch, application date against issue date, age against date of birth, and shares summing to one hundred.
Modernized Security and Audit	3	BR-337 to BR-339	The four-entitlement access model, per-field grouped audit entries, and the anti-forgery check a browser-facing service needs that a terminal session did not.
Modernized Error Taxonomy	2	BR-340 to BR-341	Named, machine-readable identifiers returned alongside a refusal, and the one deletion-eligibility rule the specification leaves unconfirmed.

The distribution of the per-screen validation analysis

The delivery team's workbook records, for each legacy screen plus a set of conditions that can arise on any of them, every error code the screen can raise and every field-level check feeding those codes. Its own tracking columns show every row assigned, reviewed and marked done. **271 of its rows are carried here, one rule to one row**; 62 are excluded and recorded on the Catalogue's Excluded (Obsolete) sheet.

Screen	Rows	Excluded	Rules	Rule Range	Modernized Screen it maps to

Universal	43	20	23	BR-350 to BR-372	Any modernized screen
DA01002	54	16	38	BR-373 to BR-410	RDMS: General Section
DA01003	31	0	31	BR-411 to BR-441	RDMS: Financial Section
DA01004	19	2	17	BR-442 to BR-458	RDMS: Financial Section
DA01005	38	6	32	BR-459 to BR-490	RDMS: Customer Section
DA01006	19	0	19	BR-491 to BR-509	RDMS: Trailer Section
DA01007	23	0	23	BR-510 to BR-532	RDMS: Customer Section
DA01014	31	7	24	BR-533 to BR-556	RDMS: Contracts Section
DA01015	17	0	17	BR-557 to BR-573	RDMS: Additional Section
DA01016	22	0	22	BR-574 to BR-595	RDMS: Additional Section
DAEM001	5	2	3	BR-596 to BR-598	PIRCS: CB Records
DAEM002	20	4	16	BR-599 to BR-614	PIRCS: Quality Review and Non-CB Records

DAEM003	11	5	6	BR-615 to BR-620	PIRCS: Results Grid
Total	333	62	271		


These are recorded at a different granularity from the 305, and that is deliberate. The 305 record one rule to one business decision; these record one rule to one screen-level check. The same facility described the second way yields more rules, and a good many of them restate a decision the 305 already carry.

Data Requirements

The basis of this section

This section records the business data the facility depends on: what each body of data represents, who maintains it, what the facility does with it, and the properties of it that carry business meaning. Physical layouts are stated only where a length or a structure is itself a business constraint. No data values from the live system are reproduced.

The business entities



The entities in business terms

Entity	What it represents	Maintained by
Suspended transaction	One compensation transaction the weekly cycle could not pay as presented. The working unit of this facility.	Created by the batch cycle, or keyed through these screens. Amended here.

Suspense header	The control information attached to every suspended transaction: its identifier, the run that refused it, the reason, the disposition, the office and paying location, the policy, and the number of weeks it has been waiting.	This facility sets the disposition and the location; the batch cycle sets everything else.
Participating producer	One producer's share of a shared case: the office, the agreement number, the surname, the district and the percentage of the split. A transaction may carry up to six.	This facility.
Partner rejection detail	For partner and commercial lines business, the mailing address, the rejection number, ten independent rejection reasons, the processing cycle, and up to four producer shares.	This facility.
Browse index entry	A compact summary of a suspended transaction, held so that the working list can be built without reading every transaction in full.	Maintained by this facility in step with the transaction itself.
Audit entry	The record of one screen-full of amendments: who, where, when, and each value before and after.	This facility. Never amended or deleted.
Operator	The member of staff at the terminal. Their identity, office and operating mode come from the terminal profile.	The terminal environment.
Monetary authority	The commission ceiling above which a named operator may not release compensation for payment.	Change management, outside this facility.
Regional office	A regional home office. Determines which physical copy of every file is used.	The terminal environment.
Originating batch run	One stage of the weekly cycle that refuses transactions, or the category under which transactions created through these screens are counted.	The batch cycle.

Reason wording	The plain-language explanation of why a run refused a transaction, in up to two parts.	The batch cycle.
Product	The branch of business, supplementary kind and plan that together classify a transaction, and the priced combinations of them.	Reference data maintained outside this facility.
Producer	The person or agency to be paid, together with their organisational placement.	The personnel system, read by this facility.
Policy	The contract the transaction arises on. Identified only; not maintained here.	The policy administration systems.

Data properties that carry business meaning

The following properties are business requirements rather than implementation detail, because a replacement that alters any of them alters a business outcome.

A transaction may carry two transactions. A double-length transaction holds two compensation transactions in one record and is corrected in two halves through the same screens. Which half the operator is amending is determined by the page they are on, and several rules behave differently on the second half: sums assured held only on the first half must not be overwritten from the second, the second half may not be transferred, and audit entries are marked as belonging to that half.

The physical shape limits the business content. How many participating producers a transaction may carry is fixed when the transaction is created, and the facility will neither validate nor accept a trailer the transaction has no room for. The ceiling is six. Only one distribution channel may hold a double-length transaction.

Every dataset exists once per regional office. Eight of the files this facility uses are physically partitioned by office, and the copy is selected from the operator's profile. Nine further reference files are shared across offices. The partition is the mechanism by which an office sees only its own work.

Corrupt numeric data must be visible as corrupt. Where an amount on a transaction cannot be read as a number, the facility displays it as markers rather than as a figure. Some twenty amounts are protected in this way. A replacement that displays a nil in place of an unreadable value presents a wrong figure as though it were right.

Short-form years are expanded against a fixed pivot. Five date fields and the processing cycle accept a short-form year and have the century supplied against a fixed pivot. The operator

is neither asked nor told. This is a standing assumption carried forward from millennium remediation and is recorded as an item requiring confirmation.

Data the facility reads but does not maintain

Four bodies of reference data are read on every relevant interaction and maintained elsewhere. Each is a dependency of the rules in this baseline.

Reference Data	What the facility uses it for	Consequence if unavailable
Product and charge combinations	To establish that a transaction is a priced combination before it can be paid, and to obtain the product description displayed as the screen heading.	The transaction cannot be validated; the operator receives the service's own failure message.
Personnel hierarchy	To confirm a producer exists and to obtain their organisational placement on one distribution channel.	The correction is refused; an unknown producer blocks the update.
Product classification	To derive the product, event time and activity for two distribution channels.	Classification codes are set to nil and the transaction is held.
Monetary authority	To obtain the operator's commission ceiling.	The operator is treated as having no authority, so every release becomes an indefinite hold.

The last of these deserves emphasis. The authority table is the only control on what a member of staff may release for payment, it is keyed on the operator's own identity, and it is rebuilt only through the change-management process. Nothing in the facility writes to it, and an operator absent from it can release nothing.

Temporal and Calendar Requirements

The basis of this section

Time enters this facility in four ways: the weekly cycle that governs what the operator is working on, the window around the batch run during which the facility may be used, the ageing of unresolved work, and the delay an operator may impose before a transaction is re-presented. Each is a business requirement, and each is recorded here, together with the assumption the facility makes about a short-form year.

The weekly cycle governs everything

The facility works to the compensation cycle, not to the calendar. On start-up it reads the cycle recorded on the batch control record and uses that as its notion of the current week. Every default, every screen heading and every criterion that mentions the current week resolves to that value.

The consequence is that the online and batch worlds cannot diverge on what week it is. Where the recorded cycle is unusable, the facility does not substitute the calendar date and does not guess: it opens in a degraded state that displays the criteria screen, warns the operator, and suppresses all access to suspended transactions until the condition is resolved.

A cycle is expressed as a four-digit year and a two-digit week. Every cycle the operator keys must take that form, and where a range is keyed it must run forwards.

Access is opened and closed around the batch window

Online access to suspended transactions is not continuous. Every regional file is allocated and opened to the online region at the start of the online day and closed and released at cut-off so that the batch cycle can own the data. The two worlds never hold the same transactions at the same time.

At turnover the suspense file is handed across physically: copied to a working copy, re-sequenced, and written back, with the state of the file before the hand-off retained as a separate copy.

Ageing is visible and is not reset by correction

The suspense header records the number of weeks a transaction has been waiting. That count is displayed on the working list, and it is one of the facts the operator uses to decide what to work on. Because the suspense file persists, the count continues to accumulate.

Two exceptions apply.

- A transaction created or copied through these screens starts a fresh ageing clock: the counter is set to nil at the point it is created.
- The reset of the counter on correction of an existing transaction is disabled in place. Whether the business withdrew that behaviour or the change was left unfinished cannot be established from the source, and the item is recorded as requiring confirmation.

An operator may impose a delay

Beyond release and indefinite hold, an operator may hold a transaction for a stated number of weeks. The delay is expressed as a single digit, permitting one to nine further weeks, after which the weekly cycle re-presents the transaction without further intervention. The operator is told, on completion, how many weeks were applied.

This is the only forward-dated instruction the facility supports. There is no means of scheduling a release for a named cycle, and no means of holding a transaction for longer than nine weeks other than by indefinite hold.

Short-form years are expanded against a fixed pivot

Five date fields and the processing cycle accept a short-form year. Rather than refusing it, the facility supplies the century against a fixed pivot: a year part below the pivot is taken as the current century and a year part at or above it as the previous one. The operator is neither asked which century they meant nor told which was assumed.

The pivots were introduced as millennium remediation and remain in force. They are a standing assumption about the range of dates the business will ever key, and they are recorded as an item requiring confirmation. A replacement that carries them forward unexamined carries forward an assumption made for a different era.

Organizational Structure and Authority Model

The basis of this section

The authority model of this facility is the body of rule most likely to be misunderstood in a replacement, because it is not expressed as permissions. It is expressed as a monetary ceiling, a geographic partition and an automatic downgrade, and none of the three resembles a conventional access-control statement. This section records it in full.

The monetary authority model

The rule. No member of staff may release for payment a manually created compensation transaction whose compensation exceeds their own authorised limit. Where the limit is exceeded, the release is not refused: it is converted to an indefinite hold, so that someone with greater authority must intervene.

The model has seven properties, and all seven are business requirements.

1. **The ceiling is individual.** It is held as a monetary amount against each named operator on an operational table, not as a role or a grade.
2. **It is taken from the sign-on identity and never keyed.** The operator cannot state whose authority is to be applied.
3. **It applies to manually created transactions.** A transaction the batch cycle produced is not subject to the check; one keyed or copied through these screens is.
4. **Three amounts are tested.** Commission, first-year commission and other compensation are each compared against the ceiling.
5. **Negative amounts are tested by magnitude.** An amount below nil is tested at its absolute value, so a large recovery is controlled as tightly as a large payment.
6. **An operator absent from the table has no authority at all.** The lookup failing is treated identically to the ceiling being exceeded, and the limit is taken as nil. In consequence every release by an unregistered operator becomes an indefinite hold.
7. **The check is applied at more than one point.** It is applied when the compensation amount itself is amended, and again when the disposition is set. A replacement that tests it once at the end of the interaction is not equivalent.

What the downgrade does not do. It does not prevent the correction. The transaction is committed with the operator's amendments in place; only its disposition is overridden. The operator is told, on the completion message, that the transaction was held rather than released.

What maintains the ceiling. The authority table is rebuilt only through the change-management process: the source extract is sorted on the operator identifier and the file is replaced wholesale.

Nothing in the online facility writes to it. A change of authority is therefore a controlled act outside the facility, which is a strength of the model and should be preserved.

The geographic partition

The rule. A member of staff sees and may act upon only the suspended transactions of the regional office they are signed on to.

The partition is physical. Every file the facility uses for reading, writing and auditing exists as one copy per office, and the copy is selected from the office recorded in the terminal profile. There is no screen on which another office's file can be named and no cross-office view of any kind.

The office is derived, not keyed. The office code on the profile is translated into an internal office identifier, a file suffix and a four-character office title displayed on every screen. Two office codes are aliases of others. An unrecognised code stops the operator with a named escalation message.

Movement of work between offices

Moving work between offices is a **one-way hand-off**. An office may push a transaction out to a named other office; it may never reach into another office's records.

The rules are as follows.

- The destination must be one of the six offices that accept transfers.
- The destination may not be the sending office.
- The transaction is rewritten on the sending office's own file with the new location and the transfer disposition, and the weekly cycle performs the physical move.
- Two further servicing offices may be named when re-coding a paying location within the office, but not as a transfer destination.
- Four classes of transaction may never be transferred: synopsis-only transactions on the synopsis product families, replacement transactions whose copies already exist in every office, service-register suspensions, and the second half of a double-length transaction. An attempted transfer of any of them is undone in full rather than partly applied.

A change of paying location is distinct from a transfer and must not alter the disposition. The facility overwrites both the header location and the transaction location and deliberately leaves the disposition untouched.

The organisational structure recorded on a transaction

Every suspended transaction carries the organisational placement of the party to be paid, and the facility validates it. The structure is five deep.

Level	What it identifies	Validation applied
Regional office	The office owning the transaction	Six live offices; two further offices valid only for overseas agency business; one reserved code and one distribution channel bypassing the restriction entirely.
Region	The division within the office	Validated as a single acceptable character.
District	The sales district	Four positions; the first must be a letter, the last must be present, and the two middle positions must not both be blank.
Staff	The staff code	One position; must be present and acceptable. Blank is not permitted, in contrast to the district where embedded blanks are.
Agency	The paying agency	Numeric; one reserved value may never be used; one reserved management agency identifies a particular distribution channel, which is then forced onto the transaction.

Beneath the placement sits the producer, identified by a six-character agreement number which must be entirely numeric on the two debit insurance families and may be alphanumeric elsewhere. Two producers may be named on a transaction, the writing and the non-writing producer.

Every transaction must identify a payee. Where both the agency number and the writing producer's agreement number are absent, both fields are highlighted together and the transaction cannot be committed. This is the facility's only unconditional cross-field requirement on the identification screen.

The personnel dependency

For one distribution channel carrying a stated override marker, the producer named on the transaction must be confirmed against the personnel file before the correction may proceed.

Where the producer is found, the office is forced and the area and district are taken from personnel, with the agency and staff set to defined values. Where the producer is not found, the field is flagged, the screen failure is raised and the update is refused.

An unknown producer therefore blocks the correction. This is the only case in the facility where an external system's data can prevent a member of staff completing their work.

Exception, Rejection and Correction Requirements

The basis of this section

This facility exists because the weekly compensation cycle refuses transactions. Its whole purpose is the handling of exceptions, and this section records how that handling works: how a refusal is presented to a member of staff, how it is corrected, how the correction is itself validated, what happens when the facility's own machinery fails, and what the operator is told in each case.

Two distinct kinds of exception arise, and they must not be confused.

1. **Screen Exception.** The operator's own correction was refused because it breached a business rule. This is the facility protecting the cycle.
2. **System Exception.** A file, a service or a reference lookup did not respond. This is the facility protecting the operator from silent loss.

How a business rejection is presented

A refused transaction reaches the operator carrying five facts: the run that refused it, the reason number, the office responsible, the paying location, and the number of weeks it has been waiting. The working list displays all five alongside the policy number, the product coding and the disposition currently set.

The reason can be explained in words, not merely numbered. The plain-language wording is held per run and reason, and the operator reaches it from the correction screen: pressing the help key with the cursor on the reason field transfers to a separate reason-enquiry facility, which states what the reason means. The facility itself carries only the number, and the transfer is offered only where the transaction actually carries a reason. The transaction being worked on is preserved across the trip and is waiting on return.

Rejections are countable and searchable by reason. The statistics screen counts refusals per run, and from any run the operator may drill into a breakdown by reason number, ordered either by reason or by the number of transactions failing it so that the largest problem can be found first. The backlog may be filtered to show only transactions parked on indefinite hold: the work that will never pay unless someone acts.

Some rejections restrict what may be done. Three classes carry their own disposition rules. Senior-management revenue suspensions may only be deleted or held. Service-register suspensions may never be transferred, and within one reason range may never be deleted.

Transactions from the online-created run may not be released at all: a release request is silently converted to an indefinite hold.

How the facility codes its own outcomes

Beyond the reason number it receives, the facility classifies its own outcomes on **seven concurrent code schemes**. All seven are recorded in full in the Business Rules Catalogue, on the Error Codes sheet.

Scheme	Form	What it records
Operator message number	Numbered	The completion, refusal and warning messages issued at the point a correction is committed, including the confirmations naming the disposition applied and the number of weeks a delayed release will take.
Disposition refusal code	One character	Why the disposition the operator asked for could not be applied. Ten distinct refusals, covering the correction-and deletion conflict, the deletion and release prohibitions, and each of the transfer prohibitions.
Screening failure code	One character	Which classes of validation failure are outstanding. Four of its values are combination values, so that a general screening failure, a product and charge combination failure, an adjustment reason failure and a legal entity failure can be reported together rather than one at a time.
Suspense access code	One character	The outcome of reading, holding or writing a suspended transaction, including the duplicate identifier that is treated as a business condition for the operator rather than as a fault.
Named operator message	Named text	The remaining refusals, warnings, confirmations and escalation messages, held as named text rather than numbered. This is the largest of the schemes.
File or storage condition	Named condition	The file and temporary-storage conditions the facility traps and

		reports rather than failing on.
Batch reason number	Four digits	Reason numbers assigned by the weekly cycle. Not owned by this facility, but recorded because it conditions its own rules on one range of them.

Two properties of this arrangement are business requirements.

The schemes **overlap numerically**. The same character carries one meaning as a disposition refusal code and an entirely different meaning as a screening failure code. A code cannot be interpreted without knowing which scheme it belongs to, and a replacement that consolidates them onto one scheme must ensure no meaning is lost in the merge.

The screening failure code carries **combination values by design**. This is the mechanism by which the operator is shown every class of failure at once, and a replacement that reports the first failure and stops will require staff to make several passes over work they currently complete in one.

How a correction is made and validated

Only what the operator touched is taken. Every field on every screen follows one convention. A field the operator did not key and did not erase is skipped entirely, so no spurious change is recorded and no existing value is disturbed. A field the operator deliberately erased is treated as blank or nil. This distinction between untouched and erased is a business requirement, because the two mean different things.

A valid change is applied, audited and counted. The count of corrections made in the interaction is carried forward, and it governs two later decisions: whether the transaction may be deleted, and whether the disposition must be defaulted.

An invalid change is refused visibly. The failing field is highlighted, the cursor is placed on it, a screen failure is raised, and where the refused entry was blank the field is overwritten with markers so that the operator can see which field failed. Where several distinct classes of failure occur together the operator is shown all of them at once rather than one at a time.

Nothing is partly committed. Where any failure is outstanding the transaction is released back to the file unchanged. A correction is either applied in full or not at all, and the exclusive hold on the transaction is released so that other work is not blocked.

Some corrections are overridden rather than refused. In a number of cases the facility silently substitutes a value: a record type reclassified for want of a qualifying action code, a distribution channel forced by a reserved management agency, a transaction type forced on two product and channel combinations, a plan outside a permitted list replaced with a long-term-care value, a family-business declaration defaulted to the negative. Each is a business

decision, and in each case the operator is not told. These are recorded individually in the Catalogue.

How an error record is resolved

Resolution is the setting of a disposition, and the facility offers five, plus a delay.

Disposition	What the weekly cycle then does
Released	Presents the transaction for payment in the next cycle.
Held	Continues to hold it indefinitely; it will not pay until someone acts.
Held for a stated number of weeks	Presents it after that many further weeks, up to nine.
Transferred	Moves it physically to the office named in the paying location.
Deleted	Drops it.

Two further actions are available on the working list which are not dispositions: a change of paying location, which re-codes the office and agency without altering the disposition, and a print request, which alters nothing and is satisfied by a listing program outside the scope of this baseline.

Three dispositions are applied automatically. Where content was corrected but no disposition was stated, the transaction is released so that the next cycle re-presents it. Where a release exceeds the operator's authority, it becomes an indefinite hold. Where a release is requested on a transaction from the online-created run, it becomes an indefinite hold. In all three cases the audit records the disposition actually applied rather than the one requested.

Deletion requires a separate confirmation. A deletion keyed on the working list is not acted upon unless a distinct confirmation box carries the affirmative value. Where it carries the negative value, processing continues but every deletion request is silently reverted to the transaction's existing disposition. Where it carries anything else, a warning is displayed and nothing is written. After a confirmed pass the box is reset, so a confirmation is never carried forward into the next interaction.

Correction and deletion are mutually exclusive. A transaction that has been amended may not be deleted in the same action, and a transaction already marked for deletion may not be amended.

Both are refused with a specific diagnosis. The business reason is that a data change must not be carried on a transaction that is about to be dropped.

A deletion needs no screening. Where the disposition field already carries the deletion value on entry to a screening module, a single audit entry is written and the request is honoured immediately: all field-level validation on that screen is bypassed.

Some resolutions are prohibited outright. Beyond the transfer and deletion prohibitions recorded in the Organizational Structure and Authority Model section, compensation charged to the reserved management agency may not be released while it still carries a producer contract number, and a transaction that is not a recognised priced product and charge combination may not be released unless the operator keys an explicit override after being warned. The override is itself audited under its own name.

How the facility handles its own failures

Every predictable failure is trapped, named and reported to the operator with an escalation contact. None produces an uncontrolled termination and none loses the operator's keying.

*This table states the **behavioural** requirement: for each condition, what the operator sees and —the part a replacement must reproduce — what becomes of the work in hand. The messages are quoted as the facility issues them. The complete inventory of every message the facility can raise, with the rule that raises it and the program and lines it comes from, is in the Business Rules Catalogue on the Error Codes sheet; the conditions themselves are on the Business Rules sheet under the exception handling topic.*

Condition	The message the operator sees	What happens to the work
Suspense file not open or disabled	SPI Extract File is not open - Contact Online RHO Coordinator.	The search or correction is abandoned; nothing is written.
Suspense file not defined to the region	SPI Extract File is not found - Contact Online RHO Coordinator.	The search or correction is abandoned; nothing is written.
Suspense file read failure	SPI EXTRACT FILE READ ERROR - CONTACT ONLINE RHO COORDINATOR.	The action is abandoned; nothing is written.
Duplicate entry on the suspense file	Duplicate Entry on the SPI Extract File Contact Online RHO Coordinator.	The action is abandoned; nothing is written.
Transaction not found by the	Message - Search Ended. No	The criteria screen is

search	record found	redisplayed with every keyed value intact.
No transaction matches the criteria	No Records on Error Suspend File for the selection specified	The criteria screen is redisplayed with every keyed value intact.
Transaction is already being worked on by another operator	Message - Record was updated by DA01. Press PF6:18 to refresh the screen	While one operator is viewing or amending a transaction, no other operator may amend it. The second operator's action is refused until the transaction is released and the screen refreshed.
Audit file not open, disabled or not found	ERROR - AUDIT FILE NOT OPEN OR DISABLED CONTACT ONLINE RHO COORDINATOR.	The operator is told, but the business change stands.
Audit file write failure	ERROR - AUDIT FILE WRITE ERROR - CONTACT ONLINE RHO COORDINATOR.	The operator is told, but the business change stands.
Audit file full	ERROR - AUDIT FILE LIMIT EXCEEDED - CONTACT ONLINE RHO COORDINATOR.	The operator is told, but the business change stands.
Reference file read failure	MODECODE DATASET READ ERROR - CONTACT ONLINE RHO COORDINATOR. and the equivalent for the personnel and authority files	The correction is refused; the service's own message is displayed immediately.
Terminal storage entry missing	Record in Queue could not be found - Contact Online RHO Coordinator	The screen is redisplayed; the conversation is not lost.
Batch cycle position unusable	Message - E5 Current Cycle is Not Numeric	The facility opens in a degraded state with all access to suspended transactions suppressed.
Any unexpected failure	Undefined Program Error in -	The interaction ends in a

	Contact Online RHO Coordinator	controlled manner; nothing is part-written.
--	-----------------------------------	--

Three properties of this handling are business requirements. The operator is never left to guess; every message names an escalation contact; and no failure loses keyed criteria, so a member of staff never repeats a search because the system had a problem.

Business Interfaces and Dependencies

The basis of this section

The facility does not operate alone. It depends on the weekly compensation cycle for its work and on four bodies of reference data for its validation. Each dependency is a point at which a replacement must agree with something it does not itself control, and each is recorded here in business terms. The operator's identity, office and authority reach the facility from the terminal environment; those are recorded in the Organizational Structure and Authority Model section.

The interface with the weekly compensation cycle

This is the principal interface and the one that matters most.

What the facility receives. A suspended transaction, comprising the compensation transaction itself and a header carrying its identifier, the run that refused it, the reason number, the office responsible, the paying location, the policy, the current disposition, and the number of weeks it has been waiting.

What the facility returns. One character: the disposition. That character is the whole of the contract. It determines whether the next cycle presents the transaction for payment, continues to hold it, drops it, moves it physically to the office named in the paying location, or presents it after a stated number of further weeks.

What else the facility may change. The business content of the transaction, the paying location, and — on a transaction it created itself — the stamp marking it as manually created, the identifier, and the ageing counter.

The runs on the far side. The runs that feed the suspense file are a closed named set. Each is named in business terms on the statistics screen, and the facility counts and searches by them. A transaction from any run outside the set would appear only in the grand total.

The hand-off is physical and periodic. Online access to suspended transactions is opened at the start of the online day and closed at cut-off so the batch cycle can own the data. The two worlds never hold the same transactions at once. At turnover the suspense file is copied, re-sequenced and written back, with the pre-change state retained.

A replacement obligation. A replacement facility must honour the disposition contract exactly, in the same weekly rhythm, with the same partition by office, whatever else it changes. The batch cycle is out of scope for this baseline and will not be changing to accommodate it.

Reference data dependencies

Four bodies of reference data are read on every relevant interaction and maintained outside this facility.

Dependency	What the facility asks it	What it returns	Consequence of failure
Product and charge combinations	Is this combination of branch, transaction code, transaction mode, supplementary kind and plan a recognised priced combination, and what is its description?	A yes or no, the product description used as the screen heading, and the product classification	The transaction cannot be validated. The four contributing fields are highlighted and a specific message is issued. The operator may override after a warning, and the override is audited under its own name.
Personnel hierarchy	Does this producer exist, and where do they sit in the organisation?	The area and district, or a not found indication	On one distribution channel with a stated override marker, a not-found producer blocks the correction outright. Elsewhere the operator is warned.
Product classification	Given the product, the legal entity, the channel and the premium, what product, event time and activity apply?	Three classification codes, or nothing	Where no match is found all three codes are set to nil and the transaction is held. The table is scanned from the start on every request, with a hard ceiling on how many entries are examined.
Individual monetary authority	What is this operator's commission ceiling?	A monetary amount, or a not found indication	A not-found operator is treated as having no authority, so every release becomes an

			indefinite hold.
--	--	--	------------------

The last of these is the most consequential. It is the only control on what a member of staff may release for payment, and its unavailability does not open the facility up — it closes it down, which is the correct failure direction and should be preserved.

The onward flow of a corrected transaction

A transaction released through this facility does not go directly to payment. It re-enters the weekly cycle and is subject to the same runs that refused it. A correction that does not address the original reason therefore results in the transaction being refused again and reappearing on the working list the following week, with its ageing counter one higher.

This is a business property of the design worth stating explicitly: the facility does not certify that a transaction will now pay. It certifies only that a member of staff has amended it and instructed the cycle to try again.

Business Outputs and Reporting

The basis of this section

The facility produces three outputs the business relies on: the backlog statistics, the working list, and the audit trail. Two are displayed and one is written for later examination. Each is recorded here with what it contains.

The backlog statistics

The content. A count of suspended transactions per originating batch run, each captioned with the run's business name; a total for compensation transactions; a total for non-compensation transactions; and a grand total. Counts are displayed to five digits.

The working list

The content. Fifteen transactions at a time. Each line carries the current disposition, the reason number, the transaction identifier, the record type, the paying location, and a composite field holding the policy number, the branch of business, the transaction code, the transaction mode, the supplementary kind, the adjustment code, the adjustment reason and the number of weeks the transaction has been waiting.

The audit trail

The content. One record per screen-full of amendments, carrying the number of changes, the date, the operator identity, the transaction identifier, the policy number, the reason number, the terminal, the time to the minute, an indicator of which half of a double-length transaction was amended, and up to thirty-four triples of field name, value before and value after.

Modernized Screens and Legacy Screen Mapping

The basis of this section

The facility described in this baseline is an online one. Its business rules are enforced at the point a member of staff keys a value on a screen, and the order in which screens are presented is itself a business requirement: it determines what an operator sees before deciding, what may be changed at each step, and at what point a correction becomes irreversible. A baseline that recorded only the rules would leave a replacement free to reach the same outcomes through a process the business does not recognise.

This section records the modernized screens produced for the proof of concept, maps each to the legacy screen it replaces, and states the flow between them. It is written so that it can be used directly as the basis for test scenarios: for each screen it records what is presented, what the operator may do, what follows each action, and which rules in the Business Rules Catalogue are exercised there.

The mapping is derived from the legacy screen definitions themselves. Each legacy screen is a named map held in the source, and each carries the literal field captions the operator sees. Those captions were compared against the fields on the modernized screens, which is why the correspondence recorded below is stated at field level rather than asserted.

The screens are reproduced below at page width, which is enough to see the shape of each screen but not to read a field caption. The full-resolution files travel with this package in the mockups folder, and should be opened alongside this section when test scenarios are written.

What this section is not. It is not a user interface specification. It does not state layout, styling, control types, responsiveness or navigation technology. Where a modernized screen differs from its legacy counterpart, the difference is recorded only where it changes what the business can do or what a tester must check.

The two systems the operator works in

The legacy facility presents itself to the operator as two named systems, and the modernized screens preserve both names and the division between them.

Name on the modernized screen	What it is
PIRCS — Error Manager	Finding refused transactions and deciding what happens to them. Entered through the enquiry transaction.

RDMS — Error Record Editor	Amending the business content of one refused transaction, field by field. Entered by selecting a transaction.
----------------------------	---

The division is a business one and is preserved: **PIRCS answers which transactions must be resolved; RDMS resolves one of them.** A tester should treat the boundary between them as the point at which a transaction is taken under exclusive control, because that is what it is in the legacy facility.

The modernized flow

PIRCS Error Manager

search period: current week, all weeks, a stated week, or a week range

population: CB Records | Quality Review | Non-CB Records

|

| criteria keyed, then View Records

V

Result Grid

states the population viewed and the total selected

|

| +--> Filter Results returns to the criteria with every keyed value intact

|

| +--> disposition, transfer, re-code location, delete (not evidenced in the mockups)

|

|

| row selected

V

RDMS Error Record Editor -- General Information

opens read-only; the record header travels with the operator across every tab

|

| Edit

V

Financial | Customer | Trailer | Contracts | Additional

subjects chosen from the left, not paged in sequence

|

| Save

V

screening and audit

every failure reported together, nothing part-committed

|

V

back to the Result Grid, at the same place in the list

The screens

Each screen below records what the business does there, the legacy screen it replaces, what a tester should exercise, and the rules in the Business Rules Catalogue that govern it.

Error Manager — CB Records

Prudential
Record Operations
Enterprise

PRCS
Error Manager
RDMS

PIRCS | ERROR MANAGER | CB RECORDS

Search ECN

Operator One

Error Manager

Search, review, and manage CB, Quality Review, and Non-CB records.

Saved Filters
No saved filters yet. Set your filters below and choose "Save Filter".

Search Period
☒ Current Week ☐ All Weeks ☐ Specific Week ☐ Week Range
Current Week (no input required)

Search Records
CB Records | Quality Review | Non-CB Records

Detail Parameters
You may value one or more fields

BRANCH / TRANSACTION CODE / TRANSACTION MODE
Search Branch: [e.g. 10 or 1*] Select Mode: [e.g. IT] RUN NUMBER / ERROR NUMBER / STATUS CODE: [Select Error #] [Select Status]

POLICY NUMBER
[e.g. 100000001]

RECORD CODE / ROC / REGION
Select Record Code: [e.g. C] Select Region: [e.g. C]

DISTRICT / STAFF / AGENCY
[e.g. 0123 or 01*] [e.g. 3] [e.g. 001 or 0*]

REPRESENTATIVE (CONTRACT NUMBER)
[e.g. CN1001]

SUPPLEMENTARY KIND / ACTION CODE 3 / ADJUST CODE
Select Kind: [e.g. 001 or 0*] Select Action Code: [e.g. 001 or 0*] Select Adjust Code: [e.g. 001 or 0*]

CENT CODE (PENSION / GOV'T ALLOT)
Select Cent Code: [e.g. R]

CHANNEL CODE
Select Channel: [e.g. R]

☐ Include Released ☐ Include Deleted

Clear Filters View Records

Business function. The operator states which refused compensation transactions they intend to work on. This is the entry point to the whole process and the only place the population is narrowed.

Key information presented. A search period; the three populations the facility recognises, presented as tabs; and the detail criteria. The detail criteria correspond one for one with the legacy screen: branch, transaction code and transaction mode; run number, error number and status code; policy number; record code, ROC and region; district, staff and agency; representative contract number; supplementary kind, action code 3 and adjust code; cent code for pension and government allotment cases; channel code; and reference code.

User actions. Choose the search period; choose the population; key any combination of criteria; **View Records**; **Clear Filters**; **Save Filter**. Two further switches, *Include Released* and *Include Deleted*, widen the population beyond the outstanding work.

How the operator proceeds. **View Records** resolves the criteria into the Result Grid.

Error Manager — Quality Review and Non-CB Records

The screenshot shows the 'Error Manager' interface for 'Quality Review'. The left sidebar contains the Prudential logo, 'Record Operations Enterprise', and navigation links for 'PBCS', 'Error Manager', and 'RMS'. The main header includes a search bar for 'ECN' and a user profile for 'Operator One'. The 'Error Manager' section has a subtitle 'Search, review, and manage CB, Quality Review, and Non-CB records.' Below this are sections for 'Saved Filters', 'Search Period' (with radio buttons for 'Current Week', 'All Weeks', 'Specific Week', and 'Week Range'), and 'Search Records' (with tabs for 'CB Records', 'Quality Review', and 'Non-CB Records'). The 'Quality Review Configuration' section includes fields for 'PROGRAM RUN / ERROR NUMBER', 'RECORD CODE', 'PENSION / GOVERNMENT ALLOTMENT CASES', 'SELECTION FREQUENCY (NTH RECORD)', 'BRANCH', 'CHANNEL CODE', and 'REFERENCE CODE'. At the bottom, there is a 'Non-CB Records' section with a 'RECORD CODE' filter and a 'Search' button.

The screenshot shows the 'Error Manager' interface for 'Non-CB Records'. The layout is identical to the previous screenshot, but the 'Search Records' tab is set to 'Non-CB Records'. The 'Quality Review Configuration' section is still visible, but the 'Non-CB Records' section at the bottom is more prominent, showing a 'RECORD CODE' filter set to 'ALL: All Case Types' and a 'Search' button.

Business function. Two distinct pieces of business. The **quality review** draws a sample of transactions for checking rather than the whole population. The **non-compensation** population is the work that is not compensation and is selected on record code alone.

Key information presented. For quality review: program run and error number, branch, record code, channel code, pension and government allotment cases, reference code, and the **selection frequency** — the *nth record* — which is the sampling interval. For non-compensation: record code, defaulting to all case types.

User actions. Key the sampling criteria and the interval; **View Records**. On the non-compensation panel, choose a record code and **Search**.

How the operator proceeds. Both routes resolve into the Result Grid.

Result Grid

Prudential Record Operations Enterprise													
PIRCS ERROR MANAGER RESULT GRID													
Result Grid 0A01002													
YOU ARE VIEWING: Current Week													
Export CSV													
Total records: 6													
Filter Results													
	STATUS	ERROR	ERROR CONTROL NUMBER	RECORD	LOCATION	POLICY NUMBER	BRANCH CODE	TRANSACTION	MODE	CYCLE WK	POL KIND	UPDATED AT	UPDATED BY
☐	NEW	0035	RV282634900005	BB2	RHOC/DIST1005	3000000005	2	18	LM	202634	29	Aug 17, 2026, 11:59 AM	adhoc-script
☐	NEW	0302	RD2826349000020	AR1	RHOQ/DIST1020	3000000020	7	02	LA	202634	2437	Aug 17, 2026, 11:59 AM	adhoc-script
☐	NEW	0158	362826349000015	998	RHOC/DIST1015	3000000015	5	02	LA	202634	2438	Aug 17, 2026, 11:59 AM	adhoc-script
☐	OPEN	0212	352826349000017	CB2	RHOI/DIST1017	3000000017	K	03	LA	202634	29	Aug 17, 2026, 11:59 AM	adhoc-script
☐	OPEN	0124	852826349000012	AR1	RHOQ/DIST1012	3000000012	J	18	LM	202634	0000	Aug 17, 2026, 11:59 AM	adhoc-script
☐	NEW	0521	282826349000025	CB2	RHOI/DIST1025	3000000025	A	00	NB	202634	0190	Aug 17, 2026, 11:59 AM	adhoc-script
Showing 1-6 of 6 entries													
25 / page													

Business function. The working list. This is where the operator sees the work and where the disposition — the one character that is the whole contract with the weekly cycle — is set.

Key information presented. One line per suspended transaction carrying the status, the reason number, the error control number, the record code, the paying location, the policy number, the branch code, the transaction code, the mode, the compensation cycle week, the policy kind, and when and by whom the transaction was last updated. The population being viewed and the total selected are stated above the list.

User actions. Select one or more lines; **View**; **Filter Results**; **Export CSV**; page through the list and choose the page size.

Error Record Editor — General Information

The screenshot displays the 'General Information' tab of the 'Error Record Editor' in the Prudential Record Operations Enterprise system. The interface includes a left-hand navigation menu with options like PIRCS, Error Manager, REMS, and General. The main content area is titled 'General Information' and shows a record for ECR: RD202834900020. Key fields include Policy Number (300000020), Insured Name (ADHOC TEST INSURED 0020), Record Code (ARI), Transaction Code (02), and Branch (7). The status is 'Active'. The form is divided into several sections: Policy Information, Organization, Writing Agent, Non-Writing Agent, Transaction Information, and Processing Information. Each section contains various fields for data entry, such as Record Code, Policy Number, Policy Kind, Transaction Code, RHO, Region, District, Staff, Debit Number, Agree Number, Union Code, Channel Code, Function Code, Action Code, Adjustment Code, Transaction Mode, Issue State, Charge Back RHO, Override Channel Code, and Commission Scale Code. Navigation buttons like 'Back', 'Edit', 'Audit History', and 'Actions' are visible at the top right.

General Information	
ECR: RD202834900020	Error ID: 0302 Status: NEW
POLICY NUMBER 300000020	INSURED NAME ADHOC TEST INSURED 0020
RECORD CODE ARI	TRANSACTION CODE 02
BRANCH 7	
STATUS Active	
Back Edit Audit History Actions	
Policy Information	
RECORD CODE ARI	POLICY NUMBER 300000020
POLICY KIND 3437 VUL: Male or Female	TRANSACTION CODE 02
LAPSE POLICY NO REPL ---	NAME INSURED ADHOC TEST INSURED 0020
FACE INC INDICATOR ---	ACTION CODE ---
BYPASS SCREENING N No	
Organization	
RHO WMO -- Western Mid Office	REGION Region 3 (placeholder)
DISTRICT 1020	
STAFF 3	DEBIT NUMBER 120
Writing Agent	
AGREE NUMBER AG0020	UNION CODE ---
CHANNEL CODE PS Retail (PP) + PruSec	FUNCTION CODE ---
WRIT AGENT BID W	
Non-Writing Agent	
AGREE NUMBER ---	UNION CODE ---
SUPPLEMENTARY KIND ---	
Note: Non-writing agent fields are optional based on the Writing Agent's union affiliation.	
Transaction Information	
ACTION CODE 1 Numeric action code 1	ACTION CODE 2 A Action code 2
ACTION CODE 3 X No replacement processing	
ADJUSTMENT CODE ---	TRANSACTION MODE LA Non-payment of premium
Processing Information	
ISSUE STATE CA California	CHARGE BACK RHO / ORDINARY ISSUE RHO ---
OVERRIDE CHANNEL CODE ---	COMMISSION SCALE CODE Commission scale B (placeholder)

Business function. Identification of the transaction and of the people and organisational units it belongs to: the record code, the policy, the office, region, district, staff and debit number, the writing and non-writing producers, the transaction coding, and the issue state.

Key information presented. The record header — error control number, error identifier, status, policy number, insured name, record code, transaction code and branch — is carried across every tab. The body divides into policy information, organisation, writing agent, non-writing agent, transaction information and processing information.

User actions. Edit; Audit History; Actions; Back; and forward and backward movement between records.

How the operator proceeds. The left-hand list moves between subjects; forward and backward arrows move between transactions without returning to the grid.

Error Record Editor — Financial Information

Prudential

Record Operations

Enterprise

PRCS

Error Manager

RMS

General

Financial

Customer

Trailer

Contracts

Additional

RMS

ERROR RECORD EDITOR

FINANCIAL

ECN: RD202634900020

Error ID: 0302

Status: NEW

POLICY NUMBER

300000020

INSURED NAME

ADHOC TEST INSURED 0020

RECORD CODE

AR1

TRANSACTION CODE

02

BRANCH

7

STATUS

Active

Back

Edit

Audit History

Actions

Search ECN

Operator One

Premium Information

PREMIUM BILL

\$1,740.00

YEAR-FIGURE

1

HI OVER 55 RATE 1

—

HI OVER 55 RATE 2

—

RET PERSISTENCY ADJUSTMENT

—

SPI INDICATOR

Created via on-line correction system

RIDER COMM

—

MONTH BAS PREMIUM / PC AMT CM

—

HI OVER 55 PREMIUM 1

—

HI OVER 55 PREM 2

—

CBI SUSPENSE ITEM

—

SP TEMP OR AVTH EXTRA PREM

—

WEEK BAS PREMIUM

—

ANNUAL PREMIUM

—

RIDER PREMIUM

—

DURATION

1

Commission Information

COMMISSION PERCENT

50

PROPORTIONATE COMMISSION

—

COMMISSION ADJUSTMENT CODE

—

COMMISSION

\$870.00

SALES CREDIT

—

RET OVERRIDE ADJUSTMENT

—

COMMISSION PREMIUM

\$1,740.00

COMMISSION MARKETING CODE

1 Marketing segment exists, but is not valued

RET YEAR TO DATE PRODUCTION ADJUSTMENT

—

Rate Information

VOLUME

\$1,740.00

RIDER PROD CR

—

Policy Dates

APPLICATION DATE

2024-01-21

ISSUE DATE / P-C POLICY EF DATE

2024-02-04

Commission Adjustment Code

—

RET Override Adjustment

—

1 Marketing segment exists, but is not valued

RET Year to Date Production Adjustment

—

Rate Information

VOLUME

\$1,740.00

POLICY COUNT

1

CANCELLED RIDER PREMIUM

—

FACE AMOUNT RIDER (OA ONLY)

—

RIDER PROD CR

—

TMP OR AVIATION EXTRA PREMIUM

—

FACE AMOUNT BASE (OA ONLY)

—

Policy Dates

APPLICATION DATE

2024-01-21

EFFECTIVE DATE POLICY CHANGE

—

ELIMINATION DATE

—

DLP

—

ISSUE DATE / P-C POLICY EF DATE

2024-02-04

DATE POLICY

—

LOAN DATE

—

ESP CHIP INQUIRY DATE

—

Processing Information

PAYMENT MODE

—

REPLACEMENT POLICY BRANCH CODE

—

SPLIT PERCENT

—

CHARGE BACK CODE

—

CONV SIG

—

PROCESS CONTROL

1 First week of processing (in central RMO location) - Valued in J5

AGE

49

ORD CHRG DIST

—

SPLIT CREDIT

—

RESIDENCE STATE CODE

—

ORDINARY AGENT CONTRACT NUMBER

CN6020

SOCIAL SECURITY NUMBER

—

Action Codes

ACTION CODE 4

Numeric action code 4

ACTION CODE 5

Numeric action code 5

ACTION CODE 6

Action code 6

ACTION CODE 7

Numeric action code 7 (conflicts...

ACTION CODE 8

Action code 8

ACTION CODE 9

Action code 9

Business function. The money on the transaction and the dates that govern it. This is the screen on which the operator's monetary authority is tested: an amount amended here is compared against the ceiling held for that operator.

Key information presented. Premium information, commission information, rate information, policy dates, processing information, and action codes four to nine. The split of credit and the split percentage are marked as required, as is the ordinary charge district.

User actions. Edit, amend, save.

How the operator proceeds. As for every editor tab.

Error Record Editor — Customer Information

Prudential

Record Operations

PSICS

Error Manager

ROMS

General

Financial

Customer

Trailer

Contracts

Additional

RDMS

ERROR RECORD EDITOR

CUSTOMER

ECN: RD202634000020

Error ID: 0302

Status: NEW

POLICY NUMBER

300000020

INSURED NAME

ADHOC TEST INSURED 0020

RECORD CODE

ART1

TRANSACTION CODE

02

BRANCH

7

STATUS

Active

Back

Edit

Audit History

Actions

Customer Information

SEX CODE

H Male

DATE OF BIRTH

1977-07-03

RES STATE OF INSURED

CA

FLEXI OCCUPATION CLASS

—

FAMILY BUSINESS CODE

—

PENSION CODE

—

Employment / Org

INFORCE STAFF

—

INFORCE DEBIT NUMBER

—

CHARGE BACK DISTRICT

—

CHARGE BACK DEBIT NUMBER

—

SERVICE REGISTER IND

—

SERVICE REGISTER IND (TT)

—

SUBSIDIARY CODE

—

MARKETING SECTOR IND

—

CLERICAL INDICATOR

1 Regular numeric value (non-byp...

Policy Configuration

POLICY OWNERSHIP CODE

—

NUMBER WKS DELAY

—

PROTESTED CHECK

—

RIDER INDICATOR

—

DATE LAPSE REPORTED

—

SYSTEM SOURCE

T TGS

System & Internal

XB CODE

—

INFORCE RHO

—

ADMIT-RPL CD / SUBSID CD 1

—

RPL-STMT CD / SUBSID CD 2

—

CPO CODE

2 CARSO

REPLACEMENT RMO-Q-R

—

CENT CODE

—

Business function. The insured, the in-force servicing detail, the policy configuration and the internal coding carried with the transaction.

Key information presented. Customer information — sex code, date of birth, residence state, occupation class, family business code, pension code; employment and organisational detail — in-force staff and debit number, charge back district and debit number, the service register indicators, subsidiary code, marketing sector and clerical indicator; policy configuration — ownership code, number of weeks delay, protested check, rider indicator, date lapse reported and system source; and the system and internal codes.

User actions.Edit, amend, save.

Differences from the legacy screen. The legacy screen presents these fields in one dense page; the modernized screen groups them by subject. The grouping is presentational.

Error Record Editor — Trailer Information

Prudential

Record Operations Enterprise

PRCS

Error Manager

RDMS

General

Financial

Customer

Trailer

Contracts

Additional

RDMS

ERROR RECORD EDITOR

TRAILER

Search ECN

Operator One

Trailer Information

ECN: RD202634900020 Error ID: 0302 Status: NEW

POLICY NUMBER

INSURED NAME

RECORD CODE

TRANSACTION CODE

SEARCH

STATUS

300000020

ADHOC TEST INSURED 0020

AR1

02

7

Active

Back

Edit

Audit History

Actions

Replacement Information

TRANSACTION MODE REPLACEMENT

REPLACEMENT LAPSE PRODUCTION CREDIT

REPLACEMENT LAPSE ANNUAL PREMIUM

Trailer Comparison (TLR-1 through TLR-6)

LEGACY FIELD	TRAILER 1	TRAILER 2	TRAILER 3	TRAILER 4	TRAILER 5	TRAILER 6
RHO	---	---	---	---	---	---
Agree Number	---	---	---	---	---	---
Agent Surname	---	---	---	---	---	---
District	---	---	---	---	---	---
Percent of Split	---	---	---	---	---	---

Sum of % of Split across populated trailers must equal 100.00 when more than one trailer is populated.

Business function. The participating producers on a shared case, and the replacement detail. A transaction may carry up to six trailers, each naming an office, an agreement number, a producer surname, a district and a percentage of the split.

Key information presented. The replacement information, and the six trailers presented side by side for comparison, with the standing requirement stated on the screen: the percentages across populated trailers must total one hundred.

User actions. Edit, amend, save.

Error Record Editor — Contracts Information

Prudential

Record Operations Enterprise

PRCS

Error Manager

RCMS

General

Financial

Customer

Trailer

Contracts

Additional

RDMS

ERROR RECORD EDITOR

CONTRACTS

ECN: RD202634900020

Error ID: 0302

Status: NEW

POLICY NUMBER
300000020

INSURED NAME
ADHOC TEST INSURED 0020

RECORD CODE
AR1

TRANSACTION CODE
02

BRANCH
7

STATUS
Active

Back

Edit

Audit History

Actions

Contracts Information

ECN: RD202634900020

Error ID: 0302

Status: NEW

Contract & License Information

#	CONTRACT NUMBER	LICENSE INDICATOR	ACTION
1	CT7020	Y	Details
2	--	--	Details
3	--	--	Details
4	--	--	Details
5	--	--	Details
6	--	--	Details
7	--	--	Details
8	--	--	Details

Bonus Information

AGENT EARNED GDR	AGENT ANNUALIZED GDR	AGENT BONUSABLE GDR
--	--	--
ORG EARNED GDR AMT	ORG ANNUALIZED GDR AMT	ORG BONUSABLE GDR
--	--	--

Commission Information

EARNED COMMISSION	1ST YEAR COMMISSION
\$870.00	\$870.00
POTENTIAL COMMISSION	NEW BASIS POTENTIAL COMMISSION
--	--

Overrides

ASSISTANT OVERRIDE 2

MANAGER OVERRIDE 1

MANAGER OVERRIDE 2

System & Admin

OTHER COMP

MANAGEMENT CHARGEBACK

ACTUAL PREMIUM CREDIT

AGENT STATUS

OPERATIONS CUSTOMER SERVICE POINT SITE CODE

MANAGEMENT CONTRACT NUMBER CODE

AGENT EMERITUS CODE

Business function. The producer contracts attached to the transaction and the licence held against each, the management overrides, the bonus figures and the commission totals.

Key information presented. Eight contract numbers each with a licence indicator and a route to its detail; the assistant and manager overrides; the agent and organisation bonus figures; and the earned, first-year, potential and new-basis commission.

User actions.Edit; open the detail of a contract; save.

Error Record Editor — Additional Information

Prudential
Not all Questions

NEW - DRAFT SECTOR EDITOR ADDITIONAL

Search IDN

Signout Done

Additional Information

POLICY NUMBER: 3000000020 CANCEL TO: NONE ISSUED: NEW

POLICY NAME: ADHOC TEST INURED-0020 REQUIRED MARK: RECORD CODE: ARI TRANSACTION CODE: QZ BRANCH: 7 STATUS: Active

← Back [Edit](#) [Event History](#) Actions →

No DBF data exists for this record. The Product Information and Secondary Attributes fields are blank, saving after entering data creates the DBF record.

Transaction Information

VENDORING CODE --- 00X Group creditors health	STATEMENT LIST CODE ---
MESSAGE CODE ---	TRANSACTION TYPE + Type R (No Description Yet)
AUTO PREMIUM MODE ---	RECONCILE TYPE CODE ---
PROMO FOR DATE 2024-02-04	PREL DATE ---
PROMO END DATE ---	PAID REPORT DATE ---

Product Information

PRODUCT CODE ---	COMPANY CODE ---
EVENT TIME CODE ---	END CYCLE (CYCLES) ---
EVENT ACTIVITY CODE ---	RECORD TYPE INPUT ---
RECORD CODE INPUT ---	CONTRACT YEARS ---

Inclusions & First Processing

NET EVENT NO ---	SPECIAL EVENT NO ---	BUSINESS ACU NO ---	PRIC ADVANTAGE NO ---	DE PLUS EXCLUDE DIS ---	ASSIGN NO ---
PROD PAID DIS ---	ISSUED NO ---	POTENTIAL DIS ---	RAT DIS ---	ACCENTS OWN LIFE NO ---	ESTABLISHY NO ---
FILE ID CODE ---	SPECIAL GROUP CODE ---	POLICY SERIES ---	DEFI CODE ---	VAL WAS PROD CODE ---	SACHE INURED AGE ---

Secondary Attributes

ETRYAS NO ---	ETRAYS TYPE ---	ENRCH NO ---	ENRCH RES NO ---
POL WEB DOT ---	POL WE SL IS ---	DBF KEY ---	LJ SIGNAL ---
ADD TRANK CODE ---	RET REASON CODE ---	ADAPT PLAN CODE ---	RENWER ADAPT TYPE ---
DEFERRED COMP NO ---	TIERED COVERING NO ---	CSP INDICATOR ---	P AND C GAMER ---

Comments

SYSTEM & PROCESSOR COMMENTS

Business function. The statement and remittance indicators that govern how a transaction is reported and settled, and the product classification and secondary attribute record that classify it downstream.

Key information presented. Transaction information, product information, the indicators and final processing block, the secondary attributes, and the system and processor comments.

User actions. Edit, amend, save.

Acceptance Criteria for Business Equivalence

The basis of this section

Equivalence is a claim that must be demonstrated, not asserted. This section states what would constitute a demonstration that a replacement facility reaches the same business outcomes as the existing one.

The criteria are expressed as business outcomes throughout. None of them requires the replacement to resemble the existing facility in appearance, navigation or construction. All of them require it to reach the same result.

The unit of comparison

Equivalence is established transaction by transaction, not screen by screen.

For each comparison, the same suspended transaction is presented to both facilities and the same operator action is applied. Four outcomes are then compared, and all four must agree.

1. **The disposition set on the transaction.**
2. **The business content of the transaction as committed**, field by field, including every field the facility derived, forced or defaulted without being asked.
3. **The acceptance or refusal of the operator's entry**, and where refused, which fields were identified as at fault.
4. **The audit entry**, its content, and whether one was written at all.

Agreement of screen appearance is not evidence of equivalence, and disagreement of screen appearance is not evidence of its absence.

Criterion 1: the disposition contract

The replacement is accepted on this criterion when, for a population of suspended transactions drawn from the live file covering every originating batch runs:

- every disposition available today is available, and no other;
- each produces the same instruction to the weekly cycle;
- a delayed release produces the same number of further weeks;
- and the three automatic dispositions are applied in the same circumstances: a corrected transaction with no stated disposition is released; a release above the operator's authority becomes an indefinite hold; and a release on a transaction from the online-created run becomes an indefinite hold.

Test population. At least one transaction per originating run, and at least one of each record type, including a double-length transaction and a partner business transaction.

Criterion 2: the prohibitions

The replacement is accepted on this criterion when every prohibition recorded in the Catalogue refuses the same action, and does so in full rather than partly applying it.

- Synopsis-only transactions on the synopsis product families may not be transferred.
- Replacement transactions whose copies already exist in every office may not be transferred.
- Service-register suspensions may not be transferred, and within one reason range may not be deleted.
- The second half of a double-length transaction may not be transferred.
- A transaction may not be transferred to the office that already owns it.
- Compensation charged to the reserved management agency may not be released while a producer contract number is present.
- Senior-management revenue suspensions may only be deleted or held.
- A transaction that has been amended may not also be deleted.

Evidence required. For each prohibition, a transaction that triggers it and a demonstration that the transaction is unchanged afterwards.

Criterion 3: the authority model

The replacement is accepted on this criterion when all seven properties of the authority model hold.

Property	Demonstration
The ceiling is individual	Two operators with different ceilings produce different outcomes on the same transaction.
It is taken from the sign-on identity	No means exists of keying whose authority applies.
It applies to manually created transactions	A batch-produced transaction of the same value is not subject to the check.
Three amounts are tested	A transaction exceeding on each amount in turn produces the downgrade
Negative amounts are tested by magnitude	A large recovery produces the downgrade as a large payment does.

An absent operator has no authority	An operator not on the table cannot release anything.
The check applies at more than one point	The downgrade occurs both when the money is amended and when the disposition is set.

This criterion is not satisfied by a single test. A replacement that tests authority once, at the end of the interaction, produces the correct result in most cases and the wrong result where the operator amends the money and then leaves the disposition alone.

Criterion 4: validation equivalence

The replacement is accepted on this criterion when, for every rule in the Catalogue carrying a validation outcome:

- a value the existing facility accepts is accepted;
- a value it refuses is refused;
- the operator is told which field is at fault;
- and the transaction is left unchanged where any failure is outstanding.

Method. The Catalogue is the test specification. Each rule states its condition, its outcome and its permitted values, and each carries the source extract so that a disputed case can be settled against the original.

Priority. Where the volume of validation makes exhaustive testing impractical, the following are to be covered first, on the grounds that a rule misunderstood in any of them affects every transaction that passes through: the legal entity rules; the identification screen; the product and charge combination check; the producer share rules; and the payee requirement.

A specific caution. A replacement must be tested for over-permissiveness as well as for correctness. A facility that accepts everything passes every test written as "the operator can complete this correction" and fails the business entirely.

Criterion 5: the field-handling convention

The replacement is accepted on this criterion when the distinction between an untouched field and a deliberately erased field is preserved. Specifically:

- a field the operator did not touch produces no change and no audit entry;
- a field the operator erased is committed as blank or nil, and produces an audit entry;• and a valid change is applied, audited and counted.

This criterion is stated separately because it is the single convention on which the largest number of rules depends, and because a replacement built on a modern screen technology will not inherit it.

Criterion 6: partitioning and movement of work

The replacement is accepted on this criterion when:

- a member of staff can see and act upon only their own office's transactions;
- no means exists of naming another office's data;
- a transfer names a permitted destination other than the sending office;
- and a change of paying location alters the location without altering the disposition.

A specific caution for a consolidated replacement. In the existing facility the partition is a consequence of physically separate files. A replacement holding all offices in one data store must reproduce the restriction deliberately.

Criterion 7: accountability

The replacement is accepted on this criterion when, for every accepted change:

- an audit entry records the operator, the terminal or its equivalent, the date, the time, the transaction and policy identity, and each value before and after;
- the entry is written only after the business change has succeeded;
- the entry is written per transaction rather than per screen;
- the disposition recorded is the one applied rather than the one requested;
- a bypass of the product and charge combination check is recorded under its own name;
- and no entry is written for training work.

Where the business decides to close the gaps in the audit trail that the Catalogue records as requiring confirmation — refused actions and print requests — the closure is a change to the baseline and must be specified rather than assumed.

Criterion 8: exception handling

The replacement is accepted on this criterion when every failure condition recorded in the Exception, Rejection and Correction Requirements section produces a named message to the operator, names an escalation route, loses no keyed criteria, and leaves no transaction partly committed.

The degraded state is included in this criterion: where the batch cycle position is unusable, the replacement must suppress access to suspended transactions rather than substituting a date of its own.