

| SAMPLES DEVICE PLATES FOR APPROVAL BOM EHC BOWIE MD | | | | | | |
|---|-----|--|-------|----------------|--|---------------------------|
| TAG | QTY | DESCRIPTION | #Gang | Switch/Recept. | NORMAL (BLACK LETTERING) CRITICAL (RED LETTERING) | NOTES |
| A | 3 | Device Wall Plate SS (Stainless Steel) | 1 | Recept | Normal | 2 Lines Black |
| B | 3 | Device Wall Plate SS | 1 | Recept | Critical | 1 Line Red, 2 Lines Black |
| C | 3 | Toggle Wall Plate SS | 1 | Switch | Normal | 2 Lines Black |
| D | 3 | Toggle Wall Plate SS | 1 | Switch | Critical | 1 Line Red, 2 Lines Black |
| E | 3 | Device Wall Plate SS | 2 | Recept | Normal | 2 Lines Black |
| F | 3 | Device Wall Plate SS | 2 | Recept | Critical | 1 Line Red, 2 Lines Black |
| G | 3 | GFI Wall Plate SS | 2 | Recept | Critical | 1 Line Red, 2 Lines Black |
| H | 3 | Toggle Wall Plate SS | 2 | Switch | Critical | 1 Line Red, 2 Lines Black |
| I | 3 | Toggle Wall Plate SS | 2 | Switch | 1/2 Normal, 1/2 Critical | 1 Line Red, 4 Lines Black |

Maintain separation per NEC and NFPA 70 - Doster





