

[Main Page - Back](#)

Sword-Fish Strategy

From sudokuwiki.com, the puzzle solver's site

| | | |
|---|---|---|
| 2 | | |
| | 3 | 6 |
| 5 | | 7 |

With X-Wing we looked at a rectangle formed by four numbers at the corners. This allowed us to exclude other occurrences of that number in either the row or column. We can extend this pattern to nine cells connected by locked pairs. In the example below (concentrating on the number 5) we have three sets of locked pairs at **AB**, **CD** and **EF**.

They are all horizontal pairs but they also lock each vertically in a staircase fashion (I guess this inspired the name).

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---|--------------|------------|------------|----------|----------|------------|------------|----------|------------|
| A | 2 3 6 9 | 2 3 6 | 1 | 7 | 2 5 A | 4 | 8 | 3 6 9 | 5 6 9 B |
| B | 2 3 6 9 | 8 | 2 9 | 2 3 6 | 1 | 2 5 6 | 3 5 6 9 | 4 | 7 |
| C | 5 | 7 | 4 | 3 6 8 | 9 | 6 8 | 3 6 | 2 | 1 |
| D | 2 4 6 7 9 | 2 4 6 | 8 | 5 | 2 7 | 3 | 1 | 6 7 9 | 4 6 9 |
| E | 1 | 2 5 X | 2 5 7 9 | 2 6 | 4 | 2 6 7 | 3 5 9 | 3 7 9 | 8 |
| F | 4 6 7 | 4 5 6 C | 3 | 9 | 8 | 1 | 2 | 6 7 | 4 5 6 D |
| G | 2 7 8 | 9 | 2 5 7 | 2 8 | 6 | 2 5 7 8 | 4 | 1 | 3 |
| H | 2 3 7 8 | 1 | 2 7 | 4 | 2 3 7 | 2 7 8 | 6 9 | 5 | 6 9 |
| I | 3 4 | 3 4 5 E | 6 | 1 | 3 5 F | 9 | 7 | 8 | 2 |

The vertical pairing is between **AF**, **BD** and **CE**.

Now, in this example we can clearly see that the green horizontal lines connect pairs of 5. Because 5 is also locked vertically the red lines represent columns where if a 5 is not on our grid of nice nodes it can be excluded. There is one such 5 on cell **X** (E2).

Another way of looking at it is to consider any 5 on the Sword-Fish grid. Pretending for a moment it's a real 5 the others in the row and column are repressed. What we're left with is an X-Wing. X-Wing logic then applies to exclude the 5s it can see.

Swordfishes come in a number of variations depending on the number of X present in the nine cells that make up a Swordfish. With an X-Wing you need candidate X in all four cells of the 2 by 2 formation, but with the 3 by 3 Swordfish formation you don't need X in every cell. The above example has 5 twice in each row and is called a 2-2-2 Swordfish. 3-3-3 Swordfish would be the fullest kind but it can be as skimpy as 2-1-2 or even 1-2-1 and other variations although 1-1-1 is probably not realistic.

The next example was recently submitted by Stephen Hotchkis and the graphic is from the solver. It is a 3-2-2 Swordfish since you can see Candidate 1 present three times in the top row and twice in rows F and G. The alignment is vertical since the eliminations are in the columns.

The yellow cells are the Swordfish cells. The green cells are those cells where 1 can be removed, which makes this an excellent example since we have six 1s that can go.

The rule for Swordfish is as follows:

When there are 1) only three possible cells for a value in each of three different rows, and 2) these cells also lie in the same columns, then all other candidates for this value in the columns can be eliminated. The reverse is true for columns instead of rows.

A final way of considering this example is to take some cells in the formation and see what happens if you place a 1 in them. I've done this in the illustration on the right with the top row. I've placed 1 in each of the cells in the top row and because of the locked pairs they force a solution that in no instance requires the 1s in the green cells.

In the first instance a 1 in A3 removes the 1 in F3 which obliges F5 to be 1 and then G4.


In the second instance A4 removes 1 in G4 forcing 1 in F4, which through eliminations makes F3 a 1 also.

Lastly a 1 in A5 sets both F3 and G4 to be 1.

One can pick any cell in the Swordfish and trace the chain of consequences round and in no cases does a green cell become a required cell. We don't know which of the three instances is correct - that will be revealed later, but it does help us whittle down the candidates.

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|---|---------------------|-----------------------|-------------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|---------------------|
| A | 8 | ³ 7 5 | ^{1 2} 7 5 | ¹ 7 5 | ^{1 3} 7 5 | 9 | 4 | ² 7 | 6 |
| B | ⁵ 7 | 6 | ⁵ 7 9 | 2 | 4 | ⁵ 8 | ^{7 8 9} | 1 | 3 |
| C | ¹ 7 | ³ 4 7 9 | ^{1 2} 4 7 9 | 6 | ^{1 3} 7 | 1 8 | 2 ^{7 8 9} | 2 ^{7 8 9} | 5 |
| D | ¹ 7 5 | 2 | 6 | 3 | ¹ 5 9 | ¹ 4 5 | 1 ^{7 9} | 4 ^{7 9} | 8 |
| E | 3 | 8 | ¹ 7 9 | ¹ 4 | ^{1 2} 6 9 | ¹ 4 6 | ^{1 2} 7 9 | 5 ^{4 7 9} | ² |
| F | 4 | ⁵ 9 | ¹ 5 9 | 8 | ^{1 2} 5 9 | 7 | 3 | 6 | ² 9 |
| G | 9 | ^{4 5} 7 | 8 | ¹ 4 5 7 | ¹ 5 6 7 | 3 | ² 5 6 7 | ² 4 7 | ² 4 7 |
| H | 6 | 1 | ^{4 5} 7 | ^{4 5} 7 | 8 | 2 | ⁵ 7 9 | 3 ^{4 7 9} | |
| I | 2 | ^{4 5} 7 | 3 | 9 | ^{5 6} 7 | ^{4 5 6} | ^{5 6} 7 8 | ⁴ 7 8 | 1 |

Swordfish Example 2: [Load Example](#)



Three possible outcomes

Provided by Klaus Brenner who found it in the newspaper *La Libre Belgique*.

| | | | | | | | | | |
|---|----------|-------------|-------------|--------|-------|-------------|----------|-----------------|---------------|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
| A | 5 | 2 | 9 | 4 | 1 | 6 8 | 7 | 6 8 | 3 |
| B | 4 7 8 | 1 4 8 | 6 | 5 9 | 7 8 9 | 3 | 1 8 | 1 4 5 8 9 | 2 |
| C | 4 7 8 | 1 4 8 | 3 | 2 | 7 8 9 | 5 6 | 1 8 9 | 5 6 | 1 4 8 9 |
| D | 4 8 | 5 | 2 | 3 | 8 9 | 1 4 8 | 1 8 9 | 7 | 6 |
| E | 6 | 3 | 7 | 1 9 | 5 | 1 4 8 | 2 | 1 4 8 9 | 1 4 8 9 |
| F | 1 | 9 | 4 8 | 6 | 2 | 7 | 5 | 3 | 4 8 |
| G | 3 | 7 8 | 1 5 8 | 1 5 | 6 | 9 | 4 | 2 | 1 7 8 |
| H | 2 | 4 7 | 1 4 5 | 8 | 3 | 1 5 | 6 | 1 9 | 1 7 9 |
| J | 9 | 6 | 1 8 | 7 | 4 | 2 | 3 | 1 8 | 5 |

Perfect 3-3-3 Swordfish: [Load Example](#) or : [From the Start](#)

[illegible]

Comments...

Thursday 9-Apr-2009

... by: jef

A Swordfish is not limited to rows and columns, also boxes can be involved:

Figure 1 shows a 4x4 grid of dots. The grid is divided into four 2x2 quadrants by a horizontal and vertical dashed line. The top-left quadrant has 'x' marks at (1,2), (1,3), and (2,2). The top-right quadrant has 'x' marks at (1,3) and (2,2). The bottom-left quadrant has 'x' marks at (1,2) and (2,1). The bottom-right quadrant has 'x' marks at (1,1) and (2,2).

Swordfish row 1, box[2,2] and row 9.
Is your solver finding this pattern?
Have you examples of this pattern?

Kind regards,
Jef

PS I totally agree with your remarks on J.F. Crook's paper, nothing new and not a real solution.

<http://users.telenet.be/vandenberghhe.jef/sudoku/>

Add your comments

A confirmation email will be sent to you after submitting.

Your Name

Email Address - required for confirmation (it will not be displayed here)

Your comment or question

☐ Remember me

Add Comment!

Please keep your comments relevant to this article. **Email addresses are never displayed, but they are required to confirm your comments.**

When you enter your name and email address, you'll be sent a link to confirm your comment. If you want to be remembered, the check box above will store a cookie with your name and email address on your computer.

Line breaks and paragraphs are automatically converted – no need to use <p> or
 tags.

Article created on 11-April-2008. Views: 33990

This page was last modified on 17-August-2009, at 09:09.

All text is copyright and for personal use only but may be reproduced with the permission of the author.

Copyright [Andrew Stuart @ Scanraid Ltd](#), 2009