Main Page - Back

Multivalue X-Wing Strategy

From sudokuwiki.com, the puzzle solver's site

| 2 | | | |
|---|---|---|--|
| | 3 | 6 | |
| 5 | | 7 | |

I've named this strategy Multivalue because we're dealing with several candidate values but the formation is exactly as an X-Wing, infact it also follows the generalised x-wing as described above.

Take a look at this rectangular formation made from the yellow and brown cells. Connecting the two yellow cells is a conjugate pair of 6, the only two sixes in the row. In the other row connecting the two brown cells is a conjugate pair of 5. What connects the cells in the columns are the additional candidates, in this case 1 in column 1 and 9 in column 9. Note that there are additional 1's and 9's in these columns. These are the candidates we can eliminate and they are highighted in green cells.

The logic goes as follows: 6 must occur in one of the two yellow cells and the 5 must occur in one of the brown cells. No doubt about that. But both 6 and 5 cannot occur in the same column. Lets pretend they do, say 6 and 5 in column 1. That would leave 9 as the only solution in two cells in column 9. Can't have that. So which ever way round 6 is 5 will be in the opposite column.

| 13 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 |
|----|------------|----------|----------|--------------|-------------|-------------|-------------|--------|---------------|
| | 4 | 1 7 9 | 3 7 9 | 1 9 | 5 7 | 6 7 9 | 23 | 8 | 2 5 6 9 |
| 1 | \sim | 1 | _ | 123 | 2 | 3 | | | 7 |
| | © | 89 | 2 | 8 9 | 8 | 9 | 1 | 4 | 6 9 |
| | 2 | 6 8 9 | 3 7 9 | 6 8 9 | 4 | 5 6 7 9 | 3 5 | 3 9 | 1 |
| | 7 | 2 | 6 | 4 | 9 | 8 | 1 | 5 | 3 |
| | 3 | 4 | 8 | 5 | 6 | 1 | 2 | 7 | 2 9 |
| | 9 | 5 | 1 | 7 | 3 | 2 | 4 | 6 | 8 |
| | 8 | 6 9 | 4 | 23 6 9 | 1 | 3 5 9 | 3 5 9 | 2.3 | 7 |
| 1 | <u>G</u> - | 7 9 | 2 | 8 9 | 78 | 4 | 6 | 1 3 | - ⑤, |
| 1 | 5 6 | 3 | 7 9 | 2 6 9 | 2 5 7 | 6 7 9 | 8 | 12 | 4 |

Multivalue X-Wing 1: Load Example or : From the Start

This forces the 1 and 9 to fill the remaining two corners. If 1 and 9 are guaranteed to be in either a yellow or a brown cell apiece then we can't have any more 1s and 9s in those columns. Hence the eliminations.

1 von 3 20.02.2010 19:37

The generalised X-Wing theory says that we can have a distorted X-Wing starting from 2 boxes and eliminating in 2 rows or 2 columns. This next example does just that. We have a strong link between the yellow cells (B7 and H7) using 5. And another strong link between brown cells (A9 and J9). Since the top pair share a box and the bottom pair also share a box we don't need exact row alignment.

Using the arguement above we know that one 5 or 3 will occur in B7 or A9 forcing the other cell in the top right box to be a 2. We don't know which yet, but of those two cells will be a 2 so all the others in the box can go.

Likewise, a 5 or a 3 will appear one of the cells int the bottom box, H7 or A9. That forces 4 to be the solution to that pair - we just don't know which way round yet. The 4 in H8 can go.

| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | |
|-----|----------|--------------|----------------|----------------|----------------|---------------|----------|---------------|-------------|---|
| A | 7 9 | 5 | 8 | 7 9 | 4 | 2 3 | 1 | 6 | 23 | 1 |
| В | 4 | 12 6 7 | 12 6 7 9 | 1 56 7 9 | 123 6 9 | 2 56 7 | ğ | 2 3 5 7 | 8 | 2 |
| C | 1 7 | 12 6 7 | 3 | 1 56 78 | 12 6 8 | 2 56 78 | 9 | 2 45 7 | 2 4 7 | 3 |
| D | 5 8 | 4 | 2 6 7 | 3 | 5 8 | 9 | 2 6 | 2 7 | 1 | 4 |
| E | 3 | 12 6 8 | 12 6 9 | 6 78 | 2 6 8 | 2 6 78 | 2 4 6 | 2 4 9 | 5 | 5 |
| 11. | 5 7 9 | 2 6 7 | 2 6 7 9 | 4 | 2 5 6 | 1 | 3 | 8 | 2 7 9 | 6 |
| G | 1 8 | 1 3 | 4 | 1 56 89 | 1 3 6 89 | 5 6 8 | 7 | 2 3 5 9 | 2 9 | 7 |
| Н | 2 | 1 3 78 | 1 7 | 1 5 89 | 1 3 89 | 4 5 8 | 45 | 4 5 9 | 6 | 8 |
| 1 | 6 | 9 | 5 | 2 | 7 | 3 4 | 8 | 1 | 4 3 | 9 |

Multivalue X-Wing 2: Load Example or: From the Start

Eliminations such as these can be achieved using Nice Loops and other very advanced strategies but this is well worth looking out for separetely since its both easier to spot and extends the elegance of the familiar X-Wing.



Comments...

Thursday 3-Sep-2009

... by: Joseph

Your paragraph that starts "Using the argument.." should say:

"Using the arguement above we know that one 5 or 3 will occur in B7 or A9 forcing the other cell in the top right box to be a 2.

You have it listed 5 or 2, but I think it should be 5 or 3, since one of them will be a 2 as you state correctly afterwards. I may be wrong, but that makes the most sense, especially following the logic in the bottom box.

Great site though! I love it-no Sudoku site comes close to being as good as yours!

Andrew Stuart writes: Fixed ! ty

Add your comments

A confirmation email will be sent to you after submitting.

Your Name

2 von 3 20.02.2010 19:37

| Email Address - required for confirmation (it will not be displayed here |
|--------------------------------------------------------------------------|
| |
| Your comment or question |
| |
| |
| |
| |
| |
| |
| |
| Remember me |
| Add Comment! |

Please keep your comments relevant to this article. **Email addresses are never displayed, but they are required** to confirm your comments.

When you enter your name and email address, you'll be sent a link to confirm your comment. If you want to be remembered, the check box above will store a cookie with your name and email address on your computer.

Line breaks and paragraphs are automatically converted — no need to use or
 tags.

Article created on 11-April-2008. Views: 18303

This page was last modified on 12-April-2008, at 10:10.

All text is copyright and for personal use only but may be reproduced with the permission of the

Copyright Andrew Stuart @ Scanraid Ltd, 2008

3 von 3 20.02.2010 19:37