

LUNA, IN PRACTICE

01

Choose how much reasoning the task needs.

EFFORT = THINKING DEPTH

More effort can mean more time and token use. It does not make Luna a different model.

SETTING	MYFAKEBOOK EXAMPLE	START LIGHT
LOW SMALL / LOCAL	Make a tiny, clear edit. Adjust toolbar spacing, rename a control, or explain one helper.	
MEDIUM NORMAL DEFAULT	Build a well-scoped feature. Add ABC import to a guest draft; keep title, source, and preview in sync.	
HIGH HARD / BOUNDED	Solve a tricky, contained problem. Debug a key change that appears in the chart but exports in the old key.	
XHIGH LONGER REVIEW	Investigate across connected flows. Trace transposition through the ABC source, preview, playback, and MusicXML export.	
MAX RARE / HIGH IMPACT	Use for the hardest issue still within Luna's scope. Pressure-test a contained change that touches saved private charts before coding.	

WHEN TO SWITCH MODELS

Effort has a ceiling.

Raise effort while the task stays focused. Change models when Luna keeps missing the bigger picture.

SOL EVERYDAY CODING Several components need coordinated changes or stronger judgment. Example: ABC import with reliable recovery when parsing fails.	ASTRA HARD END-TO-END WORK A broad feature spans product rules, storage, and several user flows. Example: design set lists with chord variants and saved performance settings.
---	---

QUICK RULE	LOW tiny edit / MEDIUM typical feature / HIGH hard bug XHIGH broad investigation / MAX rare, high-impact work
-------------------	---

SOURCE OpenAI Docs: Reasoning models + Model selection
developers.openai.com/api/docs/guides/reasoning | /guides/model-selection