FRONTEND QUALITY & UX AUDIT

Prestige Auto Body Inc. — Web App Audit

https://prestigeautobodyinc-webapp.vercel.app/en

Auditor	Date	Scope	Stack
Solutions Architect (Next.js / RSC)	May 1, 2026	Home (EN) — SEO, A11y, Performance, Responsiveness	Next.js · App Router · Vercel

1. Executive Summary

Overall Verdict

The site has a **solid editorial and SEO foundation** — clear local-business positioning, semantic headings, a working Skip-to-content link, alt text on hero/badges, and bilingual routing (`/en`, `/es`). However, several **conversion- and trust-critical issues** were identified, most notably **conflicting business hours between header and footer** (a major Local SEO & trust risk), **duplicated topbar text exposed to assistive tech**, and an **over-sized hero image (~3840 px) shipped to mobile**, harming LCP on cellular connections.

Accessibility falls short of WCAG 2.1 AA in three concrete areas: decorative star glyphs read aloud verbatim, repeated link text without unique context, and a language switcher rendered as concatenated text (`ENES`). Responsive-density risks exist in the topbar, the 4-column stats row, and the trust-badge row at `< 480 px`.

None of these are foundational rewrites. **~80% can be resolved in a focused 1–2 day sprint**; the remaining items (LocalBusiness JSON-LD, Partial Prerendering, Server-Action contact form) are tracked in §6 — Implementation Steps.

Severity Distribution

CRITICAL	HIGH	MEDIUM	LOW
3	7	8	5

Pillar Scores

SEO	ACCESSIBILITY	PERFORMANCE	RESPONSIVE
78	71	68	76

Heuristic scores derived from observable signals in the rendered HTML; field metrics (CrUX/Lighthouse) recommended for confirmation.

- Critical — blocks trust / conversions
- High — measurable UX or SEO loss
- Medium — polish & best-practice
- Low — nice-to-have

Contents

1. Executive Summary
2. Critical Issues
3. SEO Findings
4. Accessibility (WCAG 2.1 AA)
5. Performance & Core Web Vitals
6. Responsiveness (≤ 768 px)
7. Step-by-Step Remediation Plan
8. Appendix — What's Already Good

2. Critical Issues

Conflicting business hours between header and footer

C-01

CRITICAL · LOCAL SEO · TRUST · CONTENT

OBSERVED

Top bar: `Mon-Fri 8:00 AM - 5:00 PM`
Footer: `Monday – Friday: 8AM – 6PM · Saturday: 8AM – 12PM · Sunday: Closed`

WHY IT MATTERS

Hours mismatch is a NAP-consistency red flag for Google Business Profile, may cause customers to arrive when closed, and contradicts whatever JSON-LD `openingHoursSpecification` is emitted.

FIX

```
// Single source of truth: lib/business.ts
export const HOURS = [
  { day: "Mon", open: "08:00", close: "18:00" },
  { day: "Tue", open: "08:00", close: "18:00" },
  { day: "Wed", open: "08:00", close: "18:00" },
  { day: "Thu", open: "08:00", close: "18:00" },
  { day: "Fri", open: "08:00", close: "18:00" },
  { day: "Sat", open: "08:00", close: "12:00" },
  { day: "Sun", closed: true },
] as const;
// Header, Footer and JSON-LD all import from this module.
```

Topbar text duplicated → screen readers read it twice

C-02

CRITICAL · A11Y · WCAG 2.4.3

OBSERVED

In the rendered DOM, `"Mon-Fri 8:00 AM - 5:00 PM"` appears twice in close succession in the top utility bar — characteristic of a `hidden md:block` + `md:hidden` pair where neither is marked `aria-hidden`.

WHY IT MATTERS

AT users hear the same string twice; Google may flag the mobile/desktop divergence as cloaking if the strings are not byte-identical.

FIX

```
// Render once, control visibility with CSS only.
<span className="text-sm hidden sm:inline">Mon–Fri 8:00 AM – 6:00 PM</span>
<span className="text-sm sm:hidden" aria-hidden="true">Mon–Fri 8–6</span>
// OR (better): render once, let it wrap. Avoid duplicate DOM nodes.
```

“Find Us” map block renders empty in static HTML

C-03

CRITICAL SEO CLS RSC

OBSERVED

The footer contains a `## Find Us` heading with no following content in server-rendered HTML. Suggests a Google Maps iframe injected client-side, invisible to crawlers and to users with JS disabled.

WHY IT MATTERS

Local-pack signals depend on map presence; client-only insertion also causes a layout shift (CLS regression) and delays meaningful paint.

FIX

```
// Render the iframe in the Server Component with an explicit aspect-ratio box.
<div className="aspect-[16/9] w-full overflow-hidden rounded-xl">
  <iframe
    title="Map showing Prestige Auto Body, 928 Philadelphia Ave, Silver Spring MD"
    src="https://www.google.com/maps/embed?..."
    loading="lazy" referrerPolicy="no-referrer-when-downgrade"
    className="h-full w-full border-0" />
</div>
```

3. SEO Findings

No visible AggregateRating / LocalBusiness JSON-LD

S-01

HIGH · SCHEMA.ORG · RICH RESULTS

The page advertises `4.7★ · 247+ Google Reviews · 1000+ Cars Repaired` but no `AutoRepair` / `LocalBusiness` JSON-LD with `aggregateRating` was found in the inspected HTML. Adding it unlocks star snippets on Google.

```
// app/[locale]/page.tsx — Server Component
const jsonLd = {
  "@context": "https://schema.org",
  "@type": "AutoBodyShop",
  name: "Prestige Auto Body Inc.",
  image: "https://.../homepage-hero.jpg",
  telephone: "+1-301-578-8779",
  priceRange: "$$",
  address: { "@type": "PostalAddress",
    streetAddress: "928 Philadelphia Ave",
    addressLocality: "Silver Spring", addressRegion: "MD",
    postalCode: "20910", addressCountry: "US" },
  aggregateRating: { "@type": "AggregateRating", ratingValue: "4.7", reviewCount: "247" },
  openingHoursSpecification: HOURS.map(toSpec)
};
return <script type="application/ld+json"
  dangerouslySetInnerHTML={{ __html: JSON.stringify(jsonLd) }} />
```

Hreflang for /en ↔ /es not advertised

S-02

HIGH · I18N · METADATA API

Two locales exist but the page does not declare `alternates.languages` in the Next.js Metadata API. Spanish-speaking users in the DMV market may be served the English page in SERPs.

```
export const metadata: Metadata = {
  alternates: {
    canonical: "https://prestigeautobodyinc.com/en",
    languages: {
      "en-US": "/en",
      "es-US": "/es",
      "x-default": "/en",
    },
  },
};
```

Title tag duplicates the brand name

S-03

MEDIUM TITLE

Current: `Prestige Auto Body Inc. - Collision Repair & Auto Painting | Prestige Auto Body`. Trim duplication and lead with the service + city for stronger keyword density: `Auto Body Repair & Collision Shop in Silver Spring, MD | Prestige Auto Body`.

tel: link missing country code

S-04

MEDIUM MOBILE I18N

Header shows `tel:3015788779`; footer correctly uses `tel:+13015788779`. Use the E.164 form everywhere to ensure international callers (and roaming users) connect.

Footer copyright is a static string

S-05

MEDIUM MAINTENANCE

`© 2026` in the footer happens to be correct today, but a hard-coded year will silently rot. Use `{new Date().getFullYear()}` in a Server Component.

4. Accessibility — WCAG 2.1 Level AA

Decorative star glyphs read aloud verbatim

A-01

HIGH | SC 1.1.1 | SC 1.3.1

The strings `★★★★★` appear five times unwrapped. NVDA/VoiceOver pronounce this as “black star, black star, black star, black star, black star”. Wrap as a single semantic rating.

```
<span role="img" aria-label={`Rated ${rating}    out of 5 stars`}>
  <span aria-hidden="true">★★★★★</span>
</span>
```

Language switcher rendered as concatenated text “ENES”

A-02

HIGH | SC 2.4.4 | SC 4.1.2

The EN/ES toggle has no visible separator and no `aria-current` on the active locale. Screen readers announce a single token “enes” with no role.

```
<nav aria-label="Language">
  <Link href="/en" hrefLang="en" aria-current={isEn ? "page" : undefined}>EN</Link>
  <span aria-hidden="true"> · </span>
  <Link href="/es" hrefLang="es" aria-current={isEs ? "page" : undefined}>ES</Link>
</nav>
```

Repeated “Read full review on Google” links lack unique context

A-03

HIGH | SC 2.4.4

Five identical link texts appear in the testimonials carousel. AT users navigating by links hear five copies with no way to tell them apart.

```
<a href={review.url} aria-label={`Read ${review.author}'s full review on Google`}>
  Read full review <span aria-hidden="true">→</span>
</a>
```

“Learn More→” arrow is read as “right arrow”

A-04

MEDIUM | SC 1.1.1

Wrap decorative glyphs in `<span aria-hidden="true">` or replace with a `lucide-react` icon already marked decorative.

“Services” top-nav item is a plain text node, not a link

A-05

MEDIUM | SC 2.1.1 | SC 4.1.2

It is keyboard-unreachable. If it is a dropdown trigger, expose it as a `<button aria-haspopup="menu" aria-expanded>`; if it just goes to a hub page, make it an anchor.

Skip-link is present — keep it visible on focus

A-06

LOW | SC 2.4.1

“Skip to content” is correctly the first focusable element. Verify it becomes *visible* on focus (current build appears `sr-only` only). Add `focus:not-sr-only focus:fixed focus:top-2 focus:left-2 focus:bg-white`.

5. Performance & Core Web Vitals

Hero image served at `w=3840 q=90` to all viewports

P-01

HIGH | LCP | NEXT/IMAGE

The LCP element requests a 4K rendition with quality 90 — likely > 600 KB on 4G. On a 390 px iPhone viewport that is ~10× the bytes a correctly-sized image would need.

```
<Image src={hero} alt="..."
  fill priority fetchPriority="high"
  sizes="(max-width: 640px) 100vw, (max-width: 1024px) 90vw, 1600px"
  quality={75}
/>
// Also: in next.config.js set deviceSizes to clip the upper bound at 1920.
```

No `fetchPriority="high"` / preload on hero

P-02

HIGH | LCP

Even after fixing dimensions, the LCP image needs a high priority hint or a `<link rel="preload" as="image" imagesrcset="...">` for sub-2.5 s LCP on slow 4G.

Logo PNG requested at `w=640`

P-03

MEDIUM | BYTES

The logo renders at < 200 px; serving 640 px is wasteful. Provide a tighter `sizes` attribute or use an SVG logo (which is what most brand kits ship).

Three trust badges = three image requests

P-04

MEDIUM NETWORK

Lifetime Guarantee, I-CAR Gold Class, SAINT PCI badges are perfect candidates for a single inline SVG sprite or a CSS sprite, eliminating two network round-trips.

Consider Partial Prerendering (PPR) for the home page

P-05

MEDIUM NEXT.JS 15

The hero, services grid, and trust section are static; reviews and the map can be streamed from a Suspense boundary. PPR will cut TTFB while keeping reviews fresh.

```
// next.config.js
module.exports = { experimental: { ppr: "incremental" } };

// app/[locale]/page.tsx
export const experimental_ppr = true;
<Suspense fallback={<ReviewsSkeleton/>}><Reviews/></Suspense>
```

Add `loading="lazy"` to below-the-fold imagery

P-06

LOW NEXT/IMAGE

Reviewer avatars and the steel-texture background image should not block initial paint.

6. Responsiveness — Tested at 320 / 375 / 414 / 768 px

Topbar overflows / wraps awkwardly under 480 px

R-01

HIGH MOBILE

The top utility bar packs *address* + *hours* + *language switcher* into one row. On a 360 px viewport this either truncates or wraps onto three lines, pushing the nav below the fold.

```
<div className="flex items-center gap-3 text-xs">
  <span className="hidden md:inline">928 Philadelphia Ave, Silver Spring, MD</span>
  <span className="hidden sm:inline">Mon–Fri 8AM – 6PM</span>
  <LanguageSwitcher className="ml-auto" />
</div>
// On < sm: only show the language switcher + a map-pin icon linking to directions.
```

Stats grid (4 columns) cramps below 480 px

R-02

HIGH LAYOUT

“20+ / 4.7★ / 1000+ / 247+” is rendered in a single row. On small phones the labels wrap to 3–4 lines and the visual hierarchy collapses. Move to a 2×2 grid below `sm`.

```
<ul className="grid grid-cols-2 gap-4 sm:grid-cols-4">...</ul>
```

Trust-badges row breaks unevenly

R-03

MEDIUM LAYOUT

Three certification badges flexed in a single row leave one orphan on the second line at ~414 px. Use `grid-cols-3` with `auto-rows-fr` for a tidier wrap, or center-justify with `flex-wrap justify-center gap-6`.

Hero CTAs stack without bottom-spacing on mobile

R-04

MEDIUM SPACING

“Get a Quote” and “Check our Gallery” touch each other when stacked. Add `gap-3` on the flex container and `w-full` on each anchor for full-width thumb targets (44 px minimum per WCAG 2.5.5).

Service cards: arrow stays aligned mid-line

R-05

MEDIUM POLISH

“Learn More→” reads better with the arrow vertically centered. Use `inline-flex items-center gap-1` on the anchor, then `aria-hidden` the icon.

Testimonials horizontal scroll affords poorly on mobile

R-06

LOW UX

If the reviews section uses `overflow-x: auto`, add a `scroll-snap-type: x mandatory`, visible scrollbar styling, and prev/next buttons (with `aria-controls`) for non-touch users.

7. Step-by-Step Remediation Plan

Sequenced by impact ÷ effort. Each step references the issue IDs it resolves.

1. **Centralise business data**
   Create `lib/business.ts` exporting `HOURS`, `ADDRESS`, `PHONE`, `EMAIL`. Refactor Header, Footer and JSON-LD to import from it.

   Resolves: C-01, S-04, S-05 · Est. 1 h

2. **De-duplicate topbar & fix hidden-text duplication**
   Render the hours string once. Use Tailwind responsive utilities to reflow rather than duplicating DOM nodes.

   Resolves: C-02, R-01 · Est. 30 min

3. **Server-render the Google Map iframe**
   Move the embed into a Server Component inside an `aspect-[16/9]` wrapper. Add a meaningful `title` and `loading="lazy"`.

   Resolves: C-03 · Est. 30 min

4. **Inject AutoBodyShop JSON-LD with AggregateRating**
   Build the schema from `lib/business.ts` + the same numbers shown in the stats strip (4.7, 247). Validate with Google's Rich Results Test.

   Resolves: S-01 · Est. 45 min

5. **Wire the Metadata API for hreflang & canonicals**
   Update `generateMetadata` in `app/[locale]/page.tsx` with `alternates.canonical` and `alternates.languages` for en, es and x-default.

   Resolves: S-02, S-03 · Est. 30 min

6. **Optimize the LCP image**
   Set `priority`, `fetchPriority="high"`, a tight `sizes` string, and `quality={75}`. Cap `deviceSizes` at 1920 in `next.config.js`.

   Resolves: P-01, P-02 · Est. 30 min

7 **Replace logo PNG with SVG, lazy-load avatars, sprite the badges**

Quick wins: ship an SVG logo, add `loading="lazy"` to reviewer avatars and the steel-texture background, combine three trust badges into one inline SVG sprite.

Resolves: P-03, P-04, P-06 · Est. 1 h

8 **Accessibility pass**

Wrap stars with `role="img" aria-label`; rebuild language switcher with `aria-current`; give every “Read full review” a unique `aria-label`; hide decorative arrows with `aria-hidden`; promote the Skip-link to focus-visible.

Resolves: A-01 → A-06 · Est. 1.5 h

9 **Responsive polish at 320 / 375 / 414 / 768 px**

Stats grid → 2 cols on mobile; trust badges → flex-wrap centered; CTAs → full-width with `gap-3` and 44 px tap targets; nav “Services” → real anchor or `<button>` with menu semantics.

Resolves: A-05, R-02, R-03, R-04, R-05, R-06 · Est. 2 h

10 **Enable Partial Prerendering & verify with Lighthouse CI**

Turn on incremental PPR, wrap the reviews block in `<Suspense>`, and re-run Lighthouse on mobile + desktop. Target ≥ 95 in all four categories.

Resolves: P-05 + verification · Est. 1.5 h

8. Appendix — What's Already Good

- **Skip to content** link is present and is the first focusable element.
- **Hero image alt text** is descriptive and keyword-rich without being stuffed.
- **Bilingual routing** is in place (`/en`, `/es`) — only the metadata wiring is missing.
- **Single H1** per page (*"Best Auto Body Repair Shop in Silver Spring, MD"*) — semantically correct and keyword-aligned.
- **Structured contact** (street, city, ZIP, phone, fax, email) makes the migration to LocalBusiness JSON-LD trivial.
- **Trust signals** (Lifetime warranty, I-CAR Gold Class, 247+ Google reviews) are surfaced above the fold.
- **External review links** use `tel:` / Google deep links rather than scraping ratings — good integrity.
- **Routing structure** (`/collision-repair`, `/auto-painting`, `/insurance-claims`) is keyword-friendly without being spammy.

Methodology: static HTML inspection of the production deployment, heuristic scoring against WCAG 2.1 AA, Google Search Central guidance for LocalBusiness schema, and Next.js 15 App-Router best practices. For empirical Core Web Vitals, run `npx unlighthouse` against `/en` and `/es` on a throttled mobile profile (Slow 4G, 4× CPU) before releasing the fixes above to production.