Recorded Steps

This file contains all the steps and information that was recorded to help you describe the recorded steps to others. Before sharing this file, you should verify the following:

- The steps below accurately describe the recording.
- There is no information below or on any screenshots that you do not want others to see.

Passwords or any other text you typed were not recorded, except for function and shortcut keys that you used.

You can do the following:

- Review the recorded steps
- Review the recorded steps as a slide show
- Review the additional details

Steps

Next

**Step 1: (1/13/2020 10:28:03 AM)** 사용자가 "Add Connection (단추)"("MyS")을(를) 왼쪽 단추로 클릭

Previous Next

Step 2: (1/13/2020 10:28:06 AM) 사용자가 "Connection Name: (편집)"("Set")을(를) 왼쪽 단추로 클릭

**Step 3: (1/13/2020 10:28:06 AM)** 사용자가 "Connection Name: (편집)"("Set")에서 키보드 입력 [CapsLock ...
CapsLock ...]

Step 4: (1/13/2020 10:28:27 AM) 사용자 설명: "connection 이름을 자신이 원하는 연결 이름으로 설정합니다"

Step 5: (1/13/2020 10:29:04 AM) 사용자 설명: "local mysql과 연결하는 경우 Hostname: 127.0.0.1 / port : 3306 / username : root 기본 설정으로 세팅합니다."

Step 6: (1/13/2020 10:29:06 AM) 사용자가 "Test Connection (단추)"("Set")을(를) 왼쪽 단추로 클릭

Step 7: (1/13/2020 10:29:07 AM) 사용자가 "OK (단추)"("MyS")을(를) 왼쪽 단추로 클릭

Step 8: (1/13/2020 10:29:08 AM) 사용자가 "OK (단추)"("Set")을(를) 왼쪽 단추로 클릭

**Step 9: (1/13/2020 10:29:11 AM)** 사용자가 "Uplexsoft (목록 항목)"("MyS")을(를) 왼쪽 단추로 클릭

Return to top of page...

Additional Details

The following section contains the additional details that were recorded.
These details help accurately identify the programs and UI you used in this recording.

This section may contain text that is internal to programs that only very advanced users or programmers may understand.
Please review these details to ensure that they do not contain any information that you would not like others to see.

기록 세션: 1/13/2020 10:28:02 AM - 10:29:13 AM

기록된 단계: 9, 누락된 단계: 0, 기타 오류: 0

운영 체제: 18362.1.amd64fre.19h1_release.190318-1202 10.0.0.0.2.101

단계 1: 사용자가 "Add Connection (단추)"("MyS")을(를) 왼쪽 단추로 클릭
프로그램: MySQL Workbench, 6.3.9, Oracle Corporation, MYSQLWORKBENCH.EXE, MYSQLWORKBENCH.EXE
UI 요소: Add Connection

단계 2: 사용자가 "Connection Name: (편집)"("Set")을(를) 왼쪽 단추로 클릭
프로그램: MySQL Workbench, 6.3.9, Oracle Corporation, MYSQLWORKBENCH.EXE, MYSQLWORKBENCH.EXE
UI 요소: Connection Name:, WindowsForms10.EDIT.app.0.1ca0192_r33_ad1, connect_panel:table, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, connect_panel, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, new_connection_wizard, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, MySQL Workbench, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1

단계 3: 사용자가 "Connection Name: (편집)"("Set")에서 키보드 입력 [CapsLock ... CapsLock ...]
프로그램: MySQL Workbench, 6.3.9, Oracle Corporation, MYSQLWORKBENCH.EXE, MYSQLWORKBENCH.EXE
UI 요소: Connection Name:, WindowsForms10.EDIT.app.0.1ca0192_r33_ad1, connect_panel:table, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, connect_panel, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, new_connection_wizard, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, MySQL Workbench, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1

단계 4: 사용자 설명: "connection 이름을 자신이 원하는 연결 이름으로 설정합니다"
프로그램:
UI 요소:

단계 5: 사용자 설명: "local mysql과 연결하는 경우 Hostname: 127.0.0.1 / port : 3306 / username : root 기본 설정으로 세팅합니다."
프로그램:
UI 요소:

단계 6: 사용자가 "Test Connection (단추)"("Set")을(를) 왼쪽 단추로 클릭
프로그램: MySQL Workbench, 6.3.9, Oracle Corporation, MYSQLWORKBENCH.EXE, MYSQLWORKBENCH.EXE
UI 요소: Test Connection, WindowsForms10.BUTTON.app.0.1ca0192_r33_ad1, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, new_connection_wizard, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, MySQL Workbench, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1

단계 7: 사용자가 "OK (단추)"("MyS")을(를) 왼쪽 단추로 클릭
프로그램: MySQL Workbench, 6.3.9, Oracle Corporation, MYSQLWORKBENCH.EXE, MYSQLWORKBENCH.EXE
UI 요소: OK, CCPushButton, MySQL Workbench, TaskDialog, MySQL Workbench, #32770, new_connection_wizard, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, MySQL Workbench, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1

단계 8: 사용자가 "OK (단추)"("Set")을(를) 왼쪽 단추로 클릭
프로그램: MySQL Workbench, 6.3.9, Oracle Corporation, MYSQLWORKBENCH.EXE, MYSQLWORKBENCH.EXE
UI 요소: OK, WindowsForms10.BUTTON.app.0.1ca0192_r33_ad1, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, new_connection_wizard, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1, MySQL Workbench, WindowsForms10.Window.8.app.0.1ca0192_r33_ad1

단계 9: 사용자가 "Uplexsoft (목록 항목)"("MyS")을(를) 왼쪽 단추로 클릭
프로그램: MySQL Workbench, 6.3.9, Oracle Corporation, MYSQLWORKBENCH.EXE, MYSQLWORKBENCH.EXE
UI 요소: Uplexsoft

Return to top of page...