# Release notes for iSante 17.4

# New features

Management of the results of viral load and EID tests


- 1. Enter the laboratory test order
- 2. Sending the laboratory test order to the LNSP
- 3. Load the result report from the LNSP

### 1. Enter the laboratory test order


There is no change in iSante for entering the order. Choose the molecular biology tab and select the article Viral load (VL) / PCR (EID) on the page:



Replace the text "iSante" with the appropriate value in the sample code for the paper request:



In this case, the order must be registered as indicated:



# 2. Sending the laboratory test order to the LNSP

The site administrator must choose from the Administration menu:



A. Specify the date range for the test samples. The report will only contain examples from the specified dates that have no results:



B. Choose the print button and save as PDF. Browsers have different PDF generation methods, see for example this URL for more details: https://www.isunshare.com/blog/how-to-save-and-print-a-web-page-to-pdf-in-browser/



NOM#	Médecin traitant Clinique	Commentaire de Patient	DDN	Sexe	#Séjour	Date de Prélevé	Test ID
999995	99999	1555	08/02/1980	F	99999619851	07/11/17	CVi-2
999996	99999	15222	03/12/2012	F	99999396423	03/05/17	CVi-1

- C. Send the PDF to the LNSP.
- D. Print the PDF and include it with the sample lot.

### 3. Load the result report from the LNSP

The load function expects a file in CSV format. If the received file is in Excel format, first convert it to CSV format from Excel. The header and footer information in the file is not used by iSanté and generates error records that can be ignored. The file format is as follows:




The paper requisition sample types will be retained in the iSanté sample type field and the SCC sample types will be added to the result report result comment.

The administrator must launch the received file in Excel, convert it from its native XLSX format to XLS, and then convert that file from XLS to CSV before loading the CSV file into iSanté.

The administrator calls the loading page from the Administration menu:



#### Navigate to the file to load:




Once the file has been selected, it will be downloaded and each of its records will be associated with an order and the results information will be applied. At the end, iSanté displays a dialog with statistics about the number of records loaded, records with duplicate or ambiguous information, and records not found.

3: tests chargés;
2: patients non retrouvés;
0: dupliquer des patients.
Cliquez sur le bouton pour afficher les enregistrements ayant échoué.

OK

The details of the error records can be viewed via the error button. These can be copied and corrected or reported to the national laboratory, as appropriate:



#### HealthQual report

#### Addition of two new indicators:

- Proportion of HIV + patients on HAART who received an assessment of their viral load at 6 months after the start of their treatment.
- Proportion of HIV + patients on HAART for more than 6 months with undetectable viral load

#### Correction of the following indicators:

- Proportion of HIV-exposed children aged 4 weeks to 12 months who received a diagnostic EID test during the analysis period
- Proportion of children exposed to HIV with a negative EID test during the analysis period
- Proportion of eligible HIV + patients on ART during the analysis period
- Proportion of HIV-infected pregnant women who received HAART during the analysis period
- Proportion of HIV + patients on HAART
- Proportion of HIV + patients on HAART retained at 12 months of treatment
- Proportion of HIV + patients on HAART who received an adherence assessment in the last 3 months
- Proportion of HIV + patients on HAART considered adherents during the analysis period

# New definition and calculation method of discontinued patient status

### Lost to follow up on HAART have a new selection criterion in the discontinuation form:

Raiso	n <b>d'arrêt,</b> préciser					
Per	te de contact avec le patient depuis plus	de trois mois				
	Si arrêt dû à la perte de contact avec le patient, y a-t-il eu un minimum de 3 visites à domicile afin d'assurer la continuité des					
	services?					
	○ Oui ○ Non ○ Inconnu					
A	Si non, expliquer					
Trai	nsfert vers un autre établissement					
	Préférence du patient					
	Référence du médecin					
В	Nom de l'établissement: Alliance Santé de Borgne ▼					
O Déc	ès					
	Cause présumée du décès:	Date				
	Effets secondaires, préciser					
<ul> <li>Infection opportuniste, préciser</li> </ul>		7				
Autre cause, préciser		7				
Dis	continuations, <i>préciser</i>					
	ARVs non-disponibles					
	Patient a déménagé					
_	Adhérence inadéquate	A ou B ou C ne doivent pas etre coché				
Préférence du patient		A ou b ou c he dolvent pas ette coche				
Autre raison, préciser		2				
□ poi	son d'arrêt inconnue	/				