





# CERTIFICATE

## OF FIS HOMOLOGATED CROSS-COUNTRY COURSE FIS CROSS-COUNTRY COMMITTEE



- (1) Registration Number: WC 13/16.01/05  
(2) Location of the competition site: Dobbiacco/Toblach, ITA  
(3) Organizer: Toblach Sport OK,  
(4) National Ski Association: Federazione Italiana Sport Invernali  
(5) Contact person in the organizing committee: Herbert Santer  
(6) Homologation inspector: Karl-Heinz Lickert  
(7) Name of course: Toblach 5 km Saskia  
(8) Description of course:

Course length:	5205 m	Height Difference (HD):	59 m	Lowest point:	1216 m
Category:	C	Maximum Climb (MC):	38 m	Highest point:	1275 m
Competition Level:	WC	Total Climb (TC):	169 m		



FIS Office  
p.o. *P. Mignerey*  
Pierre Mignerey

FIS Stamp  
Internat. Ski Verband FIS  
Blochstrasse 2 / Postfach  
CH-3653 Oberhofen

FIS Homologation Responsible  
*Hermod Bjørkestøl*  
Hermod Bjørkestøl

Date of Issue  
21.11.2013  
Valid until  
30.06.2018



# FIS CROSS COUNTRY COMMITTEE

## Subcommittee for Rules and Control



### DOCUMENTATION OF HOMOLOGATED CROSS COUNTRY COURSES

- (1) Registration Number:  
 (2) Location of the competition site: Dobbiacco /Toblach ITA  
 (3) Organizer: Toblach Sport OK, Via Dolomiten Straße 31, I- 39034 Toblach  
 (4) National Ski Association: Italian Ski Federation / FIS  
 (5) Contact person in the organizing committee: Herbert Santer  
 (6) Homologation inspector: Karl-Heinz Lickert  
 (7) Name of course: Toblach 5 km Saskia  
 (8) Description of course:

Course length:	5205m	Height Difference (HD):	59m	Lowest point:	1216m
Category:	C	Maximum Climb (MC):	38m	Highest point:	1275m
Competition Level:	WC/JWSC/COPALIS	Total Climb (TC):	169m		

- (9) Overview of the uphill

- major uphill
- shorter uphill
- undulated terrain

No.	PTC	% of TC
2	76	44.97
6	78	46.15
u.t.	15	8.88

- (10) Stadium area

- fixed stadium.....☒
- fixed building.....☒
- temporary stadium.....☐
- temporary building.....☐
- good infrastructure (access, parking, media, etc.).....☒
- skitesting area near the stadium.....☒
- warm up track near the stadium.....☒

indoor working room for

- timekeeping.....☒
- calculation.....☒
- announcer.....☒
- media.....☒
- jury.....☒
- others.....☒

- (11) Category for the stadium and course layout

Stadium: suitable for following starting procedures

Course: suitable for following competition formats with

a) classical technique

b) free technique

suitable for mixed relay and pursuit competition

a) on the same course.....

b) combined with a separat course.....

Category:.....

Individual Sprint Pursuit Relay Masstart

- ☒ ☐ ☒ ☒ ☒
- ☒ ☐ ☒ ☒ ☒
- ☐ ☐ ☐ ☐ ☐

- ☐ ☒
- ..... C

- (12) Possibility of snow making

Stadium area.....☒ Course.....☒

- (13) Substitute course available.....☒

- (14) Map material in accordance to art 313.4.3 ICR

very good.....☒ sufficient.....☐

- (15) Date of the final inspection: /02.11.2010

- (16) Closing of the homologation procedure: 09/11/2013

- (17) Date of the FIS-License:

# Data of the course profile



		Data		Remarks of the inspector				
Name of the course		Toblach 5 km Saskia						
Competition distance		5205 m						
Number and length of the laps								
Height difference (HD)		59 m						
Maximum climb (MC)		38 m						
Total climb (TC)		169 m						
Lowest point		1216 m						
Highest point		1275 m						
A		at m	PHD	PTC	gradient	average gradient	Remarks of the inspector	
major uphill with: 30 m - 80 m MP and Ø 6.00 - 12.00% gradient in accordance to ICR 313.1		1.	1075	34	38	3.33-12.50	6.01	
		2.	1931	31	38	8.06-13.31	7.67	
total					44.97% part of TC			
B		1.	90	13	13	6.25-12.31	8.97	
shorter uphill with: 10 m - 29 m MP and Ø <18.00% gradient in accordance to ICR 313.1		2.	612	10	10	7.41-16.67	13.33	
		3.	2716	12	12	10.34-10.34	10.34	
		4.	3320	18	18	8.18- 8.18	8.18	
		5.	3852	12	12	7.96-17.65	9.23	
		6.	4699	12	13	11.43-16.67	9.68	
total					46.15% part of TC			
C								
steep uphill with Dist. <= 30 m and Ø > 18.00% gradient in accordance to ICR 313.1								
undulated terrain				15				
total				15			8.88% part of TC	
total climb						100.00	0	