



CERTIFICATE

OF FIS HOMOLOGATED CROSS-COUNTRY COURSE FIS CROSS-COUNTRY COMMITTEE



- (1) Registration Number: 15/37.02/1,7
(2) Location of the competition site: Høydalsmo
(3) Organizer: Høydalsmo IL
(4) National Ski Association: Norwegian Ski Federation
(5) Contact person in the organizing committee: Ketil Kvaale
(6) Homologation inspector: Tom Horntvedt
(7) Name of course: Høydalsmo 1,7 km
(8) Description of course:

Course length:	1700 m	Height Difference (HD):	24 m	Lowest point:	557 m
Category	D	Maximum Climb (MC):	18 m	Highest point	581 m
Competition Level:	COC	Total Climb (TC):	45 m		



p.o. *Pierre Mignerey*
FIS Office
Pierre Mignerey

FIS Stamp
Internat. Ski Verband FIS
Blochstrasse 2 / Postfach
CH-3653 Oberhofen

FIS Homologation Responsible
Hermod Børkestøl
Hermod Børkestøl

Date of Issue
02.10.2015
Valid until
30.06.2020



FIS CROSS COUNTRY COMMITTEE

Subcommittee for Rules and Control



DOCUMENTATION OF HOMOLOGATED CROSS COUNTRY COURSES

- (1) Registration Number:
 (2) Location of the competition site: Høydalsmo
 (3) Organizer: Høydalsmo IL
 (4) National Ski Association: Norwegian Ski Federation
 (5) Contact person in the organizing committee: Ketil Kvaale
 (6) Homologation inspector: Tom Hornvedt
 (7) Name of course: Høydalsmo 1,7 km
 (8) Description of course:

Course length:	1700m	Height Difference (HD):	24m	Lowest point:	557m
Category:	D	Maximum Climb (MC):	19m	Highest point:	581m
Competition Level:	COC	Total Climb (TC):	45m		

- (9) Overview of the uphill

- major uphill
- shorter uphill
- undulated terrain

No.	PTC	% of TC
0	0	0.00
2	30	66.67
u.t.	15	33.33

- (10) Stadium area

- | | | | |
|---|-------------------------------------|-------------------------|-------------------------------------|
| - fixed stadium..... | <input checked="" type="checkbox"/> | indoor working room for | |
| - fixed building..... | <input checked="" type="checkbox"/> | - timekeeping..... | <input checked="" type="checkbox"/> |
| - temporary stadium..... | <input type="checkbox"/> | - calculation..... | <input checked="" type="checkbox"/> |
| - temporary building..... | <input type="checkbox"/> | - announcer..... | <input checked="" type="checkbox"/> |
| - good infrastructure (access, parking, media, etc.)..... | <input checked="" type="checkbox"/> | - media..... | <input checked="" type="checkbox"/> |
| - skitesting area near the stadium..... | <input checked="" type="checkbox"/> | - jury..... | <input checked="" type="checkbox"/> |
| - warm up track near the stadium..... | <input checked="" type="checkbox"/> | - others..... | <input checked="" type="checkbox"/> |

- (11) Category for the stadium and course layout

Stadium: suitable for following starting procedures

Course: suitable for following competition formats with

a) classical technique

b) free technique

suitable for mixed relay and pursuit competition

a) on the same course.....

b) combined with a separat course.....

Category: D

Individual Sprint Pursuit Relay Masstart

☒ ☒ ☐ ☒ ☒

☐ ☒ ☐ ☐ ☐

☐ ☒ ☐ ☐ ☐

- (12) Possibility of snow making

Stadium area..... ☐ Course..... ☐

- (13) Substitute course available.....

- (14) Map material in accordance to art 313.4.3 ICR

very good..... ☐ sufficient..... ☒

- (15) Date of the final inspection:

- (16) Closing of the homologation procedure:

- (17) Date of the FIS-License:

Data of the course profile



		Data		Remarks of the inspector			
Name of the course		Høydalsmo 1,7 km					
Competition distance		1700 m					
Number and length of the laps							
Height difference (HD)		24 m					
Maximum climb (MC)		19 m					
Total climb (TC)		45 m					
Lowest point		557 m					
Highest point		581 m					
A		at m	PHD	PTC	gradient	average gradient	Remarks of the inspector
major uphill with: and Ø 6.00 - 12.00% gradient in accordance to ICR 313.1							
total						0.00%	part of TC
B		1. 282	10	11	4.41-18.18	6.76	
shorter uphill with: 10 m - 29 m MP and Ø <18.00% gradient in accordance to ICR 313.1		2. 525	19	19	4.35-18.52	8.09	
total						66.67%	part of TC
C							
steep uphill with Dist. <= 30 m and Ø > 18.00% gradient in accordance to ICR 313.1							
undulated terrain			15				
total			15			33.33%	part of TC
total climb						100.00	5