

CERTIFICATE OF FIS HOMOLOGATED CROSS-COUNTRY COURSE FIS CROSS-COUNTRY COMMITTEE

(1) Registration number:

(2) Name of the competition site:

(3) Name of city/region:

(4) Organizer:

(5) National ski association:

(6) Contact person in the organizing committee:

(7) Homologation inspector:

(8) Name of course:

(9) Competition level for course

WC18/101.05/5.0

Lassalyckan Ulricehamn

Ulricehamn

Ulricehamn IF skidor (locale ski association)

Sweden Ski Association


Johan Falk

Hermod Björkestöl


5.0

WC COC

Course length:	5,315m	Height difference (HD):	58m	Lowest point:	272m
Course category:	D	Maximum climb (MC):	56m	Highest point:	330m
		Total climb (TC):	190m		



A-climb B-climb C-climb descent undulated terrain



FIS Office

Mignerey, Pierre FIS International Ski Federation Blochstrasse 2 / Postfach CH - 3653 Oberhofen FIS Stamp

FIS Homologation Responsible

Aolby

Aalberg, John

Date of Issue 26.11.2018 Valid until 30.06.2023

(10) Overview of the uphills:

	No.	PTC	% of TC
- major climbs	2	89	46.8
- shorter climbs	1	27	14.2
- steep climbs	1	0	0.0
- descents	3	0	0.0
- undulated terrain	7	74	38.9

(11) Stadium area: Indoor working room:

,		S S	
Fixed stadium area	yes	Timekeeping	no
Fixed building	no	Announcer	no
Temporary stadium	no	Jury	no
Temporary building	yes	Race office	no
Good infrastructure (access parking media etc.)	VOC		

Good infrastructure (access, parking, media, etc.) yes Skitesting area along course/near stadium yes Warm up track near the stadium yes

(12) Category for the stadium and course layout:

	Interval	Sprint	Skiathlon	Relay	Mass start
Stadium suitable for following competition formats	yes	yes		yes	yes
Course suitable for following competition formats with					
a) Classsical technique	yes			yes	yes
b) Free technique	yes			yes	yes
Course suitable for relay and skiathlon competition					
a) On same course			yes		
b) Combined on different courses (C+D or D+D)			yes		

(13) Possibility of snow making:

Opportunity to save artificial snow, and easy transport the snow to the courses. A well built artifical snow system after whole courses.

(14) Map Material:

God

(15) Source of accurate elevation data:

Garmin GPS, also maps and gpx-file from local ski association and county. We have also used a clinomter to control gradient.

(16) Safety considerations:

At the bottom of "Kraftlinjen" 1.1 km and "väggen" 1.9 downhill where there is a curve I reccommend that a fence is set up. (especially "väggen"). If an accident should occur there and athletes ski out of the course rocks and big trees may course injuries to persons involved.

(17) General remarks:

Courses outside the stadium is wide, easy 12 m Category E, but the stadium is narrow.

(18) Date of first inspection: 2016/4/5

(19) Date of final inspection: 2018/10/12

(20) Summary of terrain characteristics

	#	at m	PHD (m)	PTC (m)	grad. (%)	avg. grad.(%)	
A-climb	1	1,992	33	33	9.1 - 18.4	13.2	
	2	3,194	56	56	4.8 - 23.8	10.9	C at 3,437m, PTC: 6m, 24.0%
	total	-		89			46.8% part of TC
B-climb	1	1,170	27	27	6.2 - 18.0	12.1	
	total			27			14.2% part of TC
C-climb	total			0			0.0% part of TC
undulated terrain	total			74			38.9% part of TC
	total	climb		190			