
MAXSCALE

朴昌俊


CONTENTS

- ► What's MaxScale?
- ► MaxScale's Internals
- ► MaxScale Failover
- ▶ Data archiving with Mqfilter and Tee filters
- ► MaxScale Binlog Server
- ► MaxScale HA
- ► MaxScale Limits


WHAT'S MAXSCALE




AUTHENTICATION




PROTOCOL







MONITOR




ROUTER



FILTERS




```
[MyLogFilter]
type=filter
module=qlafilter
[MyService]
type=service
router=readconnrouter
servers=server1
user=myuser
passwd=mypasswd
filters=MyLogFilter
```




- Query Log All (QLA) Filter
- Regular Expression Filter
- ► Tee Filter
- ► Top Filter
- Database Firewall Filter
- Query Redirection Filter
- ► RabbitMQ Filter

FILTER -QLA/TOPN (MODULE)





► MaxScale failover —Master/slave

Failover Script



DATA ARCHIVING WITH MQFILTER AND TEE FILTERS





- ► MaxScale-HA-with-1syncd
- ► MaxScale-HA-with-Corosync-Pacemaker

- 1. 权限认证
- 2. 在线无法支持所有reload config
- 3. 连接数问题,不能连接复用
- 4. 组件太多,导致维护成本高
- 5. 官网自己提的限制:

https://mariadb.com/kb/en/mariadbenterprise/mariadb-maxscale/limitations-and-knownissues-within-maxscale/ Q/A

Thank You