

W05 Learning Activities

- Fecha de entrega 31 de jul a las 23:59
- Puntos 10
- Preguntas 9
- Disponible hasta 14 de ago a las 23:59
- Límite de tiempo Ninguno
- Intentos permitidos 3

Instrucciones

- **Complete** the [W05 Learning Activities \(https://byui-cse.github.io/wdd130-ww-course/week05/\)](https://byui-cse.github.io/wdd130-ww-course/week05/) and then return to this quiz to check your understanding.
 - The quiz is open note, application, and internet.
 - Your latest score will be recorded into the gradebook.

Volver a hacer la prueba

Historial de intentos

	Intento	Hora	Puntuación
MÁS RECIENTE	Intento 1	10 minutos	10 de 10

❗ Las respuestas correctas están ocultas.

Puntuación para este intento: 10 de 10

Entregado 2 de ago a las 23:43

Este intento ha tenido una duración de 10 minutos.



Pregunta 1

1 / 1 puntos

A student posts a question about their form not working like they expected when they tested it in their local browser.

When they click on the label associated with a form input field, the field does **not** gain the focus for user input.

The student is confused why this is not working like it should. What should your advice be to them given this code snippet they posted?

```
<form>
  <label>Please Enter Your Age:</label><input type="number" id="age" name="age">
  <button type="submit">Submit Your Answer</button>
</form>
```

- ☐ The label text content must match the name of the input element.

- ☐ The label's "for" attribute value must match the input element's "id" attribute value.
- ☐ The id and name attribute values on the input cannot be equal.
- ☐ Only inputs of type "text" can have label associations.



Pregunta 2

1 / 1 puntos

Given the following valid CSS rule for footer elements:

```
footer {  
  margin: 10px;  
  border-top: 1px solid #000;  
  border-bottom: 1px solid #000;  
  border-left: 1px solid #000;  
  border-right: 1px solid #000;  
  padding: 10px;  
  background-color: #eee;  
}
```

Rewrite the border declarations into one border shorthand declaration using the same property values given.

border: 1px solid #000;



Pregunta 3

1 / 1 puntos

IDs can be used as many times as you need in an HTML page.

- ☐ True
- ☒ False



Pregunta 4

1 / 1 puntos

An element can only have an ID OR a class but not both.

- ☐ True
- ☒ False



Pregunta 5

1 / 1 puntos

A student asks how to combine the table **th** and the **td** rules together in CSS because they share the same CSS declarations.

Which of the following CSS rule combinations is correct?

- ☒ th, td {
- ☐ th + td {
- ☐ th td {
- ☐ th > td {



Pregunta 6

1 / 1 puntos

A student posts a question about an HTML table diagram. The student needs the "Buffet" table data cell to span three rows to the back of the room, not one as shown in the first figure below. What should your advice be about the attributes of the table data cell labeled "Buffet"?

This first table shows the current rendered output. The second table shows the desired output.

Seating Chart

Front		
Head Table		
Table 1	Table 2	Table 3
Table 4	Table 5	Buffet
Table 6	Table 7	
Table 8	Open	
Back		



Seating Chart

Front		
Head Table		
Table 1	Table 2	Table 3
Table 4	Table 5	Buffet
Table 6	Table 7	
Table 8	Open	
Back		

- ☒ Add an attribute of `rowspan="3"`
- ☐ Add an attribute of `colspan="3"`
- ☐ Add an attribute of `columns="3"`
- ☐ Add an attribute of `rows="3"` and `cols="1"`
- ☐ This is not an HTML problem. Fix the CSS instead to increase the table data cell height.



Pregunta 7

1 / 1 puntos

What CSS property should be declared for **input** fields to create more space between the text and form field border?

Example default label and input field without space: **Username:**

- ☒ padding
- ☐ margin
- ☐ size
- ☐ height



Pregunta 8

1 / 1 puntos

A student is frustrated with the default size for the radio buttons on the form. They are too small for users to be able to select with ease.

What advice should you give them?

- ☒ Set the width and height declarations in CSS for the radio button input types.
- ☐ Set the height in the HTML attribute for the radio button input types.
- ☐ Set the size property in the HTML attributes to at least 25 pixels.
- ☐ Add padding to the radio button container in CSS.



Pregunta 9

2 / 2 puntos

Match each of the following HTML form elements to its most correct use or purpose.

textarea

Allows for multiple lines of text

select

Pick from a list of <option> elements

radio

Pick one that applies

checkbox

Select all that apply

fieldset

Group form controls.

button

Puntuación de la prueba: 10 de 10

COPYRIGHT 2025 BYU-PATHWAY WORLDWIDE