



ZAP by
Checkmarx

ZAP by Checkmarx Scanning Report

Sites: <https://cdn.onesignal.com> <http://home.tomazpelayo.com>
<https://home.tomazpelayo.com>

Generated on terça, 21 abr. 2026 19:29:33

ZAP Version: 2.17.0

ZAP by [Checkmarx](#)

Summary of Alerts

Risk Level	Number of Alerts
Alto	1
Médio	6
Baixo	10
Informational	9

Insights

Level	Reason	Site	Description	Statistic
Baixo	Aviso		ZAP errors logged - see the zap. log file for details	46
Baixo	Aviso		ZAP warnings logged - see the zap. log file for details	149
Baixo	Exceeded Low		Percentage of network failures	4 %
Baixo	Exceeded High	http://home.tomazpelayo.com	Percentage of slow responses	63 %
Baixo	Exceeded High	https://home.tomazpelayo.com	Percentage of slow responses	81 %
Info	Informational	http://home.tomazpelayo.com	Percentage of responses with status code 2xx	89 %
Info	Informational		Percentage of responses	8 %

		http://home.tomazpelayo.com	with status code 3xx	
Info	Informational	http://home.tomazpelayo.com	Percentage of responses with status code 4xx	2 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with content type application/javascript	1 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with content type application/json	7 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with content type application/pdf	25 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with content type application/rss+xml	4 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with content type application/xml	1 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with content type image/gif	1 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with content type image/jpeg	20 %

Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with content type image/png	5 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with content type text/css	2 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with content type text/html	32 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with content type text/xml	1 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with method GET	98 %
Info	Informational	http://home.tomazpelayo.com	Percentage of endpoints with method POST	1 %
Info	Informational	http://home.tomazpelayo.com	Count of total endpoints	3 888
Info	Informational	https://cdn.onesignal.com	Percentage of responses with status code 2xx	100 %
Info	Informational	https://cdn.onesignal.com	Percentage of endpoints with content type application/javascript	100 %
Info	Informational	https://cdn.onesignal.com	Percentage of endpoints with method GET	100 %

Info	Informational	https://cdn.onesignal.com	Count of total endpoints	2
Info	Informational	https://cdn.onesignal.com	Percentage of slow responses	37 %
Info	Informational	https://home.tomazpelayo.com	Percentage of responses with status code 2xx	84 %
Info	Informational	https://home.tomazpelayo.com	Percentage of responses with status code 3xx	8 %
Info	Informational	https://home.tomazpelayo.com	Percentage of responses with status code 4xx	2 %
Info	Informational	https://home.tomazpelayo.com	Percentage of responses with status code 5xx	4 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with content type application/javascript	1 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with content type application/json	10 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with content type application/pdf	1 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with content type application/rss+xml	8 %
			Percentage of endpoints with	

Info	Informational	https://home.tomazpelayo.com	content type application /xml	1 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with content type image /gif	1 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with content type image /jpeg	21 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with content type image /png	5 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with content type text /css	1 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with content type text /html	50 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with content type text /plain	1 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with content type text /xml	1 %
Info	Informational	https://home.tomazpelayo.com	Percentage of endpoints with method GET	93 %
Info	Informational		Percentage of endpoints with	6 %

		https://home.tomazpelayo.com	method POST	
Info	Informational	https://home.tomazpelayo.com	Count of total endpoints	7 143

Alertas

Name	Risk Level	Number of Instances
Vulnerable JS Library	Alto	4
Absence of Anti-CSRF Tokens	Médio	Systemic
Content Security Policy (CSP) Header Not Set	Médio	Systemic
Missing Anti-clickjacking Header	Médio	Systemic
Secure Pages Include Mixed Content (Including Scripts)	Médio	Systemic
Sub Resource Integrity Attribute Missing	Médio	Systemic
Vulnerable JS Library	Médio	2
Application Error Disclosure	Baixo	2
Cookie No HttpOnly Flag	Baixo	Systemic
Cookie Without Secure Flag	Baixo	1
Cookie without SameSite Attribute	Baixo	Systemic
Cross-Domain JavaScript Source File Inclusion	Baixo	Systemic
Information Disclosure - Debug Error Messages	Baixo	4
Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)	Baixo	Systemic
Strict-Transport-Security Header Not Set	Baixo	Systemic
Timestamp Disclosure - Unix	Baixo	Systemic
X-Content-Type-Options Header Missing	Baixo	Systemic
Charset Mismatch	Informational	2
Cookie Poisoning	Informational	5
Information Disclosure - Suspicious Comments	Informational	19
Loosely Scoped Cookie	Informational	2
Modern Web Application	Informational	Systemic
Re-examine Cache-control Directives	Informational	Systemic
Retrieved from Cache	Informational	Systemic
Session Management Response Identified	Informational	44
User Controllable HTML Element Attribute (Potential XSS)	Informational	546

Alert Detail

Alto	Vulnerable JS Library
Description	The identified library appears to be vulnerable.
URL	http://home.tomazpelayo.com/wp-content/plugins/pdf-embedder/assets/js/pdfjs/pdf.min.js?ver=4.6.4

Node Name	http://home.tomazpelayo.com/wp-content/plugins/pdf-embedder/assets/js/pdfjs/pdf.min.js (ver)
Método	GET
Atacar	
Evidence	messageHandler.sendWithPromise("GetDocRequest",{docId:n,apiVersion:"2.2.228"
Other Info	The identified library pdf.js, version 2.2.228 is vulnerable. CVE-2024-4367 https://bugzilla.mozilla.org/show_bug.cgi?id=1893645 https://github.com/mozilla/pdf.js/commit/85e64b5c16c9aaef738f421733c12911a441cec6 https://github.com/mozilla/pdf.js/pull/18015 https://github.com/mozilla/pdf.js/security/advisories/GHSA-wgrm-67xf-hhpq https://github.com/mozilla/pdf.js https://github.com/advisories/GHSA-wgrm-67xf-hhpq
URL	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/libs/jquery.validate.min.js?ver=3.11.9
Node Name	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/libs/jquery.validate.min.js (ver)
Método	GET
Atacar	
Evidence	/*! jQuery Validation Plugin - v1.13.1
Other Info	The identified library jquery-validation, version 1.13.1 is vulnerable. CVE-2022-31147 CVE-2021-21252 CVE-2021-43306 CVE-2025-3573 https://github.com/jquery-validation/jquery-validation https://github.com/advisories/GHSA-rrj2-ph5q-jxw2 https://nvd.nist.gov/vuln/detail/CVE-2025-3573 https://security.snyk.io/vuln/SNYK-JS-JQUERYVALIDATION-5952285 https://github.com/jquery-validation/jquery-validation/commit/7a490d8f39bd988027568ddcf51755e1f4688902 https://github.com/jquery-validation/jquery-validation/blob/master/changelog.md#1194--2022-05-19 https://github.com/jquery-validation/jquery-validation/commit/5bbd80d27fc6b607d2f7f106c89522051a9fb0dd https://github.com/jquery-validation/jquery-validation/pull/2462 https://github.com/advisories/GHSA-ffmh-x56j-9rc3 https://github.com/jquery-validation/jquery-validation/blob/master/changelog.md#1200--2023-10-10

	https://github.com/jquery-validation/jquery-validation/blob/master/changelog.md#1193--2021-01-09
URL	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/libs/moment.min.js?ver=3.11.9
Node Name	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/libs/moment.min.js (ver)
Método	GET
Atacar	
Evidence	.version="2.22.2",e=Sa,l.fn=it,l.min=function(){return ja("isBefore",[].slice.call(arguments,0))},l.max=function(){return ja("isAfter",[].slice.call(arguments,0))},l.now=function(){return Date.now?Date.now():+new Date},l.utc=c,l.unix=function(e){return Sa(1e3*e)},l.months=function(e,a){return lt(e,a,"months")},l.isDate=u,l.locale=_a,l.invalid=f,l.duration=Ca,l.isMoment=
Other Info	The identified library moment.js, version 2.22.2 is vulnerable. CVE-2022-31129 CVE-2022-24785 https://github.com/moment/moment/security/advisories/GHSA-wc69-rhjr-hc9g https://security.snyk.io/vuln/SNYK-JS-MOMENT-2944238 https://github.com/moment/moment/security/advisories/GHSA-8hfj-j24r-96c4
URL	https://home.tomazpelayo.com/wp-content/plugins/pdf-embedder/assets/js/pdfjs/pdf.min.js?ver=4.6.4
Node Name	https://home.tomazpelayo.com/wp-content/plugins/pdf-embedder/assets/js/pdfjs/pdf.min.js (ver)
Método	GET
Atacar	
Evidence	messageHandler.sendWithPromise("GetDocRequest",{docId:n,apiVersion:"2.2.228"
Other Info	The identified library pdf.js, version 2.2.228 is vulnerable. CVE-2024-4367 https://bugzilla.mozilla.org/show_bug.cgi?id=1893645 https://github.com/mozilla/pdf.js/commit/85e64b5c16c9aaef738f421733c12911a441cec6 https://github.com/mozilla/pdf.js/pull/18015 https://github.com/mozilla/pdf.js/security/advisories/GHSA-wgrm-67xf-hhpq https://github.com/mozilla/pdf.js https://github.com/advisories/GHSA-wgrm-67xf-hhpq
Instances	4
Solution	Upgrade to the latest version of the affected library.
Reference	https://owasp.org/Top10/A06_2021-Vulnerable_and_Outdated_Components/
CWE Id	1395
WASC Id	
Plugin Id	10003

Médio	Absence of Anti-CSRF Tokens
	No Anti-CSRF tokens were found in a HTML submission form.

Description	A cross-site request forgery is an attack that involves forcing a victim to send an HTTP request to a target destination without their knowledge or intent in order to perform an action as the victim. The underlying cause is application functionality using predictable URL /form actions in a repeatable way. The nature of the attack is that CSRF exploits the trust that a web site has for a user. By contrast, cross-site scripting (XSS) exploits the trust that a user has for a web site. Like XSS, CSRF attacks are not necessarily cross-site, but they can be. Cross-site request forgery is also known as CSRF, XSRF, one-click attack, session riding, confused deputy, and sea surf. CSRF attacks are effective in a number of situations, including: * The victim has an active session on the target site. * The victim is authenticated via HTTP auth on the target site. * The victim is on the same local network as the target site. CSRF has primarily been used to perform an action against a target site using the victim's privileges, but recent techniques have been discovered to disclose information by gaining access to the response. The risk of information disclosure is dramatically increased when the target site is vulnerable to XSS, because XSS can be used as a platform for CSRF, allowing the attack to operate within the bounds of the same-origin policy.
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	<form method="post" action="http://home.tomazpelayo.com/wp-login.php" class="login-form">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 2: "log" "pwd" "rememberme"].
URL	http://home.tomazpelayo.com/exames/
Node Name	http://home.tomazpelayo.com/exames/
Método	GET
Atacar	
Evidence	<form method="post" action="http://home.tomazpelayo.com/wp-login.php" class="login-form">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 2: "log" "pwd" "rememberme"].
URL	http://home.tomazpelayo.com/noticias/
Node Name	http://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	<form method="post" action="http://home.tomazpelayo.com/wp-login.php" class="login-form">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 2: "log" "pwd" "rememberme"].
URL	http://home.tomazpelayo.com/quadro-eqavet/

Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	<form method="post" action="http://home.tomazpelayo.com/wp-login.php" class="login-form">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 2: "log" "pwd" "rememberme"].
URL	http://home.tomazpelayo.com/siga-sige3-giae/
Node Name	http://home.tomazpelayo.com/siga-sige3-giae/
Método	GET
Atacar	
Evidence	<form method="post" action="http://home.tomazpelayo.com/wp-login.php" class="login-form">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 2: "log" "pwd" "rememberme"].
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	<form action="/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/#wpcf7-f8-p4136-o1" method="post" class="wpcf7-form init" aria-label="Contact form" novalidate="novalidate" data-status="init">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 1: "_wpcf7" "_wpcf7_container_post" "_wpcf7_locale" "_wpcf7_posted_data_hash" "_wpcf7_unit_tag" "_wpcf7_version" "your-email" "your-name" "your-subject"].
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	<form method="post" action="https://home.tomazpelayo.com/wp-login.php" class="login-form">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 3: "log" "pwd" "rememberme"].
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/patrono-tomaz-pelayo/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/patrono-tomaz-pelayo/
Método	GET

Atacar	
Evidence	<form method="post" action="https://home.tomazpelayo.com/wp-login.php" class="login-form">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 2: "log" "pwd" "rememberme"].
URL	https://home.tomazpelayo.com/atividades/
Node Name	https://home.tomazpelayo.com/atividades/
Método	GET
Atacar	
Evidence	<form method="post" action="https://home.tomazpelayo.com/wp-login.php" class="login-form">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 2: "log" "pwd" "rememberme"].
URL	https://home.tomazpelayo.com/noticias/
Node Name	https://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	<form method="post" action="https://home.tomazpelayo.com/wp-login.php" class="login-form">
Other Info	No known Anti-CSRF token [anticsrf, CSRFToken, __RequestVerificationToken, csrfmiddlewaretoken, authenticity_token, OWASP_CSRFTOKEN, anoncsrf, csrf_token, _csrf, _csrfSecret, __csrf_magic, CSRF, _token, _csrf_token, _csrfToken] was found in the following HTML form: [Form 2: "log" "pwd" "rememberme"].
Instances	Systemic
Solution	Phase: Architecture and Design Use a vetted library or framework that does not allow this weakness to occur or provides constructs that make this weakness easier to avoid. For example, use anti-CSRF packages such as the OWASP CSRFGuard. Phase: Implementation Ensure that your application is free of cross-site scripting issues, because most CSRF defenses can be bypassed using attacker-controlled script. Phase: Architecture and Design Generate a unique nonce for each form, place the nonce into the form, and verify the nonce upon receipt of the form. Be sure that the nonce is not predictable (CWE-330). Note that this can be bypassed using XSS. Identify especially dangerous operations. When the user performs a dangerous operation, send a separate confirmation request to ensure that the user intended to perform that operation. Note that this can be bypassed using XSS. Use the ESAPI Session Management control. This control includes a component for CSRF.

	Do not use the GET method for any request that triggers a state change. Phase: Implementation Check the HTTP Referer header to see if the request originated from an expected page. This could break legitimate functionality, because users or proxies may have disabled sending the Referer for privacy reasons.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Cross-Site_Request_Forgery_Prevention_Cheat_Sheet.html https://cwe.mitre.org/data/definitions/352.html
CWE Id	352
WASC Id	9
Plugin Id	10202

Médio	Content Security Policy (CSP) Header Not Set
Description	Content Security Policy (CSP) is an added layer of security that helps to detect and mitigate certain types of attacks, including Cross Site Scripting (XSS) and data injection attacks. These attacks are used for everything from data theft to site defacement or distribution of malware. CSP provides a set of standard HTTP headers that allow website owners to declare approved sources of content that browsers should be allowed to load on that page — covered types are JavaScript, CSS, HTML frames, fonts, images and embeddable objects such as Java applets, ActiveX, audio and video files.
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	
Other Info	
URL	http://home.tomazpelayo.com/exames/
Node Name	http://home.tomazpelayo.com/exames/
Método	GET
Atacar	
Evidence	
Other Info	
URL	http://home.tomazpelayo.com/noticias/
Node Name	http://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	
Other Info	
URL	http://home.tomazpelayo.com/quadro-eqavet/
Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET

Atacar	
Evidence	
Other Info	
URL	http://home.tomazpelayo.com/siga-sige3-giae/
Node Name	http://home.tomazpelayo.com/siga-sige3-giae/
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/
Node Name	https://home.tomazpelayo.com/
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/patrono-tomaz-pelayo/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/patrono-tomaz-pelayo/
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/atividades/
Node Name	https://home.tomazpelayo.com/atividades/
Método	GET
Atacar	
Evidence	
Other Info	

URL	https://home.tomazpelayo.com/noticias/
Node Name	https://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	
Other Info	
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is configured to set the Content-Security-Policy header.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Guides/CSP https://cheatsheetseries.owasp.org/cheatsheets/Content_Security_Policy_Cheat_Sheet.html https://www.w3.org/TR/CSP/ https://w3c.github.io/webappsec-csp/ https://web.dev/articles/csp https://caniuse.com/#feat=contentsecuritypolicy https://content-security-policy.com/
CWE Id	693
WASC Id	15
Plugin Id	10038

Médio	Missing Anti-clickjacking Header
Description	The response does not protect against 'ClickJacking' attacks. It should include either Content-Security-Policy with 'frame-ancestors' directive or X-Frame-Options.
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	
Other Info	
URL	http://home.tomazpelayo.com/exames/
Node Name	http://home.tomazpelayo.com/exames/
Método	GET
Atacar	
Evidence	
Other Info	
URL	http://home.tomazpelayo.com/noticias/
Node Name	http://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	

Other Info	
URL	http://home.tomazpelayo.com/quadro-eqavet/
Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	
Other Info	
URL	http://home.tomazpelayo.com/siga-sige3-giae/
Node Name	http://home.tomazpelayo.com/siga-sige3-giae/
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/
Node Name	https://home.tomazpelayo.com/
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/patrono-tomaz-pelayo/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/patrono-tomaz-pelayo/
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/atividades/
Node Name	https://home.tomazpelayo.com/atividades/

Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/noticias/
Node Name	https://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	
Other Info	
Instances	Systemic
Solution	Modern Web browsers support the Content-Security-Policy and X-Frame-Options HTTP headers. Ensure one of them is set on all web pages returned by your site/app. If you expect the page to be framed only by pages on your server (e.g. it's part of a FRAMESET) then you'll want to use SAMEORIGIN, otherwise if you never expect the page to be framed, you should use DENY. Alternatively consider implementing Content Security Policy's "frame-ancestors" directive.
Reference	https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/X-Frame-Options
CWE Id	1021
WASC Id	15
Plugin Id	10020

Médio	Secure Pages Include Mixed Content (Including Scripts)
Description	The page includes mixed content, that is content accessed via HTTP instead of HTTPS.
URL	https://home.tomazpelayo.com/
Node Name	https://home.tomazpelayo.com/
Método	GET
Atacar	
Evidence	http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.hoverIntent.minified.js?ver=6.1.10
Other Info	tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.hoverIntent.minified.js?ver=6.1.10 tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.cookie.js?ver=6.1.10 tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.dcjaccordion.2.9.js?ver=6.1.10
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.hoverIntent.minified.js?ver=6.1.10

Other Info	tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.hoverIntent.minified.js?ver=6.1.10 tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.cookie.js?ver=6.1.10 tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.dcjaccordion.2.9.js?ver=6.1.10
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/patrono-tomaz-pelayo/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/patrono-tomaz-pelayo/
Método	GET
Atacar	
Evidence	http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.hoverIntent.minified.js?ver=6.1.10
Other Info	tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.hoverIntent.minified.js?ver=6.1.10 tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.cookie.js?ver=6.1.10 tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.dcjaccordion.2.9.js?ver=6.1.10 tag=img src=http://home.tomazpelayo.com/wp-content/uploads/2006/11/tp-quadro.gif tag=img src=http://home.tomazpelayo.com/wp-content/uploads/2006/11/tpelayo1.gif tag=img src=http://home.tomazpelayo.com/wp-content/uploads/2006/11/tp2layo2.gif tag=img src=http://home.tomazpelayo.com/wp-content/uploads/2006/11/obra.gif tag=img src=http://home.tomazpelayo.com/wp-content/uploads/2006/11/retrat.gif
URL	https://home.tomazpelayo.com/atividades/
Node Name	https://home.tomazpelayo.com/atividades/
Método	GET
Atacar	
Evidence	http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.hoverIntent.minified.js?ver=6.1.10
Other Info	tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.hoverIntent.minified.js?ver=6.1.10 tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.cookie.js?ver=6.1.10 tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.dcjaccordion.2.9.js?ver=6.1.10
URL	https://home.tomazpelayo.com/noticias/
Node Name	https://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.hoverIntent.minified.js?ver=6.1.10

Other Info	tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.hoverIntent.minified.js?ver=6.1.10 tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.cookie.js?ver=6.1.10 tag=script src=http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.dcjqaccordion.2.9.js?ver=6.1.10
Instances	Systemic
Solution	A page that is available over SSL/TLS must be comprised completely of content which is transmitted over SSL/TLS. The page must not contain any content that is transmitted over unencrypted HTTP. This includes content from third party sites.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Transport_Layer_Protection_Cheat_Sheet.html
CWE Id	311
WASC Id	4
Plugin Id	10040

Médio	Sub Resource Integrity Attribute Missing
Description	The integrity attribute is missing on a script or link tag served by an external server. The integrity tag prevents an attacker who have gained access to this server from injecting a malicious content.
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	<link crossorigin="anonymous" rel='stylesheet' id='smartmag-gfonts-custom-css' href='https://fonts.googleapis.com/css?family=Roboto%3A400%2C500%2C600%2C700%7CRoboto+Condensed%3Anormal%7CRoboto%3Aregular%3A400%2C500%2C600%2C700' type='text/css' media='all' />
Other Info	
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-155057135-1"></script>
Other Info	
URL	http://home.tomazpelayo.com/quadro-eqavet/
Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	<link crossorigin="anonymous" rel='stylesheet' id='smartmag-gfonts-custom-css' href='https://fonts.googleapis.com/css?family=Roboto%3A400%2C500%2C600%2C700%7CRoboto+Condensed%3Anormal%7CRoboto%3Aregular%3A400%2C500%2C600%

	2C700' type='text/css' media='all' />
Other Info	
URL	http://home.tomazpelayo.com/quadro-eqavet/
Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-155057135-1"></script>
Other Info	
URL	http://home.tomazpelayo.com/quadro-eqavet/
Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	<script src="https://cdn.onesignal.com/sdks/OneSignalSDK.js" async=""></script>
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	<link crossorigin="anonymous" rel='stylesheet' id='smartmag-gfonts-custom-css' href='https://fonts.googleapis.com/css?family=Roboto%3A400%2C500%2C600%2C700%7CRoboto+Condensed%3Anormal%7CRoboto%3Aregular%3A400%2C500%2C600%2C700' type='text/css' media='all' />
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-155057135-1"></script>
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	<script src="https://cdn.onesignal.com/sdks/OneSignalSDK.js" async=""></script>
Other Info	

URL	https://home.tomazpelayo.com/atividades/
Node Name	https://home.tomazpelayo.com/atividades/
Método	GET
Atacar	
Evidence	<link crossorigin="anonymous" rel='stylesheet' id='smartmag-gfonts-custom-css' href='https://fonts.googleapis.com/css?family=Roboto%3A400%2C500%2C600%2C700%7CRoboto+Condensed%3Anormal%7CRoboto%3Aregular%3A400%2C500%2C600%2C700' type='text/css' media='all' />
Other Info	
URL	https://home.tomazpelayo.com/atividades/
Node Name	https://home.tomazpelayo.com/atividades/
Método	GET
Atacar	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-155057135-1"></script>
Other Info	
Instances	Systemic
Solution	Provide a valid integrity attribute to the tag.
Reference	https://developer.mozilla.org/en-US/docs/Web/Security/Subresource_Integrity
CWE Id	345
WASC Id	15
Plugin Id	90003

Médio	Vulnerable JS Library
Description	The identified library appears to be vulnerable.
URL	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/components/bootstrap/js/bootstrap.js?ver=3.11.9
Node Name	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/components/bootstrap/js/bootstrap.js (ver)
Método	GET
Atacar	
Evidence	* Bootstrap v3.3.4
	The identified library bootstrap, version 3.3.4 is vulnerable. CVE-2018-14041 CVE-2019-8331 CVE-2018-14040 CVE-2018-20677 CVE-2018-20676 CVE-2018-14042 CVE-2016-10735

Other Info	CVE-2024-6485 https://nvd.nist.gov/vuln/detail/CVE-2024-6485 https://github.com/twbs/bootstrap/issues/28236 https://www.herodevs.com/vulnerability-directory/cve-2024-6485 https://github.com/advisories/GHSA-pj7m-g53m-7638 https://github.com/twbs/bootstrap/issues/20184 https://github.com/advisories/GHSA-vxmc-5x29-h64v https://github.com/advisories/GHSA-ph58-4vrj-w6hr https://github.com/twbs/bootstrap https://github.com/twbs/bootstrap/issues/20631 https://github.com/advisories/GHSA-4p24-vmcr-4gqj https://github.com/advisories/GHSA-9v3m-8fp8-mj99 https://nvd.nist.gov/vuln/detail/CVE-2018-20676
URL	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/libs/jquery-ui-i18n.min.js?ver=3.11.9
Node Name	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/libs/jquery-ui-i18n.min.js (ver)
Método	GET
Atacar	
Evidence	/*! jQuery UI - v1.11.4
Other Info	The identified library jquery-ui, version 1.11.4 is vulnerable. CVE-2021-41184 CVE-2021-41183 CVE-2021-41182 CVE-2022-31160 https://github.com/advisories/GHSA-h6gj-6jjq-h8g9 https://bugs.jqueryui.com/ticket/15284 https://github.com/jquery/jquery-ui/commit/8cc5bae1caa1fc96bf5862c5646c787020ba3f9 https://nvd.nist.gov/vuln/detail/CVE-2022-31160 https://github.com/jquery/jquery-ui/security/advisories/GHSA-gpqq-952q-5327 https://nvd.nist.gov/vuln/detail/CVE-2021-41184 https://nvd.nist.gov/vuln/detail/CVE-2021-41183 https://github.com/jquery/jquery-ui/security/advisories/GHSA-9gj3-hwp5-pmwc https://nvd.nist.gov/vuln/detail/CVE-2021-41182 https://github.com/jquery/jquery-ui/issues/2101
Instances	2
Solution	Upgrade to the latest version of the affected library.

Reference	https://owasp.org/Top10/A06_2021-Vulnerable_and_Outdated_Components/
CWE Id	1395
WASC Id	
Plugin Id	10003

Baixo	Application Error Disclosure
Description	This page contains an error/warning message that may disclose sensitive information like the location of the file that produced the unhandled exception. This information can be used to launch further attacks against the web application. The alert could be a false positive if the error message is found inside a documentation page.
URL	https://home.tomazpelayo.com/page/56/?s
Node Name	https://home.tomazpelayo.com/page/56/ (s)
Método	GET
Atacar	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
URL	https://home.tomazpelayo.com/oficios-e-circulares/?amp
Node Name	https://home.tomazpelayo.com/oficios-e-circulares/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	HTTP/1.1 500 Internal Server Error
Other Info	
Instances	2
Solution	Review the source code of this page. Implement custom error pages. Consider implementing a mechanism to provide a unique error reference/identifier to the client (browser) while logging the details on the server side and not exposing them to the user.
Reference	
CWE Id	550
WASC Id	13
Plugin Id	90022

Baixo	Cookie No HttpOnly Flag
Description	A cookie has been set without the HttpOnly flag, which means that the cookie can be accessed by JavaScript. If a malicious script can be run on this page then the cookie will be accessible and can be transmitted to another site. If this is a session cookie then session hijacking may be possible.
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	http://home.tomazpelayo.com/wp-login.php (action)
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_test_cookie
Other Info	

URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT
Node Name	http://home.tomazpelayo.com/wp-login.php (action,wp_lang)
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_test_cookie
Other Info	
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT
Node Name	http://home.tomazpelayo.com/wp-login.php (action,wp_lang)
Método	GET
Atacar	
Evidence	Set-Cookie: wp_lang
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	Set-Cookie: PHPSESSID
Other Info	
URL	https://home.tomazpelayo.com/wp-login.php
Node Name	https://home.tomazpelayo.com/wp-login.php
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_test_cookie
Other Info	
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	https://home.tomazpelayo.com/wp-login.php (action)
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_test_cookie
Other Info	
URL	http://home.tomazpelayo.com/wp-login.php
Node Name	http://home.tomazpelayo.com/wp-login.php (log,pwd,rememberme)
Método	POST
Atacar	

Evidence	Set-Cookie: wordpress_test_cookie
Other Info	
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	http://home.tomazpelayo.com/wp-login.php (action)(redirect_to,user_login,wp-submit)
Método	POST
Atacar	
Evidence	Set-Cookie: wordpress_test_cookie
Other Info	
URL	https://home.tomazpelayo.com/wp-login.php
Node Name	https://home.tomazpelayo.com/wp-login.php ()(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	Set-Cookie: wordpress_test_cookie
Other Info	
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	https://home.tomazpelayo.com/wp-login.php (action)(redirect_to,user_login,wp-submit)
Método	POST
Atacar	
Evidence	Set-Cookie: wordpress_test_cookie
Other Info	
Instances	Systemic
Solution	Ensure that the HttpOnly flag is set for all cookies.
Reference	https://owasp.org/www-community/HttpOnly
CWE Id	1004
WASC Id	13
Plugin Id	10010

Baixo	Cookie Without Secure Flag
Description	A cookie has been set without the secure flag, which means that the cookie can be accessed via unencrypted connections.
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	Set-Cookie: PHPSESSID
Other Info	
Instances	1

Solution	Whenever a cookie contains sensitive information or is a session token, then it should always be passed using an encrypted channel. Ensure that the secure flag is set for cookies containing such sensitive information.
Reference	https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html
CWE Id	614
WASC Id	13
Plugin Id	10011

Baixo	Cookie without SameSite Attribute
Description	A cookie has been set without the SameSite attribute, which means that the cookie can be sent as a result of a 'cross-site' request. The SameSite attribute is an effective counter measure to cross-site request forgery, cross-site script inclusion, and timing attacks.
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_google_apps_login
Other Info	
URL	http://home.tomazpelayo.com/exames/
Node Name	http://home.tomazpelayo.com/exames/
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_google_apps_login
Other Info	
URL	http://home.tomazpelayo.com/noticias/
Node Name	http://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_google_apps_login
Other Info	
URL	http://home.tomazpelayo.com/oferta-formativa
Node Name	http://home.tomazpelayo.com/oferta-formativa
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_google_apps_login
Other Info	
URL	http://home.tomazpelayo.com/quadro-eqavet/

Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_google_apps_login
Other Info	
URL	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js?v=151607
Node Name	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js (v)
Método	GET
Atacar	
Evidence	set-cookie: __cf_bm
Other Info	
URL	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Node Name	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Método	GET
Atacar	
Evidence	set-cookie: __cf_bm
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	Set-Cookie: PHPSESSID
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_google_apps_login
Other Info	
URL	https://home.tomazpelayo.com/robots.txt
Node Name	https://home.tomazpelayo.com/robots.txt
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_google_apps_login

Other Info	
URL	https://home.tomazpelayo.com/sitemap.xml
Node Name	https://home.tomazpelayo.com/sitemap.xml
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_google_apps_login
Other Info	
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	https://home.tomazpelayo.com/wp-login.php (action)
Método	GET
Atacar	
Evidence	Set-Cookie: wordpress_test_cookie
Other Info	
Instances	Systemic
Solution	Ensure that the SameSite attribute is set to either 'lax' or ideally 'strict' for all cookies.
Reference	https://datatracker.ietf.org/doc/html/draft-ietf-httpbis-cookie-same-site
CWE Id	1275
WASC Id	13
Plugin Id	10054

Baixo	Cross-Domain JavaScript Source File Inclusion
Description	The page includes one or more script files from a third-party domain.
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	<script src="https://cdn.onesignal.com/sdks/OneSignalSDK.js" async=""></script>
Other Info	
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-155057135-1"></script>
Other Info	
URL	http://home.tomazpelayo.com/exames/
Node	

Name	http://home.tomazpelayo.com/exames/
Método	GET
Atacar	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-155057135-1"></script>
Other Info	
URL	http://home.tomazpelayo.com/quadro-eqavet/
Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	<script src="https://cdn.onesignal.com/sdks/OneSignalSDK.js" async=""></script>
Other Info	
URL	http://home.tomazpelayo.com/quadro-eqavet/
Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-155057135-1"></script>
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	<script src="https://cdn.onesignal.com/sdks/OneSignalSDK.js" async=""></script>
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-155057135-1"></script>
Other Info	
URL	https://home.tomazpelayo.com/atividades/
Node Name	https://home.tomazpelayo.com/atividades/
Método	GET
Atacar	

Evidence	<script src="https://cdn.onesignal.com/sdks/OneSignalSDK.js" async=""></script>
Other Info	
URL	https://home.tomazpelayo.com/atividades/
Node Name	https://home.tomazpelayo.com/atividades/
Método	GET
Atacar	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-155057135-1"></script>
Other Info	
URL	https://home.tomazpelayo.com/noticias/
Node Name	https://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	<script async src="https://www.googletagmanager.com/gtag/js?id=UA-155057135-1"></script>
Other Info	
Instances	Systemic
Solution	Ensure JavaScript source files are loaded from only trusted sources, and the sources can't be controlled by end users of the application.
Reference	
CWE Id	829
WASC Id	15
Plugin Id	10017

Baixo	Information Disclosure - Debug Error Messages
Description	The response appeared to contain common error messages returned by platforms such as ASP.NET, and Web-servers such as IIS and Apache. You can configure the list of common debug messages.
URL	http://home.tomazpelayo.com/zzz/changelog/
Node Name	http://home.tomazpelayo.com/zzz/changelog/
Método	GET
Atacar	
Evidence	PHP warning
Other Info	
URL	https://home.tomazpelayo.com/wp-json/wp/v2/pages/2093
Node Name	https://home.tomazpelayo.com/wp-json/wp/v2/pages/2093
Método	GET
Atacar	
Evidence	PHP warning

Other Info	
URL	https://home.tomazpelayo.com/zzz/changelog/
Node Name	https://home.tomazpelayo.com/zzz/changelog/
Método	GET
Atacar	
Evidence	PHP warning
Other Info	
URL	https://home.tomazpelayo.com/zzz/changelog/?amp
Node Name	https://home.tomazpelayo.com/zzz/changelog/ (amp)
Método	GET
Atacar	
Evidence	PHP warning
Other Info	
Instances	4
Solution	Disable debugging messages before pushing to production.
Reference	
CWE Id	1295
WASC Id	13
Plugin Id	10023

Baixo	Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s)
Description	The web/application server is leaking information via one or more "X-Powered-By" HTTP response headers. Access to such information may facilitate attackers identifying other frameworks/components your web application is reliant upon and the vulnerabilities such components may be subject to.
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	X-Powered-By: PHP/7.4.33
Other Info	
URL	http://home.tomazpelayo.com/exames/
Node Name	http://home.tomazpelayo.com/exames/
Método	GET
Atacar	
Evidence	X-Powered-By: PHP/7.4.33
Other Info	
URL	http://home.tomazpelayo.com/noticias/

Node Name	http://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	X-Powered-By: PHP/7.4.33
Other Info	
URL	http://home.tomazpelayo.com/oferta-formativa
Node Name	http://home.tomazpelayo.com/oferta-formativa
Método	GET
Atacar	
Evidence	X-Powered-By: PHP/7.4.33
Other Info	
URL	http://home.tomazpelayo.com/quadro-eqavet/
Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	X-Powered-By: PHP/7.4.33
Other Info	
URL	https://home.tomazpelayo.com/?p=4136
Node Name	https://home.tomazpelayo.com/ (p)
Método	GET
Atacar	
Evidence	X-Powered-By: PHP/7.4.33
Other Info	
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	X-Powered-By: PHP/7.4.33
Other Info	
URL	https://home.tomazpelayo.com/robots.txt
Node Name	https://home.tomazpelayo.com/robots.txt
Método	GET
Atacar	
Evidence	X-Powered-By: PHP/7.4.33

Other Info	
URL	https://home.tomazpelayo.com/sitemap.xml
Node Name	https://home.tomazpelayo.com/sitemap.xml
Método	GET
Atacar	
Evidence	X-Powered-By: PHP/7.4.33
Other Info	
URL	https://home.tomazpelayo.com/wp-sitemap.xml
Node Name	https://home.tomazpelayo.com/wp-sitemap.xml
Método	GET
Atacar	
Evidence	X-Powered-By: PHP/7.4.33
Other Info	
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is configured to suppress "X-Powered-By" headers.
Reference	https://owasp.org/www-project-web-security-testing-guide/v42/4-Web_Application_Security_Testing/01-Information_Gathering/08-Fingerprint_Web_Application_Framework https://www.troyhunt.com/shhh-dont-let-your-response-headers/
CWE Id	497
WASC Id	13
Plugin Id	10037

Baixo	Strict-Transport-Security Header Not Set
Description	HTTP Strict Transport Security (HSTS) is a web security policy mechanism whereby a web server declares that complying user agents (such as a web browser) are to interact with it using only secure HTTPS connections (i.e. HTTP layered over TLS/SSL). HSTS is an IETF standards track protocol and is specified in RFC 6797.
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/robots.txt
Node Name	https://home.tomazpelayo.com/robots.txt
Método	GET
Atacar	
Evidence	

Other Info	
URL	https://home.tomazpelayo.com/wp-json/
Node Name	https://home.tomazpelayo.com/wp-json/
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/wp-json/wp/v2/pages/4136
Node Name	https://home.tomazpelayo.com/wp-json/wp/v2/pages/4136
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/wp-sitemap.xml
Node Name	https://home.tomazpelayo.com/wp-sitemap.xml
Método	GET
Atacar	
Evidence	
Other Info	
Instances	Systemic
Solution	Ensure that your web server, application server, load balancer, etc. is configured to enforce Strict-Transport-Security.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/HTTP_Strict_Transport_Security_Cheat_Sheet.html https://owasp.org/www-community/Security-Headers https://en.wikipedia.org/wiki/HTTP_Strict_Transport_Security https://caniuse.com/stricttransportsecurity https://datatracker.ietf.org/doc/html/rfc6797
CWE Id	319
WASC Id	15
Plugin Id	10035

Baixo	Timestamp Disclosure - Unix
Description	A timestamp was disclosed by the application/web server. - Unix
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	1756209109
Other	

Info	1756209109, which evaluates to: 2025-08-26 12:51:49.
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	1756824859
Other Info	1756824859, which evaluates to: 2025-09-02 15:54:19.
URL	http://home.tomazpelayo.com/noticias/
Node Name	http://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	1756209109
Other Info	1756209109, which evaluates to: 2025-08-26 12:51:49.
URL	http://home.tomazpelayo.com/noticias/
Node Name	http://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	1756210100
Other Info	1756210100, which evaluates to: 2025-08-26 13:08:20.
URL	http://home.tomazpelayo.com/siga-sige3-giae/
Node Name	http://home.tomazpelayo.com/siga-sige3-giae/
Método	GET
Atacar	
Evidence	1756209109
Other Info	1756209109, which evaluates to: 2025-08-26 12:51:49.
URL	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js?v=151607
Node Name	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js (v)
Método	GET
Atacar	
Evidence	1776795510
Other Info	1776795510, which evaluates to: 2026-04-21 19:18:30.
URL	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js?v=151607
Node Name	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js (v)
Método	GET

Atacar	
Evidence	1776795517
Other Info	1776795517, which evaluates to: 2026-04-21 19:18:37.
URL	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Node Name	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Método	GET
Atacar	
Evidence	1776795509
Other Info	1776795509, which evaluates to: 2026-04-21 19:18:29.
URL	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Node Name	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Método	GET
Atacar	
Evidence	1776795516
Other Info	1776795516, which evaluates to: 2026-04-21 19:18:36.
URL	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Node Name	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Método	GET
Atacar	
Evidence	1776795519
Other Info	1776795519, which evaluates to: 2026-04-21 19:18:39.
URL	https://home.tomazpelayo.com/
Node Name	https://home.tomazpelayo.com/
Método	GET
Atacar	
Evidence	1756209109
Other Info	1756209109, which evaluates to: 2025-08-26 12:51:49.
URL	https://home.tomazpelayo.com/atividades/
Node Name	https://home.tomazpelayo.com/atividades/
Método	GET
Atacar	
Evidence	1756209109
Other Info	1756209109, which evaluates to: 2025-08-26 12:51:49.
URL	https://home.tomazpelayo.com/atividades/

Node Name	https://home.tomazpelayo.com/atividades/
Método	GET
Atacar	
Evidence	1756209267
Other Info	1756209267, which evaluates to: 2025-08-26 12:54:27.
URL	https://home.tomazpelayo.com/noticias/
Node Name	https://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	1756209109
Other Info	1756209109, which evaluates to: 2025-08-26 12:51:49.
URL	https://home.tomazpelayo.com/noticias/
Node Name	https://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	1756210100
Other Info	1756210100, which evaluates to: 2025-08-26 13:08:20.
Instances	Systemic
Solution	Manually confirm that the timestamp data is not sensitive, and that the data cannot be aggregated to disclose exploitable patterns.
Reference	https://cwe.mitre.org/data/definitions/200.html
CWE Id	497
WASC Id	13
Plugin Id	10096

Baixo	X-Content-Type-Options Header Missing
Description	The Anti-MIME-Sniffing header X-Content-Type-Options was not set to 'nosniff'. This allows older versions of Internet Explorer and Chrome to perform MIME-sniffing on the response body, potentially causing the response body to be interpreted and displayed as a content type other than the declared content type. Current (early 2014) and legacy versions of Firefox will use the declared content type (if one is set), rather than performing MIME-sniffing.
URL	http://home.tomazpelayo.com/quadro-eqavet/
Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.

URL	http://home.tomazpelayo.com/wp-content/uploads/2010/12/AEE_2016_AE_Tomaz_Pelayo_R_Homologado.pdf
Node Name	http://home.tomazpelayo.com/wp-content/uploads/2010/12/AEE_2016_AE_Tomaz_Pelayo_R_Homologado.pdf
Método	GET
Atacar	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://home.tomazpelayo.com/wp-content/uploads/2010/12/Planomelhoria2016.pdf
Node Name	http://home.tomazpelayo.com/wp-content/uploads/2010/12/Planomelhoria2016.pdf
Método	GET
Atacar	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://home.tomazpelayo.com/wp-content/uploads/2010/12/RF-EEA1415.pdf
Node Name	http://home.tomazpelayo.com/wp-content/uploads/2010/12/RF-EEA1415.pdf
Método	GET
Atacar	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	http://home.tomazpelayo.com/wp-content/uploads/2022/04/PADDE-AETP-23-07-2021.pdf
Node Name	http://home.tomazpelayo.com/wp-content/uploads/2022/04/PADDE-AETP-23-07-2021.pdf
Método	GET
Atacar	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js?v=151607
Node Name	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js (v)
Método	GET
Atacar	

Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Node Name	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Método	GET
Atacar	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://home.tomazpelayo.com/atividades/
Node Name	https://home.tomazpelayo.com/atividades/
Método	GET
Atacar	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://home.tomazpelayo.com/noticias/
Node Name	https://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://home.tomazpelayo.com/robots.txt

Node Name	https://home.tomazpelayo.com/robots.txt
Método	GET
Atacar	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
URL	https://home.tomazpelayo.com/wp-sitemap.xml
Node Name	https://home.tomazpelayo.com/wp-sitemap.xml
Método	GET
Atacar	
Evidence	
Other Info	This issue still applies to error type pages (401, 403, 500, etc.) as those pages are often still affected by injection issues, in which case there is still concern for browsers sniffing pages away from their actual content type. At "High" threshold this scan rule will not alert on client or server error responses.
Instances	Systemic
Solution	Ensure that the application/web server sets the Content-Type header appropriately, and that it sets the X-Content-Type-Options header to 'nosniff' for all web pages. If possible, ensure that the end user uses a standards-compliant and modern web browser that does not perform MIME-sniffing at all, or that can be directed by the web application /web server to not perform MIME-sniffing.
Reference	https://learn.microsoft.com/en-us/previous-versions/windows/internet-explorer/ie-developer/compatibility/gg622941(v=vs.85) https://owasp.org/www-community/Security_Headers
CWE Id	693
WASC Id	15
Plugin Id	10021

Informational	Charset Mismatch
Description	This check identifies responses where the HTTP Content-Type header declares a charset different from the charset defined by the body of the HTML or XML. When there's a charset mismatch between the HTTP header and content body Web browsers can be forced into an undesirable content-sniffing mode to determine the content's correct character set. An attacker could manipulate content on the page to be interpreted in an encoding of their choice. For example, if an attacker can control content at the beginning of the page, they could inject script using UTF-7 encoded text and manipulate some browsers into interpreting that text.
URL	http://home.tomazpelayo.com/wp-json/oembed/1.0/embed?format=xml&url=http%3A%2F%2Fhome.tomazpelayo.com%2Fquadro-egavet%2F
Node Name	http://home.tomazpelayo.com/wp-json/oembed/1.0/embed (format,url)
Método	GET
Atacar	
Evidence	
Other	

Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
URL	https://home.tomazpelayo.com/wp-json/oembed/1.0/embed?format=xml&url=https%3A%2F%2Fhome.tomazpelayo.com%2Fagrupamento-de-escolas-tomaz-pelayo-santo-tirso%2F
Node Name	https://home.tomazpelayo.com/wp-json/oembed/1.0/embed (format,url)
Método	GET
Atacar	
Evidence	
Other Info	There was a charset mismatch between the HTTP Header and the XML encoding declaration: [UTF-8] and [null] do not match.
Instances	2
Solution	Force UTF-8 for all text content in both the HTTP header and meta tags in HTML or encoding declarations in XML.
Reference	https://code.google.com/archive/p/browsersec/wikis/Part2_wiki#Character_set_handling_and_detection
CWE Id	436
WASC Id	15
Plugin Id	90011

Informational	Cookie Poisoning
Description	This check looks at user-supplied input in query string parameters and POST data to identify where cookie parameters might be controlled. This is called a cookie poisoning attack, and becomes exploitable when an attacker can manipulate the cookie in various ways. In some cases this will not be exploitable, however, allowing URL parameters to set cookie values is generally considered a bug.
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT
Node Name	http://home.tomazpelayo.com/wp-login.php (action,wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	An attacker may be able to poison cookie values through URL parameters. Try injecting a semicolon to see if you can add cookie values (e.g. name=controlledValue; name=anotherValue;). This was identified at: http://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT User-input was found in the following cookie: wp_lang=pt_PT; path=/ The user input was: wp_lang=pt_PT
URL	http://home.tomazpelayo.com/wp-login.php?wp_lang=pt_PT
Node Name	http://home.tomazpelayo.com/wp-login.php (wp_lang)
Método	GET
Atacar	
Evidence	

Other Info	An attacker may be able to poison cookie values through URL parameters. Try injecting a semicolon to see if you can add cookie values (e.g. name=controlledValue; name=anotherValue;). This was identified at: http://home.tomazpelayo.com/wp-login.php?wp_lang=pt_PT User-input was found in the following cookie: wp_lang=pt_PT; path=/ The user input was: wp_lang=pt_PT
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT
Node Name	https://home.tomazpelayo.com/wp-login.php (action,wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	An attacker may be able to poison cookie values through URL parameters. Try injecting a semicolon to see if you can add cookie values (e.g. name=controlledValue; name=anotherValue;). This was identified at: https://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT User-input was found in the following cookie: wp_lang=pt_PT; path=/; secure The user input was: wp_lang=pt_PT
URL	https://home.tomazpelayo.com/wp-login.php?redirect_to=https%3A%2F%2Fhome.tomazpelayo.com%2Fxos7-takes-a-shot-on-your-memories%2F&wp_lang=pt_PT
Node Name	https://home.tomazpelayo.com/wp-login.php (redirect_to,wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	An attacker may be able to poison cookie values through URL parameters. Try injecting a semicolon to see if you can add cookie values (e.g. name=controlledValue; name=anotherValue;). This was identified at: https://home.tomazpelayo.com/wp-login.php?redirect_to=https%3A%2F%2Fhome.tomazpelayo.com%2Fxos7-takes-a-shot-on-your-memories%2F&wp_lang=pt_PT User-input was found in the following cookie: wp_lang=pt_PT; path=/; secure The user input was: wp_lang=pt_PT

URL	https://home.tomazpelayo.com/wp-login.php?wp_lang=pt_PT
Node Name	https://home.tomazpelayo.com/wp-login.php (wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	An attacker may be able to poison cookie values through URL parameters. Try injecting a semicolon to see if you can add cookie values (e.g. name=controlledValue; name=anotherValue;). This was identified at: https://home.tomazpelayo.com/wp-login.php?wp_lang=pt_PT User-input was found in the following cookie: wp_lang=pt_PT; path=/; secure The user input was: wp_lang=pt_PT
Instances	5
Solution	Do not allow user input to control cookie names and values. If some query string parameters must be set in cookie values, be sure to filter out semicolon's that can serve as name/value pair delimiters.
Reference	https://en.wikipedia.org/wiki/HTTP_cookie https://cwe.mitre.org/data/definitions/565.html
CWE Id	565
WASC Id	20
Plugin Id	10029

Informational	Information Disclosure - Suspicious Comments
Description	The response appears to contain suspicious comments which may help an attacker.
URL	http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.cookie.js?ver=6.1.10
Node Name	http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.cookie.js (ver)
Método	GET
Atacar	
Evidence	the expiration date from now on in days or a
Other Info	The following pattern was used: <code>\bFROM\b</code> and was detected in likely comment: <code>"/**</code> * Create a cookie with the given name and value and other optional parameters. * * @example \$.cookie('the_cookie', 'th", see evidence field for the suspicious comment /snippet.
URL	http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.dcjaccordion.2.9.js?ver=6.1.10
Node Name	http://home.tomazpelayo.com/wp-content/plugins/jquery-vertical-accordion-menu/js/jquery.dcjaccordion.2.9.js (ver)
Método	GET
Atacar	

Evidence	// create array from cookie string
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// create array from cookie string", see evidence field for the suspicious comment/snippet.
URL	http://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/jquery.sticky-sidebar.js?ver=5.0.4
Node Name	http://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/jquery.sticky-sidebar.js (ver)
Método	GET
Atacar	
Evidence	// Fix for WebKit bug - https://code.goog
Other Info	The following pattern was used: \bBUG\b and was detected in likely comment: "// Fix for WebKit bug - https://code.google.com/p/chromium/issues/detail?id=20574", see evidence field for the suspicious comment/snippet.
URL	http://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/jquery.sticky-sidebar.js?ver=5.0.4
Node Name	http://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/jquery.sticky-sidebar.js (ver)
Método	GET
Atacar	
Evidence	to know whether the user is scrolling up or
Other Info	The following pattern was used: \bUSER\b and was detected 4 times, the first in likely comment: "// We use this to know whether the user is scrolling up or down.", see evidence field for the suspicious comment/snippet.
URL	http://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/theme.js?ver=5.0.4
Node Name	http://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/theme.js (ver)
Método	GET
Atacar	
Evidence	Process the search query */
Other Info	The following pattern was used: \bQUERY\b and was detected in likely comment: "/* * Process the search query */", see evidence field for the suspicious comment/snippet.
URL	http://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/theme.js?ver=5.0.4
Node Name	http://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/theme.js (ver)
Método	GET
Atacar	
Evidence	This would cause a bug at bottom of sticky
Other Info	The following pattern was used: \bBUG\b and was detected in likely comment: "// Do nothing if the height will exceed. This would cause a bug at bottom of sticky turning static.", see evidence field for the suspicious comment/snippet.
URL	http://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/theme.js?ver=5.0.4
Node Name	http://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/theme.js (ver)
Método	GET

Atacar	
Evidence	// User ratings
Other Info	The following pattern was used: \bUSER\b and was detected 2 times, the first in likely comment: "// User ratings", see evidence field for the suspicious comment/snippet.
URL	http://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/theme.js?ver=5.0.4
Node Name	http://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/theme.js (ver)
Método	GET
Atacar	
Evidence	r mobile menu? Grab from others
Other Info	The following pattern was used: \bFROM\b and was detected 2 times, the first in likely comment: "// No items for mobile menu? Grab from others", see evidence field for the suspicious comment/snippet.
URL	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/components/bootstrap/js/bootstrap.js?ver=3.11.9
Node Name	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/components/bootstrap/js/bootstrap.js (ver)
Método	GET
Atacar	
Evidence	// detach from parent, fire event
Other Info	The following pattern was used: \bFROM\b and was detected in likely comment: "// detach from parent, fire event then clean up data", see evidence field for the suspicious comment /snippet.
URL	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/frontend-bootstrap.js?ver=3.11.9
Node Name	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/frontend-bootstrap.js (ver)
Método	GET
Atacar	
Evidence	// block days from shortcode
Other Info	The following pattern was used: \bFROM\b and was detected 4 times, the first in likely comment: "// block days from shortcode", see evidence field for the suspicious comment /snippet.
URL	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/frontend-bootstrap.js?ver=3.11.9
Node Name	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/frontend-bootstrap.js (ver)
Método	GET
Atacar	
Evidence	// select change event
Other Info	The following pattern was used: \bSELECT\b and was detected 9 times, the first in likely comment: "// select change event", see evidence field for the suspicious comment/snippet.
URL	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/frontend-bootstrap.js?ver=3.11.9
Node Name	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/frontend-bootstrap.js (ver)
Método	GET
Atacar	

Evidence	nformation - before user add personal
Other Info	The following pattern was used: \bUSER\b and was detected in likely comment: "/* * Appointment information - before user add personal * information */", see evidence field for the suspicious comment/snippet.
URL	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/frontend-bootstrap.js?ver=3.11.9
Node Name	https://home.tomazpelayo.com/wp-content/plugins/easy-appointments/js/frontend-bootstrap.js (ver)
Método	GET
Atacar	
Evidence	ry field, so we can later find it
Other Info	The following pattern was used: \bLATER\b and was detected in likely comment: "// add class to every field, so we can later find it", see evidence field for the suspicious comment/snippet.
URL	https://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/jquery.sticky-sidebar.js?ver=5.0.4
Node Name	https://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/jquery.sticky-sidebar.js (ver)
Método	GET
Atacar	
Evidence	// Fix for WebKit bug - https://code.goog
Other Info	The following pattern was used: \bBUG\b and was detected in likely comment: "// Fix for WebKit bug - https://code.google.com/p/chromium/issues/detail?id=20574", see evidence field for the suspicious comment/snippet.
URL	https://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/jquery.sticky-sidebar.js?ver=5.0.4
Node Name	https://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/jquery.sticky-sidebar.js (ver)
Método	GET
Atacar	
Evidence	to know whether the user is scrolling up or
Other Info	The following pattern was used: \bUSER\b and was detected 4 times, the first in likely comment: "// We use this to know whether the user is scrolling up or down.", see evidence field for the suspicious comment/snippet.
URL	https://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/theme.js?ver=5.0.4
Node Name	https://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/theme.js (ver)
Método	GET
Atacar	
Evidence	Process the search query */
Other Info	The following pattern was used: \bQUERY\b and was detected in likely comment: "/* * Process the search query */", see evidence field for the suspicious comment/snippet.
	https://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/theme.js?ver=5.0.4

URL	0.4
Node Name	https://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/theme.js (ver)
Método	GET
Atacar	
Evidence	This would cause a bug at bottom of sticky
Other Info	The following pattern was used: \bBUG\b and was detected in likely comment: "// Do nothing if the height will exceed. This would cause a bug at bottom of sticky turning static.", see evidence field for the suspicious comment/snippet.
URL	https://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/theme.js?ver=5.0.4
Node Name	https://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/theme.js (ver)
Método	GET
Atacar	
Evidence	// User ratings
Other Info	The following pattern was used: \bUSER\b and was detected 2 times, the first in likely comment: "// User ratings", see evidence field for the suspicious comment/snippet.
URL	https://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%202/js/theme.js?ver=5.0.4
Node Name	https://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/js/theme.js (ver)
Método	GET
Atacar	
Evidence	r mobile menu? Grab from others
Other Info	The following pattern was used: \bFROM\b and was detected 2 times, the first in likely comment: "// No items for mobile menu? Grab from others", see evidence field for the suspicious comment/snippet.
Instances	19
Solution	Remove all comments that return information that may help an attacker and fix any underlying problems they refer to.
Reference	
CWE Id	615
WASC Id	13
Plugin Id	10027

Informational	Loosely Scoped Cookie
Description	Cookies can be scoped by domain or path. This check is only concerned with domain scope. The domain scope applied to a cookie determines which domains can access it. For example, a cookie can be scoped strictly to a subdomain e.g. www.nottrusted.com, or loosely scoped to a parent domain e.g. nottrusted.com. In the latter case, any subdomain of nottrusted.com can access the cookie. Loosely scoped cookies are common in mega-applications like google.com and live.com. Cookies set from a subdomain like app.foo.bar are transmitted only to that domain by the browser. However, cookies scoped to a parent-level domain may be transmitted to the parent, or any subdomain of the parent.
URL	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js?v=151607
Node Name	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js (v)
Método	GET
Atacar	

Evidence	Domain=onesignal.com
Other Info	The origin domain used for comparison was: cdn.onesignal.com Cookie name: __cf_bm
URL	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Node Name	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Método	GET
Atacar	
Evidence	Domain=onesignal.com
Other Info	The origin domain used for comparison was: cdn.onesignal.com Cookie name: __cf_bm
Instances	2
Solution	Always scope cookies to a FQDN (Fully Qualified Domain Name).
Reference	https://datatracker.ietf.org/doc/html/rfc6265#section-4.1 https://owasp.org/www-project-web-security-testing-guide/v41/4-Web_Application_Security_Testing/06-Session_Management_Testing/02-Testing_for_Cookies_Attributes.html https://code.google.com/archive/p/browsersec/wikis/Part2.wiki
CWE Id	565
WASC Id	15
Plugin Id	90033

Informational	Modern Web Application
Description	The application appears to be a modern web application. If you need to explore it automatically then the Ajax Spider may well be more effective than the standard one.
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	<i class="tsi tsi-times"></i>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://home.tomazpelayo.com/exames/
Node Name	http://home.tomazpelayo.com/exames/
Método	GET
Atacar	
Evidence	<i class="tsi tsi-times"></i>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://home.tomazpelayo.com/noticias/
Node Name	http://home.tomazpelayo.com/noticias/

Método	GET
Atacar	
Evidence	<i class="tsi tsi-times"></i>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://home.tomazpelayo.com/quadro-eqavet/
Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	<i class="tsi tsi-times"></i>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	http://home.tomazpelayo.com/siga-sige3-giae/
Node Name	http://home.tomazpelayo.com/siga-sige3-giae/
Método	GET
Atacar	
Evidence	<i class="tsi tsi-times"></i>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	https://home.tomazpelayo.com/
Node Name	https://home.tomazpelayo.com/
Método	GET
Atacar	
Evidence	<i class="tsi tsi-times"></i>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	<i class="tsi tsi-times"></i>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/patrono-tomaz-pelayo/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/patrono-tomaz-pelayo/
Método	GET
Atacar	
Evidence	<i class="tsi tsi-times"></i>
Other	

Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	https://home.tomazpelayo.com/atividades/
Node Name	https://home.tomazpelayo.com/atividades/
Método	GET
Atacar	
Evidence	<i class="tsi tsi-times"></i>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
URL	https://home.tomazpelayo.com/noticias/
Node Name	https://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	<i class="tsi tsi-times"></i>
Other Info	Links have been found that do not have traditional href attributes, which is an indication that this is a modern web application.
Instances	Systemic
Solution	This is an informational alert and so no changes are required.
Reference	
CWE Id	
WASC Id	
Plugin Id	10109

Informational	Re-examine Cache-control Directives
Description	The cache-control header has not been set properly or is missing, allowing the browser and proxies to cache content. For static assets like css, js, or image files this might be intended, however, the resources should be reviewed to ensure that no sensitive content will be cached.
URL	https://home.tomazpelayo.com/robots.txt
Node Name	https://home.tomazpelayo.com/robots.txt
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/wp-includes/wlwmanifest.xml
Node Name	https://home.tomazpelayo.com/wp-includes/wlwmanifest.xml
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/wp-json/

Node Name	https://home.tomazpelayo.com/wp-json/
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/wp-json/wp/v2/pages/4136
Node Name	https://home.tomazpelayo.com/wp-json/wp/v2/pages/4136
Método	GET
Atacar	
Evidence	
Other Info	
URL	https://home.tomazpelayo.com/wp-sitemap.xml
Node Name	https://home.tomazpelayo.com/wp-sitemap.xml
Método	GET
Atacar	
Evidence	
Other Info	
Instances	Systemic
Solution	For secure content, ensure the cache-control HTTP header is set with "no-cache, no-store, must-revalidate". If an asset should be cached consider setting the directives "public, max-age, immutable".
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Session_Management_Cheat_Sheet.html#web-content-caching https://developer.mozilla.org/en-US/docs/Web/HTTP/Reference/Headers/Cache-Control https://grayduck.mn/2021/09/13/cache-control-recommendations/
CWE Id	525
WASC Id	13
Plugin Id	10015

Informational	Retrieved from Cache
Description	The content was retrieved from a shared cache. If the response data is sensitive, personal or user-specific, this may result in sensitive information being leaked. In some cases, this may even result in a user gaining complete control of the session of another user, depending on the configuration of the caching components in use in their environment. This is primarily an issue where caching servers such as "proxy" caches are configured on the local network. This configuration is typically found in corporate or educational environments, for instance.
URL	http://home.tomazpelayo.com/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.7.2
Node Name	http://home.tomazpelayo.com/wp-content/plugins/contact-form-7/includes/css/styles.css (ver)
Método	GET
Atacar	

Evidence	HIT
Other Info	
URL	http://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%20202/css/fontawesome/css/font-awesome.min.css?ver=5.0.4
Node Name	http://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/css/fontawesome/css/font-awesome.min.css (ver)
Método	GET
Atacar	
Evidence	HIT
Other Info	
URL	http://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%20202/css/icons/icons.css?ver=5.0.4
Node Name	http://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/css/icons/icons.css (ver)
Método	GET
Atacar	
Evidence	HIT
Other Info	
URL	http://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%20202/css/lightbox.css?ver=5.0.4
Node Name	http://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/css/lightbox.css (ver)
Método	GET
Atacar	
Evidence	HIT
Other Info	
URL	http://home.tomazpelayo.com/wp-includes/css/classic-themes.min.css?ver=1
Node Name	http://home.tomazpelayo.com/wp-includes/css/classic-themes.min.css (ver)
Método	GET
Atacar	
Evidence	HIT
Other Info	
URL	https://home.tomazpelayo.com/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.7.2
Node Name	https://home.tomazpelayo.com/wp-content/plugins/contact-form-7/includes/css/styles.css (ver)
Método	GET
Atacar	
Evidence	HIT
Other Info	

URL	https://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%20202/css/fontawesome/css/font-awesome.min.css?ver=5.0.4
Node Name	https://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/css/fontawesome/css/font-awesome.min.css (ver)
Método	GET
Atacar	
Evidence	HIT
Other Info	
URL	https://home.tomazpelayo.com/wp-content/themes/smart-mag%20-%20202/css/lightbox.css?ver=5.0.4
Node Name	https://home.tomazpelayo.com/wp-content/themes/smart-mag - 2/css/lightbox.css (ver)
Método	GET
Atacar	
Evidence	HIT
Other Info	
URL	https://home.tomazpelayo.com/wp-includes/css/classic-themes.min.css?ver=1
Node Name	https://home.tomazpelayo.com/wp-includes/css/classic-themes.min.css (ver)
Método	GET
Atacar	
Evidence	HIT
Other Info	
URL	https://home.tomazpelayo.com/wp-includes/css/dist/block-library/style.min.css?ver=6.1.10
Node Name	https://home.tomazpelayo.com/wp-includes/css/dist/block-library/style.min.css (ver)
Método	GET
Atacar	
Evidence	HIT
Other Info	
URL	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js?v=151607
Node Name	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js (v)
Método	GET
Atacar	
Evidence	Age: 1501
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js?v=151607
Node Name	https://cdn.onesignal.com/sdks/OneSignalPageSDKES6.js (v)
Método	GET

Atacar	
Evidence	Age: 1508
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Node Name	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Método	GET
Atacar	
Evidence	Age: 2675
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Node Name	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Método	GET
Atacar	
Evidence	Age: 2682
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
URL	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Node Name	https://cdn.onesignal.com/sdks/OneSignalSDK.js
Método	GET
Atacar	
Evidence	Age: 2685
Other Info	The presence of the 'Age' header indicates that a HTTP/1.1 compliant caching server is in use.
Instances	Systemic
Solution	Validate that the response does not contain sensitive, personal or user-specific information. If it does, consider the use of the following HTTP response headers, to limit, or prevent the content being stored and retrieved from the cache by another user: Cache-Control: no-cache, no-store, must-revalidate, private Pragma: no-cache Expires: 0 This configuration directs both HTTP 1.0 and HTTP 1.1 compliant caching servers to not store the response, and to not retrieve the response (without validation) from the cache, in response to a similar request.
Reference	https://datatracker.ietf.org/doc/html/rfc7234 https://datatracker.ietf.org/doc/html/rfc7231 https://www.rfc-editor.org/rfc/rfc9110.html
CWE Id	525
WASC Id	
Plugin Id	10050

Informational	Session Management Response Identified
---------------	--

Description	The given response has been identified as containing a session management token. The 'Other tokens that can be used in the Header Based Session Management Method. If the request is in Management Method set to "Auto-Detect" then this rule will change the session management to
URL	http://home.tomazpelayo.com/
Node Name	http://home.tomazpelayo.com/
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/?p=17728
Node Name	http://home.tomazpelayo.com/ (p)
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMzAwIDcyJyB4bWxucz0naHR0cDovL3d3dy53My5vcmcvMj/
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMzAwIDcyJyB4bWxucz0naHR0cDovL3d3dy53My5vcmcvMj/
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/exames/
Node Name	http://home.tomazpelayo.com/exames/
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMSAxJyB4bWxucz0naHR0cDovL3d3dy53My5vcmcvMjAwMj/
Node	http://home.tomazpelayo.com/image/svg+xml;base64,

Name	PHN2ZyB2aWV3Qm94PScwIDAgMSAxJyB4bWxucz0naHR0cDovL3d3dy53My5vcmcvMjAwMl
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMTAyNCAxMDI0JyB4bWxucz0naHR0cDovL3d3dy53My5vcr
Node Name	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMTAyNCAxMDI0JyB4bWxucz0naHR0cDovL3d3dy53My5vcr
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMTAyNCAxMTYnIHhtbG5zPSdobHRwOi8vd3d3LnczLm9yZy
Node Name	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMTAyNCAxMTYnIHhtbG5zPSdobHRwOi8vd3d3LnczLm9yZy
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMTAyNCAxNDgnIHhtbG5zPSdobHRwOi8vd3d3LnczLm9yZy
Node Name	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMTAyNCAxNDgnIHhtbG5zPSdobHRwOi8vd3d3LnczLm9yZy
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMTUwIDE0NCcgeG1sbnM9J2h0dHA6Ly93d3cudzMub3JnLz
Node Name	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMTUwIDE0NCcgeG1sbnM9J2h0dHA6Ly93d3cudzMub3JnLz
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMzAwIDEzMScgeG1sbnM9J2h0dHA6Ly93d3cudzMub3JnLz
Node Name	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMzAwIDEzMScgeG1sbnM9J2h0dHA6Ly93d3cudzMub3JnLz
Método	GET

Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMzAwIDMwMCCgeG1sbnM9J2h0dHA6Ly93d3cudzMub3JnL
Node Name	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMzAwIDMwMCCgeG1sbnM9J2h0dHA6Ly93d3cudzMub3JnL
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMzAwIDUzJyB4bWxucz0naHR0cDovL3d3dy53My5vcmcvMj
Node Name	http://home.tomazpelayo.com/image/svg+xml;base64,PHN2ZyB2aWV3Qm94PScwIDAgMzAwIDUzJyB4bWxucz0naHR0cDovL3d3dy53My5vcmcvMj
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/noticias/
Node Name	http://home.tomazpelayo.com/noticias/
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/oferta-formativa
Node Name	http://home.tomazpelayo.com/oferta-formativa
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/pascoa-feliz-2026/
Node Name	http://home.tomazpelayo.com/pascoa-feliz-2026/
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login

URL	http://home.tomazpelayo.com/quadro-eqavet/
Node Name	http://home.tomazpelayo.com/quadro-eqavet/
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/siga-sige3-giae/
Node Name	http://home.tomazpelayo.com/siga-sige3-giae/
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/wp-login.php
Node Name	http://home.tomazpelayo.com/wp-login.php
Método	GET
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	http://home.tomazpelayo.com/wp-login.php (action)
Método	GET
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT
Node Name	http://home.tomazpelayo.com/wp-login.php (action,wp_lang)
Método	GET
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	http://home.tomazpelayo.com/wp-login.php?reauth=1&redirect_to=http%3A%2F%2Fhome.tomazpelayo.com
Node Name	http://home.tomazpelayo.com/wp-login.php (reauth,redirect_to)
Método	GET
Atacar	

Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	http://home.tomazpelayo.com/wp-login.php?redirect_to=http%3A%2F%2Fhome.tomazpelayo.com/facilisis%2F
Node Name	http://home.tomazpelayo.com/wp-login.php (redirect_to)
Método	GET
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	http://home.tomazpelayo.com/wp-login.php?wp_lang=pt_PT
Node Name	http://home.tomazpelayo.com/wp-login.php (wp_lang)
Método	GET
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	http://home.tomazpelayo.com/xmlrpc.php
Node Name	http://home.tomazpelayo.com/xmlrpc.php
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/xmlrpc.php?rsd
Node Name	http://home.tomazpelayo.com/xmlrpc.php (rsd)
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Método	GET
Atacar	
Evidence	PHPSESSID
Other Info	cookie:PHPSESSID cookie:wordpress_google_apps_login
URL	https://home.tomazpelayo.com/robots.txt

Node Name	https://home.tomazpelayo.com/robots.txt
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	https://home.tomazpelayo.com/sitemap.xml
Node Name	https://home.tomazpelayo.com/sitemap.xml
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	https://home.tomazpelayo.com/wp-login.php
Node Name	https://home.tomazpelayo.com/wp-login.php
Método	GET
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	https://home.tomazpelayo.com/wp-login.php (action)
Método	GET
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT
Node Name	https://home.tomazpelayo.com/wp-login.php (action,wp_lang)
Método	GET
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	https://home.tomazpelayo.com/wp-login.php?redirect_to=https%3A%2F%2Fhome.tomazpelayo.com/your-memories%2F
Node Name	https://home.tomazpelayo.com/wp-login.php (redirect_to)
Método	GET
Atacar	
Evidence	wordpress_test_cookie

Other Info	cookie:wordpress_test_cookie
URL	https://home.tomazpelayo.com/wp-login.php?redirect_to=https%3A%2F%2Fhome.tomazpelayo.com/your-memories%2F&wp_lang=pt_PT
Node Name	https://home.tomazpelayo.com/wp-login.php (redirect_to,wp_lang)
Método	GET
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	https://home.tomazpelayo.com/wp-login.php?wp_lang=pt_PT
Node Name	https://home.tomazpelayo.com/wp-login.php (wp_lang)
Método	GET
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	https://home.tomazpelayo.com/xmlrpc.php
Node Name	https://home.tomazpelayo.com/xmlrpc.php
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	https://home.tomazpelayo.com/xmlrpc.php?rsd
Node Name	https://home.tomazpelayo.com/xmlrpc.php (rsd)
Método	GET
Atacar	
Evidence	wordpress_google_apps_login
Other Info	cookie:wordpress_google_apps_login
URL	http://home.tomazpelayo.com/wp-login.php
Node Name	http://home.tomazpelayo.com/wp-login.php ()(log,pwd,redirect_to,rememberme,testcookie,wp-s
Método	POST
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	http://home.tomazpelayo.com/wp-login.php
Node Name	http://home.tomazpelayo.com/wp-login.php ()(log,pwd,rememberme)

Método	POST
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	http://home.tomazpelayo.com/wp-login.php (action)(redirect_to,user_login,wp-submit)
Método	POST
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	https://home.tomazpelayo.com/wp-login.php
Node Name	https://home.tomazpelayo.com/wp-login.php ()(log,pwd,redirect_to,rememberme,testcookie,wp-
Método	POST
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	https://home.tomazpelayo.com/wp-login.php
Node Name	https://home.tomazpelayo.com/wp-login.php ()(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie
URL	https://home.tomazpelayo.com/wp-login.php?action=postpass
Node Name	https://home.tomazpelayo.com/wp-login.php (action)(Submit,post_password)
Método	POST
Atacar	
Evidence	wp-postpass_a7030198ccc0e5074db2011cd30fca1c
Other Info	cookie:wp-postpass_a7030198ccc0e5074db2011cd30fca1c cookie:wordpress_test_cookie
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	https://home.tomazpelayo.com/wp-login.php (action)(redirect_to,user_login,wp-submit)
Método	POST
Atacar	
Evidence	wordpress_test_cookie
Other Info	cookie:wordpress_test_cookie

Instances	44
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/
CWE Id	
WASC Id	
Plugin Id	10112

Informational	User Controllable HTML Element Attribute (Potential XSS)
Description	This check looks at user-supplied input in query string parameters and POST data to identify where certain HTML attribute values might be controlled. This provides hot-spot detection for XSS (cross-site scripting) that will require further review by a security analyst to determine exploitability.
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	http://home.tomazpelayo.com/wp-login.php (action)
Método	GET
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php?action=lostpassword appears to include user input in: a(n) [form] tag [name] attribute The user input found was: action=lostpassword The user-controlled value was: lostpasswordform
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT
Node Name	http://home.tomazpelayo.com/wp-login.php (action,wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT appears to include user input in: a(n) [form] tag [name] attribute The user input found was: action=lostpassword The user-controlled value was: lostpasswordform

URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT
Node Name	http://home.tomazpelayo.com/wp-login.php (action,wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT appears to include user input in: a(n) [option] tag [value] attribute The user input found was: wp_lang=pt_PT The user-controlled value was: pt_pt
URL	http://home.tomazpelayo.com/wp-login.php?reauth=1&redirect_to=http%3A%2F%2Fhome.tomazpelayo.com%2Fwp-admin%2F
Node Name	http://home.tomazpelayo.com/wp-login.php (reauth,redirect_to)
Método	GET
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php?reauth=1&redirect_to=http%3A%2F%2Fhome.tomazpelayo.com%2Fwp-admin%2F appears to include user input in: a(n) [link] tag [href] attribute The user input found was: redirect_to=http://home.tomazpelayo.com/wp-admin/ The user-controlled value was: http://home.tomazpelayo.com/wp-admin/css/forms.min.css?ver=6.1.10
URL	http://home.tomazpelayo.com/wp-login.php?redirect_to=http%3A%2F%2Fhome.tomazpelayo.com%2Faliquam-faucibus-lacinia-facilisis%2F
Node Name	http://home.tomazpelayo.com/wp-login.php (redirect_to)
Método	GET
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	http://home.tomazpelayo.com/wp-login.php?redirect_to=http%3A%2F%2Fhome.tomazpelayo.com%2Faliquam-faucibus-lacinia-facilisis%2F appears to include user input in: a(n) [a] tag [href] attribute The user input found was: redirect_to=http://home.tomazpelayo.com/aliquam-faucibus-lacinia-facilisis/ The user-controlled value was: http://home.tomazpelayo.com/
URL	http://home.tomazpelayo.com/wp-login.php?wp_lang=pt_PT
Node Name	http://home.tomazpelayo.com/wp-login.php (wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php?wp_lang=pt_PT appears to include user input in: a(n) [option] tag [value] attribute The user input found was: wp_lang=pt_PT The user-controlled value was: pt_pt
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	https://home.tomazpelayo.com/wp-login.php (action)
Método	GET
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php?action=lostpassword appears to include user input in: a(n) [form] tag [name] attribute The user input found was: action=lostpassword The user-controlled value was: lostpasswordform
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT

Node Name	https://home.tomazpelayo.com/wp-login.php (action,wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT appears to include user input in: a(n) [form] tag [name] attribute The user input found was: action=lostpassword The user-controlled value was: lostpasswordform
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT
Node Name	https://home.tomazpelayo.com/wp-login.php (action,wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php?action=lostpassword&wp_lang=pt_PT appears to include user input in: a(n) [option] tag [value] attribute The user input found was: wp_lang=pt_PT The user-controlled value was: pt_pt
URL	https://home.tomazpelayo.com/wp-login.php?redirect_to=https%3A%2F%2Fhome.tomazpelayo.com%2Fxs7-takes-a-shot-on-your-memories%2F
Node Name	https://home.tomazpelayo.com/wp-login.php (redirect_to)
Método	GET
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php?redirect_to=https%3A%2F%2Fhome.tomazpelayo.com%2Fxs7-takes-a-shot-on-your-memories%2F appears to include user input in:

Other Info	a(n) [a] tag [href] attribute The user input found was: redirect_to=https://home.tomazpelayo.com/xos7-takes-a-shot-on-your-memories/ The user-controlled value was: https://home.tomazpelayo.com/
URL	https://home.tomazpelayo.com/wp-login.php?redirect_to=https%3A%2F%2Fhome.tomazpelayo.com%2Fxos7-takes-a-shot-on-your-memories%2F&wp_lang=pt_PT
Node Name	https://home.tomazpelayo.com/wp-login.php (redirect_to,wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php?redirect_to=https%3A%2F%2Fhome.tomazpelayo.com%2Fxos7-takes-a-shot-on-your-memories%2F&wp_lang=pt_PT appears to include user input in: a(n) [a] tag [href] attribute The user input found was: redirect_to=https://home.tomazpelayo.com/xos7-takes-a-shot-on-your-memories/ The user-controlled value was: https://home.tomazpelayo.com/
URL	https://home.tomazpelayo.com/wp-login.php?redirect_to=https%3A%2F%2Fhome.tomazpelayo.com%2Fxos7-takes-a-shot-on-your-memories%2F&wp_lang=pt_PT
Node Name	https://home.tomazpelayo.com/wp-login.php (redirect_to,wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php?redirect_to=https%3A%2F%2Fhome.tomazpelayo.com%2Fxos7-takes-a-shot-on-your-memories%2F&wp_lang=pt_PT appears to include user input in: a(n) [option] tag [value] attribute The user input found was: wp_lang=pt_PT The user-controlled value was: pt_pt
URL	https://home.tomazpelayo.com/wp-login.php?wp_lang=pt_PT
Node	

Name	https://home.tomazpelayo.com/wp-login.php (wp_lang)
Método	GET
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php?wp_lang=pt_PT appears to include user input in: a(n) [option] tag [value] attribute The user input found was: wp_lang=pt_PT The user-controlled value was: pt_pt
URL	http://home.tomazpelayo.com/acao-social-escolar/?amp
Node Name	http://home.tomazpelayo.com/acao-social-escolar/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/acao-social-escolar/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-administrativo/?amp
Node Name	http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-administrativo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-administrativo/?amp appears to include user input in: a(n) [input] tag [value] attribute

Info	The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-dos-directores-de-turma/?amp
Node Name	http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-dos-directores-de-turma/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-dos-directores-de-turma/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-geral/?amp
Node Name	http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-geral/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-geral/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/cqualifica/?amp
Node	http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/cqualifica/

Name	(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/cqualifica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/rgpd2018/?amp
Node Name	http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/rgpd2018/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/rgpd2018/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/ano-letivo-2025-2026/?amp
Node Name	http://home.tomazpelayo.com/ano-letivo-2025-2026/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/ano-letivo-2025-2026/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/apeeestp-3/?amp
Node Name	http://home.tomazpelayo.com/apeeestp-3/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/apeeestp-3/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/apeeestp-campanha-de-recolha-de-bens-alimentares/?amp
Node Name	http://home.tomazpelayo.com/apeeestp-campanha-de-recolha-de-bens-alimentares/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/apeeestp-campanha-de-recolha-de-bens-alimentares/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/apeeestp-dia-mundial-radio/?amp
Node Name	http://home.tomazpelayo.com/apeeestp-dia-mundial-radio/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/apeeestp-dia-mundial-radio/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/apeeestp-mega-festa-das-familias/?amp
Node Name	http://home.tomazpelayo.com/apeeestp-mega-festa-das-familias/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/apeeestp-mega-festa-das-familias/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/associacao-de-pais/?amp
Node Name	http://home.tomazpelayo.com/associacao-de-pais/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/associacao-de-pais/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	http://home.tomazpelayo.com/associacao-de-pais/page/2/?amp
Node Name	http://home.tomazpelayo.com/associacao-de-pais/page/2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/associacao-de-pais/page/2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/associacao-de-pais/page/3/?amp
Node Name	http://home.tomazpelayo.com/associacao-de-pais/page/3/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/associacao-de-pais/page/3/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/associacao-de-pais/page/5/?amp
Node Name	http://home.tomazpelayo.com/associacao-de-pais/page/5/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	http://home.tomazpelayo.com/associacao-de-pais/page/5/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/boas-festas-4/?amp
Node Name	http://home.tomazpelayo.com/boas-festas-4/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/boas-festas-4/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/castelos-medievais-contruidos-em-3d/?amp
Node Name	http://home.tomazpelayo.com/castelos-medievais-contruidos-em-3d/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/castelos-medievais-contruidos-em-3d/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/comunicacao-aos-alunos-e-encarregados-de-educacao/?amp
Node	http://home.tomazpelayo.com/comunicacao-aos-alunos-e-encarregados-de-educacao/

Name	(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/comunicacao-aos-alunos-e-encarregados-de-educacao/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/contratacao-em-oferta-de-escola-oe/?amp
Node Name	http://home.tomazpelayo.com/contratacao-em-oferta-de-escola-oe/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/contratacao-em-oferta-de-escola-oe/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/convocatoria-para-a-ag-da-apeeestp-de-2021-10-28/?amp
Node Name	http://home.tomazpelayo.com/convocatoria-para-a-ag-da-apeeestp-de-2021-10-28/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/convocatoria-para-a-ag-da-apeeestp-de-2021-10-28/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/convocatoria-para-a-assembleia-geral-da-apeeestp-2023/?amp
Node Name	http://home.tomazpelayo.com/convocatoria-para-a-assembleia-geral-da-apeeestp-2023/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/convocatoria-para-a-assembleia-geral-da-apeeestp-2023/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/cte/?amp
Node Name	http://home.tomazpelayo.com/cte/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/cte/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/departamentos-curriculares/?amp
Node Name	http://home.tomazpelayo.com/departamentos-curriculares/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/departamentos-curriculares/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/direcao/?amp
Node Name	http://home.tomazpelayo.com/direcao/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/direcao/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/erasmus-leen-p00/?amp
Node Name	http://home.tomazpelayo.com/erasmus-leen-p00/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/erasmus-leen-p00/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was:

	forever
URL	http://home.tomazpelayo.com/erasmus-leen-p00/erasmus-l2lbyte2-p00/?amp
Node Name	http://home.tomazpelayo.com/erasmus-leen-p00/erasmus-l2lbyte2-p00/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/erasmus-leen-p00/erasmus-l2lbyte2-p00/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/erasmus-leen-p00/erasmus-leen/?amp
Node Name	http://home.tomazpelayo.com/erasmus-leen-p00/erasmus-leen/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/erasmus-leen-p00/erasmus-leen/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/megafesta2024/?amp
Node Name	http://home.tomazpelayo.com/megafesta2024/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/megafesta2024/?amp

Other Info	appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/mostra-3/?amp
Node Name	http://home.tomazpelayo.com/mostra-3/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/mostra-3/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/noticias/page/2/?amp
Node Name	http://home.tomazpelayo.com/noticias/page/2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/noticias/page/2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/oficios-e-circulares/page/2/?amp
Node Name	http://home.tomazpelayo.com/oficios-e-circulares/page/2/ (amp)(log,pwd,rememberme)

Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/oficios-e-circulares/page/2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/olimpiadas-portuguesas-de-matematica/?amp
Node Name	http://home.tomazpelayo.com/olimpiadas-portuguesas-de-matematica/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/olimpiadas-portuguesas-de-matematica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/op-das-escolas-2025/?amp
Node Name	http://home.tomazpelayo.com/op-das-escolas-2025/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/op-das-escolas-2025/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was:

	rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/pessoas2030/?amp
Node Name	http://home.tomazpelayo.com/pessoas2030/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/pessoas2030/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/politica-de-privacidade/?amp
Node Name	http://home.tomazpelayo.com/politica-de-privacidade/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/politica-de-privacidade/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/pre-inscricao/?amp
Node Name	http://home.tomazpelayo.com/pre-inscricao/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/pre-inscricao/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/procedimento-de-recrutamento-externo-para-professor-bibliotecario/?amp
Node Name	http://home.tomazpelayo.com/procedimento-de-recrutamento-externo-para-professor-bibliotecario/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/procedimento-de-recrutamento-externo-para-professor-bibliotecario/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/procedimentos-concursais-2/?amp
Node Name	http://home.tomazpelayo.com/procedimentos-concursais-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/procedimentos-concursais-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was:

	forever
URL	http://home.tomazpelayo.com/procedimentos-concursais/?amp
Node Name	http://home.tomazpelayo.com/procedimentos-concursais/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/procedimentos-concursais/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/prociv-aetp/?amp
Node Name	http://home.tomazpelayo.com/prociv-aetp/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/prociv-aetp/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/projetos-antiores/?amp
Node Name	http://home.tomazpelayo.com/projetos-antiores/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/projetos-antiores/?amp

Other Info	appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/projetos-antiores/grundtvig86/?amp
Node Name	http://home.tomazpelayo.com/projetos-antiores/grundtvig86/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/projetos-antiores/grundtvig86/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/projetos-antiores/leonardo2013/?amp
Node Name	http://home.tomazpelayo.com/projetos-antiores/leonardo2013/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/projetos-antiores/leonardo2013/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/quadro-eqavet/?amp
Node Name	http://home.tomazpelayo.com/quadro-eqavet/ (amp)(log,pwd,rememberme)

Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/quadro-eqavet/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/quadro-eqavet/relatorios-da-equipa-de-autoavaliacao/?amp
Node Name	http://home.tomazpelayo.com/quadro-eqavet/relatorios-da-equipa-de-autoavaliacao/ (amp)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/quadro-eqavet/relatorios-da-equipa-de-autoavaliacao/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/secretaria/?amp
Node Name	http://home.tomazpelayo.com/secretaria/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/secretaria/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was:

	rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/secretaria/bar-professores/?amp
Node Name	http://home.tomazpelayo.com/secretaria/bar-professores/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/secretaria/bar-professores/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/secretaria/cantina/?amp
Node Name	http://home.tomazpelayo.com/secretaria/cantina/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/secretaria/cantina/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/secretaria/gestdisciplinar/?amp
Node Name	http://home.tomazpelayo.com/secretaria/gestdisciplinar/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/secretaria/gestdisciplinar/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/secretaria/giae-online/?amp
Node Name	http://home.tomazpelayo.com/secretaria/giae-online/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/secretaria/giae-online/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/secretaria/reprografia/?amp
Node Name	http://home.tomazpelayo.com/secretaria/reprografia/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/secretaria/reprografia/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	http://home.tomazpelayo.com/secretaria/sala-de-estudo/?amp
Node Name	http://home.tomazpelayo.com/secretaria/sala-de-estudo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/secretaria/sala-de-estudo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/secretaria/servicos-psicologia-e-orientacao/?amp
Node Name	http://home.tomazpelayo.com/secretaria/servicos-psicologia-e-orientacao/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/secretaria/servicos-psicologia-e-orientacao/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/servico-de-orientacao-vocacional-e-apoio-socioeducativo/?amp
Node Name	http://home.tomazpelayo.com/servico-de-orientacao-vocacional-e-apoio-socioeducativo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/servico-de-orientacao-vocacional-e-apoio-socioeducativo/?amp

Other Info	appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/wp-login.php
Node Name	http://home.tomazpelayo.com/wp-login.php ()(log,pwd,redirect_to,rememberme,testcookie,wp-submit)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: redirect_to=http://home.tomazpelayo.com/wp-admin/index.php The user-controlled value was: http://home.tomazpelayo.com/wp-admin/index.php
URL	http://home.tomazpelayo.com/wp-login.php
Node Name	http://home.tomazpelayo.com/wp-login.php ()(log,pwd,redirect_to,rememberme,testcookie,wp-submit)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/wp-login.php
Node Name	http://home.tomazpelayo.com/wp-login.php ()(log,pwd,redirect_to,rememberme,testcookie,wp-submit)

Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: wp-submit=Iniciar sessão The user-controlled value was: iniciar sessão
URL	http://home.tomazpelayo.com/wp-login.php
Node Name	http://home.tomazpelayo.com/wp-login.php (log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	http://home.tomazpelayo.com/wp-login.php (action)(redirect_to,user_login,wp-submit)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php?action=lostpassword appears to include user input in: a(n) [form] tag [name] attribute The user input found was:

	action=lostpassword The user-controlled value was: lostpasswordform
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	http://home.tomazpelayo.com/wp-login.php (action)(redirect_to,user_login,wp-submit)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php?action=lostpassword appears to include user input in: a(n) [input] tag [value] attribute The user input found was: user_login=ZAP The user-controlled value was: zap
URL	http://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	http://home.tomazpelayo.com/wp-login.php (action)(redirect_to,user_login,wp-submit)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: http://home.tomazpelayo.com/wp-login.php?action=lostpassword appears to include user input in: a(n) [input] tag [value] attribute The user input found was: wp-submit=Obter nova senha The user-controlled value was: obter nova senha
URL	https://home.tomazpelayo.com/2010-magazine/?amp
Node Name	https://home.tomazpelayo.com/2010-magazine/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/2010-magazine/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/2010-magazine31/?amp
Node Name	https://home.tomazpelayo.com/2010-magazine31/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/2010-magazine31/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/2013-2014/?amp
Node Name	https://home.tomazpelayo.com/2013-2014/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/2013-2014/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/25-de-abril/?amp
Node Name	https://home.tomazpelayo.com/25-de-abril/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/25-de-abril/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/acordos-e-parcerias/?amp
Node Name	https://home.tomazpelayo.com/acordos-e-parcerias/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/acordos-e-parcerias/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/activalea26/?amp
Node Name	https://home.tomazpelayo.com/activalea26/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/activalea26/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/atividade-alea/?amp
Node Name	https://home.tomazpelayo.com/atividade-alea/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/atividade-alea/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/atividade-alea2014-01/?amp
Node Name	https://home.tomazpelayo.com/atividade-alea2014-01/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/atividade-alea2014-01/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/atividade-alea2016/?amp
Node Name	https://home.tomazpelayo.com/atividade-alea2016/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/atividade-alea2016/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/atividade-alea26/?amp
Node Name	https://home.tomazpelayo.com/atividade-alea26/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/atividade-alea26/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/atividade-alea44/?amp
Node Name	https://home.tomazpelayo.com/atividade-alea44/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/atividade-alea44/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/atividade-alea49/?amp
Node Name	https://home.tomazpelayo.com/atividade-alea49/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/atividade-alea49/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/atividades-alea/?amp
Node Name	https://home.tomazpelayo.com/atividades-alea/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/atividades-alea/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/aenean-enim-mi-iaculis-sit-2/?amp
Node Name	https://home.tomazpelayo.com/aenean-enim-mi-iaculis-sit-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/aenean-enim-mi-iaculis-sit-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/aetpst/?amp
Node Name	https://home.tomazpelayo.com/aetpst/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/aetpst/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/aevae-2014/?amp
Node Name	https://home.tomazpelayo.com/aevae-2014/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/aevae-2014/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ ()

Node Name	(_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7_container_post=4136 The user-controlled value was: 4136
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ () (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ appears to include user input in: a(n) [meta] tag [content] attribute The user input found was: _wpcf7_locale=pt_PT The user-controlled value was: pt_pt
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ () (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ appears to include user input in:

Other Info	a(n) [div] tag [id] attribute The user input found was: _wpcf7_unit_tag=wpcf7-f8-p4136-o1 The user-controlled value was: wpcf7-f8-p4136-o1
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ () (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7_version=5.7.2 The user-controlled value was: 5.7.2
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ () (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: your-email=foo-bar@example.com The user-controlled value was: foo-bar@example.com
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ () (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)

Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: your-name=ZAP The user-controlled value was: zap
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ appears to include user input in: a(n) [input] tag [value] attribute The user input found was: your-subject=ZAP The user-controlled value was: zap
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ (amp) (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: _wpcf7_container_post=4136 The user-controlled value was: 4136
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ (amp) (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp appears to include user input in: a(n) [meta] tag [content] attribute The user input found was: _wpcf7_locale=pt_PT The user-controlled value was: pt_pt
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ (amp) (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp appears to include user input in: a(n) [div] tag [id] attribute The user input found was: _wpcf7_unit_tag=wpcf7-f8-p4136-o1 The user-controlled value was: wpcf7-f8-p4136-o1
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ (amp) (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: _wpcf7_version=5.7.2 The user-controlled value was: 5.7.2
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ (amp) (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: your-email=foo-bar@example.com The user-controlled value was: foo-bar@example.com
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ (amp) (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was:

	your-name=ZAP The user-controlled value was: zap
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ (amp) (_wpcf7,_wpcf7_container_post,_wpcf7_locale,_wpcf7_posted_data_hash,_wpcf7_unit_tag,_wpcf7_version,your-email,your-message,your-name,your-subject)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: your-subject=ZAP The user-controlled value was: zap
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/ (amp) (log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-dos-directores-de-turma/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-dos-directores-de-turma/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/conselho-dos-directores-de-turma/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/cqualifica/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/cqualifica/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/cqualifica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/direcao/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/direcao/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/direcao/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was:

	rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/servico-de-orientacao-vocacional-e-apoio-socioeducativo/?amp
Node Name	https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/servico-de-orientacao-vocacional-e-apoio-socioeducativo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/agrupamento-de-escolas-tomaz-pelayo-santo-tirso/servico-de-orientacao-vocacional-e-apoio-socioeducativo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/alea/?amp
Node Name	https://home.tomazpelayo.com/alea/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/alea/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/alea24/?amp
Node Name	https://home.tomazpelayo.com/alea24/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/alea24/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/alea25/?amp
Node Name	https://home.tomazpelayo.com/alea25/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/alea25/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/alea36/?amp
Node Name	https://home.tomazpelayo.com/alea36/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/alea36/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/alea44/?amp
Node Name	https://home.tomazpelayo.com/alea44/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/alea44/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/aliquam-faucibus-lacinia-facilisis-2/?amp
Node Name	https://home.tomazpelayo.com/aliquam-faucibus-lacinia-facilisis-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/aliquam-faucibus-lacinia-facilisis-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/aliquam-faucibus-lacinia/?amp
Node Name	https://home.tomazpelayo.com/aliquam-faucibus-lacinia/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/aliquam-faucibus-lacinia/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ano-letivo-2021-2022/?amp
Node Name	https://home.tomazpelayo.com/ano-letivo-2021-2022/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ano-letivo-2021-2022/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ano-letivo-2022-2023/?amp
Node Name	https://home.tomazpelayo.com/ano-letivo-2022-2023/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ano-letivo-2022-2023/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ano-letivo-2024-2025/?amp
Node Name	https://home.tomazpelayo.com/ano-letivo-2024-2025/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ano-letivo-2024-2025/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/anoescolar/?amp
Node Name	https://home.tomazpelayo.com/anoescolar/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/anoescolar/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/anoescolar1415/?amp
Node Name	https://home.tomazpelayo.com/anoescolar1415/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/anoescolar1415/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/anoescolar87/?amp
Node Name	https://home.tomazpelayo.com/anoescolar87/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/anoescolar87/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/anoletivo1617/?amp
Node Name	https://home.tomazpelayo.com/anoletivo1617/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/anoletivo1617/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/anoletivo1718/?amp
Node Name	https://home.tomazpelayo.com/anoletivo1718/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/anoletivo1718/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/anoletivo1920/?amp
Node Name	https://home.tomazpelayo.com/anoletivo1920/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/anoletivo1920/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/anoletivo1920c/?amp
Node Name	https://home.tomazpelayo.com/anoletivo1920c/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/anoletivo1920c/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ang/?amp
Node	

Name	https://home.tomazpelayo.com/anq/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/anq/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/anqep-forumestudiante/?amp
Node Name	https://home.tomazpelayo.com/anqep-forumestudiante/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/anqep-forumestudiante/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeebst/?amp
Node Name	https://home.tomazpelayo.com/apeeebst/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeebst/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp-180215/?amp
Node Name	https://home.tomazpelayo.com/apeeestp-180215/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp-180215/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp-2/?amp
Node Name	https://home.tomazpelayo.com/apeeestp-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp-alive-2015-d/?amp
Node Name	https://home.tomazpelayo.com/apeeestp-alive-2015-d/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp-alive-2015-d/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp-alive/?amp
Node Name	https://home.tomazpelayo.com/apeeestp-alive/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp-alive/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp-entrada/?amp
Node Name	https://home.tomazpelayo.com/apeeestp-entrada/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp-entrada/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/apeeestp-ha/?amp
Node Name	https://home.tomazpelayo.com/apeeestp-ha/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp-ha/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp-reininho/?amp
Node Name	https://home.tomazpelayo.com/apeeestp-reininho/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp-reininho/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp-tomaz/?amp
Node Name	https://home.tomazpelayo.com/apeeestp-tomaz/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp-tomaz/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp/?amp
Node Name	https://home.tomazpelayo.com/apeeestp/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp1415-001-2/?amp
Node Name	https://home.tomazpelayo.com/apeeestp1415-001-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp1415-001-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp1415-001/?amp
Node Name	https://home.tomazpelayo.com/apeeestp1415-001/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp1415-001/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp1415-002-2/?amp
Node Name	https://home.tomazpelayo.com/apeeestp1415-002-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp1415-002-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/apeeestp2013/?amp
Node Name	https://home.tomazpelayo.com/apeeestp2013/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/apeeestp2013/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/assembleia-geral-2018-2/?amp
Node Name	https://home.tomazpelayo.com/assembleia-geral-2018-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/assembleia-geral-2018-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/assembleia-geral-2018/?amp
Node Name	https://home.tomazpelayo.com/assembleia-geral-2018/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/assembleia-geral-2018/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/assembleia-geral-2019-2/?amp
Node Name	https://home.tomazpelayo.com/assembleia-geral-2019-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/assembleia-geral-2019-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/assembleia-geral-2019/?amp
Node Name	https://home.tomazpelayo.com/assembleia-geral-2019/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/assembleia-geral-2019/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/assembleia-geral-apeeestp-2014-cg-2/?amp
Node Name	https://home.tomazpelayo.com/assembleia-geral-apeeestp-2014-cg-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/assembleia-geral-apeeestp-2014-cg-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/assembleia-geral-apeeestp-2015/?amp
Node	https://home.tomazpelayo.com/assembleia-geral-apeeestp-2015/ (amp)(log,pwd,

Name	rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/assembleia-geral-apeeestp-2015/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/assembleia-geral-apeeestp-2016/?amp
Node Name	https://home.tomazpelayo.com/assembleia-geral-apeeestp-2016/ (amp)(log,pwd, rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/assembleia-geral-apeeestp-2016/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/assembleia-geral-apeeestp-2017-2/?amp
Node Name	https://home.tomazpelayo.com/assembleia-geral-apeeestp-2017-2/ (amp)(log,pwd, rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/assembleia-geral-apeeestp-2017-2/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/assembleia-geral-apeeestp-2018/?amp
Node Name	https://home.tomazpelayo.com/assembleia-geral-apeeestp-2018/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/assembleia-geral-apeeestp-2018/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/associacaopais/?amp
Node Name	https://home.tomazpelayo.com/associacaopais/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/associacaopais/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/associacaopais2014-2/?amp
Node Name	https://home.tomazpelayo.com/associacaopais2014-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/associacaopais2014-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/associacaopais2014/?amp
Node Name	https://home.tomazpelayo.com/associacaopais2014/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/associacaopais2014/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/associacaopais65/?amp
Node Name	https://home.tomazpelayo.com/associacaopais65/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/associacaopais65/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/associacaopais77/?amp
Node Name	https://home.tomazpelayo.com/associacaopais77/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/associacaopais77/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/associacaopais78/?amp
Node Name	https://home.tomazpelayo.com/associacaopais78/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/associacaopais78/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/associacaopais79/?amp
Node Name	https://home.tomazpelayo.com/associacaopais79/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/associacaopais79/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/associacaopais80/?amp
Node Name	https://home.tomazpelayo.com/associacaopais80/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/associacaopais80/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/associacaopais88/?amp
Node Name	https://home.tomazpelayo.com/associacaopais88/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/associacaopais88/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/associacaopais89/?amp
Node Name	https://home.tomazpelayo.com/associacaopais89/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/associacaopais89/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/aterratreme-2016/?amp
Node Name	https://home.tomazpelayo.com/aterratreme-2016/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/aterratreme-2016/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/aterratreme/?amp
Node Name	https://home.tomazpelayo.com/aterratreme/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/aterratreme/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/atualidade-alea/?amp
Node Name	https://home.tomazpelayo.com/atualidade-alea/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/atualidade-alea/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/atualidade-do-alea-201511/?amp
Node Name	https://home.tomazpelayo.com/atualidade-do-alea-201511/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/atualidade-do-alea-201511/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/atualidade-ine-2016/?amp
Node Name	https://home.tomazpelayo.com/atualidade-ine-2016/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/atualidade-ine-2016/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/biologia74/?amp
Node Name	https://home.tomazpelayo.com/biologia74/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/biologia74/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/bioma/?amp
Node Name	https://home.tomazpelayo.com/bioma/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/bioma/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/blogue-biblioteca/?amp
Node	

Name	https://home.tomazpelayo.com/blogue-biblioteca/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/blogue-biblioteca/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/blogue-informatica-de-sistemas/?amp
Node Name	https://home.tomazpelayo.com/blogue-informatica-de-sistemas/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/blogue-informatica-de-sistemas/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/boas-festas-2023/?amp
Node Name	https://home.tomazpelayo.com/boas-festas-2023/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/boas-festas-2023/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/boas-festas-2024/?amp
Node Name	https://home.tomazpelayo.com/boas-festas-2024/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/boas-festas-2024/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/boas-festas-4/?amp
Node Name	https://home.tomazpelayo.com/boas-festas-4/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/boas-festas-4/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/boas-festas/?amp
Node Name	https://home.tomazpelayo.com/boas-festas/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/boas-festas/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/boasfestas2016/?amp
Node Name	https://home.tomazpelayo.com/boasfestas2016/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/boasfestas2016/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/boasfestas2017/?amp
Node Name	https://home.tomazpelayo.com/boasfestas2017/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/boasfestas2017/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/boasfestas2018/?amp
Node Name	https://home.tomazpelayo.com/boasfestas2018/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/boasfestas2018/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cadenreuniencedu/?amp
Node Name	https://home.tomazpelayo.com/cadenreuniencedu/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cadenreuniencedu/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/calendario20112012/?amp
Node Name	https://home.tomazpelayo.com/calendario20112012/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/calendario20112012/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/calendarioescolar85/?amp
Node Name	https://home.tomazpelayo.com/calendarioescolar85/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/calendarioescolar85/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cancoesdenatal-aetp/?amp
Node Name	https://home.tomazpelayo.com/cancoesdenatal-aetp/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cancoesdenatal-aetp/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cartazmostra2012/?amp
Node Name	https://home.tomazpelayo.com/cartazmostra2012/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cartazmostra2012/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cdcfsg-2015/?amp
Node Name	https://home.tomazpelayo.com/cdcfsg-2015/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cdcfsg-2015/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cefa/?amp
Node Name	https://home.tomazpelayo.com/cefa/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cefa/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ceiadaaetp1718/?amp
Node Name	https://home.tomazpelayo.com/ceiadaaetp1718/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ceiadaaetp1718/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ceiadaaetp2015/?amp
Node Name	https://home.tomazpelayo.com/ceiadaaetp2015/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ceiadaaetp2015/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ceiadaestp/?amp
Node Name	https://home.tomazpelayo.com/ceiadaestp/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/ceiadaestp/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/chama-se-ines-martins-e-de-santo-tirso-e-entrou-na-universidade-com-media-de-19-48-valores/?amp
Node Name	https://home.tomazpelayo.com/chama-se-ines-martins-e-de-santo-tirso-e-entrou-na-universidade-com-media-de-19-48-valores/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/chama-se-ines-martins-e-de-santo-tirso-e-entrou-na-universidade-com-media-de-19-48-valores/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cno/?amp
Node Name	https://home.tomazpelayo.com/cno/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cno/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cnqualificacao/?amp

Node Name	https://home.tomazpelayo.com/cnqualificacao/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cnqualificacao/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/coescola/?amp
Node Name	https://home.tomazpelayo.com/coescola/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/coescola/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/coescola201401/?amp
Node Name	https://home.tomazpelayo.com/coescola201401/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/coescola201401/?amp appears to include user input in: a(n) [input] tag [value] attribute

Info	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/coescola201501/?amp
Node Name	https://home.tomazpelayo.com/coescola201501/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/coescola201501/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/coescola2018/?amp
Node Name	https://home.tomazpelayo.com/coescola2018/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/coescola2018/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/colocacensinosuperior/?amp
Node Name	https://home.tomazpelayo.com/colocacensinosuperior/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/colocacensinosuperior/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/coloniadeferias/?amp
Node Name	https://home.tomazpelayo.com/coloniadeferias/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/coloniadeferias/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/coloradd/?amp
Node Name	https://home.tomazpelayo.com/coloradd/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/coloradd/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was:

	forever
URL	https://home.tomazpelayo.com/comenius-2014/?amp
Node Name	https://home.tomazpelayo.com/comenius-2014/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/comenius-2014/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/comenius/?amp
Node Name	https://home.tomazpelayo.com/comenius/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/comenius/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/comissao-paritaria/?amp
Node Name	https://home.tomazpelayo.com/comissao-paritaria/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/comissao-paritaria/?amp

Other Info	appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-a-director-da-estp/?amp
Node Name	https://home.tomazpelayo.com/concurso-a-director-da-estp/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-a-director-da-estp/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-a-directora-do-centro-de-formacao-da-aesg/?amp
Node Name	https://home.tomazpelayo.com/concurso-a-directora-do-centro-de-formacao-da-aesg/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-a-directora-do-centro-de-formacao-da-aesg/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-a-diretor-do-aetpst/?amp
Node Name	https://home.tomazpelayo.com/concurso-a-diretor-do-aetpst/ (amp)(log,pwd,rememberme)

Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-a-diretor-do-aetpst/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-alea/?amp
Node Name	https://home.tomazpelayo.com/concurso-alea/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-alea/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-alea55/?amp
Node Name	https://home.tomazpelayo.com/concurso-alea55/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-alea55/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was:

	rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-alea67/?amp
Node Name	https://home.tomazpelayo.com/concurso-alea67/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-alea67/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-alea90/?amp
Node Name	https://home.tomazpelayo.com/concurso-alea90/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-alea90/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-alea93/?amp
Node Name	https://home.tomazpelayo.com/concurso-alea93/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-alea93/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-alea94/?amp
Node Name	https://home.tomazpelayo.com/concurso-alea94/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-alea94/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-assistente-de-administracao-escolar/?amp
Node Name	https://home.tomazpelayo.com/concurso-assistente-de-administracao-escolar/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-assistente-de-administracao-escolar/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/concurso-de-poesia/?amp
Node Name	https://home.tomazpelayo.com/concurso-de-poesia/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-de-poesia/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-dren-estp/?amp
Node Name	https://home.tomazpelayo.com/concurso-dren-estp/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-dren-estp/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-funcao-de-assistente-operacional/?amp
Node Name	https://home.tomazpelayo.com/concurso-funcao-de-assistente-operacional/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-funcao-de-assistente-operacional/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-para-a-funcao-de-assistente-operacional-2017/?amp
Node Name	https://home.tomazpelayo.com/concurso-para-a-funcao-de-assistente-operacional-2017/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-para-a-funcao-de-assistente-operacional-2017/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-para-a-funcao-de-assistente-operacional-2018/?amp
Node Name	https://home.tomazpelayo.com/concurso-para-a-funcao-de-assistente-operacional-2018/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-para-a-funcao-de-assistente-operacional-2018/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-para-a-funcao-de-assistente-operacional/?amp
Node	https://home.tomazpelayo.com/concurso-para-a-funcao-de-assistente-operacional/ (amp)

Name	(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-para-a-funcao-de-assistente-operacional/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-para-o-centro-novas-oportunidades-para-a-escola-secundaria-de-tomaz-pelayo/?amp
Node Name	https://home.tomazpelayo.com/concurso-para-o-centro-novas-oportunidades-para-a-escola-secundaria-de-tomaz-pelayo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-para-o-centro-novas-oportunidades-para-a-escola-secundaria-de-tomaz-pelayo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-publico-tecnico-superior/?amp
Node Name	https://home.tomazpelayo.com/concurso-publico-tecnico-superior/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-publico-tecnico-superior/?amp appears to include user input in: a(n) [input] tag [value] attribute

Info	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-publico/?amp
Node Name	https://home.tomazpelayo.com/concurso-publico/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-publico/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-publico52/?amp
Node Name	https://home.tomazpelayo.com/concurso-publico52/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-publico52/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso-rvcc/?amp
Node Name	https://home.tomazpelayo.com/concurso-rvcc/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso-rvcc/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/concurso/?amp
Node Name	https://home.tomazpelayo.com/concurso/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/concurso/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/conselho-geral-2015-cp/?amp
Node Name	https://home.tomazpelayo.com/conselho-geral-2015-cp/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/conselho-geral-2015-cp/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was:

	forever
URL	https://home.tomazpelayo.com/contabilidade22/?amp
Node Name	https://home.tomazpelayo.com/contabilidade22/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contabilidade22/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-aldeia-nova/?amp
Node Name	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-aldeia-nova/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-aldeia-nova/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-areal-couto/?amp
Node Name	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-areal-couto/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-areal-couto/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-ermida/?amp
Node Name	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-ermida/ (amp)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-ermida/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-s-bento-da-batalha/?amp
Node Name	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-s-bento-da-batalha/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-s-bento-da-batalha/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-tarrio/?amp
Node Name	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-tarrio/ (amp)(log, pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-c-ji-de-tarrio/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-de-cabanas/?amp
Node Name	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-de-cabanas/ (amp)(log, pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-de-cabanas/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-de-quinchaes/?amp
Node Name	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-de-quinchaes/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-de-quinchaes/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-de-ramada/?amp
Node Name	https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-de-ramada/ (amp)(log, pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contatos/escola-basica-do-1-o-ciclo-de-ramada/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contatos/escola-basica-santo-tirso/?amp
Node Name	https://home.tomazpelayo.com/contatos/escola-basica-santo-tirso/ (amp)(log,pwd, rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contatos/escola-basica-santo-tirso/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contatos/jardim-de-infancia-de-ribeiro/?amp
Node Name	https://home.tomazpelayo.com/contatos/jardim-de-infancia-de-ribeiro/ (amp)(log,pwd, rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contatos/jardim-de-infancia-de-ribeiro/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contratacao-em-oferta-de-escola-oe-2/?amp
Node Name	https://home.tomazpelayo.com/contratacao-em-oferta-de-escola-oe-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contratacao-em-oferta-de-escola-oe-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contratacao-em-oferta-de-escola-oe-3/?amp
Node Name	https://home.tomazpelayo.com/contratacao-em-oferta-de-escola-oe-3/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contratacao-em-oferta-de-escola-oe-3/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contratacao-em-oferta-de-escolas-2023-2024/?amp
Node Name	https://home.tomazpelayo.com/contratacao-em-oferta-de-escolas-2023-2024/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contratacao-em-oferta-de-escolas-2023-2024/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contratacao-em-oferta-de-escolas-2024-2025/?amp
Node Name	https://home.tomazpelayo.com/contratacao-em-oferta-de-escolas-2024-2025/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/contratacao-em-oferta-de-escolas-2024-2025/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/contratacaoofertaescola/?amp
Node Name	https://home.tomazpelayo.com/contratacaoofertaescola/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/contratacaoofertaescola/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cqep-2014/?amp
Node Name	https://home.tomazpelayo.com/cqep-2014/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cqep-2014/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cqep-2016/?amp
Node Name	https://home.tomazpelayo.com/cqep-2016/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cqep-2016/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cte-boas-praticas/?amp
Node	

Name	https://home.tomazpelayo.com/cte-boas-praticas/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cte-boas-praticas/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cte/?amp
Node Name	https://home.tomazpelayo.com/cte/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cte/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cursos-cientifico-humanistico/?amp
Node Name	https://home.tomazpelayo.com/cursos-cientifico-humanistico/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cursos-cientifico-humanistico/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/cursos-efa-educacao-e-formacao-de-adultos-2024/?amp
Node Name	https://home.tomazpelayo.com/cursos-efa-educacao-e-formacao-de-adultos-2024/ (amp) (log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/cursos-efa-educacao-e-formacao-de-adultos-2024/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/ciencias-sociais-e-humanas/filosofia/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/ciencias-sociais-e-humanas/filosofia/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/ciencias-sociais-e-humanas/filosofia/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/ciencias-sociais-e-humanas/secretariado/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/ciencias-sociais-e-humanas/secretariado/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/ciencias-sociais-e-humanas/secretariado/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/260-educacao-fisica/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/260-educacao-fisica/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/260-educacao-fisica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/910-educacao-especial/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/910-educacao-especial/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/910-educacao-especial/?amp appears to include user input in: a(n) [input] tag [value] attribute

Info	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/educacao-fisica/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/educacao-fisica/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/educacao-fisica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/educacao-musical/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/educacao-musical/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/departamento-de-expressoes/educacao-musical/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/educacao-pre-escolar-100/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/educacao-pre-escolar-100/ (amp)(log,pwd,rememberme)

Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/educacao-pre-escolar-100/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/ensino-basico-110/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/ensino-basico-110/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/ensino-basico-110/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/linguas/330-inglesalemao/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/linguas/330-inglesalemao/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/linguas/330-inglesalemao/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was:

	rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/linguas/frances/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/linguas/frances/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/linguas/frances/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/linguas/lingua-portugues-200/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/linguas/lingua-portugues-200/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/linguas/lingua-portugues-200/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/linguas/portugues-ingles/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/linguas/portugues-ingles/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/linguas/portugues-ingles/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/matematica-e-ciencias-experimentais/biologia/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/matematica-e-ciencias-experimentais/biologia/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/matematica-e-ciencias-experimentais/biologia/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/matematica-e-ciencias-experimentais/matematica-ciencia-natureza/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/matematica-e-ciencias-experimentais/matematica-ciencia-natureza/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/matematica-e-ciencias-experimentais/matematica-ciencia-natureza/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/matematica-e-ciencias-experimentais/quimica/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/matematica-e-ciencias-experimentais/quimica/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/matematica-e-ciencias-experimentais/quimica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/tecnologias/informatica/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/tecnologias/informatica/ (amp) (log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/tecnologias/informatica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/departamentos-curriculares/tecnologias/tecnologia/?amp
Node Name	https://home.tomazpelayo.com/departamentos-curriculares/tecnologias/tecnologia/ (amp) (log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/departamentos-curriculares/tecnologias/tecnologia/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/desafioalea/?amp
Node Name	https://home.tomazpelayo.com/desafioalea/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/desafioalea/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/desafioalea69/?amp
Node Name	https://home.tomazpelayo.com/desafioalea69/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/desafioalea69/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/dia-crie-estp/?amp
Node Name	https://home.tomazpelayo.com/dia-crie-estp/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/dia-crie-estp/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/dia-da-europa/?amp
Node Name	https://home.tomazpelayo.com/dia-da-europa/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/dia-da-europa/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/diadiploma/?amp
Node Name	https://home.tomazpelayo.com/diadiploma/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/diadiploma/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/diadiploma2014/?amp
Node Name	https://home.tomazpelayo.com/diadiploma2014/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/diadiploma2014/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/diaeuropeudaslinguas/?amp
Node Name	https://home.tomazpelayo.com/diaeuropeudaslinguas/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/diaeuropeudaslinguas/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/diaeuropeudaslinguas58/?amp
Node Name	https://home.tomazpelayo.com/diaeuropeudaslinguas58/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/diaeuropedasilnguas58/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/diaintpessoadeeficiente/?amp
Node Name	https://home.tomazpelayo.com/diaintpessoadeeficiente/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/diaintpessoadeeficiente/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/diaintpessoadeeficiente60/?amp
Node Name	https://home.tomazpelayo.com/diaintpessoadeeficiente60/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/diaintpessoadeeficiente60/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/diamundialtismo/?amp
Node Name	https://home.tomazpelayo.com/diamundialtismo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/diamundialtismo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/diaprotecaocivil/?amp
Node Name	https://home.tomazpelayo.com/diaprotecaocivil/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/diaprotecaocivil/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/directores-de-turma-basico-3/?amp
Node Name	https://home.tomazpelayo.com/directores-de-turma-basico-3/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/directores-de-turma-basico-3/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/directores-de-turma-cientifico-humanisticos-3/?amp
Node Name	https://home.tomazpelayo.com/directores-de-turma-cientifico-humanisticos-3/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/directores-de-turma-cientifico-humanisticos-3/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/directores-de-turma-profissionais/?amp
Node Name	https://home.tomazpelayo.com/directores-de-turma-profissionais/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/directores-de-turma-profissionais/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/dmce/?amp
Node	

Name	https://home.tomazpelayo.com/dmce/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/dmce/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/docs-autonomia/?amp
Node Name	https://home.tomazpelayo.com/docs-autonomia/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/docs-autonomia/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/donec-non-molestie-erat/?amp
Node Name	https://home.tomazpelayo.com/donec-non-molestie-erat/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/donec-non-molestie-erat/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/dt-basico/?amp
Node Name	https://home.tomazpelayo.com/dt-basico/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/dt-basico/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/dt-cef/?amp
Node Name	https://home.tomazpelayo.com/dt-cef/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/dt-cef/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/dt-profissional/?amp
Node Name	https://home.tomazpelayo.com/dt-profissional/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/dt-profissional/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/dt-secundario/?amp
Node Name	https://home.tomazpelayo.com/dt-secundario/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/dt-secundario/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/dt/?amp
Node Name	https://home.tomazpelayo.com/dt/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/dt/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/eaq-q/?amp
Node Name	https://home.tomazpelayo.com/eaq-q/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/eaq-q/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ecoescolas/?amp
Node Name	https://home.tomazpelayo.com/ecoescolas/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ecoescolas/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/eis-as-ultimas-novidades-do-alea-2015/?amp
Node Name	https://home.tomazpelayo.com/eis-as-ultimas-novidades-do-alea-2015/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/eis-as-ultimas-novidades-do-alea-2015/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/eis-as-ultimas-novidades-do-alea/?amp
Node Name	https://home.tomazpelayo.com/eis-as-ultimas-novidades-do-alea/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/eis-as-ultimas-novidades-do-alea/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/eis-as-ultimas-novidades-do-alea56/?amp
Node Name	https://home.tomazpelayo.com/eis-as-ultimas-novidades-do-alea56/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/eis-as-ultimas-novidades-do-alea56/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/electronica-automacao-e-controlo-novo/?amp
Node Name	https://home.tomazpelayo.com/electronica-automacao-e-controlo-novo/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/electronica-automacao-e-controlo-novo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/electrotecnia21/?amp
Node Name	https://home.tomazpelayo.com/electrotecnia21/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/electrotecnia21/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/electrotecnia75/?amp
Node Name	https://home.tomazpelayo.com/electrotecnia75/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/electrotecnia75/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/eleicoes-conselho-geral-2015/?amp
Node Name	https://home.tomazpelayo.com/eleicoes-conselho-geral-2015/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/eleicoes-conselho-geral-2015/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/elementos-assembleia-de-escola-em-atua/?amp
Node Name	https://home.tomazpelayo.com/elementos-assembleia-de-escola-em-atua/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/elementos-assembleia-de-escola-em-atua/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/elementos-dlp1/?amp
Node Name	https://home.tomazpelayo.com/elementos-dlp1/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/elementos-dlp1/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/elementos-dlp2/?amp
Node Name	https://home.tomazpelayo.com/elementos-dlp2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/elementos-dlp2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/emdesenvolvimento/?amp
Node Name	https://home.tomazpelayo.com/emdesenvolvimento/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/emdesenvolvimento/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ementa-2020-2021/?amp
Node	

Name	https://home.tomazpelayo.com/ementa-2020-2021/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ementa-2020-2021/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ementa-2021-2022/?amp
Node Name	https://home.tomazpelayo.com/ementa-2021-2022/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ementa-2021-2022/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/emergencia/?amp
Node Name	https://home.tomazpelayo.com/emergencia/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/emergencia/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/encontronacional-2/?amp
Node Name	https://home.tomazpelayo.com/encontronacional-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/encontronacional-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/encontronacional/?amp
Node Name	https://home.tomazpelayo.com/encontronacional/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/encontronacional/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/entermalismo/?amp
Node Name	https://home.tomazpelayo.com/entermalismo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/entermalismo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/equipa-pte/?amp
Node Name	https://home.tomazpelayo.com/equipa-pte/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/equipa-pte/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/erasmus-leen-1516/?amp
Node Name	https://home.tomazpelayo.com/erasmus-leen-1516/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/erasmus-leen-1516/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/erasmus-leen-2016/?amp
Node Name	https://home.tomazpelayo.com/erasmus-leen-2016/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/erasmus-leen-2016/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/erasmus-leen-2017-02/?amp
Node Name	https://home.tomazpelayo.com/erasmus-leen-2017-02/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/erasmus-leen-2017-02/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/erasmus-leonardo/?amp
Node Name	https://home.tomazpelayo.com/erasmus-leonardo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/erasmus-leonardo/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/estacao-meteorologica/?amp
Node Name	https://home.tomazpelayo.com/estacao-meteorologica/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/estacao-meteorologica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/eventos-1415-00/?amp
Node Name	https://home.tomazpelayo.com/eventos-1415-00/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/eventos-1415-00/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/eventos-1415-01/?amp
Node Name	https://home.tomazpelayo.com/eventos-1415-01/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/eventos-1415-01/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/eventos-1415-03/?amp
Node Name	https://home.tomazpelayo.com/eventos-1415-03/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/eventos-1415-03/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-2020/?amp
Node Name	https://home.tomazpelayo.com/exames-2020/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-2020/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-2021/?amp
Node Name	https://home.tomazpelayo.com/exames-2021/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-2021/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-alemao-501/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-alemao-501/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-alemao-501/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-economia-a-712/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-economia-a-712/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-economia-a-712/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-espanhol-547-espanhol-847/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-espanhol-547-espanhol-847/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-espanhol-547-espanhol-847/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-filosofia-714/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-filosofia-714/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-filosofia-714/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was:

	rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-fisica-e-quimica-a-715/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-fisica-e-quimica-a-715/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-fisica-e-quimica-a-715/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-geografia-a/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-geografia-a/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-geografia-a/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-historia-da-cultura-e-das-artes-724/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-historia-da-cultura-e-das-artes-724/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-11-o-ano-historia-da-cultura-e-das-artes-724/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-12-o-ano-historia-a-623/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-12-o-ano-historia-a-623/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-1a-fase-12-o-ano-historia-a-623/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-economia-a-712-latim-a-732/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-economia-a-712-latim-a-732/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-economia-a-712-latim-a-732/?amp appears to include user input in: a(n) [input] tag [value] attribute

Info	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-filosofia-714/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-filosofia-714/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-filosofia-714/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-fisica-e-quimica-a-715-literatura-portuguesa-734/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-fisica-e-quimica-a-715-literatura-portuguesa-734/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-fisica-e-quimica-a-715-literatura-portuguesa-734/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-historia-da-cultura-e-das-artes-724-geografia-a-719/?amp
Node	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-

Name	ano-historia-da-cultura-e-das-artes-724-geografia-a-719/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-historia-da-cultura-e-das-artes-724-geografia-a-719/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-ingles-550/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-ingles-550/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-ingles-550/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-matematica-b-735-matematica-aplicada-as-ciencias-sociais-835/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-matematica-b-735-matematica-aplicada-as-ciencias-sociais-835/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-11-o-ano-matematica-b-735-matematica-aplicada-as-ciencias-sociais-835/?amp

Other Info	appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-12-o-ano-desenho-a-706/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-12-o-ano-desenho-a-706/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-12-o-ano-desenho-a-706/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-12-o-ano-historia-a-623/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-12-o-ano-historia-a-623/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-12-o-ano-historia-a-623/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-12-o-ano-portugues-639-portugues-lingua-segunda-138-portugues-lingua-nao-materna-839/?amp
Node Name	https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-12-o-ano-portugues-639-portugues-lingua-segunda-138-portugues-lingua-nao-materna-839/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames-finais-nacionais-ensino-secundario-2a-fase-12-o-ano-portugues-639-portugues-lingua-segunda-138-portugues-lingua-nao-materna-839/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames2013/?amp
Node Name	https://home.tomazpelayo.com/exames2013/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames2013/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames2014/?amp
Node Name	https://home.tomazpelayo.com/exames2014/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/exames2014/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exames2016/?amp
Node Name	https://home.tomazpelayo.com/exames2016/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exames2016/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/exploristica/?amp
Node Name	https://home.tomazpelayo.com/exploristica/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/exploristica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/felizsantapascoa/?amp

Node Name	https://home.tomazpelayo.com/felizsantapascoa/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/felizsantapascoa/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/final-do-3o-periodo-letivo-7-o-8-o-e-10-o-anos-de-escolaridade/?amp
Node Name	https://home.tomazpelayo.com/final-do-3o-periodo-letivo-7-o-8-o-e-10-o-anos-de-escolaridade/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/final-do-3o-periodo-letivo-7-o-8-o-e-10-o-anos-de-escolaridade/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/final-do-3o-periodo-letivo-9-o-11-o-e-12-o-anos-de-escolaridade/?amp
Node Name	https://home.tomazpelayo.com/final-do-3o-periodo-letivo-9-o-11-o-e-12-o-anos-de-escolaridade/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/final-do-3o-periodo-letivo-9-o-11-o-e-12-o-anos-de-escolaridade/?amp

Other Info	appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/final-do-3o-periodo-letivo-pre-escolar-e-1-o-2-o-3-o-e-4-o-anos-de-escolaridade/?amp
Node Name	https://home.tomazpelayo.com/final-do-3o-periodo-letivo-pre-escolar-e-1-o-2-o-3-o-e-4-o-anos-de-escolaridade/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/final-do-3o-periodo-letivo-pre-escolar-e-1-o-2-o-3-o-e-4-o-anos-de-escolaridade/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/forum-alea-25-anos/?amp
Node Name	https://home.tomazpelayo.com/forum-alea-25-anos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/forum-alea-25-anos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/fotografias-qualifica/?amp
Node	

Name	https://home.tomazpelayo.com/fotografias-qualifica/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/fotografias-qualifica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/galeria-de-imagens/?amp
Node Name	https://home.tomazpelayo.com/galeria-de-imagens/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/galeria-de-imagens/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/galeria-grundtvig/?amp
Node Name	https://home.tomazpelayo.com/galeria-grundtvig/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/galeria-grundtvig/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/gestao-de-equipamentos-informaticos/?amp
Node Name	https://home.tomazpelayo.com/gestao-de-equipamentos-informaticos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/gestao-de-equipamentos-informaticos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/gripe-a/?amp
Node Name	https://home.tomazpelayo.com/gripe-a/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/gripe-a/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/grundtvig/?amp
Node Name	https://home.tomazpelayo.com/grundtvig/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/grundtvig/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/grundtvig2014-6th/?amp
Node Name	https://home.tomazpelayo.com/grundtvig2014-6th/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/grundtvig2014-6th/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/guia-geral-de-exames/?amp
Node Name	https://home.tomazpelayo.com/guia-geral-de-exames/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/guia-geral-de-exames/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/guilhermearesta/?amp
Node Name	https://home.tomazpelayo.com/guilhermearesta/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/guilhermearesta/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/in-in-augue-lobortis-eleifend-tortor-et-varius/?amp
Node Name	https://home.tomazpelayo.com/in-in-augue-lobortis-eleifend-tortor-et-varius/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/in-in-augue-lobortis-eleifend-tortor-et-varius/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/inicio-da-pausa-letiva-da-pascoa-2/?amp
Node Name	https://home.tomazpelayo.com/inicio-da-pausa-letiva-da-pascoa-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/inicio-da-pausa-letiva-da-pascoa-2/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/inicio-da-pausa-letiva-da-pascoa/?amp
Node Name	https://home.tomazpelayo.com/inicio-da-pausa-letiva-da-pascoa/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/inicio-da-pausa-letiva-da-pascoa/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/inicio-da-pausa-letiva-do-natal/?amp
Node Name	https://home.tomazpelayo.com/inicio-da-pausa-letiva-do-natal/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/inicio-da-pausa-letiva-do-natal/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/inicio-do-1o-periodo-letivo/?amp
Node Name	https://home.tomazpelayo.com/inicio-do-1o-periodo-letivo/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/inicio-do-1o-periodo-letivo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/inicio-do-3o-periodo-letivo-2/?amp
Node Name	https://home.tomazpelayo.com/inicio-do-3o-periodo-letivo-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/inicio-do-3o-periodo-letivo-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/invitation/?amp
Node Name	https://home.tomazpelayo.com/invitation/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/invitation/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/irish-cream-and-chocolate-cheesecake/?amp
Node Name	https://home.tomazpelayo.com/irish-cream-and-chocolate-cheesecake/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/irish-cream-and-chocolate-cheesecake/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/jantarpascoa-2015/?amp
Node Name	https://home.tomazpelayo.com/jantarpascoa-2015/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/jantarpascoa-2015/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/jinf2013/?amp
Node Name	https://home.tomazpelayo.com/jinf2013/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/jinf2013/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/jornadas/?amp
Node Name	https://home.tomazpelayo.com/jornadas/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/jornadas/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/journal-grundtvig/?amp
Node Name	https://home.tomazpelayo.com/journal-grundtvig/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/journal-grundtvig/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/l2lbyte2/?amp
Node	

Name	https://home.tomazpelayo.com/l2lbyte2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/l2lbyte2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/legislacao-ase/?amp
Node Name	https://home.tomazpelayo.com/legislacao-ase/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/legislacao-ase/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/leonardo2011/?amp
Node Name	https://home.tomazpelayo.com/leonardo2011/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/leonardo2011/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ligacoes-be-2015-2/?amp
Node Name	https://home.tomazpelayo.com/ligacoes-be-2015-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ligacoes-be-2015-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ligacoes-be-2015/?amp
Node Name	https://home.tomazpelayo.com/ligacoes-be-2015/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ligacoes-be-2015/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ligacoes-be/?amp
Node Name	https://home.tomazpelayo.com/ligacoes-be/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ligacoes-be/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ligacoes-be61/?amp
Node Name	https://home.tomazpelayo.com/ligacoes-be61/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ligacoes-be61/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ligacoes-be63/?amp
Node Name	https://home.tomazpelayo.com/ligacoes-be63/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ligacoes-be63/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/ligacoes-be70/?amp
Node Name	https://home.tomazpelayo.com/ligacoes-be70/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ligacoes-be70/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ligacoes-be71/?amp
Node Name	https://home.tomazpelayo.com/ligacoes-be71/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ligacoes-be71/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mais-novidades-alea/?amp
Node Name	https://home.tomazpelayo.com/mais-novidades-alea/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mais-novidades-alea/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/manuaisadoptados/?amp
Node Name	https://home.tomazpelayo.com/manuaisadoptados/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/manuaisadoptados/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/manuaisadotados/?amp
Node Name	https://home.tomazpelayo.com/manuaisadotados/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/manuaisadotados/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/manuaisadotados2013/?amp
Node Name	https://home.tomazpelayo.com/manuaisadotados2013/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/manuaisadotados2013/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/manuaisadotados2014/?amp
Node Name	https://home.tomazpelayo.com/manuaisadotados2014/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/manuaisadotados2014/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/manuaisadotados2015/?amp
Node Name	https://home.tomazpelayo.com/manuaisadotados2015/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/manuaisadotados2015/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/manuaisadotados2016/?amp
Node Name	https://home.tomazpelayo.com/manuaisadotados2016/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/manuaisadotados2016/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/manuaisadotados2017/?amp
Node Name	https://home.tomazpelayo.com/manuaisadotados2017/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/manuaisadotados2017/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/manuaisadotados2018/?amp
Node Name	https://home.tomazpelayo.com/manuaisadotados2018/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/manuaisadotados2018/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/manuaisadotados2019/?amp
Node Name	https://home.tomazpelayo.com/manuaisadotados2019/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/manuaisadotados2019/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mat-pre-1ciclo1516/?amp
Node Name	https://home.tomazpelayo.com/mat-pre-1ciclo1516/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mat-pre-1ciclo1516/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/matematica73/?amp
Node	

Name	https://home.tomazpelayo.com/matematica73/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/matematica73/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mesmerizing-view-of-a-perfect-moonlit-night/?amp
Node Name	https://home.tomazpelayo.com/mesmerizing-view-of-a-perfect-moonlit-night/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mesmerizing-view-of-a-perfect-moonlit-night/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/metas-curriculares/?amp
Node Name	https://home.tomazpelayo.com/metas-curriculares/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/metas-curriculares/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/meteorologia32/?amp
Node Name	https://home.tomazpelayo.com/meteorologia32/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/meteorologia32/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ministerio-da-educacao-na-qualifica-2010/?amp
Node Name	https://home.tomazpelayo.com/ministerio-da-educacao-na-qualifica-2010/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ministerio-da-educacao-na-qualifica-2010/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/missa-de-sufragio/?amp
Node Name	https://home.tomazpelayo.com/missa-de-sufragio/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/missa-de-sufragio/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/modern-cgi-effects-are-truly-stunning/?amp
Node Name	https://home.tomazpelayo.com/modern-cgi-effects-are-truly-stunning/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/modern-cgi-effects-are-truly-stunning/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2/?amp
Node Name	https://home.tomazpelayo.com/mostra-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/mostra-200607/?amp
Node Name	https://home.tomazpelayo.com/mostra-200607/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-200607/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-200715/?amp
Node Name	https://home.tomazpelayo.com/mostra-200715/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-200715/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-200716/?amp
Node Name	https://home.tomazpelayo.com/mostra-200716/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-200716/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-200723/?amp
Node Name	https://home.tomazpelayo.com/mostra-200723/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-200723/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2008/?amp
Node Name	https://home.tomazpelayo.com/mostra-2008/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2008/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2021/mostr21-3-ciclo/?amp
Node Name	https://home.tomazpelayo.com/mostra-2021/mostr21-3-ciclo/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2021/mostr21-3-ciclo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2021/mostr21-psicologia-e-orientacao-vocacional/?amp
Node Name	https://home.tomazpelayo.com/mostra-2021/mostr21-psicologia-e-orientacao-vocacional/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2021/mostr21-psicologia-e-orientacao-vocacional/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2021/mostr21-qualifica-exposicoes/?amp
Node Name	https://home.tomazpelayo.com/mostra-2021/mostr21-qualifica-exposicoes/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2021/mostr21-qualifica-exposicoes/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was:

	rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2021/mostr21-spo-como-fazemos-2/?amp
Node Name	https://home.tomazpelayo.com/mostra-2021/mostr21-spo-como-fazemos-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2021/mostr21-spo-como-fazemos-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2021/mostr21-tecnico-comercial-folhetos/?amp
Node Name	https://home.tomazpelayo.com/mostra-2021/mostr21-tecnico-comercial-folhetos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2021/mostr21-tecnico-comercial-folhetos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostr21-tecnico-mimm-videos/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostr21-tecnico-mimm-videos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostr21-tecnico-mimm-videos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-2-ciclo-videos/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-2-ciclo-videos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-2-ciclo-videos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-biblioteca-da-escola-secundaria-tomaz-pelayo/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-biblioteca-da-escola-secundaria-tomaz-pelayo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-biblioteca-da-escola-secundaria-tomaz-pelayo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was:

	forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-biblioteca-escola-basica-da-ramada/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-biblioteca-escola-basica-da-ramada/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-biblioteca-escola-basica-da-ramada/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-biblioteca-escola-basica-de-santo-tirso/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-biblioteca-escola-basica-de-santo-tirso/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-biblioteca-escola-basica-de-santo-tirso/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-bibliotecas-informacoes/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-bibliotecas-informacoes/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-bibliotecas-informacoes/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-e-tecnologias-sistemas-videos/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-e-tecnologias-sistemas-videos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-e-tecnologias-sistemas-videos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-socioeconomicas-folhetos/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-socioeconomicas-folhetos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-socioeconomicas-folhetos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-socioeconomicas-videos/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-socioeconomicas-videos/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-socioeconomicas-videos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-socioeconomicas/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-socioeconomicas/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-ciencias-socioeconomicas/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-eb-de-ermida/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-eb-de-ermida/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/mostra-2022/mostra-eb-de-ermida/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-eb-de-igreja-lama/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-eb-de-igreja-lama/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-eb-de-igreja-lama/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-programa/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-programa/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-programa/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-administrativo/?amp

Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-administrativo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-administrativo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-comercial-videos/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-comercial-videos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-comercial-videos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-mecatronica-videos/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-mecatronica-videos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-mecatronica-videos/?amp appears to include user input in: a(n) [input] tag [value] attribute

Info	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-mecatronica/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-mecatronica/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-mecatronica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-termalismo-videos/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-termalismo-videos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-termalismo-videos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-termalismo/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-termalismo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-de-termalismo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-eletronica-automacao-e-computadores-folhetos/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-eletronica-automacao-e-computadores-folhetos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-eletronica-automacao-e-computadores-folhetos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-mimm/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-mimm/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-mimm/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-termalismo-folhetos/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-termalismo-folhetos/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/mostra-tecnico-termalismo-folhetos/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-2022/pavilhoes-mostra/pavilhoes-bibliotecas-rbe-do-agrupamento-de-escolas-tomaz-pelayo/?amp
Node Name	https://home.tomazpelayo.com/mostra-2022/pavilhoes-mostra/pavilhoes-bibliotecas-rbe-do-agrupamento-de-escolas-tomaz-pelayo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-2022/pavilhoes-mostra/pavilhoes-bibliotecas-rbe-do-agrupamento-de-escolas-tomaz-pelayo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra-3/?amp
Node Name	https://home.tomazpelayo.com/mostra-3/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra-3/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra/?amp
Node Name	https://home.tomazpelayo.com/mostra/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra2012/?amp
Node Name	https://home.tomazpelayo.com/mostra2012/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra2012/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/mostra201281/?amp
Node Name	https://home.tomazpelayo.com/mostra201281/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra201281/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/mostra2014/?amp
Node Name	https://home.tomazpelayo.com/mostra2014/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/mostra2014/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/nalea45/?amp
Node Name	https://home.tomazpelayo.com/nalea45/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/nalea45/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/nalea48/?amp
Node Name	https://home.tomazpelayo.com/nalea48/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/nalea48/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/noticias/?amp
Node Name	https://home.tomazpelayo.com/noticias/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/noticias/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/noticias/page/2/?amp
Node Name	https://home.tomazpelayo.com/noticias/page/2/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/noticias/page/2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/noticias/page/4/?amp
Node Name	https://home.tomazpelayo.com/noticias/page/4/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/noticias/page/4/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/noticias/page/5/?amp
Node Name	https://home.tomazpelayo.com/noticias/page/5/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/noticias/page/5/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/noticias/page/58/?amp
Node Name	https://home.tomazpelayo.com/noticias/page/58/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/noticias/page/58/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/noticias/page/59/?amp
Node Name	https://home.tomazpelayo.com/noticias/page/59/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/noticias/page/59/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/noticias/page/60/?amp
Node Name	https://home.tomazpelayo.com/noticias/page/60/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/noticias/page/60/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/novidades-alea-2/?amp
Node Name	https://home.tomazpelayo.com/novidades-alea-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/novidades-alea-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/novidades-alea/?amp
Node Name	https://home.tomazpelayo.com/novidades-alea/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/novidades-alea/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/novidades-alea53/?amp
Node	

Name	https://home.tomazpelayo.com/novidades-alea53/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/novidades-alea53/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/novidades-alea54/?amp
Node Name	https://home.tomazpelayo.com/novidades-alea54/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/novidades-alea54/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ntfeei/?amp
Node Name	https://home.tomazpelayo.com/ntfeei/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ntfeei/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/nullam-lorem-eros-posuere-nec/?amp
Node Name	https://home.tomazpelayo.com/nullam-lorem-eros-posuere-nec/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/nullam-lorem-eros-posuere-nec/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/nutellaclub-campnutella/?amp
Node Name	https://home.tomazpelayo.com/nutellaclub-campnutella/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/nutellaclub-campnutella/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/oferta-formativa-2021/?amp
Node Name	https://home.tomazpelayo.com/oferta-formativa-2021/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/oferta-formativa-2021/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/olimpiadas-de-matematica-2024/?amp
Node Name	https://home.tomazpelayo.com/olimpiadas-de-matematica-2024/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/olimpiadas-de-matematica-2024/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/olimpiadas-filosofia/?amp
Node Name	https://home.tomazpelayo.com/olimpiadas-filosofia/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/olimpiadas-filosofia/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/onbiologia2012/?amp
Node Name	https://home.tomazpelayo.com/onbiologia2012/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/onbiologia2012/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ope/?amp
Node Name	https://home.tomazpelayo.com/ope/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ope/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/orcamento-participativo-das-escolas-2023/?amp
Node Name	https://home.tomazpelayo.com/orcamento-participativo-das-escolas-2023/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/orcamento-participativo-das-escolas-2023/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/os-censos-vao-as-escolas/?amp
Node Name	https://home.tomazpelayo.com/os-censos-vao-as-escolas/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/os-censos-vao-as-escolas/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/p2013/?amp
Node Name	https://home.tomazpelayo.com/p2013/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/p2013/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/paa-arq-p-2/?amp
Node Name	https://home.tomazpelayo.com/paa-arq-p-2/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/paa-arq-p-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/paa-arq-p/?amp
Node Name	https://home.tomazpelayo.com/paa-arq-p/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/paa-arq-p/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/paa-mostra-2015-01/?amp
Node Name	https://home.tomazpelayo.com/paa-mostra-2015-01/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/paa-mostra-2015-01/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/paa-mostra-2015-02/?amp
Node Name	https://home.tomazpelayo.com/paa-mostra-2015-02/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/paa-mostra-2015-02/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/pagina-inicial-24/?amp
Node Name	https://home.tomazpelayo.com/pagina-inicial-24/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/pagina-inicial-24/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/pap-2012/?amp
Node Name	https://home.tomazpelayo.com/pap-2012/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/pap-2012/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/parlamento-europeu-dos-jovens-2025/?amp
Node Name	https://home.tomazpelayo.com/parlamento-europeu-dos-jovens-2025/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/parlamento-europeu-dos-jovens-2025/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/pascoa-feliz-2024/?amp
Node Name	https://home.tomazpelayo.com/pascoa-feliz-2024/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/pascoa-feliz-2024/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/pej2015-2/?amp
Node	

Name	https://home.tomazpelayo.com/pej2015-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/pej2015-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/pej2015/?amp
Node Name	https://home.tomazpelayo.com/pej2015/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/pej2015/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/photography-tips-from-wai-su/?amp
Node Name	https://home.tomazpelayo.com/photography-tips-from-wai-su/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/photography-tips-from-wai-su/?amp appears to include user input in: a(n) [input] tag [value] attribute

	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/plano-anual-de-actividades-2007-2008/?amp
Node Name	https://home.tomazpelayo.com/plano-anual-de-actividades-2007-2008/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/plano-anual-de-actividades-2007-2008/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/pme-18-19-2/?amp
Node Name	https://home.tomazpelayo.com/pme-18-19-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/pme-18-19-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/pme-18-19/?amp
Node Name	https://home.tomazpelayo.com/pme-18-19/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/pme-18-19/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/pousadas-de-portugal/?amp
Node Name	https://home.tomazpelayo.com/pousadas-de-portugal/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/pousadas-de-portugal/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/pousadas-de-portugal33/?amp
Node Name	https://home.tomazpelayo.com/pousadas-de-portugal33/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/pousadas-de-portugal33/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/premio-incentivo-da-u-porto/?amp
Node Name	https://home.tomazpelayo.com/premio-incentivo-da-u-porto/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/premio-incentivo-da-u-porto/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/premios-merito-2014-1e2ciclo/?amp
Node Name	https://home.tomazpelayo.com/premios-merito-2014-1e2ciclo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/premios-merito-2014-1e2ciclo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/premios-merito-2016-1e2ciclo/?amp
Node Name	https://home.tomazpelayo.com/premios-merito-2016-1e2ciclo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/premios-merito-2016-1e2ciclo/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/procedimiento-concursal-20140905/?amp
Node Name	https://home.tomazpelayo.com/procedimiento-concursal-20140905/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/procedimiento-concursal-20140905/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/procedimiento-concursal-2015/?amp
Node Name	https://home.tomazpelayo.com/procedimiento-concursal-2015/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/procedimiento-concursal-2015/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/procedimiento-concursal-20160812/?amp
Node Name	https://home.tomazpelayo.com/procedimiento-concursal-20160812/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/procedimento-concursal-20160812/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/procedimento-concursal-20170109/?amp
Node Name	https://home.tomazpelayo.com/procedimento-concursal-20170109/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/procedimento-concursal-20170109/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/processo-eleitoral/?amp
Node Name	https://home.tomazpelayo.com/processo-eleitoral/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/processo-eleitoral/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/projeto-t-2018-2019-pt-01/?amp
Node Name	https://home.tomazpelayo.com/projeto-t-2018-2019-pt-01/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/projeto-t-2018-2019-pt-01/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/projeto-t-2019-2020-pt-01/?amp
Node Name	https://home.tomazpelayo.com/projeto-t-2019-2020-pt-01/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/projeto-t-2019-2020-pt-01/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/projeto-t/?amp
Node Name	https://home.tomazpelayo.com/projeto-t/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/projeto-t/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/provas-afericao/?amp
Node Name	https://home.tomazpelayo.com/provas-afericao/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/provas-afericao/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-2-o-ano-portugues-e-estudo-do-meio-25/?amp
Node Name	https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-2-o-ano-portugues-e-estudo-do-meio-25/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-2-o-ano-portugues-e-estudo-do-meio-25/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
	https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-5-o-ano-ingles-51/?

URL	amp
Node Name	https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-5-o-ano-ingles-51/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-5-o-ano-ingles-51/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-8-o-ano-ingles-81/?amp
Node Name	https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-8-o-ano-ingles-81/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-8-o-ano-ingles-81/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-8o-ano-matematica/?amp
Node Name	https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-8o-ano-matematica/(amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/provas-de-afericao-do-ensino-basico-8o-ano-matematica/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/provas-finais-de-ciclo-1a-fase-9-o-ano-matematica-92/?amp
Node Name	https://home.tomazpelayo.com/provas-finais-de-ciclo-1a-fase-9-o-ano-matematica-92/ (amp)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/provas-finais-de-ciclo-1a-fase-9-o-ano-matematica-92/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/provas-finais-de-ciclo-2a-fase-9-o-ano-matematica-92/?amp
Node Name	https://home.tomazpelayo.com/provas-finais-de-ciclo-2a-fase-9-o-ano-matematica-92/ (amp)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/provas-finais-de-ciclo-2a-fase-9-o-ano-matematica-92/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/puppies-protected-lost-alabama-boy/?amp

Node Name	https://home.tomazpelayo.com/puppies-protected-lost-alabama-boy/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/puppies-protected-lost-alabama-boy/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/quadro-egavet/oferta-formativa-para-2021-2022/?amp
Node Name	https://home.tomazpelayo.com/quadro-egavet/oferta-formativa-para-2021-2022/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/quadro-egavet/oferta-formativa-para-2021-2022/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/quadro-egavet/relatorios-de-autoavaliacao-egavet/?amp
Node Name	https://home.tomazpelayo.com/quadro-egavet/relatorios-de-autoavaliacao-egavet/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/quadro-egavet/relatorios-de-autoavaliacao-egavet/?amp appears to include user input in: a(n) [input] tag [value] attribute

Info	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/qualifica-2017/?amp
Node Name	https://home.tomazpelayo.com/qualifica-2017/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/qualifica-2017/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/quisque-interdum-nisi/?amp
Node Name	https://home.tomazpelayo.com/quisque-interdum-nisi/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/quisque-interdum-nisi/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/quisque-turpis-arcu-congue-in-tincidunt/?amp
Node Name	https://home.tomazpelayo.com/quisque-turpis-arcu-congue-in-tincidunt/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/quisque-turpis-arcu-congue-in-tincidunt/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/ranking-das-escolas-2023/?amp
Node Name	https://home.tomazpelayo.com/ranking-das-escolas-2023/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/ranking-das-escolas-2023/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/rankingescolas-2016/?amp
Node Name	https://home.tomazpelayo.com/rankingescolas-2016/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/rankingescolas-2016/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was:

	forever
URL	https://home.tomazpelayo.com/rankingescolas/?amp
Node Name	https://home.tomazpelayo.com/rankingescolas/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/rankingescolas/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/regresso-as-atividades-letivas-presenciais-e-reabertura-da-educacao-pre-escolar/?amp
Node Name	https://home.tomazpelayo.com/regresso-as-atividades-letivas-presenciais-e-reabertura-da-educacao-pre-escolar/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/regresso-as-atividades-letivas-presenciais-e-reabertura-da-educacao-pre-escolar/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/renovacao-de-matriculas/?amp
Node Name	https://home.tomazpelayo.com/renovacao-de-matriculas/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/renovacao-de-matriculas/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/resultado-do-concurso-para-o-centro-novas-oportunidades-para-a-escola-secundaria-de-tomaz-pelayo/?amp
Node Name	https://home.tomazpelayo.com/resultado-do-concurso-para-o-centro-novas-oportunidades-para-a-escola-secundaria-de-tomaz-pelayo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/resultado-do-concurso-para-o-centro-novas-oportunidades-para-a-escola-secundaria-de-tomaz-pelayo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/robotop-2008/?amp
Node Name	https://home.tomazpelayo.com/robotop-2008/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/robotop-2008/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/robotop-2010/?amp
Node Name	https://home.tomazpelayo.com/robotop-2010/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/robotop-2010/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/sarau-de-poesia/?amp
Node Name	https://home.tomazpelayo.com/sarau-de-poesia/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/sarau-de-poesia/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/secretaria/assistente-operacionais/?amp
Node Name	https://home.tomazpelayo.com/secretaria/assistente-operacionais/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/secretaria/assistente-operacionais/?amp appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/secretaria/cantina/?amp
Node Name	https://home.tomazpelayo.com/secretaria/cantina/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/secretaria/cantina/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/secretaria/reprografia/?amp
Node Name	https://home.tomazpelayo.com/secretaria/reprografia/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/secretaria/reprografia/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/secretaria/sala-de-estudo/?amp
Node Name	https://home.tomazpelayo.com/secretaria/sala-de-estudo/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/secretaria/sala-de-estudo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/secretaria/servicos-psicologia-e-orientacao/?amp
Node Name	https://home.tomazpelayo.com/secretaria/servicos-psicologia-e-orientacao/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/secretaria/servicos-psicologia-e-orientacao/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/selo-de-conformidade-eqavet/?amp
Node Name	https://home.tomazpelayo.com/selo-de-conformidade-eqavet/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/selo-de-conformidade-eqavet/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/semana-de-actividades-ptebe/?amp
Node Name	https://home.tomazpelayo.com/semana-de-actividades-ptebe/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/semana-de-actividades-ptebe/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/seminario-201901/?amp
Node Name	https://home.tomazpelayo.com/seminario-201901/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/seminario-201901/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/seminario/?amp
Node Name	https://home.tomazpelayo.com/seminario/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/seminario/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/servico-de-orientacao-vocacional-e-apoio-socioeducativo/?amp
Node Name	https://home.tomazpelayo.com/servico-de-orientacao-vocacional-e-apoio-socioeducativo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/servico-de-orientacao-vocacional-e-apoio-socioeducativo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/sitemap/?amp
Node Name	https://home.tomazpelayo.com/sitemap/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/sitemap/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/sumarios1516/?amp

Node Name	https://home.tomazpelayo.com/sumarios1516/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/sumarios1516/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/take-interior-design-to-a-new-level/?amp
Node Name	https://home.tomazpelayo.com/take-interior-design-to-a-new-level/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/take-interior-design-to-a-new-level/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/tertulia-3/?amp
Node Name	https://home.tomazpelayo.com/tertulia-3/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/tertulia-3/?amp appears to include user input in: a(n) [input] tag [value] attribute

Info	The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/tertuliala-4/?amp
Node Name	https://home.tomazpelayo.com/tertuliala-4/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/tertuliala-4/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/tertuliala-segunda-2/?amp
Node Name	https://home.tomazpelayo.com/tertuliala-segunda-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/tertuliala-segunda-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/tertuliala-segunda-3-2/?amp
Node Name	https://home.tomazpelayo.com/tertuliala-segunda-3-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	

Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/tertulias-segunda-3-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/tertulias-segunda-3/?amp
Node Name	https://home.tomazpelayo.com/tertulias-segunda-3/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/tertulias-segunda-3/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/tertulias-segunda-4-2/?amp
Node Name	https://home.tomazpelayo.com/tertulias-segunda-4-2/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/tertulias-segunda-4-2/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was:

	forever
URL	https://home.tomazpelayo.com/tertulias-segunda-4/?amp
Node Name	https://home.tomazpelayo.com/tertulias-segunda-4/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/tertulias-segunda-4/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/the-scenic-modern-city-of-maladora-new-age-marvell/?amp
Node Name	https://home.tomazpelayo.com/the-scenic-modern-city-of-maladora-new-age-marvell/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/the-scenic-modern-city-of-maladora-new-age-marvell/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/unesco34/?amp
Node Name	https://home.tomazpelayo.com/unesco34/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/unesco34/?amp

Other Info	appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/video-giae-online/?amp
Node Name	https://home.tomazpelayo.com/video-giae-online/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/video-giae-online/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/videogiae/?amp
Node Name	https://home.tomazpelayo.com/videogiae/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/videogiae/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/visita-de-estudo-11o-s/?amp
Node Name	https://home.tomazpelayo.com/visita-de-estudo-11o-s/ (amp)(log,pwd,rememberme)

Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/visita-de-estudo-11o-s/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/visita-de-estudo-1ojk/?amp
Node Name	https://home.tomazpelayo.com/visita-de-estudo-1ojk/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/visita-de-estudo-1ojk/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/windguru/?amp
Node Name	https://home.tomazpelayo.com/windguru/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/windguru/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was:

	rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/windguru35/?amp
Node Name	https://home.tomazpelayo.com/windguru35/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/windguru35/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/wp-login.php
Node Name	https://home.tomazpelayo.com/wp-login.php ()(log,pwd,redirect_to,rememberme,testcookie,wp-submit)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: redirect_to=https://home.tomazpelayo.com/wp-admin/index.php The user-controlled value was: https://home.tomazpelayo.com/wp-admin/index.php
URL	https://home.tomazpelayo.com/wp-login.php
Node Name	https://home.tomazpelayo.com/wp-login.php ()(log,pwd,redirect_to,rememberme,testcookie,wp-submit)
Método	POST
Atacar	
Evidence	

Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/wp-login.php
Node Name	https://home.tomazpelayo.com/wp-login.php (log,pwd,redirect_to,rememberme,testcookie,wp-submit)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: wp-submit=Iniciar sessão The user-controlled value was: iniciar sessão
URL	https://home.tomazpelayo.com/wp-login.php
Node Name	https://home.tomazpelayo.com/wp-login.php (log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever

URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	https://home.tomazpelayo.com/wp-login.php (action)(redirect_to,user_login,wp-submit)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php?action=lostpassword appears to include user input in: a(n) [form] tag [name] attribute The user input found was: action=lostpassword The user-controlled value was: lostpasswordform
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	https://home.tomazpelayo.com/wp-login.php (action)(redirect_to,user_login,wp-submit)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php?action=lostpassword appears to include user input in: a(n) [input] tag [value] attribute The user input found was: user_login=ZAP The user-controlled value was: zap
URL	https://home.tomazpelayo.com/wp-login.php?action=lostpassword
Node Name	https://home.tomazpelayo.com/wp-login.php (action)(redirect_to,user_login,wp-submit)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/wp-login.php?action=lostpassword appears to include user input in:

Other Info	a(n) [input] tag [value] attribute The user input found was: wp-submit=Obter nova senha The user-controlled value was: obter nova senha
URL	https://home.tomazpelayo.com/xos7-takes-a-shot-on-your-memories/?amp
Node Name	https://home.tomazpelayo.com/xos7-takes-a-shot-on-your-memories/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/xos7-takes-a-shot-on-your-memories/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/zzz/authors/?amp
Node Name	https://home.tomazpelayo.com/zzz/authors/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/zzz/authors/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/zzz/cart/?amp
Node Name	https://home.tomazpelayo.com/zzz/cart/ (amp)(log,pwd,rememberme)
Método	POST

Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/zzz/cart/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/zzz/home-test/?amp
Node Name	https://home.tomazpelayo.com/zzz/home-test/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/zzz/home-test/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/zzz/my-account/?amp
Node Name	https://home.tomazpelayo.com/zzz/my-account/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/zzz/my-account/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever

	The user-controlled value was: forever
URL	https://home.tomazpelayo.com/zzz/pagina-exemplo/?amp
Node Name	https://home.tomazpelayo.com/zzz/pagina-exemplo/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/zzz/pagina-exemplo/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/zzz/shop/?amp
Node Name	https://home.tomazpelayo.com/zzz/shop/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/zzz/shop/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/zzz/shortcodes/?amp
Node Name	https://home.tomazpelayo.com/zzz/shortcodes/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL:

Other Info	https://home.tomazpelayo.com/zzz/shortcodes/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
URL	https://home.tomazpelayo.com/zzz/testing-a-page/?amp
Node Name	https://home.tomazpelayo.com/zzz/testing-a-page/ (amp)(log,pwd,rememberme)
Método	POST
Atacar	
Evidence	
Other Info	User-controlled HTML attribute values were found. Try injecting special characters to see if XSS might be possible. The page at the following URL: https://home.tomazpelayo.com/zzz/testing-a-page/?amp appears to include user input in: a(n) [input] tag [value] attribute The user input found was: rememberme=forever The user-controlled value was: forever
Instances	546
Solution	Validate all input and sanitize output it before writing to any HTML attributes.
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Input_Validation_Cheat_Sheet.html
CWE Id	20
WASC Id	20
Plugin Id	10031