

your

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Valentine ❤</title>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">

<style>
  body {
    font-family: 'Arial', sans-serif;
    background: linear-gradient(135deg, #ffafbd, #ffc3a0);
    overflow: hidden;
    margin: 0;
  }

  .container {
    text-align: center;
    background: #fff0f5;
    padding: 30px;
    border-radius: 20px;
    width: 90%;
    max-width: 400px;
    margin: 100px auto;
    box-shadow: 0 10px 20px rgba(0,0,0,0.2);
    position: relative;
  }

  h1 {
    margin-bottom: 20px;
    color: #d6336c;
  }

  button {
    font-size: 18px;
    padding: 12px 22px;
    margin: 10px;
  }
}
```

```
border: none;  
border-radius: 12px;  
cursor: pointer;  
transition: all 0.3s ease;  
}  
  
#yesBtn {
```

```
background-color: #ff4d6d;  
color: white;  
}
```

```
#noBtn {  
background-color: #ccc;  
position: absolute;  
}
```

```
#message {  
margin-top: 20px;  
font-size: 18px;  
color: #d6336c;  
min-height: 24px;  
}
```

```
/* Floating hearts */  
.heart {  
position: fixed;  
bottom: -10px;  
font-size: 20px;  
animation: floatUp 5s linear forwards;  
opacity: 0.8;  
}
```

```
@keyframes floatUp {  
from {  
transform: translateY(0);  
opacity: 1;  
}  
to {
```

```
        transform: translateY(-110vh);
        opacity: 0;
    }
}

</style>
</head>

<body>
<div class="container" id="box">
    <h1>Will you be my valentine? <img alt="pink heart icon" style="vertical-align: middle;"/></h1>

    <button id="yesBtn">YES</button>
    <button id="noBtn">NO</button>

    <div id="message"></div>
</div>

<!-- Sound -->
<audio id="noSound">
    <source src="https://www.myinstants.com/media/sounds/boing.mp3" type="audio/mpeg">
</audio>

<script>
    const yesBtn = document.getElementById("yesBtn");
    const noBtn = document.getElementById("noBtn");
    const message = document.getElementById("message");
    const noSound = document.getElementById("noSound");
    const box = document.getElementById("box");

    let yesSize = 18;
    let noClicks = 0;

    const noMessages = [
        "are you sure?",
        "what about ur fingers?",
        "heeeeeey",
        "just say yes",
        "pleaseeee"
    ]

```

```
];
// Initial NO position
moveNo();

function moveNo() {
  const boxRect = box.getBoundingClientRect();
  const maxX = boxRect.width - 80;
  const maxY = boxRect.height - 50;

  const x = Math.random() * maxX;
  const y = Math.random() * maxY;

  noBtn.style.left = x + "px";
  noBtn.style.top = y + "px";
}

noBtn.addEventListener("click", () => {
  noSound.currentTime = 0;
  noSound.play();

  yesSize += 10;
  yesBtn.style.fontSize = yesSize + "px";
  yesBtn.style.padding = (yesSize / 2) + "px";

  message.textContent = noMessages[noClicks % noMessages.length];
  noClicks++;

  moveNo();
  spawnHeart();
});

yesBtn.addEventListener("click", () => {
  document.body.innerHTML =
    `<div class="container">
      <h1>u like me so much 😊💕</h1>
      <p style="font-size:22px;">what's the plan 😞😞😞😞</p>
    </div>`
```

```
';  
for (let i = 0; i < 30; i++) spawnHeart();  
});  
  
function spawnHeart() {  
    const heart = document.createElement("div");  
    heart.className = "heart";  
    heart.textContent = "💖";  
    heart.style.left = Math.random() * 100 + "vw";  
    heart.style.fontSize = Math.random() * 20 + 15 + "px";  
    document.body.appendChild(heart);  
  
    setTimeout(() => heart.remove(), 5000);  
}  
</script>  
</body>  
</html>
```