

Data Definition Specifications

Analysis
ADaMIG 1.1

Janssen Research & Development, LLC
Study CNTO1959CRD3004

A Randomized, Double-blind, Placebo-controlled, Parallel-group, Multicenter Study to Evaluate
the Efficacy and Safety of Guselkumab Subcutaneous Induction Therapy in Participants With
Moderately to Severely Active Crohn's Disease

Version: 2024-09-11

Analysis Datasets for Study CNTO1959CRD3004 (ADaMIG)

Datasets for Study: CNTO1959CRD3004

Dataset	Description	Class	Structure	Purpose	Keys	Location	Documentation
ADALTEFF	ADAM of FDA alternate efficacy endpoints	BASIC DATA STRUCTURE	One record per subject per parameter per visit	Analysis	STUDYID, USUBJID, PARAMCD, AVISITN, ADT	adalteff.xpt	Includes FDA specified definitions for clinical response and endoscopic response.

Go to the [top](#) of the define.pdf

ADAM of FDA alternate efficacy endpoints (ADALTEFF) [Location: [adalteff.xpt](#)]

Variable	Label	Type	Length / Display Format	Controlled Terms or Format	Source/Derivation/Comment
STUDYID	Study Identifier	text	15		Predecessor: DM.STUDYID
USUBJID	Unique Subject Identifier	text	22		Predecessor: MO.USUBJID
ASEQ	Analysis Sequence Number	integer	8		Assigned Sequence number given to ensure uniqueness of subject records within an ADaM dataset.
ADT	Analysis Date	integer	date9.		Derived: Copy of ADSESCD.ADT or ADVSCDAI.ADT.
ADY	Analysis Relative Day	integer	8		Derived: if ADT >= ARFSTDT then ADT - ARFSTDT+1 , else ADT - ARFSTDT.
AVISIT	Analysis Visit	text	42		Derived: Copy of ADSESCD.AVISIT or ADVSCDAI.AVISIT.
AVISITN	Analysis Visit (N)	float	8		Assigned Corresponding numeric code one to one mapping for AVISIT.
TRT01P	Planned Treatment for Period 01	text	45	Planned Treatment	Derived: Assigned based on ZRSTRESC values where visit='WEEK 0' and ZRTESTCD=TXPCD. If ZRSTRESC = 'GUS400-GUS100' then TRT01P = 'Guselkumab 400 mg q4w - Guselkumab 100 mg q8w'. If ZRSTRESC = 'GUS400-GUS200' then TRT01P = 'Guselkumab 400 mg q4w - Guselkumab 200 mg q4w'. If ZRSTRESC = 'PNRCP' then TRT01P = 'Placebo'.
TRT01PN	Planned Treatment for Period 01 (N)	integer	8	Planned Treatment (N)	Assigned Numeric sequence for TRT01P.
TRT02P	Planned Treatment for Period 02	text	45	Planned Treatment for Period 02	Derived: Assigned based on ZRSTRESC values where visit='WEEK 16' and ZRTESTCD=TXPCD. If no week 16 record in ZR is available, use ZRSTRESC values where visit = 'WEEK 0'. If ZRSTRESC = 'GUS400-GUS100' then TRT02P = 'Guselkumab 400 mg q4w - Guselkumab 100 mg q8w'. If ZRSTRESC = 'GUS400-GUS200' then TRT02P = 'Guselkumab 400 mg q4w - Guselkumab 200 mg q4w'. If ZRSTRESC = 'PNRCP' then TRT02P = 'Placebo'. If ZRSTRESC = 'PRCGUS400-GUS100' then TRT02P = 'Placebo - Guselkumab'.
TRT02PN	Planned Treatment for Period 02 (N)	integer	8	Planned Treatment for Period 02 (N)	Derived: Numeric sequence for TRT02P.

ADAM of FDA alternate efficacy endpoints (ADALTEFF) [Location: [adalteff.xpt](#)]

Variable	Label	Type	Length / Display Format	Controlled Terms or Format	Source/Derivation/Comment
PARCAT1	Parameter Category 1	text	6		Assigned Set to CDAI for CDAI based endpoints, SES-CD for SES-CD based endpoints.
PARAMCD	Parameter Code	text	7	PARAMCD_ALTEFF	Assigned Assigned, as per PARAMCD_ALTEFF codelist.
PARAM	Parameter	text	87	PARAM_ALTEFF	Assigned Assigned, as per PARAM_ALTEFF codelist.
AVALC	Analysis Value (C)	text	1		
ANL01FL	Analysis Flag 01 - ICE category 1-3,5,6	text	1	No Yes Response - Yes Only	Derived: Set to Y if ADT is after First ICE category 1-3, 5, or 6 date.
ABLFL	Baseline Record Flag	text	1	No Yes Response - Yes Only	Derived: Set to Y on last non-missing record within PARAMCD where ADT <= ARFSTDT.
APOBLFL	Post-Baseline Record Flag	text	1	No Yes Response - Yes Only	Derived: Set to Y if ADT > ARFSTDT.
RANDFL	Randomized Population Flag	text	1		Derived: Set to 'Y' for subjects who had a non-missing randomized date (ZR.ZRDTC when ZRTESTCD = 'RAORDER'). Otherwise, set to N.
FASFL	Full Analysis Set Population Flag	text	1		Derived: Set to 'Y' for subjects who had a non-missing randomized date (ZR.ZRDTC when ZRTESTCD = 'RAORDER') and were treated with at least 1 dose of study agent (EX.EXSTDTC not missing and EX.EXDOSE not missing) and DM.SITEID ne 'W30-PL10064'. Subject IDs could not be verified, the source data could not be verified and IP administration could not be confirmed. Otherwise, set to 'N'.
SAFFL	Safety Population Flag	text	1		Derived: Set to 'Y' for subjects who had a non-missing randomized date (ZR.ZRDTC when ZRTESTCD = 'RAORDER') and were treated with at least 1 dose of study agent (EX.EXSTDTC not missing and EX.EXDOSE not missing) and DM.SITEID ne 'W30-PL10064'. Subject IDs could not be verified, the source data could not be verified and IP administration could not be confirmed. Otherwise, set to 'N'.

ADAM of FDA alternate efficacy endpoints (ADALTEFF) [Location: [adalteff.xpt](#)]

Variable	Label	Type	Length / Display Format	Controlled Terms or Format	Source/Derivation/Comment
BIOCON	Biologic or Con Med Failure	text	7		Derived: Populated for randomized subjects only: Set to "BIOFAIL" if there is an entry where FA.FACAT start with "BIOLOGIC TREATMENT", FAORRES = "Y" when FATESTCD = 'OCCUR' and for that same medication FA.FAORRES is either "PRIMARY NON-RESPONDER", "SECONDARY NON-RESPONDER" or "INTOLERANT" when FATESTCD = 'READSC'. Otherwise, set BIOCON to 'CONFAIL'.
RASTRA1	Strata for Baseline CDAI Score (IWRS)	text	5	RASTRA1	Derived: IWRS strata code for Baseline CDAI score. ZR.ZRSTRESC where ZR.ZRTESTCD='BCDAIS' and ZR.VISIT='WEEK 0' and ZRSCAT='STRATIFICATION FACTOR'.
RASTRA2	Strata Prior BIO-Failure Status (IWRS)	text	1		Derived: IWRS strata code for BIO-Failure status at baseline . ZR.ZRSTRESC where ZR.ZRTESTCD='PBIOF' and ZR.VISIT='WEEK 0' and ZRSCAT='STRATIFICATION FACTOR'.
RASTRA3	Strata for Baseline SES-CD Score (IWRS)	text	4	RASTRA3	Derived: IWRS strata code for Baseline SES-CD score. ZR.ZRSTRESC where ZR.ZRTESTCD='BSESCDS' and ZR.VISIT='WEEK 0' and ZRSCAT='STRATIFICATION FACTOR'.
AGE	Age	integer	8		Predecessor: DM.AGE
AGEU	Age Units	text	5	Age Unit	Predecessor: DM.AGEU
SEX	Sex	text	1	Sex	Predecessor: DM.SEX
RACE	Race	text	25	Race	Predecessor: DM.RACE
COUNTRY	Country	text	3	Country	Predecessor: DM.COUNTRY
ETHNIC	Ethnicity	text	22	Ethnic Group	Predecessor: DM.ETHNIC
VISIT	Visit Name	text	41		Predecessor: MO.VISIT
VISITNUM	Visit Number	float	9		Predecessor: MO.VISITNUM
SITEID	Study Site Identifier	text	11		Predecessor: DM.SITEID
SUBJID	Subject Identifier for the Study	text	6		Predecessor: DM.SUBJID

Go to the [top](#) of the define.pdf

Parameter Value Lists

Parameter Value List - ADALTEFF [AVALC]

Variable	Where	Type	Length / Display Format	Controlled Terms or Format	Source/Derivation/Comment
AVALC	PARAMCD EQ ACRESPPF (Clinical Response using Alternative CDAI and FDA definition (ICE 1-3,5,6 Non-Responder))	text	1		Derived: Y if decrease from baseline in CDAI score greater than or equal to 100 points without ICE Category 1-3, 5, or 6. N, otherwise and for subjects missing CDAI at the visit or have ICE Category 1-3, 5, or 6 prior to the visit (ADVSCDAI.AVAL where ADVSCDAI.PARAMCD=CDAIM1P). Records inserted for missing visits.
AVALC	PARAMCD EQ ERPPF (Endoscopic Response FDA Definition (ICE 1-3,5,6 Non-Responder))	text	1		Derived: Y if Subject has > 50% reduction from baseline in the SES-CD Score (ADSESCD.AVAL where ADSESCD.PARAMCD=SESTOTP) without ICE category 1-3, 5, or 6 prior to the visit. N, otherwise. Records inserted for missing visits.
AVALC	PARAMCD EQ ERPSMPF (Endoscopic Response Baseline Segment Match FDA Definition (ICE 1-3,5,6 Non-Responder))	text	1		Derived: Y if Subject has > 50% reduction from baseline in the SES-CD Score using baseline segment match (ADSESCD.AVAL where ADSESCD.PARAMCD=SESBLMP) without ICE category 1-3, 5, or 6 prior to the visit. N, otherwise. Records inserted for missing visits.

Go to the [top](#) of the define.pdf

Controlled Terms

Age Unit [CL.AGEU, C66781]

Permitted Value (Code)
DAYS [C25301]
HOURS [C25529]
MONTHS [C29846]
WEEKS [C29844]
YEARS [C29848]

Country [CL.COUNTRY]

Permitted Value (Code)	Display Value (Decode)
AUS	Australia
BEL	Belgium
BIH	Bosnia and Herzegovina
BLR	Belarus
BRA	Brazil
CAN	Canada
CHL	Chile
CHN	China
CZE	Czech Republic
DEU	Germany
DNK	Denmark
ESP	Spain
FRA	France

Country [CL.COUNTRY]

Permitted Value (Code)	Display Value (Decode)
GBR	United Kingdom
GEO	Georgia
GRC	Greece
HRV	Croatia
HUN	Hungary
ISR	Israel
ITA	Italy
JOR	Jordan
JPN	Japan
KOR	Korea, Republic of
LTU	Lithuania
LVA	Latvia
MYS	Malaysia
NLD	Netherlands
NOR	Norway
NZL	New Zealand
POL	Poland
PRT	Portugal
RUS	Russian Federation
SRB	Serbia
SVK	Slovakia
TUR	Turkey
TWN	Taiwan, Province of China
UKR	Ukraine

Country [CL.COUNTRY]

Permitted Value (Code)	Display Value (Decode)
USA	United States

Ethnic Group [CL.ETHNIC, C66790]

Permitted Value (Code)
HISPANIC OR LATINO [C17459]
NOT HISPANIC OR LATINO [C41222]
NOT REPORTED [C43234]

No Yes Response - Yes Only [CL.NY_Y]

Permitted Value (Code)	Display Value (Decode)
Y	Yes

PARAMCD_ALTEFF [CL.PARAMCD_ALTEFF]

Permitted Value (Code)	Display Value (Decode)
ERPPF	Endoscopic Response FDA Definition (ICE 1-3,5,6 Non-Responder)
ERPSMPF	Endoscopic Response Baseline Segment Match FDA Definition (ICE 1-3,5,6 Non-Responder)
ACRESPPF	Clinical Response using Alternative CDAI and FDA definition (ICE 1-3,5,6 Non-Responder)

PARAM_ALTEFF [CL.PARAM_ALTEFF]

Permitted Value (Code)
Endoscopic Response FDA Definition (ICE 1-3,5,6 Non-Responder)
Endoscopic Response Baseline Segment Match FDA Definition (ICE 1-3,5,6 Non-Responder)
Clinical Response using Alternative CDAI and FDA definition (ICE 1-3,5,6 Non-Responder)

Race [CL.RACE, C74457]

Permitted Value (Code)
AMERICAN INDIAN OR ALASKA NATIVE [C41259]
ASIAN [C41260]
BLACK OR AFRICAN AMERICAN [C16352]
MULTIPLE [*] (Extended Value)
NATIVE HAWAIIAN OR OTHER PACIFIC ISLANDER [C41219]
NOT REPORTED [C43234]
UNKNOWN [C17998]
WHITE [C41261]

RASTRA1 [CL.RASTRA1]

Permitted Value (Code)
<=300
>300

RASTRA3 [CL.RASTRA3]

Permitted Value (Code)
<=12
>12

Sex [CL.SEX, C66731]

Permitted Value (Code)	Display Value (Decode)
F [C16576]	Female
M [C20197]	Male

Planned Treatment [CL.TRT01P]

Permitted Value (Code)
Guselkumab 400 mg q4w - Guselkumab 100 mg q8w
Guselkumab 400 mg q4w - Guselkumab 200 mg q4w
Placebo

Planned Treatment (N) [CL.TRT01PN]

Permitted Value (Code)	Display Value (Decode)
1	Guselkumab 400 mg q4w - Guselkumab 100 mg q8w
2	Guselkumab 400 mg q4w - Guselkumab 200 mg q4w
3	Placebo

Planned Treatment for Period 02 [CL.TRT02P]

Permitted Value (Code)
Guselkumab 400 mg q4w - Guselkumab 100 mg q8w
Guselkumab 400 mg q4w - Guselkumab 200 mg q4w
Placebo
Placebo - Guselkumab

Planned Treatment for Period 02 (N) [CL.TRT02PN]

Permitted Value (Code)	Display Value (Decode)
1	Guselkumab 400 mg q4w - Guselkumab 100 mg q8w
2	Guselkumab 400 mg q4w - Guselkumab 200 mg q4w
3	Placebo
4	Placebo - Guselkumab

Go to the [top](#) of the define.pdf

Analysis Derivations

Analysis Derivations

Method	Type	Description
CM.ADALTEFF.ABLFL	Computation	Set to Y on last non-missing record within PARAMCD where ADT <= ARFSTDT.
CM.ADALTEFF.ADT	Computation	Copy of ADSESCD.ADT or ADVSCDAI.ADT.
CM.ADALTEFF.ADY	Computation	if ADT >= ARFSTDT then ADT - ARFSTDT+1 , else ADT - ARFSTDT.
CM.ADALTEFF.ANL01FL	Computation	Set to Y if ADT is after First ICE category 1-3, 5, or 6 date.
CM.ADALTEFF.APOBLFL	Computation	Set to Y if ADT > ARFSTDT.
CM.ADALTEFF.AVALC	Computation	Derivations are described per parameter in the parameter value level metadata.
CM.ADALTEFF.AVALC.01.ACRESPPF	Computation	Y if decrease from baseline in CDAI score greater than or equal to 100 points without ICE Category 1-3, 5, or 6. N, otherwise and for subjects missing CDAI at the visit or have ICE Category 1-3, 5, or 6 prior to the visit (ADVSCDAI.AVAL where ADVSCDAI.PARAMCD=CDAIM1P). Records inserted for missing visits.
CM.ADALTEFF.AVALC.02.ERPPF	Computation	Y if Subject has > 50% reduction from baseline in the SES-CD Score (ADSESCD.AVAL where ADSESCD.PARAMCD=SESTOTP) without ICE category 1-3, 5, or 6 prior to the visit. N, otherwise. Records inserted for missing visits.
CM.ADALTEFF.AVALC.03.ERPSMPF	Computation	Y if Subject has > 50% reduction from baseline in the SES-CD Score using baseline segment match (ADSESCD.AVAL where ADSESCD.PARAMCD=SESBIMP) without ICE category 1-3, 5, or 6 prior to the visit. N, otherwise. Records inserted for missing visits.
CM.ADALTEFF.AVISIT	Computation	Copy of ADSESCD.AVISIT or ADVSCDAI.AVISIT.
CM.ADALTEFF.BIOCON	Computation	Populated for randomized subjects only: Set to "BIOFAIL" if there is an entry where FA.FACAT start with "BIOLOGIC TREATMENT", FAORRES = "Y" when FATESTCD = 'OCCUR' and for that same medication FA.FAORRES is either "PRIMARY NON-RESPONDER", "SECONDARY NON-RESPONDER" or "INTOLERANT" when FATESTCD = 'READSC'. Otherwise, set BIOCON to 'CONFAIL'.
CM.ADALTEFF.FASFL	Computation	Set to 'Y' for subjects who had a non-missing randomized date (ZR.ZRDTC when ZRTESTCD = 'RAORDER') and were treated with at least 1 dose of study agent (EX.EXSTDTC not missing and EX.EXDOSE not missing) and DM.SITEID ne 'W30-PL10064'. Subject IDs could not be verified, the source data could not be verified and IP administration could not be confirmed. Otherwise, set to 'N'.
CM.ADALTEFF.RANDFL	Computation	Set to 'Y' for subjects who had a non-missing randomized date (ZR.ZRDTC when ZRTESTCD = 'RAORDER'). Otherwise, set to N.
CM.ADALTEFF.RASTRA1	Computation	IWRS strata code for Baseline CDAI score. ZR.ZRSTRESC where ZR.ZRTESTCD='BCDAIS' and ZR.VISIT='WEEK 0' and ZRSCAT='STRATIFICATION FACTOR'.

Analysis Derivations

Method	Type	Description
CM.ADALTEFF.RASTRA2	Computation	IWRS strata code for BIO-Failure status at baseline . ZR.ZRSTRESC where ZR.ZRTESTCD='PBIOP' and ZR.VISIT='WEEK 0' and ZRSCAT='STRATIFICATION FACTOR'.
CM.ADALTEFF.RASTRA3	Computation	IWRS strata code for Baseline SES-CD score. ZR.ZRSTRESC where ZR.ZRTESTCD='BSESCDS' and ZR.VISIT='WEEK 0' and ZRSCAT='STRATIFICATION FACTOR'.
CM.ADALTEFF.SAFFL	Computation	Set to 'Y' for subjects who had a non-missing randomized date (ZR.ZRDTC when ZRTESTCD = 'RAORDER') and were treated with at least 1 dose of study agent (EX.EXSTDTC not missing and EX.EXDOSE not missing) and DM.SITEID ne 'W30-PL10064'. Subject IDs could not be verified, the source data could not be verified and IP administration could not be confirmed. Otherwise, set to 'N'.
CM.ADALTEFF.TRT01P	Computation	Assigned based on ZRSTRESC values where visit='WEEK 0' and ZRTESTCD=TXPCD. If ZRSTRESC = 'GUS400-GUS100' then TRT01P = 'Guselkumab 400 mg q4w - Guselkumab 100 mg q8w'. If ZRSTRESC = 'GUS400-GUS200' then TRT01P = 'Guselkumab 400 mg q4w - Guselkumab 200 mg q4w'. If ZRSTRESC = 'PNRCP' then TRT01P = 'Placebo'.
CM.ADALTEFF.TRT02P	Computation	Assigned based on ZRSTRESC values where visit='WEEK 16' and ZRTESTCD=TXPCD. If no week 16 record in ZR is available, use ZRSTRESC values where visit = 'WEEK 0'. If ZRSTRESC = 'GUS400-GUS100' then TRT02P = 'Guselkumab 400 mg q4w - Guselkumab 100 mg q8w'. If ZRSTRESC = 'GUS400-GUS200' then TRT02P = 'Guselkumab 400 mg q4w - Guselkumab 200 mg q4w'. If ZRSTRESC = 'PNRCP' then TRT02P = 'Placebo'. If ZRSTRESC = 'PRCGUS400-GUS100' then TRT02P = 'Placebo - Guselkumab'.
CM.ADALTEFF.TRT02PN	Computation	Numeric sequence for TRT02P.

Go to the [top](#) of the define.pdf

Comments

Comments

CommentOID	Description
COM.ADALTEFF	Includes FDA specified definitions for clinical response and endoscopic response.
COM.ADALTEFF.ASEQ	Sequence number given to ensure uniqueness of subject records within an ADaM dataset.
COM.ADALTEFF.AVISITN	Corresponding numeric code one to one mapping for AVISIT.
COM.ADALTEFF.PARAM	Assigned, as per PARAM_ALTEFF codelist.
COM.ADALTEFF.PARAMCD	Assigned, as per PARAMCD_ALTEFF codelist.
COM.ADALTEFF.PARCAT1	Set to CDAI for CDAI based endpoints, SES-CD for SES-CD based endpoints.
COM.ADALTEFF.TRT01PN	Numeric sequence for TRT01P.

Go to the [top](#) of the define.pdf