CNTO1959UCO3004_Annotated SDTM eCRF_V2.0_06SEP2023

Blank PDF

CNTO1959UCO3004 Version 4.00 09DEC2022 JY - Unique

Generated On: 06 Feb 2023 02:30:39

DM=Demographics

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique

Project Name: CNTO1959UCO3004

Form: Subject

Generated On: 06 Feb 2023 02:30:39

Subject	SUBJID	
Site ID	[NOT SUBMITTED]	
NOLOCK	[NOT SUBMITTED]	1

SV=Subject Visits

FA=Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Date of Visit
Generated On: 06 Feb 2023 02:30:39 VISIT FACAT=DATE OF VISIT

FATEST FAOBJ=<VISIT>	Did this visit occur? FAORRES when FATESTCD=OCCUR	Yes ☐ No ☐
Visit Start Date	FADTC, SVSTDTC, PEDTC, EGDTC....	
Subject's Status	FAORRES when FATESTCD=SCMPLSTS	
Type of Contact FAORRES when FATESTCD=TYPVCON		Site Visit ☐ Remote, Telephone Call ☐ Remote, Video Call ☐ Remote/Virtual Contact due to COVID ☐ Home Visit, Performed by Site Employee ☐ Home Visit, Performed by Site Contracted Vendor ☐
Reason this visit did not occur FAORRES when FATESTCD=REASVND		Adverse Event ☐ Subject Traveling ☐ Fear of going to the site due to COVID-19 ☐ Lack of transportation due to COVID-19 ☐ Lockdown due to COVID-19 ☐ Site closed or access restricted due to COVID-19 ☐ Subject on quarantine due to potential exposure to COVID-19 ☐ Other ☐ [NOT SUBMITTED]
If 'Adverse Event,' select the primary corresponding AE log line, start date, and term	Linked to related AE record via RELREC	
If 'Other,' Specify FASTRESC=OTHER	FAORRES when FATESTCD=REASVND	
What is the reason for the unscheduled visit?	SVUPDES	
Instance Name	[NOT SUBMITTED]	
FLAG	[NOT SUBMITTED]	
FLAG_CTMS	[NOT SUBMITTED]	

NOTE TO BE REMOVED PRIOR TO SUBMISSION: If the response to the prompt, Did this visit occur is No, then Reason this visit did not occur should be in a separate record using REASVND as FATESTCD. The FATESTCD=OCCUR record and the FATESTCD=REASVND record should be grouped together using FAGRPID.

NOTE: VISIT should be populated from Rave source data.

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Unscheduled Assessments
Generated On: 06 Feb 2023 02:30:39

Now	
Endoscopy Information	
MO_IMM_001_FLAG	
Sample Collection Form	
PC_IMM_001_FLAG	

DM=Demographics

DS=Disposition

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Demographics
Generated On: 06 Feb 2023 02:30:39

INFORMED CONSENT

What was the date of the signature on informed consent? DSSTDTC when DSTERM/DSDECOD=INFORMED CONSENT OBTAINED

PROTOCOL DATE

What is the protocol date the subject consented to at study start? SPRTDTC in SUPPDS when IDVAR=DSSEQ

DEMOGRAPHICS

What is the subject's age? AGE _____

Age unit — AGEU
- ☐ Hours
- ☐ Days
- ☐ Weeks
- ☐ Months
- ■ Years

What is the sex of the subject? — SEX
- ☐ Female
- ☐ Male
- ☐ Unknown
- ☐ Undifferentiated

What is the ethnicity of the subject? — ETHNIC
- ☐ Hispanic or Latino
- ☐ Not Hispanic or Latino
- ☐ Not Reported
- ☐ Unknown

What is the race of the subject *(Check all that apply)* — RACE

- ☐ American Indian or Alaska Native — RACEAIAN in SUPPDM when IDVAR=NULL
- ☐ Asian — RACEA in SUPPDM when IDVAR=NULL
  - If Asian, specify — RACEC in SUPPDM when IDVAR=NULL
    - ☐ Japanese
    - ☐ Other Asian — [NOT SUBMITTED]
- ☐ Black or African American — RACEBA in SUPPDM when IDVAR=NULL
- ☐ Native Hawaiian or other Pacific Islander — RACENHOP in SUPPDM when IDVAR=NULL
- ☐ White — RACEW in SUPPDM when IDVAR=NULL
- ☐ Not reported — RACE _____

If subject was re-screened, specify below:

Previous Subject ID — PSUBJID in SUPPDM when IDVAR=NULL

NOLOCK 1

NOTE:
When more than one selected, RACE=MULTIPLE and individual responses are RACEAIAN, RACEA, RACEC, RACEBA, RACENHOP, RACEW in SUPPDM

IE=Inclusion/Exclusion Criteria Not Met

DS=Disposition

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Inclusion/Exclusion Criteria
Generated On: 06 Feb 2023 02:30:39

Were all eligibility criteria met?	*DSCAT=PROTOCOL MILESTONE*	Yes ☐
DSSTDTC=<IEDTC>	*DSTERM, DSDECOD=ELIGIBILITY CRITERIA MET*	No ☐

If No, enter below information about criteria not satisfied/met (click Add New Log Line to enter more than one criterion)

IECAT Exclusion ☐ Inclusion ☐

What was the category of the criterion?

Criterion ID	*IETESTCD*
Now	*[NOT SUBMITTED]*

VS=Vital Signs

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Vital Signs
Generated On: 06 Feb 2023 02:30:39

Were vital signs performed?	*[NOT SUBMITTED]*		Yes ☐
	VSSTAT = NOT DONE when VSTESTCD = VSALL		No ☐
Height			**cm** ☐
VSTEST	*VSORRES when VSTESTCD=HEIGHT*	*VSORRESU*	in ☐
Weight			**kg** ☐
	VSORRES when VSTESTCD=WEIGHT	*VSORRESU*	lb ☐

DS=Disposition

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Withdrawal of Consent - Use and Storage of Samples for Future Research
Generated On: 06 Feb 2023 02:30:39

Date Consent Withdrawn	*DSSTDTC*	
Category	*DSCAT*	OTHER EVENT

DSTERM, DSDECOD=INFORMED CONSENT WITHDRAWAL FOR USE AND STORAGE OF SAMPLES FOR FUTURE RESEARCH

DS=Disposition

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Consent - Use of Samples for Future Scientific Research
Generated On: 06 Feb 2023 02:30:39

Did the subject agree to the use of sample(s) for future research?	[NOT SUBMITTED]	Yes ☐ No ☐
DSTERM, DSDECOD=INFORMED CONSENT FOR SAMPLES FOR SCIENTIFIC RESEARCH		
If 'Yes', date of signature	DSSTDTC	
Category	DSCAT	PROTOCOL MILESTONE

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Ulcerative Colitis Disease History
Generated On: 06 Feb 2023 02:30:39

Date of Initial Diagnosis of Ulcerative Colitis Disease (dd- MMM-yyyy) *MHTERM=ULCERATIVE COLITIS* *MHSTDTC*	*MHCAT=ULCERATIVE COLITIS*
Duration of Symptoms Prior to Diagnosis in Years (##) and Months (0 - 11 required)	*MHDUR*

MH=Medical History

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: General Medical History
Generated On: 06 Feb 2023 02:30:39

Category	*MHCAT*	GENERAL
Has the subject experienced any past and/ or concomitant diseases? **If 'Yes', add a log line for each abnormality.**	*[NOT SUBMITTED]*	Yes ☐ No ☐
What is the verbatim term for the medical history condition/event?	*MHTERM*	
Start Date	*MHSTDTC*	
Is the medical history disease/condition or event still ongoing? *MHENTPT=<DATE OF HISTORY COLLECTION>*	*MHENRTPT=ONGOING* *MHENRTPT=BEFORE*	Yes ☐ No ☐
End Date	*MHENDTC*	
Now	*[NOT SUBMITTED]*	
SG Derived Medical History Term	*[NOT SUBMITTED]*	
SGMHNOW	*[NOT SUBMITTED]*	

NOTE TO BE REMOVED BEFORE SUBMISSION:
If End Date is collected, the Ongoing question=No is [NOT SUBMITTED].
If End Date is note collected, the Ongoing question=No is mapped to MHENRTPT=BEFORE

PR=Procedures

MH=Medical History

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: COVID-19 Medical History
Generated On: 06 Feb 2023 02:30:39

Category	PRCAT	MHCAT	COVID-19 RELATED MEDICAL HISTORY
Does the subject have a medical history of COVID-19?			Yes ☐ No ☐ Unknown ☐
MHTERM=COVID-19	MHOCCUR	MHREASND=UNKNOWN	MHSTAT=NOT DONE
Medical History Log Line and Term	MHDSL in SUPPMH when IDVAR=MHSEQ		
Was the subject treated with anti-SARS-CoV-2-specific treatment? (If Yes, enter prior treatment(s) on the 'Prior anti-SARS-CoV-2 Treatment' eCRF)	[NOT SUBMITTED]		Yes ☐ No ☐ Unknown ☐
Were any of the following procedures performed? (If Yes, check all that apply)	[NOT SUBMITTED]		Yes ☐ No ☐ Unknown ☐

PRTRT

Nebulizer Treatments	PROCCUR=Y	
Intubation		
Mechanical Ventilation		
Oxygen Supplement		
Other	[NOT SUBMITTED]	
If 'Other,' specify first other procedure	PRTRT	
If 'Other,' specify second other procedure		

What is the outcome of this medical history event?		Not Recovered or Not Resolved ☐ Recovered or Resolved ☐ Recovered or Resolved with Sequelae ☐ Recovering or Resolving ☐
	MHOUT	

If there is any COVID-19 sequelae or complication that is ongoing at the start of the study, choose the corresponding Medical History log line(s) and term(s)

MH log line and term	MHEPRELI=Y in SUPPMH when IDVAR=MHSEQ	MHDSL1 in SUPPMH when IDVAR=MHSEQ
MH log line and term		MHDSL2 in SUPPMH when IDVAR=MHSEQ
MH log line and term		MHDSL3 in SUPPMH when IDVAR=MHSEQ
MH log line and term		MHDSL4 in SUPPMH when IDVAR=MHSEQ
MH log line and term		MHDSL5 in SUPPMH when IDVAR=MHSEQ
Now		[NOT SUBMITTED]

Were any medication(s)/therapy(ies) taken?	*[NOT SUBMITTED]*	Yes ☐ No ☐

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Concomitant Therapy
Generated On: 06 Feb 2023 02:30:39

NOW	*[NOT SUBMITTED]*	
SGCMNOW		
Medication/Therapy Category	*CMCAT*	GENERAL CONMED
Medication or Therapy	*CMTRT*	
Indication	*CMINDC*	Adverse Event Other ☐ Adverse Event-Worsening of Ulcerative Colitis ☐ Medical History (other than Ulcerative Colitis) ☐ Prophylaxis ☐ Therapeutic or Diagnostic Procedure ☐ Maintenance of UC or Corticosteroid Tapering ☐ Other ☐
If indication is 'Adverse Event,' choose the primary corresponding AE log line(s), start date(s), and term(s) AE log line, start date, and term	*Linked to related AE record via RELREC*	
AE log line, start date, and term		
AE log line, start date, and term		
AE log line, start date, and term		
AE log line, start date, and term		
If indication is 'Medical History,' choose the primary corresponding MH log line(s) and term(s) MH log line and term	*Linked to related MH record via RELREC*	
MH log line and term		
MH log line and term		
MH log line and term		
MH log line and term		
If indication is 'Prophylaxis' or 'Other', specify	*CMINDDSC in SUPPCM when IDVAR=CMSEQ*	
If indication is **UC Related Surgeries and Procedures**, choose the primary corresponding Procedure's log line, start date, and term	*Linked to related PR record via RELREC*	
If indication is **Liver Injury Diagnostic Procedures**, choose the primary corresponding Procedure's log line, start date, and term	*Linked to related PR record via RELREC*	
If indication is **neither** Liver Injury Diagnostic Procedures **nor** UC Related Surgeries and Procedures, please specify	*CMINDDSC in SUPPCM when IDVAR=CMSEQ*	
Dose	*CMDOSE, CMDOSTXT*	
Dose Unit	*CMDOSU*	Application ☐

Capsule ☐
Drop ☐
Fingertip ☐
Gram ☐
Implant ☐
International Unit ☐
Liter ☐
Microgram ☐
CMDOSU Milligram ☐
Milligram per Kilogram ☐
Milligram per Square Meter ☐
Milliliter ☐
Milliequivalent ☐
Microliter ☐
Patch ☐
Puff ☐
Sachet ☐
Spray ☐
Tablespoon ☐
Tablet ☐
Teaspoon ☐
Unit ☐
Vial ☐
[NOT SUBMITTED] Other ☐

If Other, please specify CMDOSU

Route

Auricular ☐
Inhalation ☐
Intralesional ☐
Intramuscular ☐
CMROUTE Intravenous ☐
Nasal ☐
Nasogastric ☐
Ophthalmic ☐

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Concomitant Therapy
Generated On: 06 Feb 2023 02:30:39

CMROUTE

- ☐ Oral
- ☐ Parenteral
- ☐ Rectal
- ☐ Retrobulbar
- ☐ Subcutaneous
- ☐ Sublingual
- ☐ Topical
- ☐ Transdermal
- ☐ Not Applicable
- ☐ Unknown
- ☐ [NOT SUBMITTED] Other

If Other, please specify CMROUTE

Frequency

CMDOSFRQ

- ☐ Once
- ☐ Infrequent
- ☐ As Necessary
- ☐ Continue
- ☐ Daily
- ☐ Twice Daily
- ☐ Three Times Daily
- ☐ Four Times Daily
- ☐ Every Other Day
- ☐ Weekly
- ☐ Twice Weekly
- ☐ Three Times Weekly
- ☐ Four Times Weekly
- ☐ Every Two Weeks
- ☐ Every Four Weeks
- ☐ Every Eight Weeks
- ☐ Twice Per Month
- ☐ Monthly
- ☐ Every Three Months
- ☐ Unknown
- ☐ [NOT SUBMITTED] Other

CM=Concomitant Medications

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Concomitant Therapy
Generated On: 06 Feb 2023 02:30:39

If Other, please specify	CMDOSFRQ	
Start Date	CMSTDTC	
If Start Date is entirely or partially unknown: Was the medication/therapy taken prior to the study? CMSTTPT=<INFORMED CONSENT DATE>	CMSTRTPT=BEFORE CMSTRTPT=AFTER	Yes ☐ No ☐
End Date	CMENDTC	
Is the medication/therapy still ongoing?	CMENRF=AFTER	
Derived Indication	[NOT SUBMITTED]	
SG Derived Medication or Therapy	[NOT SUBMITTED]	

PR=Procedures

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Preplanned Surgeries/Procedures
Generated On: 06 Feb 2023 02:30:39

Category	*PRCAT*	PREPLANNED SURGERIES/PROCEDURES
Are there any planned/scheduled surgeries/procedures which require hospitalization during the course of this trial?	*[NOT SUBMITTED]*	Yes ☐ No ☐
Surgery or Procedure	*PRTRT*	
Indication	*PRINDC*	Medical History ☐ Other ☐
If indication is Other, specify	*PRINDDSC in SUPPPR when IDVAR=PRSEQ*	
If indication is 'Medical History,' choose the corresponding MH log line and term		
MH log line and term	*Linked to related MH record via RELREC*	
MH log line and term		
MH log line and term		
MH log line and term		
MH log line and term		
Planned Date of Procedure	*PRSTDTC*	*PRMOOD=SCHEDULED*
Now	*[NOT SUBMITTED]*	
SGPSPRNOW	*[NOT SUBMITTED]*	

DS=Disposition

ZR=Randomization

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Randomization
Generated On: 06 Feb 2023 02:30:39

Category	DSCAT PROTOCOL MILESTONE
Randomization number	[NOT SUBMITTED], DSACTRND in SUPPDS when IDVAR=DSSEQ, ZRORRES when ZRTESTCD=RANUM
What was the date of randomization?	DSSTDTC
NOLOCK	[NOT SUBMITTED]

INSTRUCTION NOTE TO BE REMOVED BEFORE SUBMISSION:
if BALANCE is used, then date and time of randomization do not need to be collected

INSTRUCTION NOTE TO BE REMOVED BEFORE SUBMISSION:
Mapping of Randomization Number:
-If randomization number is assigned by IWRS and integrated in EDC, then the value is [NOT SUBMITTED].
-If randomization number is assigned by third party and also manually entered in EDC, then the value is submitted in DSACTRND in SUPPDS.
-If randomization number is assigned by the site and manually entered in EDC, then the value is submitted in ZRORRES when ZRTESTCD=RANUM.

INSTRUCTION NOTE TO BE REMOVED BEFORE SUBMISSION: For Open label study, the prompt "Treatment" should be annotated with ECTRT. For Blinded study, the prompt "Treatment" should be annotated with ECCAT.

EC=Exposure as Collected

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Study Drug Injection Administration
Generated On: 06 Feb 2023 02:30:39

INSTRUCTION NOTE TO BE REMOVED BEFORE SUBMISSION: For Blinded study, the prompt "Treatment" should be annotated with ECCAT and 'Treatment kit identifier" to ECTRT. If not collected, assigned the value "MASKED" to ECTRT.

ECTRT=MASKED

SGEXNOW

[NOT SUBMITTED]

Was the syringe administered? — *ECOCCUR* — Yes ☐ No ☐

If No, what was the reason the syringe was not administered? — *ECREASOC IN SUPPEC when IDVAR=ECSEQ* — Adverse Event ☐ Syringe damaged/unusable and not replaced ☐ Other ☐

If Adverse Event, choose the corresponding AE log line, start date, and term — *Linked to related AE record via RELREC*

If Other, Specify — *ECREASOO IN SUPPEC when IDVAR=ECSEQ*

Treatment — *ECCAT* — GUSELKUMAB/PLACEBO ■

Formulation — *ECDOSFRM*

- Aerosol ☐
- Capsule ☐
- Cream ☐
- Delayed Release Capsule ☐
- Delayed Release Tablet ☐
- Extended Release Capsule ☐
- Extended Release Tablet ☐
- For Solution ☐
- For Suspension ☐
- Gel ☐
- Implant ☐
- Inhalant ☐
- Injectable ■
- Liquid ☐
- Lotion ☐
- Minitablets in Capsule ☐
- Mouthwash ☐
- Ointment ☐
- Patch ☐
- Powder ☐
- Shampoo ☐
- Soap ☐

	ECDOSFRM	Solution ☐ Spray ☐ Suppository ☐ Suspension ☐ Tablet ☐ Tape ☐ Unassigned ☐ Not Applicable ☐
Route	ECROUTE	Auricular ☐ Intramuscular ☐ Intravenous ☐ Nasal ☐ Ophthalmic ☐ Oral ☐ Parenteral ☐ Rectal ☐ Inhalation ☐ Subcutaneous ■ Sublingual ☐ Topical ☐ Other ☐ Unknown ☐ Not Applicable ☐
Date	ECSTDTC	
Actual Time	ECSTDTC	
Indication	[NOT SUBMITTED]	Ulcerative Colitis
What is the treatment label identifier?	ECREFID	
Where was this dose administered?	ECSET in SUPPEC when IDVAR=ECSEQ	At Home ☐ At Site ☐
Administrator of study drug	ECIADMN IN SUPPEC when IDVAR=ECSEO	Health Care Professional ☐ Self ☐ Caregiver ☐
What was the dose administered?		Fixed Unit: Milliliter

EC=Exposure as Collected

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Study Drug Injection Administration
Generated On: 06 Feb 2023 02:30:39

	ECDOSE	1 ☐ 2 ☐
Units		Milligram ☐ Milliliter ■ Microgram ☐ Gram ☐ Capsule ☐ Implant ☐ Patch ☐ Spray ☐ Tablespoon ☐ Tablet ☐ Teaspoon ☐ Vial ☐ International Unit ☐ Puff ☐ Milligram per Kilogram ☐ Milligram per Square Meter ☐ Sachet ☐ Medical Drop ☐ Viral Particles per Dose ☐ 50 Percent Tissue Culture Infective Dose per Dose ☐
	ECDOSEU	
What was the anatomical location of the administration?		Upper Right Arm ☐ Upper Left Arm ☐ Right Thigh ☐ Left Thigh ☐ Upper Right Abdominal ☐ Lower Right Abdominal ☐ Upper Left Abdominal ☐ Lower Left Abdominal ☐ Other ☐
	ECLOC	
	ECLAT	
	ECDIR	
If Other, Specify	*ECLOCOTH in SUPPEC when IDVAR=ECSEQ*	

INSTRUCTION NOTE TO BE REMOVED BEFORE SUBMISSION:
ECLAT should contain RIGHT or LEFT.
ECDIR should contain LOWER or UPPER.

Were any adverse events experienced?	*[NOT SUBMITTED]*	Yes ☐ No ☐

AE=Adverse Events

Note to be removed before submission:
If Yes and prompt contains 'special', AECAT=<SPECIAL INTEREST ADVERSE EVENTS>. If Yes and prompt does not contain 'special', AECAT=ADVERSE EVENTS OF INTEREST

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Adverse Events/Serious AEs
Generated On: 06 Feb 2023 02:30:39

NOW [NOT SUBMITTED]

What is the adverse event term? AETERM

Is this an AE of special interest as per protocol? ☐ Yes ☐ No
AECAT=<SPECIAL INTEREST ADVERSE EVENTS>
AECAT=GENERAL ADVERSE EVENTS

Specify the event type AESCAT ☐ Tuberculosis ☐ Malignancy

Start Date AESTDTC
Start Time

End Date AEENDTC
End Time

Severity AESEV ☐ Mild ☐ Moderate ☐ Severe

Action Taken with Study Treatment AEACN ☐ Drug Interrupted ☐ Dose Not Changed ☐ Drug Withdrawn ☐ Not Applicable (select only if AE occurs outside of treatment period)

Concomitant or additional therapy given for this adverse event? AECONTRT ☐ Yes ☐ No ☐ Unknown

Relationship to Study Treatment AEREL ☐ Not Related ☐ Related

Did the device cause or contribute to the AE/SAE? ☐ Yes ☐ No
AEINDREL in SUPPAE when IDVAR=AESEQ

Outcome AEOUT ☐ Fatal ☐ Not Recovered or Not Resolved ☐ Recovered or Resolved ☐ Recovered or Resolved with Sequelae ☐ Recovering or Resolving ☐ Unknown

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Adverse Events/Serious AEs
Generated On: 06 Feb 2023 02:30:39

Is this an event of suicidal ideation or behavior? *[NOT SUBMITTED]*
- Yes ☐
- No ☐

If yes, specify if the event is suicidal ideation, suicidal behavior excluding completed suicide, or completed suicide
AESIBTYP in SUPPAE when IDVAR=AESEQ
- Suicidal Ideation ☐
- Suicidal Behavior excluding Completed Suicide ☐
- Completed Suicide ☐

Was this event a study treatment injection site reaction? *[NOT SUBMITTED]*
- Yes ☐
- No ☐

If injection site reaction, specify
AEINJS in SUPPAE when IDVAR=AESEQ
- Upper Right Arm ☐
- Upper Left Arm ☐
- Right Thigh ☐
- Left Thigh ☐
- Upper Right Abdominal ☐
- Lower Right Abdominal ☐
- Upper Left Abdominal ☐
- Lower Left Abdominal ☐
- Other ☐

Is the adverse event serious? *AESER*
- Yes ☐
- No ☐

The following information should be completed ONLY for Serious Adverse Events [and for Adverse Events of Special Interest]

Case ID *[NOT SUBMITTED]* New

Age at onset of SAE *AEONAGE in SUPPAE when IDVAR=AESEQ*

Age unit *AEONAGEU in SUPPAE when IDVAR = AESEQ*
- Hours ☐
- Days ☐
- Weeks ☐
- Months ☐
- Years ■

Weight *[NOT SUBMITTED]*
- **kg** ☐
- lb ☐

Height *[NOT SUBMITTED]*
- **cm** ☐
- in ☐

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Adverse Events/Serious AEs
Generated On: 06 Feb 2023 02:30:39

Is SAE related to any trial procedure not including study agent therapy? If yes, specify the specific trial procedure in the narrative	AETRLPRC in SUPPAE when IDVAR=AESEQ	Yes ☐ No ☐
Congenital Anomaly or Birth Defect	AESCONG	Yes ☐ No ☐
Persistent or significant disability/incapacity	AESDISAB	Yes ☐ No ☐
Death	AESDTH	Yes ☐ No ☐
Date of death	[NOT SUBMITTED]	
Was autopsy performed? (if applicable)	[NOT SUBMITTED]	Yes ☐ No ☐
Prolonged Hospitalization	AESHOSPP in SUPPAE when IDVAR=AESEQ	Yes ☐ No ☐
Required Hospitalization	AESHOSPR in SUPPAE when IDVAR=AESEQ	Yes ☐ No ☐
If event required or prolonged hospitalization, specify admission date	[NOT SUBMITTED]	
Hospital discharge date	[NOT SUBMITTED]	
Life Threatening	AESLIFE	Yes ☐ No ☐
Other Medically Important Event	AESMIE	Yes ☐ No ☐
Other Medically Important Event Specification	AESOSP in SUPPAE when IDVAR=AESEQ	
Trial Design	[NOT SUBMITTED]	Open-label phase of multi-phased trial ☐ Blinded phase of multi-phased trial ☐
Was blind broken?	[NOT SUBMITTED]	Yes ☐ No ☐

Study Agent and Dosing Information

Did the subject receive any study agent?	[NOT SUBMITTED]	Yes ☐ No ☐

AE=Adverse Events

FA=Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Adverse Events/Serious AEs
Generated On: 06 Feb 2023 02:30:39

The following information should be completed ONLY if the SAE is an infection

FATEST

Is the infection opportunistic? — FAORRES when FATESTCD=INFOPP — Yes / No / Unknown

FAOBJ=<AETERM FADTC=<AESTDTC

Is the pathogen known? — FAORRES when FATESTCD=PTHIDF — Yes / No / Unknown

In case of Yes,
Pathogen — FAORRES when FATESTCD=PTHNAM

Identification method — FAORRES when FATESTCD=PTHIDMET

Pathogen Type — FAORRES when FATESTCD=PTHCAT — Bacterial / Fungal / Parasitic / Prion / Protozoal / Viral

If viral, is the infection new or reactivated? — FAVIRINF in SUPPFA when IDVAR=FASEO — New / Reactivation

Is the infection localized or disseminated? — FAORRES when FATESTCD=INFEXT — Disseminated (Generalized) / Localized

Relationship to Subject Not Randomized/Screen Failure — [NOT SUBMITTED] — Not Related

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Clinical Assessments Completion Status
Generated On: 06 Feb 2023 02:30:39

Were any Clinical Outcome Assessments missed at this visit?	[NOT SUBMITTED]	Yes ☐ No ☐
If 'Yes,' indicate the missed assessment(s)	[NOT SUBMITTED]	
NOW	[NOT SUBMITTED]	
Domain Code	DOMAIN	QS ■ FT ☐ NV ☐ SL ☐
Category	QSCAT=EPRO	ADAPTIVE TRACKING ☐ EEG ☐ 3CVT ☐ EMOTIONAL FACES RECOGNITION ☐ PRT ☐ POLYSOMNOGRAPHY ☐ EPRO ■
Assessment Name	QSSCAT	C_SSRS ☐ IBDQ ☐ PROMIS-29 ☐
If the assessment was missed, reason	QSSTAT=NOT DONE when QSCAT=EPRO and QSTESTCD=QSALL QSREASND	Subject too ill ☐ Site Forgot ☐ Subject Forgot ☐ Subject refused ☐ Technical failure ☐ Other ☐
If Other, Specify	QSREASNO in SUPPQS when IDVAR=QSSEQ	

FA=Findings About Events or Interventions

MO=Morphology

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Screening for Tuberculosis
Generated On: 06 Feb 2023 02:30:39

MOCAT=SCREENING FOR TUBERCULOSIS

Chest Imaging MOMETHOD=IMAGING MOLOC=CHEST

Date of Assessment MODTC

Overall Interpretation MOORRES when MOTESTCD=INTP

- Normal ☐
- Abnormal ☐
- Not Evaluable ☐

If Abnormal, was there suspicion of tuberculosis?

- Yes ☐
- No ☐

MOORRES= ABNORMAL when MOTESTCD=INTP

MOTBSUSP=Y in SUPPMO when IDVAR=MOSEQ

MOTBSUSP=N in SUPPMO when IDVAR=MOSEQ

Treatment for Latent Tuberculosis

Does the subject require treatment prior to the first study drug administration?

- Yes ☐
- No ☐

FAEVINTX=PRIOR TO OR SIMULTANEOUS WITH THE FIRST STUDY DRUG ADMINISTRATION

FAORRES when FATESTCD= TRTREQ

FA=Findings About Events or Interventions

MO=Morphology

SR=Skin Response

LB=Laboratory Test Results

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Tuberculosis Testing and Results
Generated On: 06 Feb 2023 02:30:39

Category	FACAT	SRCAT	MOCAT	TUBERCULOSIS TESTING
Was the subject re-tested for possible TB (at any point after receiving study drug)? FAOBJ=TUBERCULOSIS	FAORRES when FATESTCD=SUBJRTST; FAEVINTX=AFTER RECEVING STUDY DRUG			Yes ☐ No ☐
Date of Re-Testing Assessment	FADTC			
Tuberculin PPD-S	FAMETHOD=TUBERCULIN PPD-S	SROBJ		
Date PPD Administered	SRRFTDTC			
Planned time point when PPD should be read	SRTPT			48 -72 Hours
Date PPD Read	SRDTC			
Induration Diameter	SRORRES when SRTESTCD=INDURDIA			Fixed Unit: mm
Unit	SRORRESU when SRTESTCD=INDURDIA			mm
Overall Interpretation Per Local Guidelines for Immunocompromised Patients	SRORRES when SRTESTCD=INTP			Negative ☐ Positive ☐ Indeterminate ☐
Linked to Related FA Record via RELREC				
Chest X-Ray Testing and Results	FAMETHOD=X-RAY	FALOC=CHEST		
Method of Assessment	MOMETHOD=X-RAY	MOLOC=CHEST		Chest X-Ray
Date of Assessment	MODTC			
Overall Interpretation	MOORRES when MOTESTCD=INTP			Normal ☐ Abnormal ☐ Not Evaluable ☐
If Abnormal, was there suspicion of tuberculosis? MOTBSUSP in SUPPMO when IDVAR=MOSEQ	Linked to Related FA Record via RELREC			Yes ☐ No ☐
QuantiFERON-TB	FAMETHOD=QUANTIFERON-TB	LBCAT=IMMUNOLOGY		
If QuantiFERON-TB test was done using a local lab, provide the result LBMTHDDS=QUANTIFERON	LBMETHOD=INTEFERON GAMMA RELEASE ASSAY; LBTEST=M. TUBERCULOSIS IFN GAMM RESPONSE			Negative ☐ Positive ☐ Indeterminate ☐ LBORRES when LBTESTCD= MYTBGIR
What was the lab specimen collection da	LBDTC	Linked to Related FA Record via RELREC		
T-Spot	FAMETHOD=T-SPOT	LBCAT=IMMUNOLOGY		
If T-Spot TB test was done using a local lab, provide the result: LBMTHDDS=T-SPOT	LBMETHOD=INTEFERON GAMMA RELEASE ASSAY; LBTEST=M. TUBERCULOSIS IFN GAMM RESPONSE			Negative ☐ Positive ☐ Borderline ☐ LBORRES when LBTESTCD= MYTBGIR
What was the lab specimen collection da	LBDTC	Linked to Related FA Record via RELREC		

NOTE: When more than one selected, FAMETHOD=MULTIPLE and individual responses are FAMETH1=TUBERCULIN PPD-S, FAMETH2=X-RAY, FAMETH3=QUANTIFERON-TB in SUPPFA when IDVAR=FASEQ

PR=Procedure

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: UC Related Surgeries and Procedures
Generated On: 06 Feb 2023 02:30:39

Record all UC-related surgeries/procedures using the dropdown list provided. If a surgery/procedure is not present, please specify 'Other' in the dropdown box and put the type of surgery/procedure in "Other Surgery/procedure" space provided. Add a new page for each surgery/procedure. [NOT SUBMITTED]

Surgery/Procedure	
PRTRT	Apheresis ☐ Barium enema ☐ Biopsy ☐ CAT scan ☐ Colonoscopy ☐ Colostomy - permanent ☐ Colostomy - temporary ☐ Drainage - open ☐ Drainage - percutaneous ☐ Drainage - seton placement ☐ Flexible sigmoidoscopy ☐ Gastrostomy - other ☐ Gastrostomy - percutaneous ☐ Ileostomy ☐ Intestinal anastomosis ☐ MRI ☐ Other enterostomy ☐ Other surgery ☐ Partial gastrectomy w/anast. - duodenum ☐ Partial gastrectomy w/anast. - esophagus ☐ Partial gastrectomy w/anast. - jejunum ☐ Resection of colon - partial ☐ Resection of colon - total ☐ Resection of rectum - abdominoperineal ☐ Resection of rectum - other ☐ Resection of rectum - pull-through ☐ Small bowel enteroclysis ☐ Total gastrectomy ☐

PR=Procedure

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: UC Related Surgeries and Procedures
Generated On: 06 Feb 2023 02:30:39

	PRTRT	TPN ☐ Tube feeding ☐ Ultrasonography ☐
Other Surgery/Procedure (specify)	***PRTRT***	
Surgery/Procedure performed	***PRSTT in SUPPPR when IDVAR=PRSEQ***	In-Patient ☐ Out-Patient ☐
Surgery/Procedure Start Date (dd- MMM- yyyy)	***PRSTDTC***	
Indication	***PRINDC***	Adverse Event ☐ Medical History ☐ Other ☐
If indication is 'Adverse Event,' choose the primary corresponding AE log line, start date, and term AE log line, start date, and term	***Linked to related AE record via RELREC***	
If indication is 'Medical History,' choose the primary corresponding MH log line and term MH log line and term	***Linked to related MH record via***	
If Other, Specify	***PRINDDSC in SUPPPR when IDVAR=PRSEQ***	
SGPRNOW	***[NOT SUBMITTED]***	

MO=Morphology

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Endoscopy Information
Generated On: 06 Feb 2023 02:30:39 *MOCAT=ENDOSCOPY*

Was Endoscopy performed?	*[NOT SUBMITTED]* *MOSTAT=NOT DONE*	Yes ☐ No ☐
Date of Endoscopy(dd MMM yyyy)	*MODTC*	
Findings on Endoscopy (By local reader) *MOORRES when MOTESTCD=ENMAYO*		0=Normal or inactive disease ☐ 1=Mild disease (erythema, decreased vascular pattern, mild friability) ☐ 2=Moderate disease (marked erythema, absent vascular pattern, friability, erosion) ☐ 3=Severe disease (spontaneous bleeding, ulceration) ☐
Extent of Disease *MOORRES when MOTESTCD=ENDISEXT*		Extensive ☐ Limited to left side of colon ☐
Type of Endoscopy Performed	*MOMETHOD*	Sigmoidoscopy ☐ Colonoscopy ☐

PC=Pharmacokinetic Concentrations

LB=Laboratory Test Results | IS=Immunogenicity Specimen Assessments

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Sample Collection Form
Generated On: 06 Feb 2023 02:30:39

Serum Guselkumab concentration PCCAT=ANALYTE [NOT SUBMITTED] Yes ☐
PCSPEC=SERUM No ☐
Was the sample collected? PCSTAT=NOT DONE when PCTESTCD=PCALL

Reason not collected — Patient Not Available ☐
PCREASND — COVID 19 ☐
Patient Refused ☐
[NOT SUBMITTED] Other ☐

If other specify PCREASND

Antibodies to Guselkumab ISCAT=IMMUNOGENICITY [NOT SUBMITTED] Yes ☐
ISSPEC=SERUM Was the sample collected? ISSTAT=NOT DONE WHEN ISTESTCD=ISALL No ☐

Reason not collected — Patient Not Available ☐
ISREASND — COVID 19 ☐
Patient Refused ☐
[NOT SUBMITTED] Other ☐

If other specify ISREASND

Whole blood (RNA) LBCAT=BIOMARKER SAMPLE [NOT SUBMITTED] Yes ☐
LBSPEC=BLOOD LBSCAT=RNA No ☐
Was the sample collected? LBSTAT=NOT DONE when LBTESTCD=LBALL

Reason not collected — Patient Not Available ☐
COVID 19 ☐
LBREASND — Patient Refused ☐
[NOT SUBMITTED] Other ☐

If other specify LBREASND

Serum biomarkers LBCAT=BIOMARKER SAMPLE [NOT SUBMITTED] Yes ☐
LBSPEC=SERUM No ☐
Was the sample collected? LBSTAT=NOT DONE when LBTESTCD=LBALL

Reason not collected — Patient Not Available ☐
COVID 19 ☐
LBREASND — Patient Refused ☐
[NOT SUBMITTED] Other ☐

If other specify LBREASND

Biopsy samples for histology LBCAT=BIOMARKER SAMPLE [NOT SUBMITTED] Yes ☐
LBMETHOD=BIOPS LBSCAT=HISTOLOGY No ☐
Was the sample collected? LBSTAT=NOT DONE when LBTESTCD=LBALL

Reason not collected — LBREASND — Patient Not Available ☐

	LBREASND	COVID 19 ☐
		Patient Refused ☐
	[NOT SUBMITTED]	Other ☐
If other specify LBCAT=BIOMARKER SAMPLE	LBREASND	

Biopsy samples for exploratory biomarker analyses [NOT SUBMITTED] Yes ☐

LBMETHOD=BIOPS LBSCAT=EXPLORATORY ANALYSIS

Was the sample collected? LBSTAT=NOT DONE when LBTESTCD=LBALL No ☐

Reason not collected		Patient Not Available ☐
	LBREASND	COVID 19 ☐
		Patient Refused ☐
	[NOT SUBMITTED]	Other ☐
If other specify	LBREASND	

DA=Drug Accountability

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Integrated Medication Kit Accountability Information
Generated On: 06 Feb 2023 02:30:39

Treatment	DACAT
Drug Dispensed	
Visit	VISIT
DATEST Date Assigned	DADTC when DATESTCD=DOSE
Assigned treatment label ID	DAREFID
Dispensed Status	Dispensed ☐
DADSSTAT in SUPPDA when IDVAR=DASEQ	Dispensed In Error ☐
DASTAT=NOT DONE when DATESTCD=DISPAMT	Not Dispensed ☐
If 'Not Dispensed', provide reason	Medical Decision ☐
	Medication Kit not available or damaged ☐
DAREASND when DATESTCD=DISPAMT	Study medication discontinued ☐
	Visit skipped or administration skipped ☐
	Other Medication kit dispensed in error ☐
Date Dispensed	DADTC when DATESTCD=DISPAMT
Amount Dispensed	DAORRES when DATESTCD=DISPAMT
Units	DAORRESU when DATESTCD=DISPAMT
NOLOCK	[NOT SUBMITTED] 1

AE=Adverse Events

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: COVID-19 Case of AEs
Generated On: 06 Feb 2023 02:30:39

Add a log line and choose an AE log line, start date, and term for COVID-19 diagnosis and all adverse event(s) associated with COVID-19.
Use 'Add Event' option again to add a second occurrence of this form if the subject experiences COVID-19 a second time. *[NOT SUBMITTED]*

AE Log line, start date, term	*[NOT SUBMITTED]*
Epi/Pandemic Related Indicator	*AEEPRELI in SUPPAE when IDVAR=AESEQ* Y

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Prior anti-SARS-CoV-2 Treatment
Generated On: 06 Feb 2023 02:30:39

Medication/Therapy Category	CMCAT	PRIOR ANTI-SARS-COV-2 TREATMENT
Start relative to reference time point	CMSTTPT=<INFORMED CONSENT	BEFORE CMSTRTPT
Add a new log line for each prior anti-SARS-CoV-2-specific treatment.	[NOT SUBMITTED]	
Anti-SARS-CoV-2-specific Treatment Name	CMTRT	
Indication	[NOT SUBMITTED]	SARS-CoV-2 ■
Route	CMROUTE	Auricular ☐ Inhalation ☐ Intralesional ☐ Intramuscular ☐ Intravenous ☐ Nasal ☐ Nasogastric ☐ Ophthalmic ☐ Oral ☐ Parenteral ☐ Rectal ☐ Retrobulbar ☐ Subcutaneous ☐ Sublingual ☐ Topical ☐ Transdermal ☐ Not Applicable ☐ Unknown ☐ Other ☐
Defaulted Indication	CMINDC	SARS-COV-2

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: SARS-CoV-2 Vaccination
Generated On: 06 Feb 2023 02:30:39

Was the subject vaccinated for COVID-19?	Yes ☐
	No ☐

Enter COVID-19 vaccinations on the Concomitant Therapy eCRF

DD=Death Diagnosis

DM=Demographics

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Death Information
Generated On: 06 Feb 2023 02:30:39

Death Date	*DTHDTC*
Death Time	
What was the primary cause of death? *DDORRES when DDTESTCD=PRCDTH*	Adverse Event ☐
Choose the corresponding AE log line, start date, and term *Linked to related AE record via RELREC*	
Was an autopsy performed? *DDORRES when DDTESTCD=AUTOPIND*	Yes ☐ No ☐ Unknown ☐

DS=Disposition

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Trial Disposition (Completion/ Discontinuation)
Generated On: 06 Feb 2023 02:30:39

Category	DSCAT	DISPOSITION EVENT
Subcategory	DSSCAT	STUDY PARTICIPATION
What was the subject's status?	DSTERM, DSDECOD	Completed ☐
	[NOT SUBMITTED]	Discontinued ☐
	[NOT SUBMITTED]	Screen Failure ☐
Disposition Date	DSSTDTC	
What was the subject's primary reason for screen failure?	DSDECOD=SCREEN FAILURE	Failure to Meet Eligibility Criteria ☐ DSTERM
	DSTERM, DSDECOD	Physician Decision ☐
		Screening Not Completed ☐
		Withdrawal by Legally Authorized Representative ☐
		Withdrawal by Subject ☐
		Other ☐
What was the subject's primary reason for trial discontinuation?	DSTERM, DSDECOD	Death ☐
		Lost to Follow-Up ☐
		Randomized By Mistake Without Study Treatment ☐
		Study Terminated by Sponsor ☐
		Withdrawal by Subject ☐
		Other ☐
If Other, Specify	DSTERM when DSDECOD=OTHER	
If Withdrawal by Subject, Specify		Enrolling in another study ☐
		Lack of Improvement ☐
	DSTERM when DSDECOD=WITHDRAWAL BY SUBJECT	Lack of Transportation ☐
		Loss of Informant/Caregiver ☐
		Moving ☐
		Study Tests Too Hard ☐
		To pursue alternative treatment ☐
	[NOT SUBMITTED]	Other ☐
If Other, Specify	DSTERM when DSDECOD=WITHDRAWAL BY SUBJECT	
Following date fields are used for CTMS	DSTERM when DSDECOD=[Reason for Discontinuation]	
Completed Date (CTMS field)	[NOT SUBMITTED]	
Discontinued Date (CTMS field)		

INSTRUCTION NOTE TO BE REMOVED BEFORE SUBMISSION:
Note:
For the CRF prompt, 'What was the primary reason for trial discontinuation [/completion]', if [Reason for Discontinuation], Specify is collected, then use DSDECOD only annotation for the corresponding [Reason for Discontinuation] and map the collected value to the DSTERM when DSDECOD=[Reason for Discontinuation]

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Trial Disposition (Completion/ Discontinuation)
Generated On: 06 Feb 2023 02:30:39

Screen Failed Date (CTMS field)	

DS=Disposition

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Treatment Unblinding
Generated On: 06 Feb 2023 02:30:39

Category	*DSCAT*	OTHER EVENT
Was treatment unblinded by the site?	*[NOT SUBMITTED]*	Yes / No
What was the date of unblinding?	*DSSTDTC*	
What was the time of unblinding?		
What was the reason for unblinding?	*DSTERM when DSDECOD=TREATMENT UNBLINDED*	Adverse Event / Other *[NOT SUBMITTED]*
If Adverse Event, choose corresponding AE log line, start date, and term		
AE log line, start date, and term	*Linked to related AE record via RELREC*	
AE log line, start date, and term		
If Other, Specify	*DSTERM when DSDECOD=TREATMENT UNBLINDED*	
NOLOCK	*[NOT SUBMITTED]*	1

DS=Disposition

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Subject Site Switch
Generated On: 06 Feb 2023 02:30:39

Category	***DSCAT***	OTHER EVENT
Subject Site Switch	***DSTERM /DSDECOD=SUBJECT SITE SWITCH***	SUBJECT SITE SWITCH
Provide new Site ID	***DSDMSITE in SUPPDS when IDVAR=DSSEQ***	
Date subject started at new site	***DSSTDTC***	

DS=Disposition

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Treatment Disposition (End of treatment)
Generated On: 06 Feb 2023 02:30:39

Category	***DSCAT***	DISPOSITION EVENT
Subcategory	***DSSCAT***	STUDY TREATMENT
What was the subject's status?	***DSTERM***	Completed ☐
	[NOT SUBMITTED]	Discontinued ☐
Treatment Disposition Date	***DSSTDTC***	
What was the subject's primary reason for treatment discontinuation?	***DSTERM***	Adverse Event-Other ☐ ***DSDECOD=ADVERSE EVENT***
		Adverse Event-Worsening of Ulcerative Colitis ☐
	DSTERM, DSDECOD	Death ☐
		Initiated Prohibited Medication ☐
		Lack of Efficacy ☐
		Lost to Follow-Up ☐
		Pregnancy ☐
		Protocol Deviation ☐
		Placebo subjects discontinued study agent due to Week 48 Database Lock Unblinding ☐
		Site Terminated by Sponsor ☐
		Study Terminated by Sponsor ☐
		Withdrawal by Subject ☐
		Week 24 Non-Responder ☐
		Regional crisis ☐
		COVID-19 related reasons (excluding COVID-infection) ☐
		Other ☐
If Adverse Event, choose corresponding AE log line, start date, and term	***Linked to related AE record via RELREC***	
AE log line, start date, and term		
If Other, Specify	***DSTERM when DSDECOD=OTHER***	
If Withdrawal by Subject, Specify	***DSTERM when DSDECOD=WITHDRAWAL BY SUBJECT***	
If Pregnancy, Pregnancy Due Date	***DSPREDTC in SUPPDS when IDVAR=DSSEQ***	

INSTRUCTION NOTE TO BE REMOVED BEFORE SUBMISSION:
For the CRF prompt, 'What was the primary reason for trial discontinuation [/completion]', if [Reason for Discontinuation], Specify is collected, then use DSDECOD only annotation for the corresponding [Reason for Discontinuation] and map the collected value to the DSTERM when DSDECOD=[Reason for Discontinuation]

DS=Disposition

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Updated Study Informed Consent
Generated On: 06 Feb 2023 02:30:39

Category	*DSCAT* PROTOCOL MILESTONE
What was the date of informed consent obtained?	*DSSTDTC when DSTERM/DSDECOD=INFORMED CONSENT OBTAINED*
What is the protocol date the subject consented to?	*SPRTDTC in SUPPDS when IDVAR=DSSEQ*

FA = Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Baseline Medication Review *FACAT = BASELINE MEDICATION REVIEW*
Generated On: 06 Feb 2023 02:30:39

Please indicate if the subject is taking **5-ASA/Immunomodulator/Corticosteroid/Antibiotic/Opioids/Nutrition** at the Screening VISIT: *[NOT SUBMITTED]* Yes ☐ No ☐

If Yes, Please indicate if the following medications are being taken at the Screening VISIT.

Category *FASCAT*
5-ASA ☐
Immunomodulator ☐
Corticosteroid ☐
Antibiotic ☐
Opioids ☐
Nutrition ☐

Medication *FAOBJ* *FAORRES=Y when FATESTCD = OCCUR*
Other medication, specify

FAOBJ = OPIOID

If OPIOIDs, are OPIOIDs being taken for Ulcerative Colitis? Yes ☐ No ☐
FATEST *FAORRES when FATESTCD = OCCUR*

If yes, indicate the **primary** Ulcerative Colitis related reason. Pain ☐ Diarrhea ☐
FATEST *FAORRES when FATESTCD = REASUCRP*

Please select concomitant therapy log line, start date and therapy *Linked to related CM record via RELREC*

NOW *[NOT SUBMITTED]*

FA = Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Medication Review
Generated On: 06 Feb 2023 02:30:39

FACAT = MEDICATION REVIEW

FAEVINTX=SINCE LAST VISIT

Since the last scheduled visit, has the subject initiated **5-ASA/Immunomodulator/Corticosteroid/Antibiotic/Opioids/Nutrition** or have there been any changes to the subject's prescribed dose? *[NOT SUBMITTED]* Yes ☐ No ☐

Do not include medication changes initiated at this visit. Do not enter any medications that were stopped.

Category *FASCAT* 5-ASA ☐ Immunomodulator ☐ Corticosteroid ☐ Antibiotic ☐ Opioids ☐ Nutrition ☐

Medication *FAOBJ* = *FAORRES=Y when FATESTCD = OCCUR*

Other medication, specify

FAOBJ = OPIOID

If OPIOIDs, are OPIOIDS being taken for Ulcerative Colitis? *FAORRES when FATESTCD = OCCUR* Yes ☐ No ☐

FATEST

If yes, indicate the **primary** Ulcerative Colitis related reason. *FAORRES when FATESTCD = REASUCRP* Pain ☐ Diarrhea ☐

Date of Initiation or Change *FAORRES when FATESTCD = INCHGDTC*

Reason for Initiation or Change *FAORRES when FATESTCD = INCGREAS*

If Other, specify *FASTRESC=OTHER*

Please select concomitant therapy log line, start date and therapy *Linked to related CM record via RELREC*

NOW *[NOT SUBMITTED]*

FA = Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Prohibited Medication Review
Generated On: 06 Feb 2023 02:30:39

FACAT = PROHIBITED MEDICATION REVIEW

FAEVINTX=SINCE LAST VISIT

Since the last scheduled visit, has the subject initiated any prohibited medications? *[NOT SUBMITTED]*

Yes ☐
No ☐

NOW *[NOT SUBMITTED]*

Medication Class — PROHIBITED MEDICATION

Medication — *FAOBJ*

- 6-Thioguanine ☐
- Anti-IL-23 medications ☐
- Anti-TNFalpha medications ☐
- Cyclosporine ☐
- Experimental medications for UC (including, but not limited to upadacitinib and etrolizumab) ☐
- Janus Kinase inhibitor (tofacitinib, filgotinib) ☐
- Live vaccines ☐
- Mycophenolate mofetil ☐
- Natalizumab ☐
- S1P1 inhibitor (ozanimod) ☐
- Sirolimus and tacrolimus ☐
- Thalidomide ☐
- Ustekinumab ☐
- Vedolizumab ☐
- Other ☐ *[NOT SUBMITTED]*

Other medication, specify *FAOBJ*

FATEST Date of Initiation *FAORRES when FATESTCD = INIDTC*

FATEST Reason for Initiation *FAORRES when FATESTCD = INIREAS*

- Worsening of Ulcerative Colitis or AE/SAE related to Worsening of Ulcerative Colitis ☐
- Other ☐ *[NOT SUBMITTED]*

FATEST If Other, specify *FAORRES when FATESTCD = INIREAS* *FASTRESC=OTHER*

Please select concomitant therapy log line, start date and therapy *Linked to related CM record via RELREC*

FA=Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Previous Biologic Advance Therapy Treatment History
Generated On: 06 Feb 2023 02:30:39

Medication (Including branded or Biosimilar) FAOBJ FACAT
- [x] Golimumab
- [ ] Adalimumab
- [ ] Infliximab
- [ ] Vedolizumab

Has the subject ever taken this medication or therapy? FAORRES when FATESTCD=OCCUR
- [ ] Yes
- [ ] No

What was the duration of treatment with this medication? FAORRES when FATESTCD=DUR
- [ ] Less than or equal to 1 year
- [ ] Greater than 1 year but less than or equal to 2 years
- [ ] Greater than 2 years

Maximum Dose FAORRES when FATESTCD=DOSMAX

Dose Unit of Maximum Dose FAORRESU when FATESTCD=DOSMAX
- [ ] mg
- [ ] mg/kg

Final Dose Date FAORRES when FATESTCD=DSFNLDTC

Frequency of Maximum Dose FAORRES when FATESTCD=FREQ
- [ ] Every Two Weeks
- [ ] Every Four Weeks
- [ ] Every Six Weeks
- [ ] Every Eight Weeks
- [ ] Twice Weekly
- [ ] [NOT SUBMITTED] Other

Other, specify FAORRES when FATESTCD=FREQ

Primary Reason for Discontinuation FAORRES when FATESTCD=REASDSC
- [ ] Primary non-responder
- [ ] Secondary non-responder
- [ ] Intolerant
- [ ] [NOT SUBMITTED] Other reason than non-response or intolerance, specify

Other, specify FAORRES when FATESTCD=REASDSC

If subject was Primary or Secondary Non-Responder, were they also Intolerant? FAORRES when FATESTCD=OCCUR FAOBJ=IS SUBJECT ALSO INTOLERANT
- [ ] Yes
- [ ] No

Medication (Including branded or Biosimilar) For annotations, refer to above section
- [ ] Golimumab
- [x] Adalimumab
- [ ] Infliximab
- [ ] Vedolizumab

FA=Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Previous Biologic Advance Therapy Treatment History
Generated On: 06 Feb 2023 02:30:39

For annotations, refer to page 50

Has the subject ever taken this medication or therapy?	Yes ☐ No ☐
What was the duration of treatment with this medication?	Less than or equal to 1 year ☐ Greater than 1 year but less than or equal to 2 years ☐ Greater than 2 years ☐
Maximum Dose	_____
Dose Unit of Maximum Dose	mg ☐ mg/kg ☐
Final Dose Date	_____
Frequency of Maximum Dose	Every Two Weeks ☐ Every Four Weeks ☐ Every Six Weeks ☐ Every Eight Weeks ☐ Twice Weekly ☐ Other ☐
Other, specify	_____
Primary Reason for Discontinuation	Primary non-responder ☐ Secondary non-responder ☐ Intolerant ☐ Other reason than non-response or intolerance, specify ☐
Other, specify	_____
If subject was Primary or Secondary Non-Responder, were they also Intolerant?	Yes ☐ No ☐
Medication (Including branded or Biosimilar)	Golimumab ☐ Adalimumab ☐ Infliximab ■ Vedolizumab ☐
Has the subject ever taken this medication or therapy?	Yes ☐ No ☐
What was the duration of treatment with this medication?	Less than or equal to 1 year ☐

 For annotations, refer to page 50

	Greater than 1 year but less than or equal to 2 years ☐ Greater than 2 years ☐
Maximum Dose	_____
Dose Unit of Maximum Dose	mg ☐ mg/kg ☐
Final Dose Date	_____
Frequency of Maximum Dose	Every Two Weeks ☐ Every Four Weeks ☐ Every Six Weeks ☐ Every Eight Weeks ☐ Twice Weekly ☐ Other ☐
Other, specify	_____
Primary Reason for Discontinuation	Primary non-responder ☐ Secondary non-responder ☐ Intolerant ☐ Other reason than non-response or intolerance, specify ☐
Other, specify	_____
If subject was Primary or Secondary Non-Responder, were they also Intolerant?	Yes ☐ No ☐
Medication (Including branded or Biosimilar)	Golimumab ☐ Adalimumab ☐ Infliximab ☐ Vedolizumab ■
Has the subject ever taken this medication or therapy?	Yes ☐ No ☐
What was the duration of treatment with this medication?	Less than or equal to 1 year ☐ Greater than 1 year but less than or equal to 2 years ☐ Greater than 2 years ☐
Maximum Dose	_____

For annotations, refer to page 50

Dose Unit of Maximum Dose	mg ☐ mg/kg ☐
Final Dose Date	_____
Frequency of Maximum Dose	Every Two Weeks ☐ Every Four Weeks ☐ Every Six Weeks ☐ Every Eight Weeks ☐ Twice Weekly ☐ Other ☐
Other, specify	_____
Primary Reason for Discontinuation	Primary non-responder ☐ Secondary non-responder ☐ Intolerant ☐ Other reason than non-response or intolerance, specify ☐
Other, specify	_____
If subject was Primary or Secondary Non-Responder, were they also Intolerant?	Yes ☐ No ☐

Medication (Including branded or Biosimilar)	*FAOBJ*	*FACAT*	Tofacitinib ■ Ozanimod ☐ Upadacitinib ☐ Filgotinib ☐
Has the subject ever taken this medication or therapy?	*FAORRES when FATESTCD=OCCUR*		Yes ☐ No ☐
What was the duration of treatment with this medication?	*FAORRES when FATESTCD=DUR*		Less than or equal to 1 year ☐ Greater than 1 year but less than or equal to 2 years ☐ Greater than 2 years ☐
Maximum Dose	*FAORRES when FATESTCD=DOSMAX*		
Dose Unit of Maximum Dose	*FAORRESU when FATESTCD=DOSMAX*		mg ☐ mg/kg ☐
Final Dose Date	*FAORRES when FATESTCD=DSFNLDTC*		
Frequency of Maximum Dose	*FAORRES when FATESTCD=FREQ*		Once Daily ☐ Twice Daily ☐ *[NOT SUBMITTED]* Other ☐
Other, specify	*FAORRES when FATESTCD=FREQ*		
Primary Reason for Discontinuation	*FAORRES when FATESTCD=REASDSC*		Primary non-responder ☐ Secondary non-responder ☐ Intolerant ☐ *[NOT SUBMITTED]* Other reason than non-response or intolerance, specify ☐
Other, specify	*FAORRES when FATESTCD=REASDSC*		
If subject was Primary or Secondary Non-Responder, were they also Intolerant?	*FAORRES when FATESTCD=OCCUR* *FAOBJ=IS SUBJECT ALSO INTOLERANT*		Yes ☐ No ☐
If INTOLERANT, specify the reason	*FAORRES when FATESTCD=REASITL*		
Other, specify	*FAORRES when FATESTCD=OTHER*		
Medication (Including branded or Biosimilar)	*For annotations, refer to above section*		Tofacitinib ☐ Ozanimod ■ Upadacitinib ☐ Filgotinib ☐
Has the subject ever taken this medication or therapy?			Yes ☐

For annotations, refer to page 54

	No ☐
What was the duration of treatment with this medication?	Less than or equal to 1 year ☐ Greater than 1 year but less than or equal to 2 years ☐ Greater than 2 years ☐
Maximum Dose	
Dose Unit of Maximum Dose	mg ☐ mg/kg ☐
Final Dose Date	
Frequency of Maximum Dose	Once Daily ☐ Twice Daily ☐ Other ☐
Other, specify	
Primary Reason for Discontinuation	Primary non-responder ☐ Secondary non-responder ☐ Intolerant ☐ Other reason than non-response or intolerance, specify ☐
Other, specify	
If subject was Primary or Secondary Non-Responder, were they also Intolerant?	Yes ☐ No ☐
If INTOLERANT, specify the reason	
Other, specify	
Medication (Including branded or Biosimilar)	Tofacitinib ☐ Ozanimod ☐ Upadacitinib ■ Filgotinib ☐
Has the subject ever taken this medication or therapy?	Yes ☐ No ☐
What was the duration of treatment with this medication?	Less than or equal to 1 year ☐ Greater than 1 year but less than or equal to 2 years ☐ Greater than 2 years ☐

For annotations, refer to page 54

Maximum Dose	
Dose Unit of Maximum Dose	mg ☐ mg/kg ☐
Final Dose Date	
Frequency of Maximum Dose	Once Daily ☐ Twice Daily ☐ Other ☐
Other, specify	
Primary Reason for Discontinuation	Primary non-responder ☐ Secondary non-responder ☐ Intolerant ☐ Other reason than non-response or intolerance, specify ☐
Other, specify	
If subject was Primary or Secondary Non-Responder, were they also Intolerant?	Yes ☐ No ☐
If INTOLERANT, specify the reason	
Other, specify	
Medication (Including branded or Biosimilar)	Tofacitinib ☐ Ozanimod ☐ Upadacitinib ☐ Filgotinib ■
Has the subject ever taken this medication or therapy?	Yes ☐ No ☐
What was the duration of treatment with this medication?	Less than or equal to 1 year ☐ Greater than 1 year but less than or equal to 2 years ☐ Greater than 2 years ☐
Maximum Dose	
Dose Unit of Maximum Dose	mg ☐ mg/kg ☐
Final Dose Date	
Frequency of Maximum Dose	Once Daily ☐

For annotations, refer to page 54

	Twice Daily ☐
	Other ☐
Other, specify	
Primary Reason for Discontinuation	Primary non-responder ☐
	Secondary non-responder ☐
	Intolerant ☐
	Other reason than non-response or intolerance, specify ☐
Other, specify	
If subject was Primary or Secondary Non-Responder, were they also Intolerant?	Yes ☐
	No ☐
If INTOLERANT, specify the reason	
Other, specify	

FA=Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique

Project Name: CNTO1959UCO3004

Form: Previous Biologic Advanced Therapy Treatment Inadequate Response/Intolerance Reason

Generated On: 06 Feb 2023 02:30:39

Medication (Including branded or Biosimilar) — *FACAT*

- Golimumab ☐
- Adalimumab ☐
- Infliximab ☐
- Vedolizumab ☐

Primary Non-response — *FASCAT=PRIMARY NON-RESPONSE* — Yes ☐ No ☐

Induction Duration

Did they receive an adequate induction dose for 8 weeks or longer? — *FAOBJ=RECEIVE AN ADEQUATE INDUCTION DOSE FOR 8 WEEKS OR LONGER* — *FAORRES when FATESTCD=REASNTRT*

If No, Specify Reason

Signs or symptoms that are evidence of primary non-response and persistence of Ulcerative Colitis (select all that apply): Yes ☐ No ☐

Lack of improvement or worsening in stool frequency	*FAOBJ=LACK OF IMPROVEMENT OR WORSENING OF STOOL FREQUENCY*	*FAORRES when FATESTCD=OCCUR*
Lack of improvement or worsening in rectal bleeding	*FAOBJ=LACK OF IMPROVEMENT OR WORSENING OF RECTAL BLEEDING*	*FAORRES when FATESTCD=OCCUR*
Lack of improvement or worsening in daily abdominal pain	*FAOBJ=LACK OF IMPROVEMENT OR WORSENING OF ABDOMINAL PAIN*	*FAORRES when FATESTCD=OCCUR*
Lack of improvement or worsening in urgency	*FAOBJ=LACK OF IMPROVEMENT OR WORSENING OF URGENCY*	*FAORRES when FATESTCD=OCCUR*
Lack of improvement or worsening in the endoscopic appearance of the colonic mucosa	*FAOBJ=LACK OF IMPROVEMENT OR WORSENING OF ENDOSCOPIC APPEARANCE OF COLONIC MUCOSA*	*FAORRES when FATESTCD=OCCUR*
Occurrence, lack of improvement or worsening of fever thought to be related to UC	*FAOBJ=OCCURRENCE, LACK OF IMPROVEMENT OR WORSENING OF FEVER RELATED TO UC*	*FAORRES when FATESTCD=OCCUR*
Initiation or increase in antidiarrheal medication	*FAOBJ=INITIATION OR INCREASED DOSAGE OF ANTI-DIARRHEAL MEDICATION*	*FAORRES when FATESTCD=OCCUR*
Other	*[NOT SUBMITTED]*	

Each row: Yes ☐ No ☐

If Other, specify — *FAOBJ* — *FAORRES=Y when FATESTCD=OCCUR*

Secondary Non-response — Yes ☐ No ☐

Signs or symptoms that are evidence of Secondary Non-Response of Ulcerative Colitis (Check all that apply)

FASCAT=SECONDARY NON-RESPONSE

Worsening in stool frequency — *FAOBJ=WORSENING OF STOOL FREQUENCY* — *FAORRES when FATESTCD=OCCUR*

Worsening in rectal bleeding	FAOBJ=WORSENING OF RECTAL BLEEDING	Yes / No	FAORRES when FATESTCD=OCCUR
Worsening in daily abdominal pain	FAOBJ=WORSENING OF ABDOMINAL PAIN	Yes / No	FAORRES when FATESTCD=OCCUR
Worsening in urgency	FAOBJ=WORSENING OF URGENCY	Yes / No	FAORRES when FATESTCD=OCCUR
Worsening in the endoscopic appearance of the colonic mucosa	FAOBJ=WORSENING OF ENDOSCOPIC APPEARANCE OF COLONIC MUCOSA	Yes / No	FAORRES when FATESTCD=OCCUR
Worsening of fever thought to be related to UC	FAOBJ=WORSENING OF FEVER RELATED TO UC	Yes / No	FAORRES when FATESTCD=OCCUR
Initiation or increase in antidiarrheal medication	FAOBJ=INITIATION OR INCREASED OF ANTI-DIARRHEAL MEDICATION	Yes / No	FAORRES when FATESTCD=OCCUR
Initiation or increased dosage of anti-diarrheal medication	FAOBJ=INITIATION OR INCREASED DOSAGE OF ANTI-DIARRHEAL MEDICATION	Yes / No	FAORRES when FATESTCD=OCCUR
Other	[NOT SUBMITTED]	Yes / No	
If Other, specify FAOBJ		FAORRES=Y when FATESTCD=OCCUR	

Intolerance FASCAT=INTOLERANCE

Did a significant acute administration reaction occur less than or equal to 24 hours after administration of medi	FAOBJ=DID A SIGNIFICANT ACUTE ADMINISTRATION REACTION OCCUR? FAINVTX=LESS THAN 24 HOURS POST ADALIMUMAB	Yes / No	FAORRES when FATESTCD=OCCUR
Fever greater than 100 F	FAOBJ		FAORRES when FATESTCD=OCCUR
Chills or rigors			
Itching			
Rash			
Flushing			
Urticaria or angioedema			
Breathing difficulties			
Clinical hypotension			
Other	[NOT SUBMITTED]		
If Other, specify FAOBJ		FAORRES=Y when FATESTCD=OCCUR	

FASCAT=INTOLERANCE ificant delayed administration reacti 24 hours and less than 15 days after the admini considered related to the administration of medication?	FAEVINTX=GREATER THAN 24 HOURS AND LESS THAN 15 DAYS POST ADALIMUMAB FAOBJ=DID A SIGNIFICANT ACUTE ADMINISTRATION REACTION OCCUR?	es / No	FAORRES when FATESTCD=OCCUR

FA=Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Previous Biologic Advanced Therapy Treatment Inadequate Response/Intolerance Reason
Generated On: 06 Feb 2023 02:30:39

Myalgias	*FAOBJ*		*FAORRES when FATESTCD=OCCUR*
Arthralgias			
Fever greater than 100 F			
Malaise			
Rash			
Other			*[NOT SUBMITTED]*
If Other, specify	*FAOBJ*	*FAORRES=Y when FATESTCD=OCCUR*	

FASCAT=INTOLERANCE

nific*FAEVINTX=WITHIN 24 HOURS POST SC INJECTION OF ADALIMUMAB*
injection of m*FAOBJ=DID A SIGNIFICANT INJECTION SITE REACTION OCCUR AND WAS CONSIDERED RELATED TO THE INJECTION?*

Yes ( ) *FAORRES when FATESTCD=OCCUR*
No ( )

Significant bruising	*FAOBJ*		*FAORRES when FATESTCD=OCCUR*
Erythema			
Hemorrhage			
Irritation			
Pain			
Pruritus			
Injection site reaction			
Other			*[NOT SUBMITTED]*
If Other, specify	*FAOBJ*	*FAORRES=Y when FATESTCD=OCCUR*	

FA=Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique

Project Name: CNTO1959UCO3004

Form: Previous Oral Advanced Therapy Treatment History Inadequate Response Reason

Generated On: 06 Feb 2023 02:30:39

Medication (Including branded or Biosimilar) — *FACAT*

- Tofacitinib
- Ozanimod
- Upadacitinib
- Filgotinib

Primary Non-response — *FASCAT=PRIMARY NON-RESPONSE*

- Yes
- No

Induction Duration

Did they receive an adequate induction dose for 8 weeks or longer? — *FAOBJ=RECEIVE AN ADEQUATE INDUCTION DOSE FOR 8 WEEKS OR LONGER* — *FAORRES when FATESTCD=REASNTRT*

If No, Specify Reason

Signs or symptoms that are evidence of primary non-response and persistence of Ulcerative Colitis (select all that apply)

- Yes
- No

Lack of improvement or worsening in stool frequency — *FAOBJ=LACK OF IMPROVEMENT OR WORSENING OF STOOL FREQUENCY* — *FAORRES when FATESTCD=OCCUR*

Lack of improvement or worsening in rectal bleeding — *FAOBJ=LACK OF IMPROVEMENT OR WORSENING OF RECTAL BLEEDING* — *FAORRES when FATESTCD=OCCUR*

Lack of improvement or worsening in daily abdominal pain — *FAOBJ=LACK OF IMPROVEMENT OR WORSENING OF ABDOMINAL PAIN* — *FAORRES when FATESTCD=OCCUR*

Lack of improvement or worsening in urgency — *FAOBJ=LACK OF IMPROVEMENT OR WORSENING OF URGENCY* — *FAORRES when FATESTCD=OCCUR*

Lack of improvement or worsening in the endoscopic appearance of the colonic mucosa — *FAOBJ=LACK OF IMPROVEMENT OR WORSENING OF ENDOSCOPIC APPEARANCE OF COLONIC MUCOSA* — *FAORRES when FATESTCD=OCCUR*

Occurrence, lack of improvement or worsening of fever thought to be related to UC — *FAOBJ=OCCURRENCE, LACK OF IMPROVEMENT OR WORSENING OF FEVER RELATED TO UC* — *FAORRES when FATESTCD=OCCUR*

Initiation or increase in antidiarrheal medication — *FAOBJ=INITIATION OR INCREASED DOSAGE OF ANTI-DIARRHEAL MEDICATION* — *FAORRES when FATESTCD=OCCUR*

Other — *[NOT SUBMITTED]*

- Yes
- No

If Other, specify — *FAOBJ* — *FAORRES=Y when FATESTCD=OCCUR*

Secondary Non-response — *FASCAT=SECONDARY NON-RESPONSE*

- Yes
- No

Signs or symptoms that are evidence of Secondary Non-Response of Ulcerative Colitis (select all that apply)

Worsening in stool frequency — *FAOBJ=WORSENING OF STOOL FREQUENCY* — *FAORRES when FATESTCD=OCCUR*

FA=Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Previous Oral Advanced Therapy Treatment History Inadequate Response Reason
Generated On: 06 Feb 2023 02:30:39

Worsening in rectal bleeding	*FAOBJ=WORSENING OF RECTAL BLEEDING*	Yes No	*FAORRES when FATESTCD=OCCUR*
Worsening in daily abdominal pain	*FAOBJ=WORSENING OF ABDOMINAL PAIN*	Yes No	*FAORRES when FATESTCD=OCCUR*
Worsening in urgency	*FAOBJ=WORSENING OF URGENCY*	Yes No	*FAORRES when FATESTCD=OCCUR*
Worsening in the endoscopic appearance of the colonic mucosa	*FAOBJ=WORSENING OF ENDOSCOPIC APPEARANCE OF COLONIC MUCOSA*	Yes No	*FAORRES when FATESTCD=OCCUR*
Occurrence, lack of improvement or worsening of fever thought to be related to UC	*FAOBJ=WORSENING OF FEVER RELATED TO UC*	Yes No	*FAORRES when FATESTCD=OCCUR*
Initiation or increase in antidiarrheal medication	*FAOBJ=INITIATION OR INCREASED DOSAGE OF ANTI-DIARRHEAL MEDICATION*	Yes No	*FAORRES when FATESTCD=OCCUR*
Other	*[NOT SUBMITTED]*	Yes No	
If Other, specify	*FAOBJ*	*FAORRES=Y when FATESTCD=OCCUR*	

FA=Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique

Project Name: CNTO1959UCO3004

Form: Hepatic Event

Generated On: 06 Feb 2023 02:30:39

HEPATIC INJURY — FACAT

Choose the corresponding AE log line, start date, and term — Linked to related AE record via RELREC

SIGNS & SYMPTOMS:

Did the subject have any signs or symptoms associated with this event? ☐ Yes ☐ No

If 'Yes', check all that apply below.

	FAOBJ	FAORRES when FATESTCD=OCCUR
Nausea		
Vomiting		
Right upper quadrant pain		
Decreased appetite		
Fatigue		
Diarrhea		
Jaundice		
Bleeding, including bruising		
Encephalopathy		
Fever		
Rash		
Eosinophilia		
Other	[NOT SUBMITTED]	
If Other, specify	FAOBJ	FAORRES when FATESTCD=OCCUR

LOCAL LABORATORY

Were there local laboratory findings associated with this event? ☐ Yes ☐ No

If 'Yes', please record findings in Local Chemistry - Liver Injury eCRF. — FAOBJ — FAORRES when FATESTCD=OCCUR

CONCOMITANT MEDICATIONS

Was the subject taking any medications at the time of the event or any time within the [30-days] prior to the event? Please see the CRF Completion Guidelines for the full list of medications. ☐ Yes ☐ No

FAOBJ — FAORRES when FATESTCD=OCCUR

If 'Yes', please complete the Concomitant Therapy form and select the corresponding log line(s) from Concomitant Therapy form

	Linked to related CM record via RELREC
CM log line, start date, and term	
CM log line, start date and term	
CM log line, start date and term	
CM log line, start date and term	
CM log line, start date and term	

RISK FACTORS AND MEDICAL CONDITIONS/ HISTORY

Did the subject consume more than his/her usual intake of alcohol in recent days/weeks prior to this event? *FAOBJ* *FAORRES when FATESTCD=OCCUR* Yes ☐ No ☐

If Yes, please complete the Substance Use Alcohol-Changes form and select the corresponding log lines from Substance Use Alcohol-Changes.

SU Alcohol - Changes log line, start date, and term	*Linked to related SU record via RELREC*
SU Alcohol - Changes log line, start date, and term	

Does the subject have a history of liver disease or liver test abnormalities (e.g. hemochromatosis, autoimmune disease, alpha-1 antitrypsin deficiency)? *FAOBJ* *FAORRES when FATESTCD=OCCUR* Yes ☐ No ☐

If 'Yes', select the corresponding log lines from Medical History form.

Medical History log line and term	*Linked to related MH record via RELREC*
Medical History log line and term	

Does the subject have a history of biliary disease?(e.g. biliary tract/gallbladder disease, primary biliary cirrhosis, sclerosing cholangitis, fatty liver) *FAOBJ* *FAORRES when FATESTCD=OCCUR* Yes ☐ No ☐

If 'Yes', select the corresponding log lines from Medical History form.

Medical History log line and term	*Linked to related MH record via RELREC*
Medical History log line and term	

Does the subject have any history of blood transfusions? *FAOBJ* *FAORRES when FATESTCD=OCCUR* Yes ☐ No ☐

Has the subject traveled abroad within the prior [6 months] to a region with an increased incidence of hep... ? *[NOT SUBMITTED]* *FAOBJ* *FAORRES when FATESTCD=OCCUR* Yes ☐ No ☐

If 'Yes', specify area traveled: *FAOBJ*	*FAORRES=Y when FATESTCD=OCCUR*

Are there any other suspected etiologies? *[NOT SUBMITTED]* *FAOBJ* *FAORRES when FATESTCD=OCCUR* Yes ☐ No ☐

If 'Yes', please specify *FAOBJ*	*FAORRES=Y when FATESTCD=OCCUR*

Was additional diagnostic testing performed? *FAOBJ* *FAORRES=Y when FATESTCD=OCCUR* Yes ☐ No ☐

If 'Yes', please select the relevant log line(s) from the Liver Injury Diagnostic Procedures.

Liver Injury Diagnostic Procedure log line, start date and term	*Linked to related PR record via RELREC*
Liver Injury Diagnostic Procedure log line, start date and term	
Liver Injury Diagnostic Procedure log line, start date and term	

FA=Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Hepatic Event
Generated On: 06 Feb 2023 02:30:39

Liver Injury Diagnostic Procedure log line, start date and term	***Linked to related PR record via RELREC***
Liver Injury Diagnostic Procedure log line, start date and term	

LB=Laboratory Test Results

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Local Chemistry - Liver Injury
Generated On: 06 Feb 2023 02:30:39
Lab Name: *LBNAM*

Panel	*LBCAT=CHEMISTRY*	CHEMISTRY
Collection Date	*LBDTC*	
Collection Time		
Total Bilirubin	*LBORRES when LBTESTCD=BILI*	
Direct Bilirubin	*LBORRES when LBTESTCD=BILDIR*	
Indirect Bilirubin	*LBORRES when LBTESTCD=BILIND*	
Aspartate Aminotransferase (AST)	*LBORRES when LBTESTCD=AST*	
Alanine Aminotransferase (ALT)	*LBORRES when LBTESTCD=ALT*	
Gamma-Glutamyltransferase (GGT)	*LBORRES when LBTESTCD=GGT*	
Alkaline Phosphatase	*LBORRES when LBTESTCD=ALP*	
SGLBNOW		*[NOT SUBMITTED]*

LB=Laboratory Test Results

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: SARS-CoV-2 Antibody Testing
Generated On: 06 Feb 2023 02:30:39

LBCAT=IMMUNOLOGY
LBSPEC=SERUM

Are any SARS-CoV-2 antibody test results available? *[NOT SUBMITTED]*
Yes ☐
No ☐
LBSTAT=NOT DONE when LBTESTCD=SAR2AB

Collection Date _____ *LBDTC*

SARS-CoV-2 Antibody
Positive ☐
Negative ☐
Indeterminate ☐
Unknown ☐
LBORRES

NOW _____ *[NOT SUBMITTED]*

SGLBNOW _____ *[NOT SUBMITTED]*

LB=Laboratory Test Results

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: SARS-CoV-2 Viral Testing
Generated On: 06 Feb 2023 02:30:39

LBCAT=VIRAL LOAD/DETECTION

Are any SARS-CoV-2 diagnostic test results available? *[NOT SUBMITTED]*

Yes ☐
No ☐

LBSTAT=NOT DONE when LBTESTCD=RNA

Collection Date *LBDTC* _____

SARS-CoV-2 Viral

LBORRES when LBTESTCD=RNA

Positive ☐
Negative ☐
Indeterminate ☐
Unknown ☐

LBNSPCES=SEVERE ACUTE RESPIRATORY SYNDROME CORONAVIRUS 2 in SUPPLB when IDVAR=LBSEQ

NOW *[NOT SUBMITTED]* _____

SGLBNOW *[NOT SUBMITTED]* _____

PR=Procedures

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Liver Injury Diagnostic Procedures
Generated On: 06 Feb 2023 02:30:39

Therapeutic or Diagnostic Procedure	***PRTRT***
Indication	***PRINDC*** Adverse Event ☐ Medical History ☐ Trial Indication ☐ Other ☐
If indication is 'Adverse Event,' choose the corresponding AE log line, start date, and term	
AE log line, start date, and term	***Linked to related AE record via RELREC***
AE log line, start date, and term	
AE log line, start date, and term	
AE log line, start date, and term	
AE log line, start date, and term	
If indication is 'Medical History,' choose the corresponding MH log line and term	
MH log line and term	***Linked to related MH record via RELREC***
MH log line and term	
MH log line and term	
MH log line and term	
MH log line and term	
If Other, Specify	***PRINDDSC in SUPPPR when IDVAR=PRSEQ***
Date of Procedure	***PRSTDTC***
Findings	***PRFIND in SUPPPR when IDVAR=PRSEQ***
Were the findings considered an Adverse Event?	Yes ☐ No ☐
	Linked to related AE record via RELREC
If 'Yes', choose the corresponding AE log line, start date, and term	
SGPRNOW	***[NOT SUBMITTED]***
Derived Indication	***[NOT SUBMITTED]***

SU=Substance Use

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Substance Use Alcohol - Changes
Generated On: 06 Feb 2023 02:30:39

Evaluation Interval	SUEVLINT	[Prior 30 days]
Type of Substance	SUTRT	Alcohol ☐ Beer ☐ Wine ☐ Distilled Spirits ☐
Amount	SUDOSE	SUDOSTXT
Unit	SUDOSU	Milliliter ☐ Glass Dosing Unit ☐ Bottle Dosing Unit ☐ Can Dosing Unit ☐
Frequency	SUDOSFRQ	Per Day ☐ Per Week ☐ Per Month ☐ Per Year ☐ Occasional ☐
Start Date	SUSTDTC	
End Date	SUENDTC	
SGSUANOW	[NOT SUBMITTED]	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique

Project Name: CNTO1959UCO3004

Form: Interim Investigator Signature

Generated On: 06 Feb 2023 02:30:39

When data entry and source document verification has been completed up to the interim cut off point for this subject, sign-off for the interim closure can take place.

Interim lock	
I have verified that all data in this case book were completed up to the cutoff and I am ready to proceed with sign-off for interim closure.	
Elapsed days from ICF for the initial periodic signing or from last signature	
eSignature Audit Trail Date (UTC)	
Previous Audit Trail Date (UTC)	
Previous e-signature location	
Now	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Periodic Investigator's EDC Review Acknowledgement
Generated On: 06 Feb 2023 02:30:39

As the investigator, I have ensured the accuracy, completeness, and timeliness of the data reported to the sponsor in the CRFs.	
Elapsed days from ICF for the initial periodic signing or from last signature	
eSignature Audit Trail Date (UTC)	
Previous Audit Trail Date (UTC)	
Previous e-signature location	
Now	

XZ=Sample Handling

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Limitation on Retention of Samples for Future Research
Generated On: 06 Feb 2023 02:30:39

Category		LIMITATION ON RETENTION OF SAMPLES FOR FUTURE RESEARCH
	XZCAT	OPTIONAL SAMPLE(S) FOR RESEARCH COLLECTION
		UNSCHEDULED SAMPLE(S) FOR GENETIC RESEARCH COLLECTION
XZTEST Did local or country regulations limit the length of storage of samples at this site (to a duration less than that specified in the protocol)?	*XZORRES when XZTESTCD=STORLIMT*	Yes / No
If 'Yes', specify the storage limit		Fixed Unit: Years
	XZORRES when XZTESTCD=STORLEN	0 / 1 / 2 / 3 / 5 / 10 / 15 / Other
	[NOT SUBMITTED]	
Units	*XZORRESU*	Years
If storage limit is 'Other', specify the number of years the samples may be stored	*XZORRES,XZORRESU when XZTESTCD=STORLEN*	

INSTRUCTION NOTE TO BE REMOVED BEFORE SUBMISSION:
XZDTC to be derived from consent date on research sample collection [DSSTDTC where DSDECOD=INFORMED CONSENT OBTAINED]

FA=Findings About Events or Interventions

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Corticosteroids and Immunomodulators Failure Status
Generated On: 06 Feb 2023 02:30:39

Corticoste *FACAT=CORTICOSTEROID AND IMMUNOMODULATOR HISTORY* *FASCAT=CORTICOSTEROID*

Has the subject used corticosteroids for the treatment of their Ulcerative Colitis? *FAOBJ=USED CORTICOSTEROIDS FOR THE TREATMENT OF THEIR UC* *FAORRES when FATESTCD=OCCUR* Yes ☐ No ☐

What was the duration of treatment with corticosteroids? *FAORRES when FATESTCD=DUR*
Less than or equal to 1 year ☐
Greater than 1 year but less than or equal to 2 years ☐
Greater than 2 years ☐

Does the subject have a me corticosteroids for the treat *FAOBJ=MEDICAL CONDITION THAT PRECLUDES THE USE OF CORTICOSTEROIDS FOR THE TREATMENT OF UC* Yes ☐ No ☐ *FAORRES when FATESTCD=OCCUR*

IF FAOBJ=<PREDNISONE OR EQUIVALENT> THEN FAEVINTX=2 WEEKS ELSE FAEVINTX=4 WEEKS

evidence of an initial inadequate response, recurrent disease
pse despite
ne (or corti
ously) for 2
of beclomet
FAOBJ=EVIDENCE OF AN INITIAL INADEQUATE RESPONSE, RECURRENT DISEASE, OR A RELAPSE DESPITE RECEIVING AT LEAST 0.75 MG/KG OR >= 40 MG/DAY OF PREDNISONE OR EQUIVALENT; OR >=9 MG/DAY OF BUDESONIDE OR >=5 MG/DAY OF BEDOMETHASONE DIPROPIONATE
Yes ☐ No ☐ *FAORRES when FATESTCD=OCCUR*

Has fail
disease
within
discont
them
FAOBJ=HAVE FAILED TO SUCCESSFULLY TAPER THEIR CORTICOSTEROID OF STARTING THERAPY, OR IF A RELAPSE OCCURS AFTER STOPPING CORTICOSTEROIDS OR IF THEY ARE UNABLE TO DISCONTINUE THESE AGENTS WITHOUT FLARE AFTER STARTING THEM
Yes ☐ No ☐ *FAORRES when FATESTCD=OCCUR*
FAEVINTX=3 MONTHS

Has the subject developed clinically significant adverse events
unresponsive
investigator, p
Colitis?
FAOBJ=DEVELOPED CLINICALLY SIGNIFICANT ADVERSE EVENTS UNRESPONSIVE TO DOSE REDUCTION THAT PRECLUDED THE USE OF CORTICOSTEROIDS
Yes ☐ No ☐ *FAORRES when FATESTCD=OCCUR*

If so, please indicate which events occurred:		*[NOT SUBMITTED]*
Osteonecrosis	*FAOBJ=OSTEONECROSIS*	*FAORRES when FATESTCD=OCCUR*
Osteoporosis	*FAOBJ=OSTEOPOROSIS*	
Psychosis	*FAOBJ=PSYCHOSIS*	
Uncontrolled diabe	*FAOBJ=UNCONTROLLED DIABETES*	
Other		*[NOT SUBMITTED]*
If Other, specify	*FAOBJ*	*FAORRES=Y when FATESTCD=OCCUR*

Immunomodulators (6-MP/AZA/MTX) *FASCAT=IMMUNOMODULATORS*

Has the subject used immunomodulators for the treatment of their Ulcerative Colitis? *FAOBJ=USED IMMODULATORS FOR THE TREATMENT OF THEIR UC?* Yes ☐ No ☐ *FAORRES when FATESTCD=OCCUR*

What was the duration of treatment with immunomodulators? *FAORRES when FATESTCD=DUR*
Less than or equal to 1 year ☐
Greater than 1 year but less than or equal to 2 years ☐

Greater than 2 years	☐
Does the subject have a medical condition that precludes the use of 6-MP, AZA, or MTX to treat	Yes ☐ No ☐ FAOBJ=HAS A MEDICAL CONDITION THAT PRECLUDES THE USE OF 6-MP, AZA, OR MTX TO TREAT UC? FAORRES when FATESTCD=OCCUR
Has the subject had evidence of an initial inadequate response, recurrent disease, or a relapse despite receiving:	[NOT SUBMITTED]
At le mg/k of M	Y N FAOBJ=EVIDENCE OF AN INITIAL INADEQUATE RESPONSE, RECURRENT DISEASE, OR A RELAPSE IN TIMEFRAME OF THERAPY WITH 1MG/KG/DAY OF 6-MP, 2MG/KG/DAY OF AZA OR 25MG/WEEK OF MTX FAORRES when FATESTCD=OCCUR FAEVINTX=3 MONTHS
A lower dos specify a dif	Yes ☐ No ☐ FAOBJ=EVIDENCE OF AN INITIAL INADEQUATE RESPONSE, RECURRENT DISEASE, OR A RELAPSE IN TIMEFRAME OF THERAPY WITH LOWER DOSAGE WHEN GDL SPECIFY
The dosage subject with pmole/8 x 1	Ye N FAOBJ=EVIDENCE OF AN INITIAL INADEQUATE RESPONSE, RECURRENT DISEASE, OR A RELAPSE DESPITE RECEIVING A DOSAGE OF 6-MP OR AZA CONFIRMED WITH WHOLE BLOOD THIOGUANINE NUCLEOTIDE LEVELS >200 PMOLE/8X10^8 RBCS FAORRES when FATESTCD=OCCUR
The highest	Yes ☐ FAOBJ=EVIDENCE OF AN INITIAL INADEQUATE RESPONSE, RECURRENT DISEASE, OR A RELAPSE DESPITE RECEIVING THE HIGHEST TOLERATED DOSAGE DUE TO LEUKOPENIA, ELEVATED LIVER ENZYMES OR NAUSEA
Has the subject developed clinically unresponsive to dose reduction whi investigator, precluded the use of 6- within the past 5 years?	Ye N ☐ FAOBJ=DEVELOPED CLINICALLY SIGNIFICANT ADVERSE EVENTS UNRESPONSIVE TO DOSE REDUCTION THAT PRECLUDED THE USE OF 6-MP, AZA, OR MTX TO TREAT CD FAORRES when FATESTCD=OCCUR FAEVINTX=5 YEARS
If so, please indicate which events occurred:	[NOT SUBMITTED]
Pancreatitis	FAOBJ=PANCREATITIS
Arthritis accompanied by high fever and/or ra	FAOBJ=ARTHRITIS ACCOMPANIED BY HIGH FEVER AND/OR RASH
Leukopenia	FAOBJ=LEUKOPENIA
Persistently elevated liver enzymes	FAOBJ=PERSISTENTLY ELEVATED LIVER
Other	[NOT SUBMITTED]
If Other, specify FAOBJ	FAORRES=Y when FATESTCD=OCCUR

FAORRES when FATESTCD=OCCUR

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Safety Report Form
Generated On: 06 Feb 2023 02:30:39

CASE ID #	
Adverse event terms included in safety case	
Date SAE case (CASEID) created in eDC	
Time SAE case (CASEID) created in eDC	
UTC Date SAE case (CASEID) created in eDC	
UTC Time SAE case (CASEID) created in eDC	
Additional Information	
Please provide additional information relevant to the safety case (known as the narratives: Signs and Symptoms - Risk Factors - Investigations and Supporting Diagnostics - Differential Diagnosis - Course of events - Treatment/Response to Treatment - Suspected Causes - Other Comments). If a Product Quality Complaint is associated with the SAE, please complete TV-FRM-03237 Product Quality Complaint Form.	
Case Seriousness Roll-up	
Serious adverse event?	Yes ☐ No ☐
Was event a congenital anomaly or birth defect?	Yes ☐ No ☐
Did the event require hospitalization?	Yes ☐ No ☐
Did the event result in persistent or significant disability or incapacity?	Yes ☐ No ☐
Was the event life threatening?	Yes ☐ No ☐
Did the event result in death?	Yes ☐ No ☐
Was this an 'Other medically important condition?'	Yes ☐ No ☐
Submit SAE Case	
Submit Counter (used to trigger the relevant field and send the case)	
Date of Submission (auto-populated)	
Comment (not send with case)	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique

Project Name: CNTO1959UCO3004

Form: Safety Report Form

Generated On: 06 Feb 2023 02:30:39

Check box to submit significant data concerning this SAE to Medical safety."By checking this box I hereby confirm that the assessment of all the Adverse Event information (concerning to the Serious Adverse Event/Adverse Event of Special Interest case) reported in the CRF has been conducted by the study Principal Investigator and/or a Sub-Investigator as documented in the Medical Records".	
Most recent safety case information from SAEs in case (hidden)	
Age at onset of SAE	
Weight at onset of SAE (kg)	
Height at onset of SAE (cm)	
Date of Death (dd-MMM-yyyy)	
Cause of Death	
Was an autopsy performed?	Yes ☐ No ☐
Additional Information-Continued	
Please provide additional information relevant to the safety case (known as the narratives)-Continued	
Please provide additional information relevant to the safety case (known as the narratives)-Continued	
Please provide additional information relevant to the safety case (known as the narratives)-Continued	
Please provide additional information relevant to the safety case (known as the narratives)-Continued	
Please provide additional information relevant to the safety case (known as the narratives)-Continued	
Please provide additional information relevant to the safety case (known as the narratives)-Continued	
Please provide additional information relevant to the safety case (known as the narratives)-Continued	
Please provide additional information relevant to the safety case (known as the narratives)-Continued	
Please provide additional information relevant to the safety case (known as the narratives)-Auto Captured Data	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique

Project Name: CNTO1959UCO3004

Form: Relevant information Selection

Generated On: 06 Feb 2023 02:30:39

Indicate all the forms that contain relevant information for this SAE case. By completing the relevant form, the information can be submitted together with the SAE information. The submission of the SAE case needs to be completed on the Safety Reporting Form after all information is captured and within 24 hours of knowledge of the SAE case information.?

Is there relevant *Medical History* available for this SAE case?	Yes ☐ No ☐
Is there relevant *Additional Drug Therapies* available for this SAE case?	Yes ☐ No ☐
Is there relevant *Tests* available for this SAE case?	Yes ☐ No ☐
Is there relevant *UC Related Procedures* available for this SAE case?	Yes ☐ No ☐
Is there relevant *Preplanned Surgeries/Procedures* available for this SAE case?	Yes ☐ No ☐
Is there relevant *Local Laboratory Data* available for this SAE case?	Yes ☐ No ☐
Is there relevant *Substance Use Alcohol* available for this SAE case?	Yes ☐ No ☐
Is there relevant *Substance Use Tobacco* available for this SAE case?	Yes ☐ No ☐

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Relevant Study Medication
Generated On: 06 Feb 2023 02:30:39

*** Any updates to fields related to previously submitted SAE case, please be reminded to send a Follow-up SAE case by creating a new log-line in the Safety Report Form in Safety Follow-up folder.**

**** Mandatory fields!**

Relevant study agent**	GUSELKUMAB/PLACEBO ☐ SUBJECT NOT DOSED ☐
Action taken with study agent.**	Drug Interrupted ☐ Dose Not Changed ☐ Drug Withdrawn ☐ Not Applicable (select only if AE occurs outside of treatment period) ☐
Date of first dose of study agent**	
Time of first dose of study agent**	
Date of most recent dose of study agent**	
Time of most recent dose of study agent**	
Indication	
Batch/lot no.	
Dose**	
Dose Text**	
Dose Unit**	Application ☐ Capsule ☐ Drop ☐ Fingertip ☐ Gram ☐ Implant ☐ International Unit ☐ Liter ☐ Microgram ☐ Milligram ☐ Milligram per Kilogram ☐ Milligram per Square Meter ☐ Milliliter ☐ Milliequivalent ☐

	Microliter ☐
	Patch ☐
	Puff ☐
	Sachet ☐
	Spray ☐
	Tablespoon ☐
	Tablet ☐
	Teaspoon ☐
	Unit ☐
	Vial ☐
	Other ☐
Dose Frequency**	Once ☐
	Infrequent ☐
	As Necessary ☐
	Continue ☐
	Daily ☐
	Twice Daily ☐
	Three Times Daily ☐
	Four Times Daily ☐
	Every Other Day ☐
	Weekly ☐
	Twice Weekly ☐
	Three Times Weekly ☐
	Four Times Weekly ☐
	Every Two Weeks ☐
	Every Four Weeks ☐
	Every Eight Weeks ☐
	Twice Per Month ☐
	Monthly ☐
	Every Three Months ☐
	Unknown ☐
	Other ☐
Dose Form	Aerosol ☐

	Capsule ☐
	Cream ☐
	Delayed Release Capsule ☐
	Delayed Release Tablet ☐
	Extended Release Capsule ☐
	Extended Release Tablet ☐
	For Solution ☐
	For Suspension ☐
	Gel ☐
	Implant ☐
	Inhalant ☐
	Injectable ☐
	Liquid ☐
	Lotion ☐
	Mouthwash ☐
	Ointment ☐
	Patch ☐
	Powder ☐
	Shampoo ☐
	Solution ☐
	Soap ☐
	Spray ☐
	Suppository ☐
	Suspension ☐
	Syrup ☐
	Tablet ☐
	Tape ☐
	Unassigned ☐
	Not Applicable ☐
	Unknown ☐
Route	Auricular ☐
	Inhalation ☐
	Intralesional ☐

	Intramuscular ☐
	Intravenous ☐
	Nasal ☐
	Nasogastric ☐
	Ophtalmic ☐
	Oral ☐
	Parenteral ☐
	Rectal ☐
	Retrobulbar ☐
	Subcutaneous ☐
	Sublingual ☐
	Topical ☐
	Transdermal ☐
	Not Applicable ☐
	Unknown ☐
	Other ☐
Select to include in Safety Case	
Case ID	
Source Form Name	
Source Form OID	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Relevant Concomitant Therapy
Generated On: 06 Feb 2023 02:30:39

*** Any updates to fields related to previously submitted SAE case, please be reminded to send a Follow-up SAE case by creating a new log-line in the Safety Report Form in Safety Follow-up folder.**

Related Record ID	
Related Concomitant Medication or Therapy	
Individual dose of the medication/ therapy	
Dose Unit	Application ☐ Capsule ☐ Drop ☐ Fingertip ☐ Gram ☐ Implant ☐ International Unit ☐ Liter ☐ Microgram ☐ Milligram ☐ Milligram per Kilogram ☐ Milligram per Square Meter ☐ Milliliter ☐ Milliequivalent ☐ Microliter ☐ Patch ☐ Puff ☐ Sachet ☐ Spray ☐ Tablespoon ☐ Tablet ☐ Teaspoon ☐ Unit ☐ Vial ☐ Other ☐
Dose text	
Frequency	
Dose Form	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Relevant Concomitant Therapy
Generated On: 06 Feb 2023 02:30:39

Route	Auricular ☐ Inhalation ☐ Intralesional ☐ Intramuscular ☐ Intravenous ☐ Nasal ☐ Nasogastric ☐ Ophtalmic ☐ Oral ☐ Parenteral ☐ Rectal ☐ Retrobulbar ☐ Subcutaneous ☐ Sublingual ☐ Topical ☐ Transdermal ☐ Not Applicable ☐ Unknown ☐ Other ☐
Concatenated Indication	
Start Date	
Start Time	
End Date	
End Time	
Select to include in Safety Case	
Case ID	
Source Form Name	
Source Folder Names	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Relevant Medical History
Generated On: 06 Feb 2023 02:30:39

*** Any updates to fields related to previously submitted SAE case, please be reminded to send a Follow-up SAE case by creating a new log-line in the Safety Report Form in Safety Follow-up folder.**

Relevant Medical History condition/event	
Start Date	
Medical history disease/condition or event still ongoing	Yes ☐ No ☐
End Date	
Comment	
Select to include in Safety Case	
Case ID	
Source Form Name	
Source Folder Names	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Relevant Preplanned Surgeries/Procedures
Generated On: 06 Feb 2023 02:30:39

*** Any updates to fields related to previously submitted SAE case, please be reminded to send a Follow-up SAE case by creating a new log-line in the Safety Report Form in Safety Follow-up folder.**

Relevant Therapeutic or Diagnostic Procedure	
Start Date	
Comment	
Select to include in Safety Case	
Case ID	
Source Form Name	
Source Folder Names	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Relevant Additional Drug Therapies
Generated On: 06 Feb 2023 02:30:39

*** Any updates to fields related to previously submitted SAE case, please be reminded to send a Follow-up SAE case by creating a new log-line in the Safety Report Form in Safety Follow-up folder.**	
Related Record ID	
Relevant Past Medication or Therapy	
Relevant Indication	
Start Date	
End Date	
Comment	
Select to include in Safety Case	
Case ID	
Source Form Name	
Source Folder Names	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique

Project Name: CNTO1959UCO3004

Form: DSL Index Page (Must have for DSL functionality; not visible to the sites)

Generated On: 06 Feb 2023 02:30:39

Source	
Page Repeat #	
Log Line #	
Instance ID	
Instance Name	
DataPage ID	
DataPage Name	
Record Position	
Field OID	
Data Value	
Coded Value	

DUMMY

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Site/Invest Identification
Generated On: 06 Feb 2023 02:30:39

Site Information	
Study Name	
Site Country	
Site Name	
Primary Investigator Information	
PI Given Name	
PI Middle Name	
PI Family Name	
PI Street Address	
PI City	
PI State	
PI Postal Code	
Specific SAE Trigger Case Information	
Age at onset of SAE	
Weight at onset of SAE (kg)	
Height at onset of SAE (cm)	
Date of Death (dd-MMM-yyyy)	
Was an autopsy performed?	Yes ☐
	No ☐

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Acknowledgement Reporting Form
Generated On: 06 Feb 2023 02:30:39

CASE ID #	
Adverse Event Term(s)	
Date SAE Case created	
Version	
Date report received by Safety System	
Status	
Date of acknowledgement	
Error	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Acknowledgement Upload Form
Generated On: 06 Feb 2023 02:30:39

The Safety Report transmission date.	
The Safety Report version.	
In the event of an error, this contains the acknowledgment error message.	
The date the acknowledgment file was received.	
The status of the acknowledgment	
The CASEID of the Safety Report	
The identifier of the safety system that sent the acknowledgment.	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Relevant Tests
Generated On: 06 Feb 2023 02:30:39

*** Any updates to fields related to previously submitted SAE case, please be reminded to send a Follow-up SAE case by creating a new log-line in the Safety Report Form in Safety Follow-up folder.**

Collection Date	
Relevant Test Category	Other
Other Relevant Test Category	
Category field to be mapped to SG mapping module.	
Relevant Test	Other
Other Relevant Test	
Test field to be mapped to SG mapping module.	
Result	
Unit	Application Capsule Drop Fingertip Gram Implant International Unit Liter Microgram Milligram Milligram per Kilogram Milligram per Square Meter Milliliter Milliequivalent Microliter Patch Puff Sachet Spray Tablespoon Tablet Teaspoon

	Unit ☐ Vial ☐ Other ☒
If other unit please specify	
Unit field to be mapped to SG mapping module	
Comment	
Select to include in Safety Case	1
Case ID	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Relevant Procedures
Generated On: 06 Feb 2023 02:30:39

*** Any updates to fields related to previously submitted SAE case, please be reminded to send a Follow-up SAE case by creating a new log-line in the Safety Report Form in Safety Follow-up folder.**

Relevant Therapeutic or Diagnostic Procedure	
Start Date	
End Date	
Comment	
Select to include in Safety Case	
Case ID	
Source Form Name	
Source Folder Names	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Relevant Local Laboratory
Generated On: 06 Feb 2023 02:30:39

Select the applicable category	
Select the applicable test	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Relevant Local Laboratory Data
Generated On: 06 Feb 2023 02:30:39

SGLLRECID	
Collection Date	
Test	
Result	
Unit	
Normal Lower Range	
Normal Higher Range	
Select to include in Safety Case	
Case ID	
Source Form Name	
Source Folder Names	

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Relevant Substance Use Alcohol
Generated On: 06 Feb 2023 02:30:39

*** Any updates to fields related to previously submitted SAE case, please be reminded to send a Follow-up SAE case by creating a new log-line in the Safety Report Form in Safety Follow-up folder.**

Type of Substance	
Start Date	
End Date (*if applicable*)	
Comment	
Select to include in Safety Case	
Case ID	
Source Form Name	
Source Folder Names	

SU=Substance Use

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique
Project Name: CNTO1959UCO3004
Form: Substance Use [Tobacco/Nicotine]
Generated On: 06 Feb 2023 02:30:39

Does the subject have ANY history of [Tobacco/Nicotine] use? *[NOT SUBMITTED]*

SUOCCUR=N when SUTRT=TOBACCO/NICOTINE

- ☐ Yes
- ☐ No

SGSUTNOW _____ *[NOT SUBMITTED]*

Substance Category *SUCAT* TOBACCO

Type of Substance *SUTRT*

- ■ Cigarettes
- ☐ Cigars
- ☐ Pipes
- ☐ Smokeless tobacco
- ☐ Patches/Gum
- ☐ E-cigarettes or equivalent

Usage *SUNCF in SUPPSU when IDVAR=SUSEQ*

- *SUOCCUR=Y* ☐ Current
- *SUOCCUR=Y* ☐ Former
- *SUOCCUR=N* ☐ Never

Substance Category TOBACCO

Type of Substance

- ☐ Cigarettes
- ■ Cigars
- ☐ Pipes
- ☐ Smokeless tobacco
- ☐ Patches/Gum
- ☐ E-cigarettes or equivalent

For annotations, refer to above section

Usage

- ☐ Current
- ☐ Former
- ☐ Never

Substance Category TOBACCO

Type of Substance

- ☐ Cigarettes
- ☐ Cigars
- ■ Pipes
- ☐ Smokeless tobacco
- ☐ Patches/Gum
- ☐ E-cigarettes or equivalent

Usage

- ☐ Current
- ☐ Former

For annotations, refer to page 99

	Never ☐
Substance Category	TOBACCO
Type of Substance	Cigarettes ☐
	Cigars ☐
	Pipes ☐
	Smokeless tobacco ■
	Patches/Gum ☐
	E-cigarettes or equivalent ☐
Usage	Current ☐
	Former ☐
	Never ☐
Substance Category	NICOTINE
Type of Substance	Cigarettes ☐
	Cigars ☐
	Pipes ☐
	Smokeless tobacco ☐
	Patches/Gum ■
	E-cigarettes or equivalent ☐
Usage	Current ☐
	Former ☐
	Never ☐
Substance Category	NICOTINE
Type of Substance	Cigarettes ☐
	Cigars ☐
	Pipes ☐
	Smokeless tobacco ☐
	Patches/Gum ☐
	E-cigarettes or equivalent ■
Usage	Current ☐
	Former ☐
	Never ☐

[NOT SUBMITTED]

CNTO1959UCO3004 Version 4.00 09DEC2022 JY: Unique

Project Name: CNTO1959UCO3004

Form: Relevant Substance Use Tobacco

Generated On: 06 Feb 2023 02:30:39

*** Any updates to fields related to previously submitted SAE case, please be reminded to send a Follow-up SAE case by creating a new log-line in the Safety Report Form in Safety Follow-up folder.**

Type of Substance	
Start Date	
End Date (*if applicable*)	
Comment	
Select to include in Safety Case	
Case ID	
Source Form Name	
Source Folder Names	

eCOA Screen Report

Sponsor: Janssen
Protocol: CNTO1959UCO3004
Questionnaire: C-SSRS Baseline
Language ID: enUS
Language Name: English – United States

Document Version: 2.1

Revision History

Creation / Revision Date	Version Number	Author(s)	Description of Version
14-Mar-2022	0.1	Kevin Oliver	Initial Draft
01-Jun-2022	0.2	Kevin Oliver	Replacing screens 1 – 21 with screens from UCO3004 study.
09-Jun-2022	0.3	Kevin Oliver	Updated screens 17-18
15-Jun-2022	1.0	Kevin Oliver	Versioned to 1.0
27-Jun-2022	1.1	Kevin Oliver	Updated screen 13 to correct alignment for 'Lifetime'. Added "Edit Checks:" to end of: Screen 6 (page 8) Screen 12 (page 14) Screen 15 (pages 17-18) Screen 18 (page 20) Screen 19 (page 21-22)
14-Jul-2022	1.2	Kevin Oliver	Updated Screen 2- 6 to show alignment between Lifetime and Past 6 months buttons. Updated Screen 9 with corrected Spinner for Deterrents – Past 6 Months. Updated Screen 17 to remove the date entered in spinner.
18-Jul-2022	2.0	Kevin Oliver	Versioned to 2.0
27-Jul-2022	2.1	Kevin Oliver	Updated Screens 11 & 12 to correct spelling in header "SUICIDAL BEHAVIOR".
27-Jul-2022	3.0	Kevin Oliver	Versioned to 3.0

QS = Questionnaires

1. C-SSRS Baseline/Screening Screen 1 - Instructions

QSCAT = C-SSRS BASELINE/SCREENING VERSION

QSEVAL = INVESTIGATOR

COLUMBIA-SUICIDE SEVERITY RATING SCALE (C-SSRS) Baseline/Screening Version

COLUMBIA-SUICIDE SEVERITY RATING SCALE (C-SSRS)

Baseline/Screening Version

Version 1/14/09

Posner, K.; Brent, D.; Lucas, C.; Gould, M.; Stanley, B.; Brown, G.; Fisher, P.; Zelazny, J.; Burke, A.; Oquendo, M.; Mann, J.

Disclaimer:

This scale is intended to be used by individuals who have received training in its administration. The questions contained in the Columbia-Suicide Severity Rating Scale are suggested probes. Ultimately, the determination of the presence of suicidal ideation or behavior depends on the judgment of the individual administering the scale.

*Definitions of behavioral suicidal events in this scale are based on those used in **The Columbia Suicide History Form**, developed by John Mann, MD and Maria Oquendo, MD, Conte Center for the Neuroscience of Mental Disorders (CCNMD), New York State Psychiatric Institute, 1051 Riverside Drive, New York, NY, 10032. (Oquendo M. A., Halberstam B. & Mann J. J., Risk factors for suicidal behavior: utility and limitations of research instruments. In M.B. First [Ed.]* Standardized Evaluation in Clinical Practice, pp. 103 -130, 2003.)

For reprints of the C-SSRS contact Kelly Posner, Ph.D., New York State Psychiatric Institute, 1051 Riverside Drive, New York, New York, 10032; inquiries and training requirements contact posnerk@nyspi.columbia.edu

© 2008 The Research Foundation for Mental Hygiene, Inc.

Back | © 2008 Research Foundation for Mental Hygiene, Inc. 1/2 0% | Next

2. C-SSRS Baseline/Screening Screen 2



3. C-SSRS Baseline/Screening Screen 2 continued



4. C-SSRS Baseline/Screening Screen 2 continued



5. C-SSRS Baseline/Screening Screen 2 continued



6. C-SSRS Baseline/Screening Screen 2 continued



Edit Checks:

- "Question(s) {x} – Past 6 Months is selected as "Yes", however Lifetime is marked as "No"; please correct." (OK)
- "Question 2 selected as "Yes" so questions 3, 4, and 5 for the column should be completed; please correct." (OK)
- "The patient has indicated a "Yes" response to at least one question for Suicidal Ideation" (OK)

7. C-SSRS Baseline/Screening Screen 3



8. C-SSRS Baseline/Screening Screen 3 continued



9. C-SSRS Baseline/Screening Screen 3 continued



10. C-SSRS Baseline/Screening Screen 3 continued



11. C-SSRS Baseline/Screening Screen 4



12. C-SSRS Baseline/Screening Screen 4 continued



Edit Checks:

- "Total # of attempts indicated in the Lifetime column should not be less than the number indicated in the Past 6 Months column; please correct." (OK)
- "You entered X of Actual Attempts for Lifetime. Is this correct?" (Yes/No)
- "You entered X of Actual Attempts for Past 6 Months. Is this correct?" (Yes/No)
- "A question has a "no" marked for Lifetime and a "yes" marked for Past 6 Months; please correct." (OK)

13. C-SSRS Baseline/Screening Screen 5



14. C-SSRS Baseline/Screening Screen 5 continued



15. C-SSRS Baseline/Screening Screen 5 continued

Edit Checks:

- "You entered X of Interrupted Attempts for Lifetime. Is this correct?" (Yes/No)
- "You entered X of Interrupted Attempts for Past 6 Months. Is this correct?" (Yes/No)
- "You entered X of Aborted Attempts for Lifetime. Is this correct?" (Yes/No)
- "You entered X of Aborted Attempts for Past 6 Months. Is this correct?" (Yes/No)
- "A question has a "no" marked for Lifetime and a "yes" marked for Past 6 Months; please correct." (OK)

- "Total # of attempts indicated in the Lifetime column should not be less than the number indicated in the Past 6 Months column; please correct." (OK)
- ""Yes" is selected on either Actual, Aborted, Interrupted, or Preparatory Acts/ Behavior questions, so Suicidal Behavior question must be marked as "yes"; please correct." (OK)
- "'No' is selected on Actual, Aborted, Interrupted, and Preparatory Acts or Behavior questions, so Suicidal Behavior question must be marked "No"; please correct." (OK)
- "The patient has indicated a 'Yes' response to at least one question for Suicidal Behavior" (OK)

16. C-SSRS Baseline/Screening Screen 6



17. C-SSRS Baseline/Screening Screen 6 continued



18. C-SSRS Baseline/Screening Screen 6 continued



Edit Checks:

- "You entered a response of 5 to Actual Lethality/Medical Damage; please correct." (OK)
- "Initial/First Attempt Date is after Most Recent Attempt Date. Please correct." (OK)

19. C-SSRS Baseline/Screening Screen 7

Edit Check:

- Questions 4 or 5 of the Suicidal Ideation section (Screen 2) or any question in the Suicidal Behavior section (Screen 4/5) – with exception of “Has participant engaged in Non-Suicidal Self-Injurious Behavior? - have a YES response in the Past 6 Months column:
  “Patient has reported suicidal ideation or suicidal behavior based on the Columbia Suicide Severity Rating Scale (C-SSRS). The Principal Investigator must evaluate positive responses on the C-SSRS and take appropriate action in consideration of medical judgement and the training and certification process for administering the test. It is the responsibility of the PI to review the results

in all participants and determine if any result requires evaluation by a mental health professional. This should be evaluated, and appropriate action taken."

eCOA Screen Report

Sponsor: Janssen
Protocol: CNTO1959UCO3004
Questionnaire: C-SSRS Since Last Visit (SLV)
Language ID: enUS
Language Name: English – United States

Document Version: 2.0

Revision History

Creation / Revision Date	Version Number	Author(s)	Description of Version
14-Mar-2022	0.1	Kevin Oliver	Initial Draft
31-May-2022	0.2	Kevin Oliver	Updated Screens 1-17 with screens from UCO3004 C-SSRS questionnaire.
15-Jun-2022	1.0	Kevin Oliver	Versioned to 1.0
28-Jun-2022	1.1	Kevin Oliver	Added “Edit Checks:” to end of: Screen 5 (page 7) Screen 11 (page 13) Screen 14 (pages 16) Screen 16 (page 18) Screen 17 (page 19-20)
14-Jul-2022	1.2	Kevin Oliver	Updated Screen 7 with Controllability spinner 0 to 5.
18-Jul-2022	2.0	Kevin Oliver	Versioned to 2.0

QS = Questionnaires

1. C-SSRS SLV Screen 1 - Instructions



2. C-SSRS SLV Screen 2



3. C-SSRS SLV Screen 2 continued



4. C-SSRS SLV Screen 2 continued



5. C-SSRS SLV Screen 2 continued



Edit Checks:

- "Question 2 selected as "Yes" so questions 3, 4, and 5 should be completed; please correct."
- "The patient has indicated a "Yes" response to at least one question for Suicidal Ideation" (OK)

6. C-SSRS SLV Screen 3



7. C-SSRS SLV Screen 3 continued



8. C-SSRS SLV Screen 3 continued



9. C-SSRS SLV Screen 3 continued



10. C-SSRS SLV Screen 4



11. C-SSRS SLV Screen 4 continued



Edit Checks:

- "You entered X of Actual Attempts. Is this correct?" (Yes/No)

12. C-SSRS SLV Screen 4 continued



13. C-SSRS SLV Screen 5



14. C-SSRS SLV Screen 5 continued



Edit Checks:

- "You entered X of Interrupted Attempts. Is this correct?" (Yes/No)
- "You entered X of Aborted Attempts. Is this correct?" (Yes/No)
- ""Yes" is selected on either Actual, Aborted, Interrupted, or Preparatory Acts/ Behavior questions, so Suicidal Behavior question must be marked as "yes"; please correct." (OK)
- "You entered a response of "Yes" to Suicide; is this correct?" (Yes/No)
- "The patient has indicated a "Yes" response to at least one question for Suicidal Behavior"

15. C-SSRS SLV Screen 6



QSSTRESC

16. C-SSRS SLV Screen 6 continued



QSSTRESC

QSSTRESC

Edit Checks:

- "You entered a response of 5 to Actual Lethality/Medical Damage; please confirm." (Yes/No)

17. C-SSRS SLV Screen 7

Edit Check:

- Questions 4 or 5 of the Suicidal Ideation section (Screen 2) or any question in the Suicidal Behavior section (Screen 4/5) – with exception of “Has participant engaged in Non-Suicidal Self-Injurious Behavior? - have a YES response in Since Last Visit column:

“Participant has reported suicidal ideation or suicidal behavior based on the Columbia Suicide Severity Rating Scale (C-SSRS). The Principal Investigator must evaluate positive responses on the C-SSRS and take appropriate action in consideration of medical judgement and the training and certification process for administering the test. It is the responsibility of the PI to review the results in all participants

and determine if any result requires evaluation by a mental health professional. This should be evaluated, and appropriate action taken."

eCOA Screen Report

Sponsor: Janssen
Protocol: CNTO1959UCO3004
Questionnaire: IBDQ
Language ID: enUS
Language Name: English – United States

Document Version: 1.2

Revision History

Creation / Revision Date	Version Number	Author(s)	Description of Version
09-Mar-2022	0.1	Kevin Oliver	Initial
10-Jun-2022	0.2	Yusef Savage	Updated Screen 1 -2 to correct spacing.
15-Jun-2022	1.0	Kevin Oliver	Versioned to 1.0
07-Jul-2022	1.1	Kevin Oliver	Corrected screens 34. Header changed from 'Subject' to 'Participant'
13-Jul-2022	1.2	Kevin Oliver	Corrected Screen 1 to include a period at the end of last paragraph.
18-Jul-2022	2.0	Kevin Oliver	Versioned to 2.0

1. IBDQ Screen 1

[NOT SUBMITTED]



2. IBDQ Screen 2



3. IBDQ Screen 3



4. IBDQ Screen 4



5. IBDQ Screen 5



6. IBDQ Screen 6



7. IBDQ Screen 7



8. IBDQ Screen 8



9. IBDQ Screen 9

10. IBDQ Screen 10



11. IBDQ Screen 11

12. IBDQ Screen 12



13. IBDQ Screen 13



14. IBDQ Screen 14

15. IBDQ Screen 15



16. IBDQ Screen 16



17. IBDQ Screen 17

18. IBDQ Screen 18



19. IBDQ Screen 19

20. IBDQ Screen 20



21. IBDQ Screen 21



22. IBDQ Screen 22



23. IBDQ Screen 23



24. IBDQ Screen 24

25. IBDQ Screen 25

26. IBDQ Screen 26

27. IBDQ Screen 27



28. IBDQ Screen 28



29. IBDQ Screen 29



30. IBDQ Screen 30



31. IBDQ Screen 31



32. IBDQ Screen 32



33. IBDQ Screen 33



34. IBDQ Screen 34



eCOA Screen Report

Sponsor: Janssen
Protocol: CNTO1959UCO3004
Questionnaire: Mayo Site Worksheet
Language ID: enUS
Language Name: English – United States

Document Version: 1.0

Revision History

Creation / Revision Date	Version Number	Author(s)	Description of Version
09-Mar-2022	0.1	Kevin Oliver	Initial
27-May-2022	0.2	Kevin Oliver	Updating Screen 2 to show new Endoscopy Subscore layout
15-Jun-2022	1.0	Kevin Oliver	Versioned to 1.0

QS = Questionnaires

QSEVAL = INVESTIGATOR

1. Mayo Site Screen 1



OSSTRESC

QSORRES when QSTESTCD = MAYO9401

2. Mayo Site Screen 2



Participant attributes during set up - Raw remission stool number

QS = Questionnaires

QSCAT = MAYO DAILY DIARY V2

QSEVAL = STUDY SUBJECT



Once all fields have been completed, select "+Create" to create your new participant. If the participant is using their personal device, a printable BYOD Enrollment Information page will appear. If the participant is using a provisioned device, a popup will appear denoting that the "Participant Y58-xx#####-######" has been added successfully with the default PIN of 123456." See following corresponding sections.

Note: Once the participant is created in the Portal, you must sync your device/s for the participant to be available for selection on the device.

eCOA Screen Report

Sponsor: Janssen
Protocol: CNTO1959UCO3004
Questionnaire: Mayo Daily Diary (MDD)
Language ID: enUS
Language Name: English US

Document Version: 2.0

Revision History

Creation / Revision Date	Version Number	Author(s)	Description of Version
08-Mar-2022	0.1	Kevin Oliver	Initial Draft
27-May-2022	0.2	Kevin Oliver	Screen 1 updated with new instructions.
15-Jun-2022	1.0	Kevin Oliver	Versioned to 1.0
27-Jul-2022	1.1	Kevin Oliver	Updated Screen 2 text from 'No Blood Seen" to "No Blood Seen".
27-Jul-2022	2.0	Kevin Oliver	Versioned to 2.0

1. Mayo Daily Screen 1 *[NOT SUBMITTED]*



2. Mayo Daily Screen 1 continued *[NOT SUBMITTED]*



QS = Questionnaires

QSCAT = MAYO DAILY DIARY V2

QSEVAL = STUDY SUBJECT

3. Mayo Daily Screen 2



QSEVINTX= TODAY

QSORRES=HAD PROCEDURE when QSTESTCD = MAYO9502

QSTEST=MAYO95-Colonoscopy

QSORRES=HAD PROCEDURE when QSTESTCD = MAYO9510

QSTEST=MAYO95-Sigmoidoscopy

QSORRES=HAD CLEAR LIQUID DIET when QSTESTCD = MAYO9511

QSTEST=MAYO95-Clear Liquid Diet

QSTEST=MAYO95-Proc/Liquid Diet Not Applicable

QSORRES=NO PROCEDURE OR CLEAR LIQUID DIET when QSTESTCD = MAYO9512

4. Mayo Daily Screen 3



5. Mayo Daily Screen 4



6. Mayo Daily Screen 5



7. Mayo Daily Screen 6 *[NOT SUBMITTED]*



8. Mayo Daily Screen 7



9. Mayo Daily Screen 7 – Grade 0 selection



10. Mayo Daily Screen 7 – Grade 1 selection



11. Mayo Daily Screen 7 – Grade 2 selection



12. Mayo Daily Screen 7 – Grade 3 selection



[NOT SUBMITTED]

© YPrime 2022

Mayo Daily Diary Screening Day -1

Participant Instructions for Completing Mayo Diary Card from Weeks 0 to 48 and LTE:

•Record information about the number of stools* you have had and the amount of blood you have in your stools each day for the entire 24-hour period.

•If you have had a colonoscopy or a sigmoidoscopy; any medications to prepare for one of these procedures (including a clear liquid diet); or any medications for diarrhea, constipation, or irregularity, please select the box on the applicable day.

•Record the number of stools* that you have had on each day.

•Indicate the most severe category of rectal bleeding that describes the amount of blood you had in your stools* each day.

•If you did not have any stools* for a particular day, please select "No Blood Seen" in the rectal bleeding section

***A stool is defined as a trip to the washroom when you have a bowel movement. This also includes when you pass blood alone and/or mucus alone.**


© YPrime 2022
07-Jul-2022 05:00 PM 100%
QS = Questionnaire
QSCAT = MAYO DAILY DIARY V2
QSEVAL = STUDY SUBJECT
Participant:AA5-US111-123485
QSEVINTX= TODAY
Mayo Daily Diary Screening Day -1
Please indicate today if you have had either of the following procedures or have been on a clear liquid diet.
Ulcerative Colitis (UC) procedures
QSORRES=HAD PROCEDURE when QSTESTCD = MAYO9502
Colonoscopy
QSTEST=MAYO95-Colonoscopy
QSORRES=HAD PROCEDURE when QSTESTCD = MAYO9510
Sigmoidoscopy
QSTEST=MAYO95-Sigmoidoscopy
QSORRES=HAD CLEAR LIQUID DIET when QSTESTCD = MAYO9511
Clear Liquid Diet
QSTEST=MAYO95-Clear Liquid Diet
QSORRES=NO PROCEDURE OR CLEAR LIQUID DIET when QSTESTCD = MAYO9512
Not Applicable
QSTEST=MAYO95-Proc/Liquid Diet Not Applicable
Back
4/5
12%
Next

© YPrime 2022

Mayo Daily Diary Screening Day -1

QSTEST=MAYO95-Preparation for Procedure

Please indicate today if you have had any preparation for a procedure (e.g., enemas, other laxatives):

QSORRES when QSTESTCD = MAYO9503

Yes

No



QSTEST=MAYO95-Constipation	Constipation	*QSORRES = MEDICATION TAKEN, when QSTESTCD = MAYO9504*
QSTEST=MAYO95-Diarrhea	Diarrhea	*QSORRES = MEDICATION TAKEN, when QSTESTCD = MAYO9505*
QSTEST=MAYO95-Irregularity	Irregularity	*QSORRES = MEDICATION TAKEN, when QSTESTCD = MAYO9506*
QSTEST=MAYO95-Medications, Not Applicable	Not Applicable	*QSORRES = NO MEDICATION TAKEN when QSTESTCD = MAYO9509*


© YPrime 2022
07-Jul-2022 05:01 PM 100%
Participant:AA5-US111-123485
Mayo Daily Diary Screening Day -1
QSTEST=MAYO95-Number of Stools Today
Record the number of stools you had today.
Number of stools
50
QSORRES when QSTESTCD = MAYO9507
00
Back
4/5
50%
Next

[NOT SUBMITTED]

© YPrime 2022

Rectal Bleeding Reference Card

Grade 0: out of all the stools you had in one day, no blood was seen

Grade 1: out of all the stools you had in one day, streaks of blood could be seen less than half the time

Grade 2: out of all the stools you had in one day, obvious blood could be seen most of the time

Grade 3: blood alone was passed in one day


© YPrime 2022
07-Jul-2022 05:02 PM 100%
Participant:AA5-US111-123485
Mayo Daily Diary Screening Day -1
QSTEST=MAYO95-Amount of Blood in Stool
Select the most severe category that describes the amount of blood you had in your stools today.
QSORRES when QSTESTCD = MAYO9508
No blood seen (Grade 0)
Streaks of blood with stool less than half the time (Grade 1)
Obvious blood with stool most of the time (Grade 2)
Blood alone passed (Grade 3)
QSSTRESC
Back
4/5
75%
Next

© YPrime 2022

Mayo Daily Diary Screening Day -1

Select the most severe category that describes the amount of blood you had in your stools today.

- No blood seen (Grade 0)
- Streaks of blood with stool less than half the time (Grade 1)
- Obvious blood with stool most of the time (Grade 2)
- Blood alone passed (Grade 3)

Out of all the stools you had in one day, no blood was seen

Mayo Daily Diary Screening Day -1

Select the most severe category that describes the amount of blood you had in your stools today.

- No blood seen (Grade 0)
- Streaks of blood with stool less than half the time (Grade 1)
- Obvious blood with stool most of the time (Grade 2)
- Blood alone passed (Grade 3)

Out of all the stools you had in one day, streaks of blood could be seen less than half the time

© YPrime 2022

Select the most severe category that describes the amount of blood you had in your stools today.

- No blood seen (Grade 0)
- Streaks of blood with stool less than half the time (Grade 1)
- **Obvious blood with stool most of the time (Grade 2)**
- Blood alone passed (Grade 3)

Out of all the stools you had in one day, obvious blood could be seen most of the time

© YPrime 2022

Select the most severe category that describes the amount of blood you had in your stools today.

- No blood seen (Grade 0)
- Streaks of blood with stool less than half the time (Grade 1)
- Obvious blood with stool most of the time (Grade 2)
- **Blood alone passed (Grade 3)**

Blood alone was passed in one day



[NOT SUBMITTED]

© YPrime 2022

Mayo Daily Diary Screening Day -2

Participant Instructions for Completing Mayo Diary Card from Weeks 0 to 48 and LTE:

•Record information about the number of stools* you have had and the amount of blood you have in your stools each day for the entire 24-hour period.

•If you have had a colonoscopy or a sigmoidoscopy; any medications to prepare for one of these procedures (including a clear liquid diet); or any medications for diarrhea, constipation, or irregularity, please select the box on the applicable day.

•Record the number of stools* that you have had on each day.

•Indicate the most severe category of rectal bleeding that describes the amount of blood you had in your stools* each day.

•If you did not have any stools* for a particular day, please select "No Blood Seen" in the rectal bleeding section

***A stool is defined as a trip to the washroom when you have a bowel movement. This also includes when you pass blood alone and/or mucus alone.**


© YPrime 2022
07-Jul-2022 04:53 PM 100%
QS = Questionnaire
QSCAT = MAYO DAILY DIARY V2
QSEVAL = STUDY SUBJECT
Participant:AA5-US111-123485
QSEVINTX= TODAY
Mayo Daily Diary Screening Day -2
Please indicate today if you have had either of the following procedures or have been on a clear liquid diet.
Ulcerative Colitis (UC) procedures
QSORRES=HAD PROCEDURE when QSTESTCD = MAYO9502
Colonoscopy
QSTEST=MAYO95-Colonoscopy
QSORRES=HAD PROCEDURE when QSTESTCD = MAYO9510
Sigmoidoscopy
QSTEST=MAYO95-Sigmoidoscopy
QSORRES=HAD CLEAR LIQUID DIET when QSTESTCD = MAYO9511
Clear Liquid Diet
QSTEST=MAYO95-Clear Liquid Diet
QSORRES=NO PROCEDURE OR CLEAR LIQUID DIET when QSTESTCD = MAYO9512
Not Applicable
QSTEST=MAYO95-Proc/Liquid Diet Not Applicable
Back
3/5
12%
Next

© YPrime 2022

Mayo Daily Diary Screening Day -2

QSTEST=MAYO95-Preparation for Procedure

Please indicate today if you have had any preparation for a procedure (e.g., enemas, other laxatives):

QSORRES when QSTESTCD = MAYO9503

Yes

No



QSTEST=MAYO95-Constipation

QSORRES = MEDICATION TAKEN, when QSTESTCD = MAYO9504

QSTEST=MAYO95-Diarrhea

QSORRES = MEDICATION TAKEN, when QSTESTCD = MAYO9505

QSTEST=MAYO95-Irregularity

QSORRES = MEDICATION TAKEN, when QSTESTCD = MAYO9506

QSTEST=MAYO95-Medications, Not Applicable

QSORRES = NO MEDICATION TAKEN when QSTESTCD = MAYO9509

© YPrime 2022

Mayo Daily Diary Screening Day -2

QSTEST=MAYO95-Number of Stools Today

Record the number of stools you had today.

Number of stools

50

QSORRES when QSTESTCD = MAYO9507

00

[NOT SUBMITTED]

© YPrime 2022

07-Jul-2022 04:55 PM 100%

Participant:AA5-US111-123485

Mayo Daily Diary Screening Day -2

Rectal Bleeding Reference Card

Grade 0: out of all the stools you had in one day, no blood was seen

Grade 1: out of all the stools you had in one day, streaks of blood could be seen less than half the time

Grade 2: out of all the stools you had in one day, obvious blood could be seen most of the time

Grade 3: blood alone was passed in one day




© YPrime 2022
07-Jul-2022 04:55 PM 100%
Participant:AA5-US111-123485
Mayo Daily Diary Screening Day -2
QSTEST=MAYO95-Amount of Blood in Stool
Select the most severe category that describes the amount of blood you had in your stools today.
QSORRES when QSTESTCD = MAYO9508
No blood seen (Grade 0)
Streaks of blood with stool less than half the time (Grade 1)
Obvious blood with stool most of the time (Grade 2)
Blood alone passed (Grade 3)
QSSTRESC
Back
3/5
75%
Next

© YPrime 2022

Select the most severe category that describes the amount of blood you had in your stools today.

- No blood seen (Grade 0)
- Streaks of blood with stool less than half the time (Grade 1)
- Obvious blood with stool most of the time (Grade 2)
- Blood alone passed (Grade 3)

Out of all the stools you had in one day, no blood was seen

Mayo Daily Diary Screening Day -2

Select the most severe category that describes the amount of blood you had in your stools today.

- No blood seen (Grade 0)
- Streaks of blood with stool less than half the time (Grade 1)
- Obvious blood with stool most of the time (Grade 2)
- Blood alone passed (Grade 3)

Out of all the stools you had in one day, streaks of blood could be seen less than half the time

© YPrime 2022

Mayo Daily Diary Screening Day -2

Select the most severe category that describes the amount of blood you had in your stools today.

- No blood seen (Grade 0)
- Streaks of blood with stool less than half the time (Grade 1)
- **Obvious blood with stool most of the time (Grade 2)**
- Blood alone passed (Grade 3)

Out of all the stools you had in one day, obvious blood could be seen most of the time

© YPrime 2022

Mayo Daily Diary Screening Day -2

Select the most severe category that describes the amount of blood you had in your stools today.

No blood seen (Grade 0)

Streaks of blood with stool less than half the time (Grade 1)

Obvious blood with stool most of the time (Grade 2)

Blood alone passed (Grade 3)

Blood alone was passed in one day

[NOT SUBMITTED]

© YPrime 2022

Mayo Daily Diary Screening Day -3

Participant Instructions for Completing Mayo Diary Card from Weeks 0 to 48 and LTE:

•Record information about the number of stools* you have had and the amount of blood you have in your stools each day for the entire 24-hour period.

•If you have had a colonoscopy or a sigmoidoscopy; any medications to prepare for one of these procedures (including a clear liquid diet); or any medications for diarrhea, constipation, or irregularity, please select the box on the applicable day.

•Record the number of stools* that you have had on each day.

•Indicate the most severe category of rectal bleeding that describes the amount of blood you had in your stools* each day.

•If you did not have any stools* for a particular day, please select "'No Blood Seen" in the rectal bleeding section

***A stool is defined as a trip to the washroom when you have a bowel movement. This also includes when you pass blood alone and/or mucus alone.**


© YPrime 2022
07-Jul-2022 04:45 PM 100%
QS = Questionnaire
Participant:AA5-US111-123485
QSCAT = MAYO DAILY DIARY V2
QSEVAL = STUDY SUBJECT
QSEVINTX= TODAY
Mayo Daily Diary Screening Day -3
Please indicate today if you have had either of the following procedures or have been on a clear liquid diet.
Ulcerative Colitis (UC) procedures
QSORRES=HAD PROCEDURE when QSTESTCD = MAYO9502
Colonoscopy
QSTEST=MAYO95-Colonoscopy
QSORRES=HAD PROCEDURE when QSTESTCD = MAYO9510
Sigmoidoscopy
QSTEST=MAYO95-Sigmoidoscopy
QSORRES=HAD CLEAR LIQUID DIET when QSTESTCD = MAYO9511
Clear Liquid Diet
QSTEST=MAYO95-Clear Liquid Diet
QSORRES=NO PROCEDURE OR CLEAR LIQUID DIET when QSTESTCD = MAYO9512
Not Applicable
QSTEST=MAYO95-Proc/Liquid Diet Not Applicable
Back
2/5
12%
Next

© YPrime 2022

Mayo Daily Diary Screening Day -3

QSTEST=MAYO95-Preparation for Procedure

Please indicate today if you have had any preparation for a procedure (e.g., enemas, other laxatives):

QSORRES when QSTESTCD = MAYO9503

Yes

No



QSTEST=MAYO95-Constipation — ***QSORRES = MEDICATION TAKEN, when QSTESTCD = MAYO9504***

QSTEST=MAYO95-Diarrhea — ***QSORRES = MEDICATION TAKEN, when QSTESTCD = MAYO9505***

QSTEST=MAYO95-Irregularity — ***QSORRES = MEDICATION TAKEN, when QSTESTCD = MAYO9506***

QSTEST=MAYO95-Medications, Not Applicable — ***QSORRES = NO MEDICATION TAKEN when QSTESTCD = MAYO9509***

Participant:AA5-US111-123485

Mayo Daily Diary Screening Day -3

QSTEST=MAYO95-Number of Stools Today

Record the number of stools you had today.

Number of stools

50

QSORRES when QSTESTCD = MAYO9507

00

[NOT SUBMITTED]

© YPrime 2022

07-Jul-2022 04:47 PM 100%

Participant:AA5-US111-123485

Mayo Daily Diary Screening Day -3

Rectal Bleeding Reference Card

Grade 0: out of all the stools you had in one day, no blood was seen

Grade 1: out of all the stools you had in one day, streaks of blood could be seen less than half the time

Grade 2: out of all the stools you had in one day, obvious blood could be seen most of the time

Grade 3: blood alone was passed in one day

Back

2/5
62%

Next


© YPrime 2022
07-Jul-2022 04:47 PM 100%
Participant:AA5-US111-123485
Mayo Daily Diary Screening Day -3
QSTEST=MAYO95-Amount of Blood in Stool
Select the most severe category that describes the amount of blood you had in your stools today.
QSORRES when QSTESTCD = MAYO9508
No blood seen (Grade 0)
Streaks of blood with stool less than half the time (Grade 1)
Obvious blood with stool most of the time (Grade 2)
Blood alone passed (Grade 3)
QSSTRESC
Back
2/5
75%
Next

© YPrime 2022

Select the most severe category that describes the amount of blood you had in your stools today.

- No blood seen (Grade 0)
- Streaks of blood with stool less than half the time (Grade 1)
- Obvious blood with stool most of the time (Grade 2)
- Blood alone passed (Grade 3)

Out of all the stools you had in one day, no blood was seen

© YPrime 2022

Mayo Daily Diary Screening Day -3

Select the most severe category that describes the amount of blood you had in your stools today.

- No blood seen (Grade 0)
- Streaks of blood with stool less than half the time (Grade 1)
- Obvious blood with stool most of the time (Grade 2)
- Blood alone passed (Grade 3)

Out of all the stools you had in one day, streaks of blood could be seen less than half the time

© YPrime 2022

Mayo Daily Diary Screening Day -3

Select the most severe category that describes the amount of blood you had in your stools today.

- No blood seen (Grade 0)
- Streaks of blood with stool less than half the time (Grade 1)
- **Obvious blood with stool most of the time (Grade 2)**
- Blood alone passed (Grade 3)

Out of all the stools you had in one day, obvious blood could be seen most of the time

© YPrime 2022

Select the most severe category that describes the amount of blood you had in your stools today.

- No blood seen (Grade 0)
- Streaks of blood with stool less than half the time (Grade 1)
- Obvious blood with stool most of the time (Grade 2)
- **Blood alone passed (Grade 3)**

Blood alone was passed in one day

eCOA Screen Report

Sponsor: Janssen
Protocol: CNTO1959UCO3004
Questionnaire: PROMIS-29
Language ID: enUS
Language Name: English – United States

Document Version: 2.0

Revision History

Creation / Revision Date	Version Number	Author(s)	Description of Version
10-Mar-2022	0.1	Kevin Oliver	Initial
15-Jun-2022	1.0	Kevin Oliver	Versioned to 1.0
07-Jul-2022	1.1	Kevin Oliver	Corrected screens 1-29. Header changed from 'Subject' to 'Participant'
18-Jul-2022	2.0	Kevin Oliver	Versioned to 2.0

1. PROMIS Screen 1



2. PROMIS Screen 2



3. PROMIS Screen 3



4. PROMIS Screen 4



5. PROMIS Screen 5



6. PROMIS Screen 6



7. PROMIS Screen 7



8. PROMIS Screen 8



9. PROMIS Screen 9



10. PROMIS Screen 10



11. PROMIS Screen 11



12. PROMIS Screen 12



13. PROMIS Screen 13

14. PROMIS Screen 14

15. PROMIS Screen 15

16. PROMIS Screen 16

17. PROMIS Screen 17

18. PROMIS Screen 18

19. PROMIS Screen 19

20. PROMIS Screen 20



21. PROMIS Screen 21

22. PROMIS Screen 22

23. PROMIS Screen 23

24. PROMIS Screen 24

25. PROMIS Screen 25

26. PROMIS Screen 26

27. PROMIS Screen 27

28. PROMIS Screen 28

29. PROMIS Screen 29



eCOA Screen Report

Sponsor: Janssen
Protocol: CNTO1959UCO3004
Questionnaire: UC-PRO/SS
Language ID: enUS
Language Name: English – United States

Document Version: 1.0

Revision History

Creation / Revision Date	Version Number	Author(s)	Description of Version
09-Mar-2022	0.1	Kevin Oliver	Initial Draft
15-Jun-2022	1.0	Kevin Oliver	Versioned to 1.0

1. UC-PRO Screen 1



2. UC-PRO Screen 2



3. UC-PRO Screen 3



QSSCAT = BOWEL SIGNS AND SYMPTOMS

QSTEST=UCPR9-How Many Bowel Movements

QSORRES when QSTESTCD = UCPR901

4. UC-PRO Screen 4



QSSCAT = BOWEL SIGNS AND SYMPTOMS

QSTEST=UCPR9-Bowel Movements Mostly Liquid

QSORRES when QSTESTCD = UCPR902

5. UC-PRO Screen 5



6. UC-PRO Screen 6



7. UC-PRO Screen 7



8. UC-PRO Screen 8



QSSCAT = BOWEL SIGNS AND SYMPTOMS

QSTEST=UCPR9-Mucus in Your Bowel Movements

QSORRES when QSTESTCD = UCPR904

9. UC-PRO Screen 9



10. UC-PRO Screen 10



11. UC-PRO Screen 11



12. UC-PRO Screen 12



QSSCAT = FUNCTIONAL SYMPTOMS

QSTEST=UCPR9-Did You Pass Gas

QSORRES when QSTESTCD = UCPR906

13. UC-PRO Screen 13



14. UC-PRO Screen 14



15. UC-PRO Screen 15



16. UC-PRO Screen 16



17. UC-PRO Screen 17



18. UC-PRO Screen 18



19. UC-PRO Screen 19



QSSCAT = FUNCTIONAL SYMPTOMS

QSTEST=UCPR9-Did You Feel Bloating in Belly

QSORRES when QSTESTCD = UCPR909

20. UC-PRO Screen 20