Un seul fichier a été modifié, `src/main.py`. J'y ai ajouté quatre fonctions : `get_first_close`, `get_last_close`, `display_configuration` et `display_market_summary`. J'ai aussi remplacé dans `main()` les anciens `print` par des appels à ces fonctions. Les lignes supprimées sont les `print` qui se répétaient pour l'instrument et le benchmark, deux variables devenues inutiles, trois lignes de commentaire et quelques lignes vides. Le diff correspond bien au travail que je voulais faire au TD02, et je n'ai laissé aucun `print` de test.

Un fichier suivi modifié est un fichier que Git connaît déjà et que j'ai changé depuis le dernier commit. Un fichier non suivi est un nouveau fichier que Git n'a jamais enregistré. Un changement stagé est un changement que j'ai choisi avec `git add` pour qu'il fasse partie du prochain commit.

`git diff` montre les changements que je n'ai pas encore sélectionnés, tandis que `git diff --staged` montre ceux qui vont partir dans le commit. Je l'ai bien vu en pratique : après mon `git add src/main.py`, `git diff` n'affichait plus rien et toutes mes modifications apparaissaient dans `git diff --staged`.

Mon commit ne modifie que `src/main.py`, avec 28 lignes ajoutées et 24 supprimées. Le diff représente un nettoyage de l'affichage : au lieu d'écrire les mêmes `print` deux fois, j'utilise maintenant des fonctions réutilisables, et j'ai ajouté l'affichage de la première clôture. Mon message `refactor: extract market summary display into reusable functions` est adapté parce qu'il dit clairement ce que j'ai fait, contrairement à un message vague comme « update ». L'auteur enregistré, c'est moi, `jeannespinos`, avec mon adresse ESILV.

J'ai trois commits dans l'historique : les captures du TD01, celles du TD02 et mon refactoring d'aujourd'hui. Dans ce dernier, j'ai réorganisé l'affichage de `main.py` en fonctions, pour éviter de répéter le même code et rendre le programme plus clair et plus facile à faire évoluer.

```
Windows PowerShell 5.1
Copyright (C) Microsoft Corporation. Tous droits réservés.

PS C:\Users\guyma> git --version
git version 2.56.0.windows.2
PS C:\Users\guyma> cd chemin\vers\esilv-marketpulse-g07-Tryharders
cd : Impossible de trouver le chemin d'accès «
C:\Users\guyma\chemin\vers\esilv-marketpulse-g07-Tryharders», car il
n'existe pas.
Au caractère Ligne:1 : 1
+ cd chemin\vers\esilv-marketpulse-g07-Tryharders
+ ~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~
    + CategoryInfo          : ObjectNotFound: (C:\Users\guyma\...-g07-Tryh
   arders:String) [Set-Location], ItemNotFoundException
    + FullyQualifiedErrorId : PathNotFound,Microsoft.PowerShell.Commands.S
   etLocationCommand

PS C:\Users\guyma> Get-ChildItem -Path $HOME -Recurse -Directory -Filter "esilv-marketpulse*" -ErrorAction SilentlyContinue | Select-Object FullName

FullName
--------
C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders


PS C:\Users\guyma>
PS C:\Users\guyma> cd \Users\guyma\labs\esilv-marketpulse-g07-Tryharders
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> ls


    Répertoire : C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders


Mode                 LastWriteTime         Length Name
----                 -------------         ------ ----
d-----        07/10/2026     17:59                config
d-----        07/10/2026     17:59                data
d-----        07/10/2026     17:59                evidence
d-----        07/10/2026     17:59                labs
d-----        07/10/2026     17:59                readiness
d-----        07/10/2026     17:59                src
-a----        07/10/2026     17:59            199 .gitignore
-a----        07/10/2026     17:59           3126 CONTRIBUTING.md
-a----        07/10/2026     17:59          10747 README.md
-a----        07/10/2026     17:59            135 requirements.txt
-a----        07/10/2026     19:17         398810 TD01-GitHub-Linux-Jeanne_
                                                  espinos.pdf
-a----        07/10/2026     19:54         298113 td2_jeanne_espinos.pdf
-a----        07/10/2026     17:59           1508 TEAM_TEMPLATE.md


PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git config user.name
jeannespinos
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git config user.email
jeanne.espinos@edu.devinci.fr
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git branch
* jeanne
  main
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git status
On branch jeanne
Your branch is up to date with 'origin/jeanne'.

Changes not staged for commit:
  (use "git add <file>..." to update what will be committed)
  (use "git restore <file>..." to discard changes in working directory)
        modified:   src/main.py

no changes added to commit (use "git add" and/or "git commit -a")
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> diff
```

```
applet de commande Compare-Object à la position 1 du pipeline de la
commande
Fournissez des valeurs pour les paramètres suivants :
ReferenceObject[0]:
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git diff
diff --git a/src/main.py b/src/main.py
index 884b045..303d731 100644
--- a/src/main.py
+++ b/src/main.py
@@ -2,16 +2,10 @@ from pathlib import Path
 import csv
 import json

-
 DATA_DIR = Path("data/sample")
-
-# These starter values mirror config/settings.yml.
-# settings.yml is a human-readable configuration contract in the CORE.
-# Parsing YAML is optional and is not required by the 18-hour lab sequence.
 LOOKBACK_LABEL = "1 month"
 INTERVAL_LABEL = "Daily"

-
 def load_instruments():
     with open(DATA_DIR / "instruments.json", encoding="utf-8") as file:
         return json.load(file)
@@ -26,36 +20,46 @@ def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]


+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_configuration():
+    print("Market configuration")
+    print(f"Period   : {LOOKBACK_LABEL}")
+    print(f"Interval : {INTERVAL_LABEL}")
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    suffix = f" {asset['currency']}" if show_currency else ""
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+    print(f"First close  : {get_first_close(prices):.2f}{suffix}")
+    print(f"Last close   : {get_last_close(prices):.2f}{suffix}")
+
+
 def main():
+
+
     instruments = load_instruments()
     prices = load_prices()

     instrument = instruments["instrument"]
     benchmark = instruments["benchmark"]

     instrument_prices = filter_prices(prices, instrument["ticker"])
     benchmark_prices = filter_prices(prices, benchmark["ticker"])

-    instrument_latest = instrument_prices[-1]
-    benchmark_latest = benchmark_prices[-1]
-
```

```
     print("=== MarketPulse ===")
     print()
+    display_configuration()
+    print()
     print("Instrument")
-    print(f"{instrument['ticker']} - {instrument['name']}")
-    print(f"Last price: {instrument_latest['close']} {instrument['currency']}")
+    display_market_summary(instrument, instrument_prices)
     print()
     print("Benchmark")
-    print(f"{benchmark['ticker']} - {benchmark['name']}")
-    print(f"Last level: {benchmark_latest['close']}")
-    print()
-    print(f"Period: {LOOKBACK_LABEL}")
-    print(f"Interval: {INTERVAL_LABEL}")
-    print()
-    print("Observations")
-    print(f"{instrument['ticker']}: {len(instrument_prices)}")
-    print(f"{benchmark['ticker']}: {len(benchmark_prices)}")
+    display_market_summary(benchmark, benchmark_prices, show_currency=False)


 if __name__ == "__main__":
-    main()
+    main()
\ No newline at end of file
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> ^C
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> add src/main.py
add : Le terme «add» n'est pas reconnu comme nom d'applet de commande,
fonction, fichier de script ou programme exécutable. Vérifiez
l'orthographe du nom, ou si un chemin d'accès existe, vérifiez que le
chemin d'accès est correct et réessayez.
Au caractère Ligne:1 : 1
+ add src/main.py
+ ~~~
    + CategoryInfo          : ObjectNotFound: (add:String) [], CommandNotF
   oundException
    + FullyQualifiedErrorId : CommandNotFoundException

PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git add src/main.py

PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git status
On branch jeanne
Your branch is up to date with 'origin/jeanne'.

Changes to be committed:
  (use "git restore --staged <file>..." to unstage)
        modified:   src/main.py

PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git diff --staged
diff --git a/src/main.py b/src/main.py
index 884b045..303d731 100644
--- a/src/main.py
+++ b/src/main.py
@@ -2,16 +2,10 @@ from pathlib import Path
 import csv
 import json

-
 DATA_DIR = Path("data/sample")
-
-# These starter values mirror config/settings.yml.
-# settings.yml is a human-readable configuration contract in the CORE.
-# Parsing YAML is optional and is not required by the 18-hour lab sequence.
 LOOKBACK_LABEL = "1 month"
 INTERVAL_LABEL = "Daily"
```


```
 def load_instruments():
     with open(DATA_DIR / "instruments.json", encoding="utf-8") as file:
         return json.load(file)
@@ -26,36 +20,46 @@ def filter_prices(prices, ticker):
     return [row for row in prices if row["ticker"] == ticker]


+def get_first_close(prices):
+    return float(prices[0]["close"])
+
+
+def get_last_close(prices):
+    return float(prices[-1]["close"])
+
+
+def display_configuration():
+    print("Market configuration")
+    print(f"Period    : {LOOKBACK_LABEL}")
+    print(f"Interval : {INTERVAL_LABEL}")
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    suffix = f" {asset['currency']}" if show_currency else ""
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+    print(f"First close  : {get_first_close(prices):.2f}{suffix}")
+    print(f"Last close   : {get_last_close(prices):.2f}{suffix}")
+
+
 def main():
+
     instruments = load_instruments()
     prices = load_prices()
-
     instrument = instruments["instrument"]
     benchmark = instruments["benchmark"]

     instrument_prices = filter_prices(prices, instrument["ticker"])
     benchmark_prices = filter_prices(prices, benchmark["ticker"])
-
-    instrument_latest = instrument_prices[-1]
-    benchmark_latest = benchmark_prices[-1]

     print("=== MarketPulse ===")
     print()
+    display_configuration()
+    print()
     print("Instrument")
-    print(f"{instrument['ticker']} - {instrument['name']}")
-    print(f"Last price: {instrument_latest['close']} {instrument['currency']}")
+    display_market_summary(instrument, instrument_prices)
     print()
     print("Benchmark")
-    print(f"{benchmark['ticker']} - {benchmark['name']}")
-    print(f"Last level: {benchmark_latest['close']}")
-    print()
-    print(f"Period: {LOOKBACK_LABEL}")
-    print(f"Interval: {INTERVAL_LABEL}")
-    print()
-    print("Observations")
-    print(f"{instrument['ticker']}: {len(instrument_prices)}")
-    print(f"{benchmark['ticker']}: {len(benchmark_prices)}")
+    display_market_summary(benchmark, benchmark_prices, show_currency=False)


 if __name__ == "__main__":
```



```
 if __name__ == "__main__":
-    main()
+    main()
\ No newline at end of file
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> python src/main.py
=== MarketPulse ===

Market configuration
Period   : 1 month
Interval : Daily

Instrument
AAPL - Apple Inc.
Observations : 21
First close  : 250.00 USD
Last close   : 266.20 USD

Benchmark
SP500 - S&P 500
Observations : 21
First close  : 6600.00
Last close   : 6742.00
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git commit -m "refactor: extract market summary display into reusable functions"
[jeanne 58f7605] refactor: extract market summary display into reusable functions
 1 file changed, 28 insertions(+), 24 deletions(-)
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git status
On branch jeanne
Your branch is ahead of 'origin/jeanne' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git log --oneline
58f7605 (HEAD -> jeanne) refactor: extract market summary display into reusable functions
9186c8a (origin/jeanne) TD02 : captures du travail réalisé
63a0ae7 TD01 : captures du travail réalisé
5207db8 (origin/main, origin/HEAD, main) first td session
ba5c9f4 Update Readme
9fd6c8a Update Readme
bfb94a6 init projecttemplate
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git show HEAD
commit 58f7605fa6e52033f6b5c545ba7e85669858af0f (HEAD -> jeanne)
Author: jeannespinos <jeanne.espinos@edu.devinci.fr>
Date:   Fri Nov 13 17:40:54 2026 +0100

    refactor: extract market summary display into reusable functions

diff --git a/src/main.py b/src/main.py
index 884b045..303d731 100644
--- a/src/main.py
+++ b/src/main.py
@@ -2,16 +2,10 @@ from pathlib import Path
 import csv
 import json

-
 DATA_DIR = Path("data/sample")
-
-# These starter values mirror config/settings.yml.
-# settings.yml is a human-readable configuration contract in the CORE.
-# Parsing YAML is optional and is not required by the 18-hour lab sequence.
 LOOKBACK_LABEL = "1 month"
 INTERVAL_LABEL = "Daily"

-
 def load_instruments():
     with open(DATA_DIR / "instruments.json", encoding="utf-8") as file:
```

Windows PowerShell

```
+    print(f"Period    : {LOOKBACK_LABEL}")
+    print(f"Interval : {INTERVAL_LABEL}")
+
+
+def display_market_summary(asset, prices, show_currency=True):
+    suffix = f" {asset['currency']}" if show_currency else ""
+    print(f"{asset['ticker']} - {asset['name']}")
+    print(f"Observations : {len(prices)}")
+    print(f"First close  : {get_first_close(prices):.2f}{suffix}")
+    print(f"Last close   : {get_last_close(prices):.2f}{suffix}")
+
+
 def main():
+
     instruments = load_instruments()
     prices = load_prices()
-
     instrument = instruments["instrument"]
     benchmark = instruments["benchmark"]
-
     instrument_prices = filter_prices(prices, instrument["ticker"])
     benchmark_prices = filter_prices(prices, benchmark["ticker"])
-
-    instrument_latest = instrument_prices[-1]
-    benchmark_latest = benchmark_prices[-1]
-
     print("=== MarketPulse ===")
     print()
+    display_configuration()
+    print()
     print("Instrument")
-    print(f"{instrument['ticker']} - {instrument['name']}")
-    print(f"Last price: {instrument_latest['close']} {instrument['currency']}")
+    display_market_summary(instrument, instrument_prices)
     print()
     print("Benchmark")
-    print(f"{benchmark['ticker']} - {benchmark['name']}")
-    print(f"Last level: {benchmark_latest['close']}")
-    print()
-    print(f"Period: {LOOKBACK_LABEL}")
-    print(f"Interval: {INTERVAL_LABEL}")
-    print()
-    print("Observations")
-    print(f"{instrument['ticker']}: {len(instrument_prices)}")
-    print(f"{benchmark['ticker']}: {len(benchmark_prices)}")
+    display_market_summary(benchmark, benchmark_prices, show_currency=False)


 if __name__ == "__main__":
-    main()
+    main()
\ No newline at end of file
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git log --oneline -- src/main.py
58f7605 (HEAD -> jeanne) refactor: extract market summary display into reusable functions
bfb94a6 init projecttemplate
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git log --oneline --graph --decorate
* 58f7605 (HEAD -> jeanne) refactor: extract market summary display into reusable functions
* 9186c8a (origin/jeanne) TD02 : captures du travail réalisé
* 63a0ae7 TD01 : captures du travail réalisé
* 5207db8 (origin/main, origin/HEAD, main) first td session
* ba5c9f4 Update Readme
* 9fd6c8a Update Readme
* bfb94a6 init projecttemplate
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders> git log --author="jeannespinos" --oneline
58f7605 (HEAD -> jeanne) refactor: extract market summary display into reusable functions
9186c8a (origin/jeanne) TD02 : captures du travail réalisé
63a0ae7 TD01 : captures du travail réalisé
PS C:\Users\guyma\labs\esilv-marketpulse-g07-Tryharders>
```